AD-A242 678

TECHNICAL SUPPORT TASK REPORT FOR THE MODERNIZATION OF DEFENSE LOGISTICS STANDARD SYSTEMS

Volume III: Logistics Gateway Node Technical Specification

Report DL702R1

May 1991

William T. James, III

With Christo G. Andonyadis John S. Doby John Lycas Accession for

The GRAMI ST

T

Prepared pursuant to Department of Defense Contract MDA903-90-C-0006. The views expressed here are those of the Logistics Management Institute at the time of issue but not necessarily those of the Department of Defense. Permission to quote or reproduce any part – except for Government purposes – must be obtained from the Logistics Management Institute.

LOGISTICS MANAGEMENT INSTITUTE 6400 Goldsboro Road Bethesda, Maryland 20817-5886

91-14456

91 10 20 053

REPORT DOCUMENTATION PAGE

Form Approved OPM No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources gethering, and maintaining the data needed, and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE May 91	3. REPORT TYP Final	E AND DATES COVERED
4. TITLE AND SUBTITLE Technical Support Task Report for the Modernization of Defense Logistics Standard Systems, Volume III: Logistics Gateway Node Technical Specification		5. FUNDING NUMBERS C MDA903-C-0006 PE 0902198D	
6. AUTHOR(S) William T. James, III, with Christ	to G. Andonyadis, John S. Doby, John	Lycas	
7. PERFORMING ORGANIZATION NA Logistics Management Institute 6400 Goldsboro Road Bethesda, MD 20817-5886	ME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER LMI-DL702R1
9. SPONSORING/MONITORING AGEI Defense Logistics Standard Syste 6301 Little River Turnpike, Suite Alexandria, VA 22312	ms Division		10. SPONSORING/MONITORING AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION/AVAILABILITY S A: Approved for public release;			12b. DISTRIBUTION CODE
	mance requirements for a logistics gat under CLGN control. It specifies the t		l LGN (CLGN) interconnected within a ry for a network of deployed LGNs to meet
14. SUBJECT TERMS MODELS, EDI Translation, LGN	N, CLGN, Prototype, MODELS Feasib	ility Study, MODELS Netwo	
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	18. SECURITY CLASSIFICATI OF ABSTRACT Unclassified	ON 20. LIMITATION OF ABSTRACT UL

PREFACE

This technical report, in three volumes, is the final report covering more than 2 years of technical activity supporting the Modernization of Defense Logistics Standard Systems (MODELS) project. The supporting activities have included developing translation tables and the table-driven software for converting current fixed-length logistics data formats into new variable-length transaction equivalents. They have also included designing and testing prototype hardware and software platforms that support transaction interchange between logistics sites.

This volume, Logistics Gateway Node Technical Specification, is Volume III of the series. It presents the performance requirements for a logistics gateway node (LGN) and central LGN (CLGN) interconnected within a homogeneous network of LGNs under CLGN control. The specification's purpose is to describe the technical capabilities necessary for a network of deployed LGNs to meet the functional capability called for in OSD directives.

Volume I, *Prototype Test Report*, is an overview describing the task's purpose, results, conclusions, and recommendations from the viewpoint of four major support activities:

- Prototype LGN construction and testing
- Interconnection and control of telecommunicating LGNs
- Electronic data interchange transaction translation and testing
- Network performance simulation and cost modeling.

Volume II, Logistics Gateway Node Prototype Construction and Operation, details the construction and operation of the prototype LGNs developed for the support task. The document is written from the perspective of software performance. It is provided to assist in understanding and implementing the technical specification developed for the LGN.

CONTENTS (Continued)

Appendix C. Results of the MODELS Prototype Test	C-1 - C- 53
Appendix D. Examples of EDI Transaction Types	D-1 - D- 14
Appendix E. Examples of Fixed-Length Transaction Types	E-1 – E- 5
Appendix F. Interprocess Messages	F-1 - F- 10

CONTENTS

		Page
Preface		iii
List of Tables		vii
List of Figures	•••••	ix
1. General	•••••	1- 1
1.2 Purpose o 1.3 Project Re	and	1- 1 1- 1 1- 2 1- 3
•	rements	2- 1
2.2 LGN Des 2.3 LGN Fun	escription	2- 2 2- 6 2- 9 2-20
3. Environment		3- 1
Enviror 3.2 Commun 3.3 Support S	ed Information Systems Equipment nment ications Environment Software Environment Interfaces	3- 1 3- 1 3- 3 3- 3
3.5 Data Prot	tection	3- 3
4. Design Details		4- 1
4.2 System L 4.3 System D	Operating Procedures	4- 1 4- 1 4- 8 4- 9
Appendix A. Acronyr	ms A	-1 - A- 5
Appendix B. Transla	tion Tables R	-1 - B-314

TABLES

		Page
2-1.	Translation Tables	2-11
2-2.	Logged Events	2-18
4-1.	Function	4- 9

FIGURES

		Page
2-1.	Proposed MODELS Network Architecture	2-8
4-1.	Prototype LGN	4-2
4-2.	Initialization State	4-3
4-3.	Operational State	4-4
4-4.	Shutdown State	4-5

1. GENERAL

1.1 Background. The Defense Logistics Standard Systems (DLSS) were conceived in 1961 as a standard set of procedures for exchanging logistics information among the Military Services and Defense Agencies. The DLSS supported the "consolidations" of the mid-1950s — the assignment of commodity single managers responsible for the wholesale-level procurement, inventory management, and distribution of their assigned item to all DoD and authorized non-DoD users.

To maintain DoD-wide standardized logistics communications while fostering improvement of logistics systems, the Office of the Assistant Secretary of Defense (Production and Logistics) directed modernization of the DLSS. DoD recognized that many of the systems automating logistics functions and DLSS procedures were obsolete, incompatible, and represented impediments to effective logistics management. The Modernization of Defense Logistics Standard Systems (MODELS) aims at improving the flexibility and capabilities of DoD inter-Service/Agency operation and management information communications in order to increase the overall effectiveness of logistics management functions. The goal of MODELS, as is the goal of the DLSS, is to provide the standard policies, procedures, and transaction formats to facilitate effective communication of vital logistics information between Service and Agency automated systems. The new architecture for transmitting DLSS transactions consists of computer hardware and software [called "logistics gateway nodes" (LGNs)] at various installations.

- 1.2 Purpose of the MODELS LGN Specification. The technical specification for the MODELS LGN is written to
 - Define the LGN functions
 - Communicate details of the ongoing analysis between the logistics system operational personnel and the LGN development personnel
 - Define the interfaces with other systems and subsystems and the facilities to be used for accomplishing the interfaces.

- 1.3 Project References. The MODELS program will modernize DLSS policies, procedures, and transactions. MODELS is managed by the Director of the Defense Logistics Standard Systems Division (DLSSD). The Defense Automatic Addressing System Office (DAASO) is the central design activity. The following is a list of applicable references:
 - a. Military Standard Requisitioning and Issue Procedures, DoD 4000.25-1-M
 - b. Military Standard Transaction Reporting and Accounting Procedures, DoD 4000.25-2-M
 - c. Military Standard Transportation and Movement Procedures, DoD 4500.25-6-M
 - d. Military Standard Contract Administration Procedures, DoD 4000.25-5-M
 - e. Military Standard Billing System, DoD 4000.25-7-M
 - f. Military Standard Petroleum System, DoD 4140.25-M
 - g. Military Supply and Transportation Evaluation Procedures, DoD 4000.25-3-M
 - h. GOSIP User's Guide, National Institute of Standards and Technology (NIST)
 - i. Defense Logistics Standard Systems Functional Requirements, LMI Report DL502R1, March 1987
 - j. MODELS Site Conversion Guide, June 1990
 - k. Defense Logistics Management System EDI Standards, DLSSD, 31 May 1990
 - 1. Implementation Conventions
 - m. NIST Special Publication 500-163: GOSIP User's Guide
 - n. Federal Information Processing Standard (FIPS) 146 (pages 34 and 35)
 - o. FIPS 151 (page 36)
 - p. FIPS 119 (page 37)

- q. FIPS 150-1 (page 38)
- r. ANSI/ISO X9/X12 (page 38)
- s. ANSI ASC X12 (page 46)
- 1.4 Acronyms. Appendix A lists acronyms used in this document.

2. SUMMARY OF REQUIREMENTS

The day-to-day operational logistics of the Department of Defense are performed by the various Military Services and Defense Agencies. These organizations have different missions and have, over the years, developed different methods for improving the military effectiveness and business efficiencies of their logistics activities. Because they all use the same standard set of transactions, however, the Services and Agencies have been able to optimize internal operations and still communicate effectively with each other. The basic tenets of MODELS are that (1) the Services and Agencies will not be inhibited in improving their own logistics activities and (2) the integration of logistics information communication will be greatly improved by increased use of standardization of data element definitions, standard transaction formats, and electronic communication protocols.

To meet these basic requirements, the current system of data elements (over 400 transaction formats) and the use of the Automated Digital Network (AUTODIN) communications system have been redesigned. This technical specification gives the new standard data elements and the new transaction formats (56 of them) and specifies use of DoD's new standard communications system. MODELS will give logisticians and Defense managers more information, on a more timely basis, to be delivered to more logisticians more accurately. In addition, MODELS has been designed to accommodate transactions outside DoD.

The DLSS currently embraces retail requisitioning, wholesale supply, transportation, contract administration, finance (billing), performance measurement of time segments in the supply-transportation pipeline, and logistics data management. The MODELS design covers these traditional areas and also incorporates other logistics elements to form a cohesive functional framework for DoD logistics operations and management.

To continue the standard communication formats, MODELS will require some degree of data base and data model standardization. For this purpose, American National Standards Institute (ANSI) Accredited Standards Committee (ASC) X12 formats [also known as electronic data interchange (EDI) transactions] were used as a basis for MODELS. On the other hand, MODELS must also provide the capability

for internal (Service-peculiar or Agency-peculiar) data needs to be accommodated in MODELS transactions.

MODELS software must be designed to accommodate continual change. Service and Agency procedures have been — and will continue to be — changed, as a result of shifts in policy, new missions, etc. In addition, the automated systems supporting those procedures have been and will continue to be changed, in reaction to policy changes or because of technology modernization, etc. It is most important that MODELS provide a flexible framework of standard data and communication formats facilitating the accommodation of changes in procedures and automated systems. MODELS must also provide for standardization of retail procedures. It must be able to satisfy logistics information requirements and fully support resupply requirements in crisis or wartime situations.

Finally, the MODELS concept includes methods for collecting and reporting data at the retail operations level to satisfy a variety of performance measurement criteria. It must accumulate performance characteristics data generated as a normal part of the process of daily operations and provide for the retrieval of the data in a form that the recipient will find useful. It will incorporate procedures to collect pipeline performance measurement data at the segments of the process as they occur. MODELS standardizes the definition of each pipeline segment. It has the capability to collect, collate, and summarize reports from all organizations electronically. MODELS provides weapon system coding and the automated capabilities to perform weapon-system-oriented performance measurement of logistics operations. This comprehensive set of logistics operations performance measurements will be implemented through a MODELS publication and in the MODELS automated system.

- 2.1 System Description. Overall system operation will be viewed from three perspectives:
 - Outhound transaction flow
 - Inbound transaction flow
 - Central LGN (CLGN) operation, monitoring, and control.
- 2.1.1 Outbound Transaction Flow. While we will describe the flow of a transaction through the system as though it were serial, the reader must be aware that there may

be simultaneous information flow in various directions and processing stages within an LGN.

Transaction flow begins when the LGN receives a stream of outbound fixed-length transactions from its host through a local communications interface. Connection to the host shall be constant.

The LGN shall filter downloaded transactions to select those requiring translation into EDI format and shall sort and group multiple-image transactions before translation. Fixed-length transactions that contain illegal document identification code (DIC) entries prohibiting an accurate, unambiguous interchange between fixed-length and EDI formats shall be rejected to an error log for return to the host. Transactions already in EDI format and Service-specific¹ transactions from the host shall bypass the translation function. All others shall continue processing through the translation module.

Each transaction, whether or not it clears the filter, shall be assigned a unique control number for tracking and functional source-to-destination verification. The LGN log shall record outgoing transactions by timestamp, generated control number, and the source of the transaction. Original transactions shall be retained in a file at the sending LGN until the addressee acknowledges receipt. Transactions failing to pass the filter shall be written to the error log for return to the host.

Using table-driven translation logic, the LGN shall convert fixed-length transactions to EDI format and package them for transmission on the X.25 wide area network (WAN). As a by-product of its primary function, the translator shall perform an elementary technical editing² role, rejecting any fixed-length transactions containing illegal data entries that prohibit an accurate, unambiguous interchange between fixed-length and EDI formats. Transactions containing illegal data entries that prohibit translation shall be written to the error log for return to the host.

¹Service-specific transactions are fixed-format, DLSS-like transactions used by Services or Agencies whose contents have not been specified under the DLSS rules and that lack an EDI format equivalency. Service specific transactions may or may not bypass the editing function. At present, editing rules beyond those required for translation have not been stipulated.

²When explicit editing rules become defined, the editor at a site LGN may perform two levels of edit checking: warning, which would insert blanks or pass as submitted, and fatal, which would fail to pass.

Once translated to EDI (or received in EDI format directly from the host), transaction sets shall be packaged and queued for transmission. The first step in packaging is to bundle those with common priority and destination into a file for transmission across the WAN. Bundled files shall be assigned unique identification to allow tracking of each transmission. As transaction sets are bundled, they shall be logged in their EDI form by control number, which shall become the EDI control number in the starting (ST) and ending (SE) segments (see Appendix D for examples of EDI segments) of the transaction. The log shall contain the contents of the EDI transaction set, a bundling timestamp, the control number for the transaction set generated by the LGN, and a control number for the transmission file, permitting an audit for tracing a transaction through each step from source to final destination.

At a time appropriate to the packaged transaction's priority, the LGN shall initiate an X.25 call to the destination LGN. It shall compress and encrypt and, using a file transfer protocol (X.400 electronic mail messaging, when available), send the EDI transactions file. For its initial operational capability (IOC), the LGN shall search its address table for the network address of the CLGN, located at DAASO in Dayton, Ohio. At a later time, Defense Automatic Addressing System (DAAS) sites at both Dayton and Tracy, California, will function with a CLGN.

At such time as specific DAASO mission requirements may be relaxed, direct routing between participating LGNs could occur, obviating the role of the CLGN as an intermediate addressee for a limited number of qualifying transaction set types.

For direct LGN-to-LGN transmission, the sending LGN will look up the destination address in its address table, which maps DoD activity addresses and telecommunication network addresses for all participating LGNs. If the destination network address is resident on the Defense Data Network (DDN)³ and the transaction set qualifies for direct routing, the call will be set up on DDN directly to the destination LGN. For all other cases, the call is to the CLGN, which will deliver the transaction set to the DAAS modules for processing and routing.

³Our assumption is that DDN or other Government-owned telecommunications media will provide WAN services for the exchange of MODELS transactions. Accordingly, reference to DDN is made throughout for writing convenience, not to preclude the use of other commercially available WAN telecommunications services.

If the network call or the transmission fails, it will be tried again at a time interval set by parameter and appropriate for its priority. Repeated failures exceeding a parameter-controlled count will be entered in a communications exception report, which shall be sent, along with the transaction file, to the CLGN display and log. When a file is successfully transferred, the event will be timestamped and recorded in a log containing its file name, destination, and number of transmitted bytes (both compressed and noncompressed).

2.1.2 Inbound Transaction Flow. The flow of information from the WAN through the receiving LGN to the host is generally the reverse of the process just described. The receiving LGN shall timestamp and record receipt of the file in a receipt log by file name, source of transmission, and the number of bytes received. It shall then decrypt and expand (decompress) the file and, next, unbundle the transaction batch. Each EDI transaction set shall be logged as it is unbundled. The receipt log shall contain the identification of the file in which the transaction set was received, the contents of the transaction set, its control number (as generated by the source LGN or CLGN), and a timestamp. The LGN shall search a host-specific table to identify the types of EDI transaction sets for which the host is not EDI-capable. As required, it shall translate the EDI transactions one at a time to fixed-length format. As an interim provision to accommodate enhanced EDI transaction forms, the LGN shall retain the contents of the receipt log for 3 days to allow site operations personnel to retrieve the data for off-line processing.

After translation, when required, the transactions shall be logged by timestamp, batch name, transaction control number, and contents. As determined by parameter at start-up, the LGN either shall await a host-initiated session or, at a time determined by parameter and appropriate for the priority of the transactions, shall initiate a session with its host to upload the resulting transactions. The transfer of the batch to the host shall be recorded in the LGN log. It is during these sessions that previously downloaded transactions that failed translation and were retained in the error log may be returned to the host.

Periodically, the logs shall be post-processed and transmitted to the CLGN to provide input to the central data base, which is used to provide logistics management

⁴"Enhanced" refers to transaction data defined for EDI transactions for which there is no DLSS format equivalent.

data. The frequency and the time of day of this processing shall be determined by parameter at system boot.

2.1.3 CLGN Operation, Monitoring, and Control. In general, the CLGN must operate as does any other LGN, except that the DAAS complex will be its host processor. A major difference between the CLGN and remote LGNs is how they handle data supplementary to the fixed-length format. Such additional data result from enhancements to EDI transaction sets and involve either (1) information outside currently defined 80-position fixed-length formats or (2) an expansion of existing data fields. As an interim measure, the CLGN translation function shall join such extra data from an EDI format with the translated fixed-length transaction to maintain it as a single transaction within the DAAS processing modules. The format for passing the extra data will be determined by DAASO.

The CLGN at DAASO shall act also as an inter-WAN gateway. Initially, AUTODIN, currently used commercial and international telephone circuits, and DDN will be used. Then, as more sites are added and the system matures, communication requirements across commercial WANs are anticipated, especially for transaction exchanges between DoD and its commercial contractors and suppliers. Upon completion of DAAS processing and receipt of transactions from the DAAS host, the CLGN shall translate transactions, as appropriate, into EDI format. It shall set up the call with the addressee on DDN, AUTODIN, or the commercial WAN used by the addressee. The CLGN also shall provide LGN functions to DDN-based sites that have no local LGN service.

A number of other operations and maintenance tasks shall be executed on a regular basis by the CLGN. These include translation logic table updating, system monitoring, control parameter modification, and destination address table updating.


2.2 LGN Description. LGNs will be placed between Service/Agency logistic computer systems and DDN or its equivalent, as shown in Figure 2-1. A principal role of the LGN shall be as a gateway between a Service/Agency host computer and other Service/Agency computers in the logistics system. It is not planned to perform

logistics information management functions but rather to provide a facility to support logistics information exchange and the consolidation of logistics information. Specifically, the LGN shall provide for

- Acceptance and transmission of transactions in EDI format between itself and another LGN or the CLGN over DDN (or its equivalent network)
- Acceptance and delivery of transactions in fixed-length or EDI format, as required, between itself and its host computer
- Translation (reformatting) of transactions between standard fixed-length formats and EDI (ANSI ASC X12) variable-length formats, for both incoming and outgoing traffic, as required
- Receipt and storage of transactions until they are delivered to its host or to a destination LGN
- Continuous monitoring of all transactions and equipment functions for errors or malfunctions
- Automatic backup of all files and retransmission of lost transactions
- Compression and expansion of transactions sent over DDN
- Public Key Encryption (PKE) and decryption of transactions sent over DDN.

The distributed LGNs shall have the ability to communicate with the CLGN and each other. The CLGN shall provide communication between DAAS and logistics activity sites that are serviced by local LGNs and connected by DDN. The CLGN shall also provide LGN functions to DDN-based sites lacking local LGN service.

- 2.2.1 Transaction Processing. Transaction processing is the raison d'etre of an LGN. It must receive single or batched transactions from a host in either fixed-length or EDI format. Transaction processing requires the LGN to log, translate (as required), encrypt, compress, ascertain destination for, queue for transmission, and transmit transactions received from its host.
- 2.2.2 LGN Components Description. The LGN shall contain a suite of eight supporting subsystems. These subsystems are as follows:
 - A translator module using conversion rules embodied in tables specifically designed to relate standard logistics transactions in fixed-length format to



H Service/Agency host computer

△ Local LGN

EDI transactions

Fixed-length transactions

←→ Intra-DAASO data

Note: LIPS = Logistics Information Processing System.

FIG. 2-1. PROPOSED MODELS NETWORK ARCHITECTURE

- their modernized variable-length EDI counterparts. Reverse translation is performed, as required, at the receiving end.
- An interface between the LGN and its local host. The interface receives transactions destined for other sites from the host in fixed-length or EDI formats, as required. It also delivers inbound transactions to its host from other sites and returns entries to the host from its error log.
- A filter module that screens data from the host for transactions that can be translated and assembles multiple 80-position image transactions into a transaction set. This low-level edit checking is performed at the site LGN to reduce transmission costs and to minimize user delays.
- A router that tags each outbound transaction with the desired destination. The intermediate addressee for the majority of the transactions will be the CLGN and, initially, all will be routed via the CLGN. Moreover, the CLGN will be the addressee in all cases where the destination cannot be determined from the routing module's address tables.
- A data compression module employing a suite of standard compression algorithms to reduce the EDI transaction size before transmitting it over the DDN. The reverse action of expansion is performed at the receiving end.
- A PKE module that encrypts the transactions before releasing them for transmission over DDN. The reverse decrypting process occurs at the receiving LGN.
- A WAN interface with the DDN that sends the outbound transactions and receives the inbound transactions.
- An operations module that performs event, error, and transaction logging; system, translation table, and address table updates; start-up and shutdown procedures; and clock synchronization between the CLGN and LGNs.

2.3 LGN Functions

2.3.1 Translation. The core function of translation between the fixed-length and the variable-length EDI format for logistics transactions shall be performed at each LGN. Appendix D contains examples of EDI transactions, and Appendix E shows their fixed-length equivalents. For translation to EDI, the translator shall accept both single and batched transactions.

Two format translations occur at the LGN. For outbound fixed-length transactions, the translation is to EDI. For inbound EDI transactions, the translation is from EDI to fixed-length. Service-specific transactions and transactions for which the host system is EDI-capable shall by-pass the translation

module; that is, they shall come direct from the filtering module at the sending end and direct from the expansion module at the receiving end.

In addition to converting between fixed-length and EDI formats, the translator shall perform a data-typing edit on certain data fields. The translator shall reject to an error log any transaction for which these data fields contain "illegal" entries. Entries shall be considered legal if the data type is consistent with that accounted for in the translation table logic.

2.3.1.1 Technical Requirements. At IOC, the translator shall accommodate fixed-length transactions from the following standard systems:

MILSTRIP	Military Standard Requisition and Issue Procedures	
MILSTRAP	Military Standard Transaction Reporting and Accounting Procedures	
MILSTAMP	Military Standard Transportation and Movement Procedures	
MILSCAP	Military Standard Contract Administration Procedures	
MILSBILLS	Military Standard Billing and Fund Transfer Procedures	
MILSPETS	Military Standard Petroleum System Procedures	
MILSTEP	Military Standard Supply and Transportation Evaluation Procedures	
SDR ⁵	Supply Discrepancy Report	

Translations in both directions shall be table-driven. The translator shall read the translation logic from the tables at start-up. Table 2-1 describes the translation tables designed, developed, and used by the Logistics Management Institute (LMI) in the MODELS Prototype Test. Complete printouts for these tables are provided in Appendix B.

Fixed-length transactions occur in both single and multiple 80-position images. MILSTRIP transactions are an example of the former, while MILSBILLS illustrates

 $^{^5\}mathrm{Even}$ though no translation of SDR is required, the LGN must be able to pass these transactions.

TABLE 2-1
TRANSLATION TABLES

Table Name	Description
	For fixed-length-to-EDI translation:
DIC2TID	Maps from a regular expression describing a set of DICs to the transaction identification (TID) and TID section (loop level) onto which any DIC in that set maps.
EVALDLSS	Defines how values for logical names are derived in a fixed-length card.
DLSS2EDI	Describes, by logical name, and points to the EVALDLSS table for conditional decisions and evaluation of values for the set of segments and elements making up all transactions sets that can be built from fixed-length transactions.
CODEMAP	Provides table lookup for certain elements, by mapping between DLSS (fixed-length) field values and corresponding EDI element values. CODEMAP currently is not read at module start-up, but is referred to as needed during run time.
	For EDI-to-fixed-length translation:
EVALEDI	Defines how values for EDI logical names are derived in an EDI transaction.
EDI2DLSS	Describes, by logical name, and points to the EVALEDI table for conditional decisions and evaluation of values for the set of logical elements making up an EDI transaction set.
EDISEGS	Contains the set of segments making up an EDI transaction set.
CODEMAP	Provides table lookup for certain elements, by mapping between DLSS (fixed-length) field values and corresponding EDI element values. CODEMAP currently is not read at module start-up, but is referred to as needed during run time.

the latter. For all cases, the translator module should process just one 80-position image at a time.

2.3.1.2 Timing. Average sustained throughput for the translation processing and queuing in a single LGN shall be at least 21,000 fixed-length single-image transactions per hour. At the CLGN, it shall exceed 115,000 per hour. For multiple 80-position image transactions, average sustained throughput for translation and queuing shall be at least 10,000 fixed-length 80-position images per hour in a single LGN and 55,000 at the CLGN. See Appendix C for results of the MODELS prototype test.

Data-level edit checking shall be accomplished as a by-product of the translation process and shall be performed within the time constraints specified for the fixed-length-to-EDI translation process.

- 2.3.2 Host Interface. Five host interface module alternatives shall be provided for connection between the LGN and the host computer system. One interface shall be selected at each location, on the basis of the site configuration. The recommended interfaces are:
 - CSMA/CD International Standards Organization (ISO) 8802/3
 - Token Bus ISO 8802/4
 - Token Ring ISO 8802/5
 - IBM 3270
 - Asynchronous communications such as Kermit or XMODEM, used in the prototype test.

The first three are local area networks (LANs) and are the preferred method for communications between LGN and host. The remaining two rely on a direct link between the LGN and the host system and suffer from lower data transfer speeds. These shall not be used when a LAN is available.

2.3.2.1 Technical Requirements. The local interface module of the LGN shall detect when a new data file (or single transaction) is ready for processing. Conversely, the LGN shall notify the host when inbound transactions have been processed and shall make the resulting file available to the host.

In the case of a LAN connection to the host, these functions shall be accomplished through file transfer software resident on the LAN, or simply by using a specified directory to which both the host and the LGN have access. For the latter, the sender shall notify the receiver, through a message, that the file of interest exists, making it unnecessary for the receiver to poll the sender or a LAN directory for data.

In the case of a direct link between the LGN and the host, file transfer software that operates in both "client" and "server" mode shall initiate a file transfer from the sender. In the outbound direction, the host shall initiate the transfer on the basis of table-driven windows specifying allowable file-transfer times. In the inbound direction, the LGN shall initiate a file transfer on the basis of (1) the completion of

translation and (2) a table-driven schedule of file-transfer windows. At this time, the LGN shall also return transactions with fatal errors.

2.3.2.2 Timing. The data translations and transmissions are sender-driven (i.e., that is, translations shall be initiated by the host when it has transactions for another site). When an LGN has transactions destined for another site, the data transmission shall be started according to the priority rules described in paragraph 2.3.4.2.

For sites where the LGN is connected directly to the host, the minimum sustained data transfer rate shall be 6 fixed-length single-image transactions per second. Thus, direct connection to the host shall be through a line with a transfer rate of not less than 9.6 kilobits per second (Kbps). Sites linked to the host via a LAN shall have a sustained data transfer rate of not less than 250 fixed-length images per second.

2.3.3 Filtering. The filtering module of the LGN shall have one main goal: to prepare outbound transactions received from the host system for the translator; in the process, to ascertain whether translation is required; and, if so, to validate that outbound data are transactions that can be translated correctly to EDI format.

Multiple-image transactions may arrive at the LGN in any order. To function properly, the translator requires that the start of each transaction set be marked and that all 80-position images in a transaction be sorted in accordance with the transaction's design. Thus, a key role of the filter is to sort and order multiple-image transactions into a translatable transaction set.

The DICs of all current transaction types shall form the basis for the first step of the filter. Any 80-position image whose DIC does not match one of the defined DICs shall be rejected to an error log. Transactions already in the EDI format shall be recognized by the filter module and shall by-pass the translation module. These shall not, however, by-pass defined LGN editing functions. Multiple-image transactions shall be grouped by transaction type and sorted according to the rules established by the transaction design.

2.3.3.1 Technical Requirements. The filtering module shall provide two levels of filtering: (1) edit-checking by screening the transaction DIC and (2) sorting and grouping of multiple-image fixed-length transactions.

For transaction-level screening, transactions in fixed-length format shall be passed or rejected on the basis of whether the three-character DIC is one for which the LGN has translation rules defined. Transactions failing to pass this screening shall be returned to the host in an error log.

Each qualifying 80-position image passing through the filter shall be determined either to be complete or part of a multiple-image transaction. Single-image transactions shall be appended to a transaction header and passed to the translator.

For each transaction type, a set of rules applies for properly sorting and grouping multiple images into transactions. Each 80-position image may contain data mapping into one or more loops.⁶ Some data map to the header loop and are carried also for reference in several individual 80-position images of a complete transaction set. It is this information that forms the criteria needed to sort and group 80-position images of a particular transaction type. The complete criteria, from which sorting and grouping rules are determined, are defined in the referenced Implementation Conventions.

- **2.3.3.2 Timing.** The filtering process shall perform pre-process editing of transactions and shall filter fixed-length 80-position images for translation at a rate of not less than 300 images per second.
- 2.3.4 Routing. At IOC, using an internal address table and algorithms maintained by the DAAS processing modules, transactions from each LGN shall be sent to the CLGN and routed via the CLGN.

The LGN shall queue lower priority transactions into batches by common priority and destination for collective treatment. It must also be able to handle a single expedited transaction whose processing shall preempt lower priority work.

2.3.4.1 Technical Requirements. The routing process in the LGN shall be table-driven. Direct LGN-to-LGN routing will not be implemented at IOC. Nevertheless, the LGN design shall employ an address table that specifies transaction types for which direct LGN-to-LGN routing is permitted and for which there are activity-to-network address cross-references. Address table updates shall be

⁶The terms "loop," "loops," and "looping" throughout this specification refer to recursive data elements in a single EDI transaction that can be represented only through multiple transaction images in fixed-length transaction format.

controlled strictly by the CLGN. Table entries shall be replaced or deleted by specific entry or by the entire file.

The LGN address table shall always contain, at least, the address of the CLGN, which is the default addressee for all outbound transactions. If the table contains other address entries, the LGN addressing methodology shall be the same. To determine the network addressee, the LGN shall search its address table for the rules and addresses pertinent to each specific outbound transaction. Thus, when no other table entries are present, all transactions are routed, by default table lookup, to the CLGN.

2.3.4.2 Timing. Two levels of priority shall be required: (1) normal priority transactions, which shall be queued into batches by common destination and (2) expedited transactions, which shall be handled individually and shall preempt normal priority work.

Normal priority transactions shall not have a delay of more than 60 minutes in an LGN. High-priority, expedited traffic shall be processed and transmitted without queuing and shall not have a delay of more than 1 minute in an LGN. Although the design need not guarantee minimum processing times, average sustained throughput for processing and queuing delay in a single LGN shall be at least 6 transactions per second (21,000 per hour), supporting approximately 500,000 transactions per 24-hour period. If a site requires greater throughput for peak-time processing, more than one LGN shall be installed.

- **2.3.5 Data Compression**. Data compression is required as a cost reduction measure. Outbound transactions shall be compressed before they are placed on DDN. Inbound compressed transactions shall be expanded after being received from DDN.
- 2.3.5.1 Technical Requirements. The contents of typical EDI transactions are conducive to significant gains in data reduction, using standard data compression techniques.⁷ Therefore, data compression algorithms shall be selected that result in a 75 percent or better reduction, yielding a data packet not larger than one-quarter the original size.

⁷PKWare compression routines PkArc and PkXarc, which were employed for the MODELS Prototype Test, yielded a compression ratio of 75 percent or better. PKWare is presently available only for MS DOS environments.

- 2.3.5.2 Timing. The average delay in compressing the transaction data shall be less than approximately 2 seconds per 100 EDI transactions; expanding shall take approximately 2 seconds per 1,000 EDI transactions. See Appendix C for the MODELS Prototype Test results.
- 2.3.6 Public Key Encryption. The LGN shall contain a PKE module along with Federal Data Encryption Standard (DES) encryption technology to protect unclassified but sensitive logistics data. This module shall be employed in accordance with DoD's Protection of Logistics Unclassified/Sensitive Systems (PLUS) program and shall provide end-to-end encrypted protection of logistics traffic.
- 2.3.6.1 Technical Requirements. The LGN shall generate a digital envelope through use of DES block encryption. The module shall generate a random DES key and use it to encrypt the packet of transaction data. It shall then encrypt the DES key with the PKE key of the destination LGN (at IOC, these transmissions will be between an LGN and the CLGN). The encrypted PKE/DES key shall be appended to the encrypted transaction packet in a defined file trailer format. At the destination, the LGN shall decrypt the PKE/DES key and, using it, shall decrypt the transaction stream. The CLGN shall be responsible for key maintenance and distribution to remote LGNs.
- 2.3.6.2 Timing. The average time for encrypting the data and PKE/DES key shall be not greater than 5 seconds per 100 EDI transactions. Decryption of packets of EDI transactions and their key trailers shall not exceed 4 seconds per 100 EDI transactions.
- 2.3.7 Wide Area Network Interface. The LGN shall communicate with other sites through a WAN interface module. This module shall provide for dedicated access using X.25 facilities at rates up to 56 Kbps. It shall also have backup capability for dial-up access to the same network through 9.6 Kbps modems.
- 2.3.7.1 Technical Requirements. The WAN interface module shall comply with the Government Open Systems Interconnection Profile (GOSIP). A Government X.25 packet-switched network such as DDN or FTS-2000 shall ordinarily be used. However, commercial X.25 networks may be used for interim connections. Access shall be through either dedicated or dial-up connections or a DDN concentrator. This

module shall place the compressed and encrypted EDI transactions in the body of an electronic mail message for transmission.

If the desired destination is non-GOSIP, transactions shall be routed always to the CLGN. Therefore, except for the CLGN, no off-site communication with non-GOSIP systems is required. Thus, in addition to GOSIP, the CLGN also shall support Transmission Control Protocol/Internet Protocol (TCP/IP) and its data transfer via file transfer protocol (FTP).

2.3.7.2 Timing. The LGN shall provide a streaming capability and internal buffering such that the total delay between completion of transaction compression and first network access is not greater than 5 seconds.

Upon determination of failure in the primary communications link, after the maximum allowed attempts (set by parameter of Lot-up), the LGN shall switch within 10 seconds to backup dial-up mode to resume transmission.

- 2.3.8 LGN Operations. The LGN shall support both local and remote operations and maintenance. Operations procedures include
 - System warm boot
 - Subsystem start-up, restart, and shutdown
 - Performance monitoring, including clock synchronization
 - Resource consumption measurement for ongoing analyses
 - Exception and subsystem abort monitoring
 - File backup and recovery processes.

Maintenance processing includes

- Executable program updates and logging
- Translation table updates (entire files or single records) and logging
- Address table updates for direct LGN-to-LGN transmission and logging
- Parameter table updates and logging, including host interface parameters and dial-up site CLGN polling interval

- Examining create dates of files
- Copying files to the CLGN.

2.3.8.1 Technical Requirements. The operations modules perform (1) event, error, and transaction logging and (2) system updates, suspend, shutdown, and start-up procedures for the LGN. All operations procedures are between the LGN and the CLGN only; system updates will not be passed to the host computer system. Except for logging, all the operations procedures can be invoked from the CLGN as well as from the LGN. The event, error, and transaction logs will be sent routinely by each LGN to the CLGN for post-processing. The event log shall contain, at minimum, the events listed in Table 2-2. The error log shall contain any errors that have an impact on the LGN's operation. The transaction log shall retain a copy of any transaction sent directly to another LGN, when that capability is implemented. A transaction log entry is not required for transactions sent to or received from the CLGN.

TABLE 2-2
LOGGED EVENTS

Message	Information Logged
Module start-up	Timestamp, name of module started
Module failed start-up	Timestamp, reason code, error message, name of failed module
Module shutdown	Timestamp, name of module shut down
Module suspend	Timestamp, name of module suspended
File download	Timestamp, name of file downloaded from host, source DoD Activity Address Code (DoDAAC), source host
Download file edited	Timestamp, file name of valid fixed-length transactions, file name of rejected fixed-length transactions, source DoDAAC, source host
Fixed-length exception	Timestamp, source host, input file name, file name
EDI exception	Timestamp, source host, destination host, input file name, file name of EDI transaction set that could not be translated
EDI file send	Timestamp, name of EDI file sent, priority, destination LGN, time transmission started, time transmission terminated, number of packets
EDI file received	Timestamp, name of EDI transaction set file received, priority, source LGN
Fixed-length file uploaded	Timestamp, name of fixed-length transaction file uploaded to host, destination DoDAAC

System updates include remotely changing the executing software on an LGN and a module's parameters (described in paragraph 4.2.2.2). The LGN shall remain operational during updates. Only the affected modules are suspended or shut down. "Suspended" refers to stopping the module from processing new data while internal parameters are changed. A module must be completely shut down if the executing software is updated. In both cases, a restart shall bring the module back on line.

Transactions shall be recorded both as received and as transmitted. An audit trail shall be maintained to allow for tracking and verifying transactions from end to end. Transaction logs will be audited off-line as a post-process. Operations and maintenance activity shall also be logged. Each major operation or maintenance action shall be recorded by time and date in an operations and maintenance log.

After direct LGN-to-LGN transmission has been implemented, the logs of transactions transmitted directly to another LGN shall be transformed into a format compatible with the CLGN at the intervals controlled by a parameter for each LGN. This information shall be extracted from the logs and transmitted in compressed format to the CLGN for incorporation into a central management information system (MIS).

The LGN shall have the ability to advance or relay local queries for information (e.g., requisition tracking, transportation status, supply availability, cataloging information) to the CLGN. Also, it shall have the ability to receive information contained in the central data base through communication with the CLGN.

Clock synchronization shall be maintained between the CLGN and each of the LGN.

2.3.8.2 Timing. Logs shall be sent to the CLGN periodically. The start time and the period between sending the logs shall be controlled by parameter and shall be modifiable while the LGN is running. These parameters can be set locally, or they can be set remotely from the CLGN.

Clock synchronization shall be set between the CLGN and the remote LGNs once each day. The system shall maintain an LGN's system clock within 1 second of the CLGN's system clock.

2.4 Flexibility

2.4.1 Translation Tables. The translation table shall be updated from the CLGN only. Upon receipt of a translation table update from the CLGN and after completing the presently running translation process, the LGN shall suspend its translator module, incorporate the new tables or changes to the tables, and restart the translator. Upon restarting, the translator shall initialize by reading the new tables or changes to the tables. The other LGN modules shall continue operating while the translator is suspended and while it is initializing.

During the period of transition from use of fixed-length formats to use of EDI transaction formats, data supplementary to the fixed-length format may be contained in an "enhanced EDI transaction set." These data are generated when the contents of EDI transactions either exceed currently defined 80-position fixed-length entries or enlarge data field values. As an interim measure for DAASO and to maintain a single transaction within the DAAS processing modules, the CLGN shall retain incoming EDI transactions and merge them with their fixed-length versions after value-added processing by the DAAS modules. Remote LGNs, for an interim period, shall preserve incoming transactions in their EDI format in a file similar to the outgoing error log. These EDI logs shall be stored on removable media for manual processing by site personnel.

At this writing, the final version for the translation table has not been established. However, the entries in Appendix B delineate a complete list of translatable DLSS transactions and their EDI replacements. These tables also portray syntax and logic representative of the expected final transaction definitions.

- 2.4.2 Host Interface. The LGN is a front-end processor for a host computer whose logistics transaction processing is in traditional fixed-length data format. Through an LGN, logistics activities can make the transition from the fixed-length transaction format to the variable-length EDI format without first modifying their host systems. Although its first mission is to provide translation, the LGN may remain in service after the host system has been modified to send and receive EDI transactions, if other features of the LGN are required.
- 2.4.3 Filtering. To reflect its host's evolution to EDI capability and to permit additional (or fewer) Service-specific transactions to pass through instead of being rejected to the error log, the LGN's filter module will require periodic site-specific

adjustment to its DIC list. The LGN shall permit replacement of the filter module under control of the CLGN.

For multiple-image transactions, the filtering process enables the LGN to sort and group 80-position images into complete transactions. The translator module depends on the filter to select transactions that conform to the rules determined by the transaction designs. The set of transactions appropriate for translation or for pass-through will change over time, and the filtering mechanism shall be flexible to handle the increasing functional scope of the LGN. As transactions are redesigned to incorporate enhancements and corrections, the filter, which serves as a front end to the translation process, must also be easily modifiable to ensure that it continues to perform its function within the LGN. Because of the tight relationship between the filter module and the translator, the filter shall be designed with a capacity for flexibility equal to that of the basic translator function.

At this writing, final editing requirements for the LGN have not been established. For host-generated DLSS transactions, most of the required editing is accomplished automatically as part of the translation process. Mainly, the editing requirements yet to be established lie in the area of host-generated EDI transactions passed through the LGN for transmission over the WAN.

2.4.4 Routing. The capability for direct LGN-to-LGN routing shall be provided, although it likely will not be activated at IOC. When and if changes in policy or mission lessen processing requirements assumed by DAASO, some direct routing may be implemented. Transaction candidates for direct routing are limited, but they may include transactions that (1) contain complete routing information within the transaction data, (2) do not require the value-added services of DAAS, (3) do not require that image (or duplicate) copies be sent, (4) are excluded from the DAASO mission for data recovery, (5) either are not used with the Logistics Information Processing System (LIPS) or can be captured for LIPS in a more economical manner than by routing to DAAS, and (6) are destined for a site possessing an LGN.

Only after a complete set of conditions for direct routing of transactions is stipulated shall the LGN invoke its tables identifying transactions that meet the direct-routing criteria and their direct addresses. When direct LGN-to-LGN routing is enabled, the LGN address table shall be updated from the CLGN. The CLGN shall remotely suspend routing in an LGN, send the new table, and restart the routing.

Upon restarting, the new table will be read. The other modules in an LGN shall continue operating while routing is suspended and while initializing is taking place.

- 2.4.5 Data Compression. Future versions of the LGN may incorporate data compression either as part of the WAN file transfer, using commercially available data compression mechanisms, or as part of the translation process, perhaps by offloading the data compression to a hardware-based real-time data compressing disk controller. In any event, the LGN shall allow for updates that effectively remove data compression as a separate module.
- 2.4.6 Public Key Encryption. The LGN shall be capable of incorporating final Federal standards for PKE. It shall reflect current doctrine and guidance provided under the PLUS program. Alternative forms of bulk encryption shall be accommodated in place of PKE/DES as required.
- 2.4.7 Wide Area Network Interface. The exchange of EDI transactions will augment and eventually replace today's logistics traffic between logistics activity sites and DAAS carried by AUTODIN.

The WAN interface module must allow updates to future versions of International Telegraph and Telephone Consultative Committee (CCITT) X.25 as necessary to use the Government X.25 packet-switched network. It shall also allow for the future P_{edi} CCITT recommendation for embedding the EDI transaction set within a standard X.400 interpersonal mail message. The P_{edi} CCITT recommendation, not yet released, shall be required as an update when P_{edi} is released as a separate FIPS or incorporated into the GOSIP FIPS.

2.4.8 Operations. One of the value-added functions of the network of LGNs under the control of a CLGN shall be a platform from which to extract information useful for the LGN's operation. Thus, two types of additional features shall be provided in the operations module: (1) features that enhance the day-to-day operation of the LGN and (2) enhancements that facilitate useful extractions of summary data on an as-needed basis.

As examples, possible enhancements in the operations module of future versions of the LGN include

• Fault-tolerant capabilities, including the ability to resume a translation after a hardware failure, starting from the fixed-format image (or EDI

transaction set, depending on the direction) being translated at the time of the hardware failure

- Enhanced audit-trail capabilities allowing an analyst to track any transaction easily from end to end (related to above item)
- Automatic disk maintenance to prevent fatal errors, such as running out of disk space
- Increased capability to furnish the CLGN with MIS summary data, as well as responses to ad hoc queries created at the CLGN
- Other operations functions, presently unspecified, that will undoubtedly be required as the LGN's functions evolve. To accommodate these additional features, a high degree of flexibility shall be inherent in the operations module design.

3. ENVIRONMENT

- 3.1 Automated Information Systems Equipment Environment. The following minimum equipment shall be required for an LGN configuration:
 - Processor, sized to meet the throughput requirements
 - Memory, sized to meet the throughput requirements
 - Monochrome monitor
 - 1.2 megabit (Mb) high-density floppy disk
 - 300Mb internal hard disk
 - X.25 port
 - Local interface port.
- 3.2 Communications Environment. The communications environment shall consist of the connection to the local host computer and the connection to DDN. The DDN connection may be direct, dial-up, or through a concentrator. GOSIP FIPS 146 is mandatory where it provides the required communications functionality. Subsequent enhancements to the LGN shall be expected to conform to the most recent GOSIP requirements. The LGN shall allow also for the use of DoD standard protocols as required.
- **3.2.1 Network Description.** The required local host computer interfaces shall be chosen from one of the following:
 - CSMA/CD ISO 8802/3
 - Token Bus ISO 8802/4
 - Token Ring ISO 8802/5
 - IBM 3270
 - Asynchronous communications using Kermit or XMODEM.

For the LANs, the product shall conform to paragraphs 4.2.1, 4.2.2 (as modified below), 4.2.3, and 4.2.4 of the Version 1 Technical Specification portion of FIPS 146.

ISO 8802/3, 8802/4, and 8802/5 will be available. In addition, intermediate systems shall conform to paragraph 4.3 of FIPS 146.

DDN basic service shall be used as the WAN. For the DDN network facilities, the product shall conform to paragraphs 4.2.1, 4.2.2, 4.2.3, and 4.2.4 of the Version 1 Technical Specification portion of FIPS 146. In addition, intermediate systems shall conform to its paragraph 4.3.

3.2.2 Physical Interface. For ISO 8802/3, 8802/4, and 8802/5, the physical layer protocol shall be compatible with the cable technology, as defined in the appropriate ISO 8802 standard.

For IBM 3270, the physical interface shall be coaxial connector, or cable for attachment to an IBM Type 1 faceplate or communications outlet.

For asynchronous communications, the physical interface shall be RS-232-D. Data transfer speeds up to 19.2 Kbps shall be supported.

For DDN, the physical interface shall be RS-232-D for speeds up to 19.2 Kbps and CCITT V.35 for line speeds above 19.2 Kbps.

3.2.3 Protocol Interface. For 8802/3-based systems, 10 BASE 5 or 10 BROAD 36 shall be used.¹

For 8802/4-based systems, 10 megabits per second (Mbps) (broadband) or 5 Mbps (carrierband) shall be used. The 10 Mbps broadband or 5 Mbps baseband technology, as defined in the NIST User's Guide Agreements, shall be supported.

The LGN shall provide for LAN connectivity to local hosts through interfaces complying with Institute of Electrical and Electronic Engineers (IEEE) 802.3 and 802.5.

The LGN shall provide for host connection by emulation of an IBM 3270 workstation through a dedicated coaxial interface. This interface shall be provided in addition to the GOSIP standards.

¹These are 10 MGps baseband and broadband communications protocols described in the referenced FIPS 146 and GOSIP User's Guide.

For asynchronous communications, the Kermit protocol is required as a minimum. XMODEM is also desirable.

A DDN basic service interface shall be required. Each EDI transaction set is enveloped by a header and trailer. A sequence of the same type of EDI transaction sets is demarcated by a functional group header and trailer. The sequence of functional groups making up an EDI transfer shall be demarcated by an interchange control header and trailer.

- **3.2.4 Applications User Interface.** The Applications User Interface shall comply with POSIX: Portable Operating System Interface for Computer Environments, FIPS 151.
- **3.2.5 Diagnostics.** Diagnostic procedures allowing end users, computer operations personnel, and field assistance personnel to identify and classify communications problems are required. Also, the LGN design shall allow for remote notification, and to some extent, remote repairing of any anomalies in its operation.
- 3.3 Support Software Environment. The UNIX operating system shall conform to POSIX (FIPS 151). The software modules shall be written either in Ada (FIPS 119) or in ANSI C. Libraries with Ada (or ANSI C) interfaces shall be used where applicable.

The subsystems described in paragraph 2.2.2 shall be invoked as separate processes upon LGN start-up. The processes shall run continuously but shall be dormant until a message arrives for processing.

- 3.4 Software Interfaces. Communications between software processes local to the LGN shall be handled through the UNIX interprocess communications (IPC) facilities. Process communications between the CLGN and LGNs for operations may use electronic mail. The operations data shall be stored for dial-up LGNs until called for by the remote LGNs.
- **3.5** Data Protection. PKE shall be used in conjunction with DES to protect data in transit.

The LGN shall conform to the guidance of the OSD PLUS effort and shall provide, as a minimum, the following services:

- Digital signature
- User and recipient authentication
- User and recipient nonrepudiation
- Data integrity
- Data confidentiality.

These services must be in accordance with FIPS 140-1. Any follow-on shall conform to ANSI/ISO X9/X12 security standards as well.

4. DESIGN DETAILS

- 4.1 General Operating Procedures. The LGN start-up process shall begin when the power is turned on. It shall be possible to restart an LGN from the system command prompt. All other operations shall be available from a menu displayed on the LGN's monitor. The required operations include shutting down, suspending, restarting, updating a table or configuration, and displaying a log.
- 4.2 System Logical Flow and Processing Philosophy. The logical flow and modular interconnection for the prototype LGN are shown in Figure 4-1. Whenever the design used for the prototype LGN is described, it is only to provide an implementation baseline and to illustrate how required processes for an operational LGN might be accomplished, and how its network interconnects. None of the design features employed in the prototype LGN and described in the following paragraphs shall be required for implementation of an operational LGN or its interconnection within a network.
- **4.2.1 System Logical Flow.** In the prototype LGN, all processes operate independently. The logical flow of the LGN processes is divided into three states: Initialization, Operational, and Shutdown. It is shown in Figures 4-2 through 4-4.
- **4.2.1.1 Initialization State.** When the system is turned on, first to start is the LGN applications executive process, which performs basic configuration setup, creates mailboxes to be used among the processes, and starts each of the remaining processes. Note that the other processes are not "spawned" as subtasks of the LGN applications executive but are considered by the operating system to be completely independent entities.

During the start-up phase, each process performs initialization specific to that process and then, by sending a message to the LGN applications executive process, indicates that its initialization was completed successfully. When the LGN applications executive process has received the "initialization completed successfully" messages from all tasks, it broadcasts a message to all processes indicating a go-ahead to proceed to the operational state. If, after a pre-specified time interval, the LGN applications executive process does not receive the "initialization"




FIG. 4-1. PROTOTYPE LGN

completed successfully" message from each of the other tasks, it shuts down the LGN and logs the error.

4.2.1.2 Operational State. The LGN spends most of its time in the Operational State. The flow of action for each process while in this state is: (1) wait for event, (2) act on event, and (3) wait for next event. Events are messages from the following sources (listed in order of priority for processing):

- Local keyboard
- Timer (alarm)
- Mailbox from the LGN applications executive or system monitor process
- Message from any other process




FIG. 4-2. INITIALIZATION STATE

• Message or data file transfer initiation from the host or the WAN.

Messages from other processes are further broken down into high-priority and normal-priority messages. Events are handled in priority order; within priority order, they are handled in the order in which received.




FIG. 4-3. OPERATIONAL STATE




FIG. 4-4. SHUTDOWN STATE

Certain events have special significance. If the event is a "module suspend" message (from the LGN applications executive process), the receiving process puts all subsequent events on hold and waits for (1) a "module restart" message, in which case it re-initializes and then processes all events that have been on hold, or (2) a "module shutdown" message, in which case it performs shutdown procedures and notifies the LGN applications executive process that the module is ready to be terminated.

4.2.1.3 Shutdown State. If the LGN needs to be shut down, it enters the Shutdown State before quitting. Entrance into the Shutdown State is triggered by a message from the CLGN or the local keyboard, received by the LGN applications executive process. Upon receiving the message, the LGN applications executive process sends a "prepare for shutdown" message to the other processes, which then perform normal shutdown procedures and send "ready for shutdown" messages to the LGN applications executive process. The LGN applications executive process waits either for all processes to send a "ready for shutdown" message or for a specified time-out

period, at which point it terminates all processes, makes appropriate log entries, and quits.

4.2.2 Processing Philosophy

4.2.2.1 Modular Design. The operational LGN shall be modular in design. For purposes of explanation, the prototype LGN, described in Figure 4-1, has been divided analytically into separate areas of processing called subsystems, each of which consists of a number of modules. Each module is defined in terms of its interfaces with other modules and its processing. Generally, interfaces are defined as interprocess communications. Since the modules are closed except for their interfaces, each can be developed in any language that can execute in the overall operating environment and that can interface with the IPC facility, allowing enormous flexibility in implementation. Processes that do not require high performance or fast turnaround can be developed in a fourth-generation language, while processes requiring high performance can be written in compiled languages such as Ada and ANSI C.

For the prototype LGN, a module was implemented as a small compiled program. The program waits for messages from other modules indicating that processing is required. When a message is received, it is processed, and the module then loops to wait for another message. This loop continues until a message is received from the operations subsystem to shut processing down.

For this design concept, if another programming language is appropriate to the processing for a particular module or for the subsystem, the following approach is taken. A "batch" process is invoked by a "parent program" in the subsystem, which runs the program. It notifies the parent when it has completed and quits. At a minimum, the batch process consists of a program written in another language, which does most of the work, followed by a program capable of sending a "completed" message to the parent program. Multiple instances of these types of processes can be running simultaneously, in which case it is the responsibility of the parent program to keep track of the status of each. As an example, for the fixed-length input filtering process of the prototype, LMI used the AWK programming language because of the ease of tailoring AWK programs to each site. For this case, the main C program created up to five filter processes, which ran one at a time, in sequence, by gaining possession of a semaphore relinquished at process completion. The batch process

consisted of a header C program that did nothing other than to wait until it gained ownership of the semaphore, an AWK filter that ran immediately after the header C program, and a trailer C program that relinquished semaphore ownership and sent a serialized "completed" message to the main C program. The batch process quit after the trailer C program.

To avoid some of the less elegant approaches imposed by the prototype LGN, the program language to be implemented in the LGN shall be capable of using the UNIX IPC facility.

4.2.2.2 Parameterized Subsystem Startup. The LGN operation shall be controlled by system parameters. Each subsystem shall have a separate bootstrap process and a separate configuration file containing parameter settings for the subsystem. Parameter settings for the subsystem shall be maintained remotely from the CLGN by replacing the configuration files.

For the prototype LGN, a variety of parameters were needed to tune an LGN to its host environment. These generally relate to the frequency of downloading, uploading, and processing transactions to and from the host. Other parameters determine the relative processing priorities for different modules, communications settings, timeout values, and naming and file management conventions.

4.2.2.3 Parallel Versus Serial Processing. In the operational LGN, both parallel and serial processing shall be supported. Although the prototype design description presents each major subsystem as a separate process, they need not all be operating in parallel. In a final design, some sets of processes can be made serial and others cannot. Where discretion is possible, the interfaces shall be capable of both parallel and serial processing. Tuning of the LGN during implementation can determine the degree to which separate processes should be made parallel or serial. In some cases, parallelism shall be required (e.g., WAN communications). In others, parallelism is highly desirable (e.g., local communications and logging). In general, the more parallelism that is supported, the more tuning is permitted, since a separate parallel module can be given its own priority. On the other hand, as the number of tasks proliferates, memory consumption and task-switching overhead increases. Thus, an LGN design objective shall be to allow working out the best mix of serial and parallel processing during system testing.

4.2.2.4 Interprocess Communications. An IPC shall be developed for the LGN. In the prototype LGN, subsystems were implemented as a collection of separate executable processes and communicated via an IPC facility, which provides a mailbox protocol into which processes put messages. A process waits for one of the following asynchronous events to occur: input from the local keyboard, expiration of a system timer, a message from another process, or (for communications processes) an external communications signal. The process then acts accordingly on the event received.

In general, an asynchronous approach to IPC was taken; the sender of a message did not require notification from the receiver that the message was, in fact, received intact.

Asynchronous processing is appropriate when a process can "send and forget." For example, when logging information, the activity generating a message to the logging subsystem will send the information and continue processing. Synchronous communication is typically used when processes require query-response exchanges. In this case, the sender waits for the responder to answer before continuing processing. From the perspective of the querying process, it is a "send-receive" pair: sending a message and waiting to receive a response.

In the prototype LGN, synchronization was emulated in two ways. First, an IPC semaphore was used to synchronize certain processes; in this way a process could infer whether or not a particular process was active by the availability of the semaphore. Second, the prototype system designated certain messages as signals that a requested process was completed. In this scenario, Process 1, after sending a message to Process 2 to perform a certain task, waits for a designated period to receive a message from Process 2 indicating the task's completion and error status.


- **4.2.2.5 Priority Management.** Two types of transaction priorities shall be supported: low (normal) priority and expedited. Expedited transactions provide the nearest to interactive processing that the LGN must provide.
- **4.3 System Data**. DoD has adopted the documentation style published by the ANSI ASC X12. The following documents relate the LGN output (EDI transactions) to the LGN input (current fixed-length formats):
 - Transaction Set Schematic
 - Data Segment Dictionary

- Data Element Dictionary
- Implementation Conventions.
- 4.3.1 Outbound Transaction Data. Except for Service-specific and narrative message traffic, all transactions shall be transmitted in EDI format. Paragraph 2.3.1.1 defines transaction types that the translator must be capable of handling. See Appendix D for examples.
- **4.3.2 Inbound Transaction Data.** Except for hosts that are EDI-capable, all EDI transactions shall be translated to fixed-length format by an LGN before delivery to its host. Appendix E shows examples of fixed-length transaction types the translator must be capable of handling.
- 4.3.3 Internal Control Data. Appendix F lists the internal message formats used by the prototype LGN to control internal processes. Basically, internal messages synchronize all translation and communication processes, as well as related control tasks. Control tasks include logging; error; processing (e.g., certain errors result in default action by the LGN, others require CLGN notification, some are simply logged); polling the CLGN (for dial-up sites); responding to CLGN queries; and various internal process integrity controls.
- 4.4 Software Unit Description. Where possible, it is preferred that LGN functions be performed by commercially available, off-the-shelf software. In all cases, software used in the LGN will be standards-based to the fullest extent possible. As an example of adherence to this idea, Table 4-1 lists the software used in the prototype LGN.

TABLE 4-1
FUNCTION

Function	Software
Operating system	DOS 3.4
Multi-tasking environment	DESQview 2.2
Filtering	AWK
Data compression/expansion	PKARC
WAN communications	Greenleaf library (C language)
Local communications	Site-dependent
All other functions	Borland Turbo C

In a production LGN, the multi-tasking, data compression/expansion, and filtering shall be done to the extent practical by software included as part of the UNIX package on the host, including the resident AWK implementation. If C is used, it shall conform to ANSI standards. A desirable feature of all software implemented is the ability to interface with the UNIX IPC facility, since such interfacing is the preferred method for synchronization among concurrently running processes.



APPENDIX A

ACRONYMS

AUTODIN Automated Digital Network

ANSI American National Standards Institute

ASC Accredited Standards Committee

CLGN central logistics gateway node

CCITT International Telegraph and Telephone Consultative Committee

DAAS Defense Automatic Addressing System

DAASO Defense Automatic Addressing System Office

DDN Defense Data Network

DES Data Encryption Standard

DIC document identification code

DLSS Defense Logistics Standard Systems

DLSSD Defense Logistics Standard Systems Division

DoDAAC Department of Defense Activity Address Code

EDI electronic data interchange

FIPS Federal Information Processing Standard

FTP file transfer protocol

GOSIP Government Open Systems Interconnection Profile

IEEE Institute of Electrical and Electronic Engineers

IOC initial operational capability

IP Internet protocol

IPC interprocess communications

ISO International Standards Organization

Kbps kilobits per second

LAN local area network

LGN logistics gateway node

LIPS Logistics Information Processing System

Mb megabit

Mbps megabits per second

MILSBILLS Military Standard Billing and Fund Transfer Procedures

MILSCAP Military Standard Contract Administration Procedures

MILSPETS Military Standard Petroleum System Procedures

MILSTAMP Military Standard Transportation and Movement Procedures

MILSTEP Military Standard Supply and Transportation Evaluation Procedures

MILSTRAP Military Standard Transaction Reporting and Accounting Procedures

MILSTRIP Military Standard Requisition and Issue Procedures

MIS management information system

MODELS Modernization of Defense Logistics Standard Systems

NIST National Institute of Standards and Technology

PKE public key encryption

PLUS Protection of Logistics Unclassified/Sensitive Systems

POSIX Portable Operating System Interface for Computer Environments

SDR	Supply Discrepancy Report
TID	transaction identification
TCP	Transmission Control Protocol
WAN	wide area network
X.25	A network access standard for connecting stations to a packet- switched network
X12	ANSI ASC EDI standard for computer-to-computer exchange of business information
X.400	A network standard for electronic mail messaging

APPENDIX B TRANSLATION TABLES Translation tables depicted in this appendix represent the most recent development level, but are not final release versions. These tables contain recommended table design, syntax, and logical operators.

APPENDIX B

TABLE REPORTS

																													<u>Page</u>
DLSS2ED1	Table	e Report		•	•	•	•	•	•			•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	B-5
EVALDLSS	Table	e Report		•	•	•	•		•	•		•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	B-113
EDI2DLSS	Table	e Report		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B-153
EVALEDI	Table	Report	•	•	•		•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B-235
DIC2TID	Table	Report	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B-283
EDISEGS	Table	Report	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B-285
CODEMAP	Table	Report																											B-301

7 id Sect 509 1 1 509	Sed 1d	נָּי	Sed 0	Ord Sect		Elld Condition	Eval	Date
500 500 500 500 500 500 500 500					:			
50 50 50 50 50 50 50 50 50 50 50 50 50 5	10 RFL	-	_	_	1 2001	01	DLSS.DIC	7/18/90
50 50 50 50 50 50 50 50 50 50 50 50 50 5	10 RFL	-	~	-	1 20	2008 Not Matches(DLSS.DIC,/081 [FHJD[CEFRS]/) or Not (DLSS.18Request and Matches(DLSS.BillAdvice,/15 51/))	DLSS.DocNo	7/18/90
50 50 50 50 50 50 50 50 50 50 50 50 50 5	10 RFL	-	m	-	1 20	2076 Not Matches(DLSS.DIC,/QB1 [FH]D[CEFRS]/) or Not (DLSS.18Request and	DLSS.DocNoSuffix	7/18/90
50 50 50 50 50 50 50 50 50 50						Matches(DLSS.BillAdvice,/15 19 24 41 51/))		
500 500 500 500 500 500 500 500 500 500	10 RFL	-	4	-	-	373 Matches(DLSS.DIC,/[FH][JA][EFC]/) and DLSS.BillAdvice = "34"	DLSS.Mat RcvDate	7/18/90
50 50 50 50 50 50 50 50 50 50 50 50 50 5	10 RFL	-	∞	-	1 5	554 DLSS.DIC <> "QB1"	DLSS.MediaStatus	3/01/91
500 500 500 500 500 500 500 500 500 500	10 RFL	-	۰	_	1 23	2348 DLSS.DIC <> "QB1" and Not	DLSS.SignalCode	3/01/91
50 50 50 50 50 50 50 50 50 50 50 50 50 5						Matches(DLSS.BillAdvice,/15 19 35 41 51/)		
500 500 500 500 500 500 500 500 500 500	20 S11	- -	-	-	_	92	DLSS.OrigBillNbr	7/18/90
50 50 50 50 50 50 50 50 50 50 50 50 50 5	20 \$11	-	~	_	1 6	079	*11*	7/18/90
500 500 500 500 500 500 500 500 500 500	20 \$11	-	m	-	←	373 Matches(DLSS.DIC,/[FH][AJ][CEF]/) and	DLSS.CancelDate	7/18/90
500 50 50 50 50 50 50 50 50 50 50 50 50						Matches(DLSS.BillAdvice,/17 21 23 24 26/)		
500 500 500 500 500 500 500 500 500 500	20 \$11	-	m	~	-	373 DLSS.BillAdvice = "35"	DLSS.ReleaseDate	7/18/90
500 500 1	20 \$11	-	m	m	-	373 DLSS.DIC = "QB1"	DLSS.BillDate	7/18/90
50%	20 \$11	-	m	4	ل	373 Matches(DLSS.DIC,/[FH][AJ][RS]/) and	DLSS.CreditDate	7/18/90
20,000						Matches(DLSS.BillStatus,/AI[DD/)		
50%	20 \$11	-	m	2	-	373 DLSS.IsLevel	DLSS.OrigBillDate	7/18/90
509	20 \$11	-	2	-	-	610 DLSS.1sLevel and DLSS.BillAdvice <> "42"	DLSS.OrigAmount	7/18/90
500	20 \$11	~	_	-	_	76 (Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.Billadvice =	DLSS.DupBillMbr	7/18/90
505						"11") or DLSS.1sLevel		
	20 \$11	~	~	_	-	640 (Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.Billadvice =	"DO"	7/18/90
						"11") or DLSS.IsLevel		
509	20 \$11	7	m	_	-	373 DLSS.IsLevel	DLSS.DupBillDate	7/18/90
509 1	20 \$11	~	د	_	-	610 DLSS.IsLevel	DLSS.DupAmount	7/23/90
509	20 \$11	m	-	-	_	76 Matches(DLSS.DIC,/[FH]D[RS]/)	DLSS.AdjBillNbr	7/23/90
509	20 \$11	m	2	-	-	640 Matches(DLSS.DIC,/[FH]D[RS]/)	"AD"	7/23/90
509	20 \$11	~	m	_	m	373 Matches(DLSS.DIC,/[FH]D[RS]/)	DLSS.ReleaseDate	./23/90
509 1	40 DBL	_	_	-	4	610 ((DLSS.IsNonFuel or DLSS.IsFuel) and Not	DLSS.Amount	1/19/90
						Matches(RP(CC(),60,2),/AI[DD[34[35/)) or		

Tids	Tid	Seg Seg Seg 1d	Seg Use Id Ctr	e El r Seq		Out Ord Sect		Elid Condition	Eval	Date
	. -	180 O*	: :	m	: -	:	 1 373 DL	DLSS.DIC <> "081"	DLSS.RequestDate	7/19/90
200	_	40 081	7	4	-			DLSS.isRequest	DLSS.BillAdvice	7/19/90
20	-	40 DBL	-	10	_		1 2338 DL	OLSS.18Reply	DLSS.BillStatus	7/19/90
206	-	180 04	7	€0	_		1 2431 DL	DLSS.DIC # "QB1"	OLSS.Purpose	7/19/90
206	-	50 RB1	1 1	_	-		1 2046 ((((DLSS.IsMonfuel or DLSS.IsFuel) and Not	DLSS.FundCode	7/23/90
							2	<pre>datches(DLSS.BillAdvice,/[45]1/)) or DLSS.IsMatRet or</pre>		
							9	(DLSS.isLevel and Matches(DLSS.BillAdvice,/4[34]/))		
203		60 REF	<u>ب</u>	-	_		128 ((((DLSS.1sfuel or DLSS.1sMonfuel) and Not	*SZ	7/23/90
							Ĭ	Matches(DLSS.BillAdvice,/1[59] [45]1/)) or DLSS.IsMatRet		
2 0%	_	60 REF	1	~	_		127 ((((DLSS.Isfuel or DLSS.IsNonFuel) and Not	DLSS.StockNbr	7/23/90
							Ĩ	Matches(DLSS.BillAdvice,/1[59] [45]1/)) or DLSS.IsMatRet		
203	_	70 RGP	د	-	-		1 470 DL	DLSS.1sMatRet	DLSS.Priority	7/23/90
203	-	20 ROP	<u>م</u>	~	-		1 2051 DL	DLSS.1sMatRet	DLSS.Project	7/23/90
203	-	80 MRP	ď	_	_		1 2065 MB	Matches(DLSS.DIC,/[FH]TP/)	DLSS.SupcondCode	7/23/90
203	-	80 MRP	٠,	2			1 2077 DL	DLSS.isMatRet	DLSS.ExcessStatus	7/23/90
203	-	800	9	-	_		1 2010 (0	(DLSS.1sNonFuel and Not	DLSS.UnitOf1ssue	7/18/90
							*	Matches(DLSS.BillAdvice,/15 19 41 51/)) or DLSS.1sMatRet		
203	-	808	9	7	_		380 (0	(DLSS.IsNonFuel and Not	DLSS.Quantity	7/18/90
							Ī	Matches(DLSS.BillAdvice,/15 19 41 51/)) or DLSS.1sMatRet		
203	_	808	9	7	7		380 01	DLSS.isfuel and Not	DLSS.Quentity2	7/18/90
							Z.	Matches(DLSS.BillAdvice,/15 19 41 51/)		
203	-	% R	•	4	_		1 212 Ma	Matches(DLSS.BillAdvice,/12 13 14 18 20 55/) or	DLSS.UnitPrice	7/18/90
							Ĭ	Matches(DLSS.DIC,/[FH][AJ][RS]/)		
203	-	100 RSE	λñ Δ	~			1 128 DL	DLSS.BillAdvice = "35"	»IS»	7/18/90
203	-	100 RSE	ب ر	m	_		145 DL	DLSS.BillAdvice = "35"	DLSS.ShipUnitNbr	7/18/90
203	-	100 RSE	بة 1	4	_		1 91 01	DLSS.BillAdvice = "35"	DLSS.ModeMethCode	7/18/90
203		120 N1	_	•	_		8		H10 ^H	7/18/90
2 0%	-	120 N1	_	M	_		- 68 PL	DLSS.1sRequest or Matches(DLSS.DIC,/[FH]TP 981/)	#7#a	7/18/90
203	-	120 M1	_	m	7		- 8 모	DLSS.IsReply and Matches(DLSS.MediaStatus,/[249]/)	m10m	7/18/90
20	-	120 N1	_	4	_		1 67 DL	DLSS.1sRequest or Matches(DLSS.DIC,/[FH]TP 981/)	DLSS.TORIC	7/18/90
203	_	120 N1	_	4	~			DLSS.isReply and Matches(DLSS.MediaStatus,/[249]/)	DLSS.ToAddress	7/18/90
203	-	120 N1	2	-	_		- 98 DL	DLSS.isReply or Matches(DLSS.DIC,/[FH]TB/)	2 CT 2	7/18/90
206	-	120 M1	2	m	_		8 2 2	DLSS.isReply or Matches(DLSS.DIC,/[FH]TB/)	m \$14m	7/18/90

2 4 1 1 67 0.155.18600 or Matches(0.155.016,/fW178/) D155.FromRIC 3 1 1 1 10 0.155.016 = "081" or (0.155.186qwest or Matches(0.155.016,/fW179/) and Matches(0.155.016 = "081" or (0.155.016 or (0.155.016 = "081" or (0.155.016	Tid Sect 9		თ _ ∙	Use El Ctr Seq	σ,	Out d Sect	E114	Conditio	Eval	Date
Matches (0155.D1C_7 (7) 7(10) 100	2 2		= = = = = = = = = = = = = = = = = = =	3 4			% &	DLSS. 18RO	DLSS.FromRIC #S4"	7/18/90 7/18/90
								Matches(DLSS.DIC,/[FH]TP/)) and Matches(RP(CC(),7,1),/[249]/))		
Matches(PCC(),7,1),[249]/) and Matches(PCC(),7,1),[24]/) and Matches(PCC(),7,	=					_	8		M10**	7/18/90
1 1 1 1 1 1 1 1 1 1		2	=	m m		_	67	DLSS.DIC Matches(DLSS.ToAddress	7/18/90
1 6 01.SS.DIC = "4081" 1 6 01.SS.DIC = "4081" 1 6 01.SS.DIC = "4081" 1 6 01.SS.DIC = "4081" 1 6 01.SS.DIC = "4081" 1 6 01.SS.DIC = "4081" 1 6 01.SS.DIC 6 02.SS.DIC 6 02.SS.DIC 6 03.SS.DIC 6 03.SS.DIC	=		=		_	_	8		1 id 22	7/23/%
1 67 DLSS.BILIFPDODAC BUSS.BILIFPDODAC BUSS.BILIFPDODAC BUSS.BILIFPDODAC BUSS.BILIFPDODAC BUSC.BUSS.DIC,/(FH)[AJ][CEFS] [FH][TQ]] BUSS.BILIFPDODAC BUSC.BUSS.BILIAdvice,/(15/15/15/15/15/15/15) BUSC.BUSS.BILIAdvice,/(15/15/15/15/15/15) BUSC.BUSS.BILIAdvice,/(15/15/15/15/15/15/15/15/15/15/15/15/15/1	_		; ;		_	_	8	DLSS.DIC	H10H	7/23/90
Miles 1 1 98 Matches(DLSS.DIC,/(FH) [AJ] [CEFRS] [FH] [TBP]/) and Mot 181" Matches(DLSS.BI(IAdvice,//5 9]35 4 5 /) and Matches(DLSS.BI(IAdvice,/4[34]/) 181" Matches(DLSS.BI(IAdvice,/4[34]/) 181" 198 Matches(DLSS.DIC,/[FH] [AJ] [CEF]/) and DLSS.BI(IAdvice = 181" 198 Matches(DLSS.DIC,/[FH] [AJ] [CEF]/) and DLSS.BI(IAdvice = 181" 198 Matches(DLSS.DIC,/[FH] [AJ] [CEFR]/) and DLSS.BI(IAdvice = 181" 190"			- =	7	_	_	6	DLSS.DIC	DLSS.BillFrDoDAAC	7/23/90
N1 5 1 4 1 98 DLSS.Islevel and Matches(DLSS.BillAdvice, \(\frac{1}{3} \frac{1}{3} \) "BI" N1 5 1 5 1 98 Matches(DLSS.DIC, \(\frac{1}{3} \) \) and DLSS.BillAdvice = "BI" N1 5 1 6 1 98 Matches(DLSS.DIC, \(\frac{1}{3} \) \) and DLSS.BillAdvice = "BI" Matches(DLSS.DIC, \(\frac{1}{3} \) \) and DLSS.BillAdvice = "BI" N1 5 1 7 1 98 Matches(DLSS.DIC, \(\frac{1}{3} \) \) and DLSS.BillAdvice = "BI" N1 5 4 1 1 67 (Matches(DLSS.DIC, \(\frac{1}{3} \) \) \) and Not DLSS.BillAdvice, \(\frac{1}{3} \) \) and Not DLSS.BillAdvice, \(\frac{1}{3} \) \) and DLSS.BillAdvice = \(\frac{1}{3} \) \) and DLSS.BillAdvice = \(\frac{1}{3} \) \) blsS.DODAAC53 N1 5 4 2 1 67 DLSS.Islevel and Matches(DLSS.BillAdvice, \(\frac{1}{4} \) \) and DLSS.BillAdvice = \(\frac{1}{3} \) \) and DLSS.BillAdvice = \(\frac{1}{3} \) \) and DLSS.BillAdvice = \(\frac{1}{3} \) \) and DLSS.SupAddress M1 5 4 5 1 67 DLSS.Islevel or (Matches(DLSS.DIC, \(\frac{1}{3} \) \) and DLSS.BillAdvice = \(\frac{1}{3} \) \(\frac{1}{3} \) \) and DLSS.BillAdvice = \(\frac{1}{3} \) \(\frac{1}{3	-		=		-	_	8		I	7/23/90
1 5 1 98 Matches(DLSS.DIC,/[FH][AJ][CEF]) and DLSS.BillAdvice = "BT" 198 Matches(DLSS.BillAdvice,/15]35[4]) and matches(DLSS.BillAdvice,/15]35[4]) 1 1 98 Matches(DLSS.BillAdvice,/15]35[4]) 1 1 1 1 1 1 1 1 1	=	2	=	5	4	-	82	DLSS.18L	* E E	7/23/90
Matches(DLSS.BillAdvice,/15 35 41/) Matches(DLSS.BillAdvice = "BT" Matches(DLSS.BillAdvice,/15 35 41/) Matches(DLSS.DIC,/[FH][AJ][CEF]/) and DLSS.BillAdvice = "BT" 198 Matches(DLSS.DIC,/[FH][AJ][CEFS]/) and Mot DLSS.BillToDoDAC DLSS.BillAdvice,/15 19 35 41 51/) or DLSS.BillAdvice = DLSS.DoDAAC53 Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.BillAdvice = DLSS.CupAddress Matches(DLSS.BillAdvice,/15 35 41/) Matches(DLSS.BillAdvice,/15 35 41/) Matches(DLSS.BillAdvice,/15 35 41/) Matches(DLSS.BillAdvice,/15 35 41/) Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.BillAdvice = DLSS.DoDAAC30 High	-2		<u>-</u>		•		8	Matches(DLSS.DIC,/[FH][AJ][CEF]/) and DLSS.BillAdvice H51H	* La	7/23/90
N1 5 1 7 1 98 Matches(DLSS.DIC,/[FH][AJ][CEF]/) and DLSS.BillAdvice = "BT" N1 5 3 1 66 N1 5 4 1 1 67 (Matches(DLSS.DIC,/[FH][AJ][CEFRS]/) and Not DLSS.BillAdvice,/15 19 35 41 51/) or DLSS.IsMatRet N1 5 4 2 1 67 DLSS.IsLevel and Matches(DLSS.BillAdvice,/4[34]/) N1 5 4 2 1 67 DLSS.Islevel and Matches(DLSS.BillAdvice,/4[34]/) N1 5 4 1 67 DLSS.Islevel or (Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.BillAdvice = DLSS.DobAGC3 N1 5 4 5 1 67 Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.BillAdvice = DLSS.DobAGG30 N1 5 4 5 1 67 Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.BillAdvice = DLSS.DobAAG30 N1 5 4 5 1 67 Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.BillAdvice = DLSS.DobAAG30	22		_	F	~	~	8		* 1-00 E	7/23/90
#10" #10" #10" #10" #10" #10" #10" #10" #10" #10" #10	~		<u>-</u>	8	_	_	8		1 00 T	7/23/90
Matches(DLSS.DIC,/IFM] [AJ] (CEFRS]/) and Not DLSS.BillToDoDAAC Matches(DLSS.IsMatRet DLSS.IsMatRet N1 5 4 2 1 67 DLSS.IsLevel and Matches(DLSS.BillAdvice,/4[34]/) DLSS.DoDAAC53 N1 5 4 3 1 67 Matches(DLSS.DIC,/IFM] [AJ] [EFC]/) and DLSS.BillAdvice = DLSS.DoDAAC74 N1 5 4 1 67 DLSS.Islevel or (Matches(DLSS.DIC,/IFM] [AJ] [EFC]/) and DLSS.SupAddress Matches(DLSS.BillAdvice,/15 35 41/)) N1 5 4 5 1 67 Matches(DLSS.DIC,/IFM] [AJ] [EFC]/) and DLSS.BillAdvice = DLSS.DoDAAC30 H19**	~		=	5 3	_	_	8		*10*	7/23/90
<pre>M1 5 4 2 1 67 DLSS.IsLevel and Matches(DLSS.BillAdvice,/4[34]/) DLSS.DoDAAC53 M1 5 4 3 1 67 Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.BillAdvice = DLSS.DoDAAC74</pre>	12		5	4	_	_	79		DLSS.BillToDoDAAC	9/20/90
"51" N1 5 4 4 1 67 DLSS.istevel or (Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.SupAddress Matches(DLSS.BillAdvice,/15 35 41/) N1 5 4 5 1 67 Matches(DLSS.DIC,/[FH][AJ][EFC]/) and DLSS.BillAdvice = DLSS.DoDAAC30 "19"	= =		55	4 4	rai Pri	~ ~	79		DLSS.DodAAC53 DLSS.DodAAC74	9/20/90
Matches(DLSS.BillAdvice,/1> 3> 41/7) M1 5 4 5 1 67 Matches(DLSS.DIC,/[FM][AJ][EFC]/) and DLSS.BillAdvice = DLSS.DoDAAC30 "19"			=	4	4	-	67		DLSS. SupAddress	9/20/6
	==	2	=	4			19		DLSS.Dodaac30	9/20/90

	פברו פבל זם			•				
509	130 xxx	: -	-	-	1000	1000	RP(CurrentCard, 1,80)	9/50/90
510 1	10 RFL	۔	-	_	-	1 2001	DLSS.DIC	8/30/90
510	20 \$1	-	-	-	-	92 1	DLSS.BillMbr	8/30/90
510 1	20 SI	1	7	-	-	1 640 RP(CC(),1,1) = "F"	ni lu	8/30/90
510 1	20 SI	-	7	~	-	1 640 RP(CC(),1,1) = "G"	2 2 2	8/30/90
510 1	20 \$1	-	m	-	-		DLSS.BillDate	8/30/90
510 1	20 SI	_	4	-	-	1 2122	DLSS.Billind	8/30/90
510	20 SI	-	~	-	-	1 610	DLSS. Amount	8/30/90
510 1	20 \$1	-	•	-	-	1 354	DLSS.RecCnt	8/30/90
510 1	20 \$1	-	7	-	-	- 26	DLSS.CountryCode	8/30/90
510 1	20 ST	-	60	-	-	1 2123	DLSS.InfoIndic	8/30/90
510 1	20 \$1	_	•	-	-	1 373	DLSS.ReportDate	8/30/90
510 1	20 SI	_	2	_	-	1 2093	DLSS.Acct2Credit	8/30/90
510 1	20 SI	-	=		-	1 2093	DLSS.Acct2Charge	8/30/90
510 1	30 881	-	_	-	-	5046	DLSS.FundCode	8/30/90
510 1	40 ROL	~	-	-	-	61	DLSS.RP41	8/30/90
510 1	40 ROL	~	7	-	-	19 1	DLSS.RP226	8/30/90
510	50 M1	_	-	-	-	98 DLSS.BiilFrRIC<>""	# 1 dia	8/30/90
510 1	50 M		m	-	-	66 DLSS.BillfrRIC<>""	w 7th	8/30/90
510 1	50 N1	_	4	-	-	67 DLSS.BillFrRIC<>***	DLSS.BillFrRIC	8/30/90
510 1	50 H1	~	-	-	-	98 DLSS.BillTaDaDAAC<>***	# LON	8/30/90
510 1	50 M1	~	m	-	-	66 DLSS.BillTcDcDAAC<>***	#10#	8/30/90
510 1	50 W1	~	4	-	-	67 DLSS.BillToDoDAAC<>***	DLSS.BillToDoDAAC	8/30/90
510 1	50 H1	m	-	-	-	98 DLSS.BiilFrDcDAAC<>***	2 102	8/30/90
510 1	50 #1	m	m	-	-	66 DLSS.BillFrDcDAAC<>***	m10m	8/30/90
510 1	50 M1	m	•	-	-	67 DLSS.BillFrDcDAAC<>""	DLSS.BillFrDoDAAC	8/30/90
510 1	XX 09	_ ×	-	-	1000	2000	RP(CurrentCard,1,80)	8/30/90
510 100	and o	o ¥	0	0	0	0 DLSS.18FQorFW and RP(CC(),39,6) = SPACES(6)	EXITO	8/30/90
510 100	10 RFI	_	-	_	100 2	1 2001	DLSS.DIC	06/50/6
510 100	10 RFL	<u>۔</u>	~	_			DLSS.DocNo	6/02/60
510 100	10 RF	<u>۔</u>	m	_) 2076 Not Matches(DLSS.DIC,/[FH][GPU][12]/)	DLSS.DocNoSuffix	06/50/6
510 100	10 RF	ب ب	٥	_		350	DLSS.SignalCode	1/10/91
510 100	20 RE	-	-	~	5) 128 Not Matches(DLSS.DIC,/[FH] [FQUN][12]/)	1.0.Z1	06/50/6

Date		06/50/6	06/50/6	06/50/6	06/50/6	06/50/6		06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	1/10/91	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6	06/50/6
Eval		DLSS.PartNbr	DLSS.UnitOf1ssue	DLSS.Quantity	DLSS.Quentity2	DLSS.UnitPrice		DLSS.UnitPrice2	DLSS.Amount	DLSS.CodeType	DLSS.itemDate	DLSS.SalesCode	DLSS.Description	DLSS.RecServum	DLSS.BillCode	DLSS.DelivSrc	DLSS.StockCode	# ISI	DLSS.ShipmentNbr	DLSS.ModeMethCode	DLSS.POE	-l-	DLSS.PIIN	DLSS.RP456	DLSS.Customer1d	DLSS.1ssueCode	DLSS.MFP	DLSS.Mission	# B F #	:: 74:	DLSS.TORIC	KL]/) "BT"	KL1/) "10"	KL]/) DLSS.BillToDoDAAC
it ct Elld Condition		100 127 Not Matches(DLSS.DIC,/[FH][FQUM][12]/)	100 2010 Matches(DLSS.DIC,/[FH][A-DFG][12] [FH]E[34]/)	100 380 Matches(DLSS.DIC,/[FH][A-DFG][12] [FH]E(34]/)	100 380 Matches(DLSS.DIC,/[FH][JP][12]/)	100 212 (DLSS.IsfAorFBorFC and Not DLSS.IsFMS) or	Matches(DLSS.DIC,/[FH][DFGJ][12] [FH]E[34]/)	100 212 DLSS.1sFP	100 610	100 2306 Not Matches(DLSS.DIC,/[FH][GQUM][12]/)	100 373 Not Matches(DLSS.DIC,/[FH][JPQW][12]/)	100 2303 Not Matches(DLSS.DIC,/[FH][GPQUM][12]/)	100 352 DLSS.1sFGorFW	100 2426 DLSS.IsFAorFBorFC and DLSS.IsFMS	100 2009 DLSS.1sFAorFBorFC and DLSS.1sFMS	100 2301 DLSS.1sFAorFBorFC and DLSS.1sFMS	100 2302 DLSS.IsFAorFBorFC and DLSS.IsFMS	100 128 DLSS.1sFJ and DLSS.ShipmentWbr <> ""	100 145 DLSS.18FJ	100 91 DLSS.1sFAorFBorFC or DLSS.1sFJ	100 114 DLSS.18FF	100 115 DLSS.18FF and DLSS.POE <> ***	100 367 DLSS.18FF	100 61 Not DLSS.1845Sig	100 67 DLSS.18FP	100 2313 DLSS.18FP	100 2225 DLSS.18FP	100 2315 DLSS.18FP	100 98	99 001	29 001	100 98 Not DLSS.1sFQorFW and Matches(DLSS.SignalCode,/[ABCJKL]/)	100 66 Not DLSS.1sfBorFW and Matches(DLSS.SignalCode,/[ABCJKL]/) "10"	100 67 Not DLSS.1sFGorFW and Matches(DLSS.SignalCode,/[ABCJKL]/) DLSS.BillToDoDAAC
Out d Sect	:	5	5	2	5	10		5	5	₽	5	•	-	Ď.	Ď	ě	Ď	5	1 0	1 10	5	100	100	5	5	5	5	5	5	5	5	5	5	5
El Seq Ord	•	.,	_		رم				_	61	_	_		_	6.		٠,			۰	Ś		_	_	_		·	_		_			_	
Use El Ctr Se	;	-	_	-	.,	7		,	_	.,	-	-	_	_	.,	-	-	-	···	_	-	1	_	-	_	—	-		_	 1	_	~	2	7 7
Seg Seg U Seg 1d C		20 REF	30 ROG	30 800	30 R00	30 800		30 800	40 DBL	40 DBL	40 0BL	40 0BL	40 DBL	50 DFM	50 DFM	50 DFM	50 DFM	60 RSE	60 RSE	60 RSE	SO RSE	60 RSE	2	80 ROU	90 AVF	90 AVF	90 AVF	90 AVF	100 M1	100 M1	100 M1	100 H1	100 M1	100 M1
Tid Sect	:	510 100	510 100	510 100	510 100	510 100		510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100	510 100

Tid Sect	Seg Seg Seg 1d	Ctr	Seq E	ord	Out Sect 1	: Elid Condition	Eval	Date
510 100	100 K	m	; -	: -	8	98 Not DLSS.isforfW and Matches(DLSS.SignalCode,/[A-DJ-M]/)		6/02/90
510 100	100 HJ	m	m	-	5	66 Not DLS	*10**	9/05/90
510 100	100 1.1	m	4	-	5	67 Not DLSS.isFoorFW and Matches(DLSS.SignalCode,/[A-DJ-M]/) DLSS.ShipToDoDAAC	DLSS.ShipTcOcOAAC	9/05/90
510 100	100 KI	4	-	-	ş	98 DLSS.18FP	1001	9/05/90
510 100	100 M1	4	m	-	9	66 DLSS.18FP	#10# .	9/05/90
510 100	100 H	4	4	_	5	1 67 DLSS.18FP	DLSS.Special	9/05/90
510 100	110 ONE	-	-	-	5	-	M100M	2/05/91
510 100	120 XXX	_	-	-	_	1 2000	RP(CurrentCard, 1,80)	9/05/90
510 200	0	0	0	0	0	0 DLSS.1sFGorFW and RP(CC(), 39,6) <> SPACES(6)	EXIT()	9/02/90
510 200	10 RFL	-	-	-	802	1 2001	DLSS.D1C	9/05/90
510 200	10 RFL	-	•	-	8	350 DLSS.18FV	DLSS.SignalCode	1/10/91
510 200	20 0BL	-	-	_	200		DLSS. Amount	9/05/90
510 200	20 DBL	-	m	-	200	373	DLSS.BillDate	9/02/90
510 200	20 DBL	-	~	-	200	352 Not DLSS.1sfL	DLSS.Description	9/05/90
510 200	30 111	-		-	200	88 -	140	9/05/90
510 200	30 M	-	m	-	202	***		9/05/90
	30 M1	-	4	-	200	29 (DLSS.TORIC	9/05/90
	30 H1	~	_	-	200	98 Not DLSS.18FV	2012	9/05/90
510 200	30 M1	~	-	7	200	98 DLSS.18FV and RP(CC(),51,1) = "8"	1 LOS	9/05/90
510 200	30 M1	7	m	-	200	**	m10m	9/05/90
510 200	30 H1	~	•	-	200	67 Not DLSS.1sFV	DLSS.DoDAAC	9/05/90
510 200	30 M1	~	4	7	200	67 DLSS.1sfV and RP(CC(),51,1) = "8"	DLSS.Bill ToDoDAAC	9/05/90
510 200	30 M1	m	-	-	8	98 DLSS.1sfV and RP(CC(),51,1) = "8"	nSt n	9/05/90
510 200	30 M1	m	-	7	200	8	"SI"	9/05/90
510 200	30 #1	m	m	-	200	66 (DLSS.18FV and RP(CC(),51,1) = "B") or DLSS.18FL	*10*	9/05/90
510 200	30 N1	m	4	-	8	67 DLSS.1sFV and RP(CC(),51,1) = "8"	DLSS.ShipToDoDAAC	9/05/90
510 200	30 H1	m	4	~	200	67 DLSS.1sfl	DLSS.SupAddress	9/05/90
510 200	40 ROU	-	_	-	200	61 Not DLSS.is45Sig	DLSS.RP456	1/10/91
510 200	45 140	-	-	-	200	-	"200"	2/05/91
510 200	50 XXX	-	~	-	_	2000	RP(CurrentCard, 1,80)	9/05/90
511 1	10 RFL	-	-	-	-	2001	DLSS.DIC	10/17/90
511	10 RFL	-	~	-	-	2008	DLSS.DocNo	10/17/90
511 1	10 RFL	-	m	-	-	2076 Matches(DLSS.DIC,/AMA/)	DLSS.DocNoSuffix	10/17/90

Tid Sect	d Seg	Seg Id	Use E	EI Seq 0	Out Ord Sec	•	El 1d C	Elid Condition	Eval	Date.
511		RFL	· -		: -	-	# K/N	Matches(DLSS.DIC./AX(12)/)	DUSS. TransDate	10/17/90
511	1 10	RFL	_	•	-	-			DLSS.MediaStatus	11/16/90
511	1 10	æFL	_	۰	-	-	350		DLSS.SignalCode	11/16/90
511	1 20	14	_	-	-	-	367 H	Matches(DLSS.DIC,/[AU]0[1245ABDE] [AU] [MTX]9/) and	DLSS.GFMContract	10/17/90
	5			•	•	•		DLSS.18GFWV1 and DLSS.MDN = **		
-	3	.	_	n	-	-		Matches(DLSS.DIC,/[AU]U[124>ABDE] [AU][MTX]B/) and DLSS.1sGFWV1	DLSS.CallOrder	10/17/90
511	2	ā	-	4	_	-	2059 M	Matches(0LSS.DIC,/[AU]0[1245ABDE] [AU][HTX]@/) and	DLSS.MON	10/17/90
							ō	DLSS.1sGFWV1 and DLSS.GFMContract = ""		
511	1 30	R BT	-	_		-	2046 M	Matches(DLSS.DIC,/[AU][OMTX]2/)	DLSS.FundCode	10/11/90
511	30	RBT	-	7	-	-	2006 0	DLSS.MDN = ""	DLSS.Distribution	10/17/90
511	1 30	RBT	_	m	_	-	74	Matches(DLSS.DIC,/[AU][OMT][1A]/) and Not	DLSS. SubsistPack	10/11/90
							Ī	Matches(RP(CC(),30,1),/[BOKPT]/) and RP(CC(),4,3) <>		
							Ĭ.	**O6S**		
511	1 40	8	_	_	_	-	2010		DLSS.UnitOfIssue	10/17/90
511	1 40	8	_	~	_	_	38		DLSS.Quantity	10/11/90
511	1 50	REF	- -	_	_	-	128 M	Matches(RP(CC(),3,1),/[1A]/)	uS.Ru	10/17/90
511	1 50	REF	_	_	~	_		Matches(RP(CC(),3,1),/[28]/)	שער	10/11/90
511	1 50	REF	_	_	m	_	128 M	Matches(RP(CC(),3,1),/(5E)/)	# J. T.	10/11/90
511	50	ÆF	_	-	4	-	128 DI	DLSS.FSCGroup = "89"	wKSw	10/17/90
511	1 50	REF	_	-	~	-	128		mXI'u	10/11/90
511	1 50	REF	_	2	_	-	127		DLSS.NSN	10/17/90
511	8	2	_	m	_	1 2	2040 N	Matches(DLSS.DIC,/[AU]0[28]/) and DLSS.IDcode <> ""	DLSS.1DCode	10/11/90
511	3	5	_	m	~	4	2040 M	Matches(DLSS.DIC,/[AU]0[25]/) and RP(CC(),68,1) = "E"	RP(CC(), 68, 1)	10/11/90
511	3	ş	_	4	_	1 2	2027 M	Matches(DLSS.DIC,/[AU]0[28]/) and DLSS.IDCode = "A"	DLSS.IDNumber	10/11/90
511	3	5	_	~	_	1 2	2028 N	Matches(DLSS.DIC,/[AU]0(28]/) and DLSS.IDCode = "O"	DLSS.1DNumber	10/17/90
511	3	\$	_	•	_	-	557 M	Matches(DLSS.DIC,/[AU]0[28]/) and DLSS.IDCode = "C"	DLSS.IDNumber	10/17/90
511	3	5	_	7	_	7	2033 M	Matches(0LSS.01C,/[AU]0[28]/) and DLSS.1DCode = "8"	DLSS. IDNumber	10/11/90
511	2	8	_	_	_	12	2052 RF	RP(CC(),44,1) <> " "	DLSS.DemendCode	10/17/90
511	۶ -	8	-	_	~	12	2052 RF	RP(CC(),44,1) = " "	E OC E	10/11/90
511	8	g G	_	_	_	-	27		DLSS.Priority	10/11/90
511 1	8	ğ	_	~	-	1 2	2051 M	Matches(DLSS.DIC,/[AU] (OMTX]2/)	DLSS.Project	10/17/90
511	8	ĝ	_	m	_	-	373 KG	Not Matches(DLSS.DIC,/[AU]0[P-S] [[AU]X[12]/) and Not	DLSS.RDD	10/17/90
							Ĕ	makches(ULSS.KUUFlag,/LKS]/)		

16/12/7

Tid Sect	d Seg	g Seg	Use Ctr	₩ %		Out Sect	ELIA	Out Ord Sect Elid Condition	Eval	Date
	:	:	:	;	:	:	:			
511	28	ð O	-	4	-	-	373	5 Not Matches(DLSS.DIC,/[AUJ0[P-S] [AUJX[12]/) and DLSS.RDDF1ag = "X"	DLSS.LatestDD	10/17/90
511	8	Q W	-	1	-	-	52	Not Metc	DLSS.EarliestDD	10/17/90
								DLSS.RDDFlag # "S"		
511	± 80	9	-	•	-	-	208	I Not Matches(DLSS.DIC,/[AU]O[P-S] [AU]X[12]/)	DLSS. Specked	10/17/90
511	8	O RAS	-	-	-	_	2013		DLSS.AdviceCode	10/17/90
								Matches(DLSS.AdviceCode,/2[BX] 38/)) or		
								(Matches(DLSS.DIC,/[AU][OMT]8/) and		
511	100	3	-	-	-	-	2	Matches (DLSS.RP212	10/17/90
511	100	3	-	~	-	-	2	DLSS.165	DLSS.RP456	10/17/90
511	100	<u>5</u>	-	m	-	_	2		DLSS.RP552	10/17/90
511	5	3	_	•	-	-	2	1 Matches(DLSS.DIC,/[AU]0[1457ADE] [AU] [MT]8/) and Not	DLSS.RP7011	10/17/90
								Matches(RP(CC(), 30,1),/(BOKPT]/)		
511	100	200	-	4	~	-	6	Matches(DLSS.RP702	10/17/90
								Matches(RP(CC(), 30,1),/[BDKP1]/)		
511	100	₽	_	~	-	-	2	! Matches(DLSS.DIC,/[AU]0(1457ADE) [AU][MT]a/) and	DLSS.RP721	10/17/90
								Matches(RP(CC(),30,1),/[BDKPT]/) and Not		
								Matches(RP(CC(),72,1),/[12]/)		
511	5	<u>5</u>	_	•	-	-	2	Metches(DLSS.DIC,/[AU]0[1457ADE] [AU][M1]@/)	DLSS.RP738	10/17/90
								Matches(RP(CC(),30,1),/[BDKPT]/)		
511	1 10	O ROF	-	-	-	•	2057	Not Mate	DLSS.DocNoSvc	10/17/90
								DLSS.10FMS		
1 115	1 110	D ROF	-	~	-	-	92	5 Not Matches(DLSS.DIC,/[AU]0[P-S] [AU]X[12]/) and DISS.IEEMS	DLSS.CountryCode	10/17/90
411	110	70 0	-	•	-	-	3	Not Mat	DISS. Customer	10/17/90
:	•		•	•	•	•				
511	1 110	O ROF	-	•	-	-	2067	Not Mato	DLSS.FMSDelivery	10/17/90
								DLSS.18FMS		
111	110	0 ROF	-	~	-	-	2068	3 Not Matches(DLSS.DIC,/[AUJ0[P-S] (AUJX[12]/) and DLSS.18FMS	DLSS.AsstFinance	10/17/90
511	1 110	O ROF		•	-	-	2057	7 Not Matches(DLSS.DIC,/[Au]0[P-S] [Au]X[12]/) end	DLSS. FMSServ	10/17/90
511	110	709	-	^	•	-	2060		DLSS.FMSOfferRel	10/17/90
•	•		-	-	•	•				

Tid Sect		Seg Seg Seq 1d		se Et tr Se	. Þ.	Out d Sec	t E	Use El Out Ctr Seq Ord Sect Elid Condition	Eval	Date
511	: -	110 18	Rof	; * 0	: :	: -	1 2070	70 Wot Matches(DLSS.DIC,/[AUJB[P-S] [AUJX[12]/) and DLSS.IsFMS	DLSS.FMSCase	10/17/90
118	-	110 ROF	- -	-	_	_	1 2071	71 Not Matches(DLSS.DIC,/(AU)O[P-S] (AU)X(12]/) and DLSS.IsFMS and RP(CC(),35,1) = "V" and Matches(RP(CC(),72,1)./[12]/)	DLSS.FMSProgSup	10/17/90
115	-	110 ROF	.	2	_	_	1 20%		DLSS.FMSSubCese	10/17/90
511	-	110 ROF	70	=		_	1 2113		DLSS.FMSFrtFudr	10/17/90
511	-	120 RGE	8	_	_	_	1 2057		DLSS.DocNoSvc	10/17/90
113	-	120 ROE	A -	~	•	_	-	26 Not Matches(DLSS.DIC,/[AUJO[P-S] [AU]X[12]/) and DLSS.ISMAP	DLSS.CountryCode	10/17/90
511	-	120 ROE	8	m -	_	_	1 2066		DLSS.Customer	10/17/90
511	-	120 RGE	8	4		_	1 2068	SB Not Matches(DLSS.DIC,/[AU]0[P-S] [AU]X[12]/) and DLSS.IsMAP	DLSS.Asstfinance	10/17/90
511	-	120 ROE	8	~		-	1 2072		DLSS.ILPYear	10/17/90
112	-	120 RGE	A -	•		_	1 2073	73 Not Matches(DLSS.DIC,/LAUJO[P-S] [AUJX[12]/) and DLSS.JSMAP	DLSS.ILPLineltem	10/17/90
511	-	130 RQY	<u>م</u>	_	_	_	1 2075	75 Not Matches(DLSS.DIC,/[AU]0[P-S] [[AU]X[12]/) and DLSS.IsDisposal and Matches(DLSS.ReqidCode,/[JKLRS]/)	DLSS.ReqIDCode	10/17/90
112	-	130 RQY	₽	- 2		_	1 2065	55 Not Matches(DLSS.DIC,/LAUJO[P-S] [LAUJX[12]/) and DLSS.18Dispose!	DLSS. Supcondcode	10/17/90
511	-	130 ROY	~	m 		-	7 20 6 4	Mot Matches(DLSS.DIC,/LAUJO[P-S] (LAUJX[12]/) and DLSS.IsDisposal and DLSS.DTID <> ***	DLSS.D710	10/17/90
511	-	130 ROY	<u>د</u>	4		-	1 2074	74 Not Matches(DLSS.DIC,/[AU]0[P-S] [AU]X[12]/) and DLSS.IsDisposel and DLSS.DIID <> ""	DLSS.DTIDSuffix	10/17/90
511	-	140 ICS	2	m -		_	1 2065	<pre>55 Matches(DLSS.DIC,/[AU]0[P-S]/) and</pre>	RP(CC(),69,1)	10/17/90
511		150 N1 150 N1				- 2		98 Not Matches(DLSS.DIC,/[AU]X1/) 98 Matches(DLSS.DIC,/[AU]X1/)	#10**	10/17/90

	Date	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90
	Eval	H784	DLSS.TORIC	#St#	#10#	DLSS.ShipToDoDAAC	I - 601	*10*	DLSS.BillToDoDAAC	# 7 5#	# 7 5#	101	#10#	EDIValue(DLSS.ServCode,DLSS.Distribution)	DLSS.DoDAAC30	# 7 5#	w10w	DLSS. SupAddress	= 75=	*10*
	Ctr Seq Ord Sect Elld Condition			96 DLSS.ShipToDoDAAC <> ""	DLSS.ShipToboDAAC <> ""	DLSS.ShipToDoDAAC <> ""	Not Matches(DLSS.DIC,/[AUJ0[P-S]/) and DLSS.BillToDoDAAC	Not Matches(DLSS.DIC,/[AU]0[P-S]/) and DLSS.BillToDoDAAC <> ***	Not Matches(DLSS.DIC,/[AU]0[P-S]/) and DLSS.BillToDoDAC <> ***	Matches(DLSS.MediaStatus,/[023458A-HJ-NPGSTUVY2]/) and DLSS.isSig	Matches(DLSS.MediaStatus,/[OBY]/) and Not DLSS.leSig and DLSS.DoDAAC30 <> ""	Matches(DLSS.MediaStatus,/[023458A-HJ-NPGSTUVY2]/) and DLSS.lasig	Matches(DLSS.MediaStatus,/[08Y]/) and Not DLSS.1sSig and DLSS.DoDAAC30 <> ""	Matches(DLSS.MediaStatus,/[023458A-NJ-NPGSTUVY2]/) and DLSS.IaSig	Matches(DLSS.MediaStatus,/[08Y]/) and Not DLSS.IsSig and DLSS.DoDAAC30 <> ""	Matches(DLSS.MediaStatus,/[45DEFGMMNPQUV2]/) and DLSS.SupAddress <> ""	Matches(DLSS.MediaStatus,/[45DEFGHMNPQUV2]/) and DLSS.SupAddress <> ""	Matches(DLSS.MediaStatus,/[45DEFGHMMPQUV2]/) and DLSS.SumAddress <>> ""	Matches(DLSS.MediaStatus,/[23ABCFGJKLPSTZ]/) and DLSS.DoDAAC30 <> ""	Matches(DLSS.MediaStatus,/[23ABCFGJKLPST2]/) and DLSS.DoDAAC30 <> ""
	E114	8	29	8	8	67	8	8	79	8	8	8	8	29	19	8	8	67	8	8
š	Sect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-	-	-
	ord	-	-	-	-	-	-	-	-	-	~	-	~	-	~	-	-	-	-	-
ī	Seq	m	4	-	m	4	-	m	•	-	-	m	m	4	•	-	m	•	-	m
Seg Use	Ct	-	-	~	~	~	m	m	m	•	•	•	•	•	4	•	~	~	•	•
	Seq 1d	=	Ξ	=	Ξ	Ξ	Ξ	Ξ	=	Ξ	E	Ξ	=	=	Ξ	=	Ξ	ī	=	Ξ
Seg		150	150	150	150	150	150	150	150	150	150 M	150 M	150	150	150	150	150	150	150	150 N1
Tid	Tid Sect	-	-	-	-	-	-	_	-	-	~	-	-	-	-	-	-	-	-	-
	T.	511	511	51	511	511	511	5	112	511	511	511	511	511	511	511	511	511	115	511

11 150 M 6 4 1 1 1 1 1 1 1 1 1	_	Tid Sect	Seg Seg Seg 1d	g Use Ctr	Seq	o _{rd}	Out	E114	Out Ord Sect Elid Condition	Eval	Date
150 M1 7 1 1 99 Marches(0185,D1C,/LAU) PRT39,) and D1S5,R1C 0 *** *** *** *** *** *** *** *** ***	25	-		•	•	: -	-	67	Metches(D)	DLSS.Dodac30	10/17/90
150 M1 7 1 2 1 99 Marches(0185.01C,/UAU)OP-51/) and 0185.RtC + "" """ 150 M1 7 3 2 1 66 Marches(0185.01C,/UAU)OP-51/) and 0185.RtC + "" """ 150 M1 7 4 1 1 67 Marches(0185.01C,/UAU)OP-51/) and 0185.RtC + "" 0185.DmlCP 150 M1 7 4 1 1 67 Marches(0185.01C,/UAU)OP-51/) and 0185.DmlCP - "" 0185.DmlCP 150 M1 7 4 2 1 67 Marches(0185.01C,/UAU)OP-51/) and 0185.DmlCP 150 M1 8 1 1 66 Marches(0185.01C,/UAU)OP-51/(MA	511	-	150 M1	^	-	-	-	8	Matches(DLSS.DIC./[AU] (MT)8/) and DLSS.RIC <> ""	#06n	10/17/90
150 M1 7 3 1 1 66 Natches(0LSS_DIC_/(MJ) DRT3A) and DLSS_DRTC 0 = "" "Wk" " " " " " " " " " " " " " " " "	511	_	150 M1	~	_	~	_	8	LSS.DIC, / [AU] 0[P-S] /) and DLSS.OunicP <>	mQAn	10/17/90
150 M1 7 5 2 1 66 Netches(01SS.DIC,//UM) DIPS(17) and 01SS.Deni(DP ~ "" " " " " " " " " " " " " " " " " "	511	-	150 M1	~	m	-	-	8	Matches(D		10/17/90
150 N1 7 4 2 1 67 Matches(0LSS.DIC,//UM) [PTI34) and DLSS.RIC	511	-	150 M1	~	m	7	-	8	Matches(DLSS.DIC,/[AU]0[P-S]/) and DLSS.OwnICP <>	****	10/17/90
150 M1 7 4 2 1 67 Matches(0LSS.DIC,/LAUJO(P-SI/) and DLSS.OmnICP > ""	511	-	_	~	4	-	-	67	Matches (D	DLSS.RIC	10/17/90
150 M1 B 1 1 1 99 Not Natches(DLS,DIC,/LAUJD(P-S) [AUJM(FP)] and NAM" 150 M1 B 3	511	-		^	4	~	-	67	Matches(DLSS.DIC,/[AU]0[P-S]/) and DLSS.OwnICP <>	DLSS.OwnicP	10/17/90
150 M1	511	-		# 0	-	-	-	8	Not Matches(DLSS.DIC,/[AU]0[P-S] [AU]M[FP]/) and	"WA"	10/17/90
150 M1									RP(CC(),30,2) = "HG" and RP(CC(),77,4) = SPACES(4) and DISS.ValidMCA <> ""		
150 M1	511	-	150 M1	40	M	-	-	8	Not Match	"7#"	10/17/90
150 M1				•)	,	•		RP(CC(),3		
150 M1 6 4 1 0 MORCE (1.30.2) = "HG" and RP(CC(),774,4) = SPACES(4) and 163 xxx 1 1 2000 17 RFL 1 1 2000 18 RFL 1 1 2000 18 RFL 1 1 2000 18 RFL 1 1 2000 19 RFL 1 1 1 2000 10 RFL 1 2 1 373 Matchea(0LSS.DIC,/LAUJF(1-51/)) 10 RFL 1 3 1 1 2000 10 RFL 1 4 1 350 10 RFL 1 4 1 2000 10 RFL 2 2 2 2 2 10 RFL 2 2 2 2 2 10 RFL 3 3 3 3 3 3 3 3 3	į	•		(•	•	•	,		A 245 147 93 14	10/17/00
16.3 xxx	Ę	-	951	10	4	-	_	ò			
17 RFL 1 12001 1.0008		-	** (**	• >	-	-	-	200	UL33. Val.	RP(CurrentCard, 1.80)	10/18/90
13 FL 2 1 2006 15 S. DocNoSuffix 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 2076 1 200			3 5	 		-	-	5 5		DLSS.DIC	10/18/90
10 RFL 1 3 1 2076 1 20	512	- •	30 (1	. .	٠ ٨			2005		· DLSS.DocNo	10/18/90
1 10 RFL 1 4 1 1373 Matches(DLSS.DIC,/[AU]F[1-5]/) 1 10 RFL 1 6 1 1350 1 10 RFL 1 9 1 1350 1 20 PI 1 4 1 2059 1 30 RBT 1 1 1 2046 1 30 RBT 1 2 1 2046 1 30 RBT 1 2 1 2006 DLSS.MON = "" 1 30 RBT 1 2 1 2009 Matches(DLSS.SignalCode,/[BDKPT]/) and DLSS.ToRIC <> DLSS.SubsistPack 1 30 RBT 1 4 1 2009 Matches(DLSS.SignalCode,/[BDKPT]/) and DLSS.ToRIC <> DLSS.SubsistPack 1 30 RBT 1 4 1 2009 Matches(DLSS.SignalCode,/[BDKPT]/) and DLSS.UnitOfissue 1 40 R00 1 2 1 1 380 1 40 R00 1 2 1 1 380 1 40 R00 1 3 1 1 236 DLSS.UnitPrice <> "" "CAT"	512	-		۔ سے ا	!	-	-	2076		DLSS.DocNoSuffix	10/18/90
1 10 RFL 1 8 1 1350 1 LSS.SignalCode 1 20 P1 1 4 1 2059 1 20 P1 1 1 2046 1 30 RBT 1 2 1 1 2046 1 30 RBT 1 2 1 1 2009 Batches(DLSS.SignalCode,/(BDKPT)/) and DLSS.ToRIC <> DLSS.Pistribution 1 30 RBT 1 4 1 1 2009 Matches(DLSS.SignalCode,/(BDKPT)/) and DLSS.ToRIC <> DLSS.SubsistPack 1 30 RBT 1 4 1 1 2009 Matches(DLSS.SignalCode,/(BDKPT)/) and DLSS.ToRIC <> DLSS.SubsistPack 1 30 RBT 1 4 1 2009 Matches(DLSS.SignalCode,/(BDKPT)/) 1 40 Roo 1 1 1 1 200 Matches(DLSS.SignalCode,/(BDKPT)/) 1 40 Roo 1 2 1 1 380 1 40 Roo 1 3 1 1 236 DLSS.UnitPrice <> "" CAT"	512	-		. <u></u>	4	-	-	373		DLSS.TransDate	10/18/90
1 10 RFL 1 9 1 1 205 1 20 P1 1 4 1 2059 1 30 RBT 1 1 1 2046 1 30 RBT 1 2 1 1 2006 DLSS.MDN = "" 1 30 RBT 1 2 1 1 2006 DLSS.MDN = "" 1 30 RBT 1 2 1 1 2009 Matches(DLSS.SignalCode,/(BDKPT]/) and DLSS.ToRIC <> DLSS.Distribution 1 30 RBT 1 4 1 1 2009 Matches(DLSS.SignalCode,/(BDKPT]/) and DLSS.ToRIC <> DLSS.Distribution 1 40 R00 1 1 1 2010 1 40 R00 1 2 1 1 380 1 40 R00 1 3 1 1 236 DLSS.UnitPrice <> "" 1 40 R00 1 3 1 1 236 DLSS.UnitPrice <> "" 1 40 R01 1 3 1 1 236 DLSS.UnitPrice <> "" 1 40 R01 1 3 1 1 236 DLSS.UnitPrice <> "" 1 40 R01 1 3 1 1 236 DLSS.UnitPrice <> "" 1 40 R01 1 3 1 1 236 DLSS.UnitPrice <> "" 1 40 R01 1 3 1 1 236 DLSS.UnitPrice <> "" 1 40 R01 1 3 1 1 236 DLSS.UnitPrice <> "" 1 40 R01 1 3 1 1 236 DLSS.UnitPrice <> "" 1 40 R01 1 3 1 1 236 DLSS.UnitPrice <> ""	512	-		۔ بر ہ	•0		_	350		DLSS.MediaStatus	10/18/90
1 20 PI 1 4 1 12059 1 30 RBI 1 1 1 2046 1 30 RBI 1 2 1 12006 DLSS.MDN = "" 1 30 RBI 1 2 1 12006 DLSS.MDN = "" 1 30 RBI 1 2 1 1 2006 DLSS.SignalCode,/(BDKPT]/) and DLSS.ToRIC <> DLSS.DbsistPack 1 30 RBI 1 4 1 12009 Matches(DLSS.SignalCode,/(BDKPT]/) and DLSS.ToRIC <> DLSS.SubsistPack 1 30 RBI 1 4 1 1 2009 Matches(DLSS.SignalCode,/(BDKPT]/) DLSS.TransBillCod 1 40 R00 1 1 1 1 2010 1 40 R00 1 2 1 1 380 1 40 R00 1 3 1 1 236 DLSS.UnitPrice <> "" CAT"	512	-		ب	0	-	-	350		DLSS.SignalCode	10/18/90
1 30 RBT 1 1 1 2046 1 30 RBT 1 2 1 1 2006 DLSS.MDN = "" 1 30 RBT 1 2 1 1 2006 DLSS.MDN = "" 1 30 RBT 1 2 1 1 754 Not Matches(DLSS.SignalCode,/(BDKPT]/) and DLSS.ToRIC <> DLSS.SubsistPack 1 30 RBT 1 4 1 1 2009 Matches(DLSS.SignalCode,/(BDKPT]/)	512	-		-	4	•	-	2059		DLSS.MDN	10/18/90
1 30 RBT 1 2 1 12006 DLSS.MDN = "" 1 30 RBT 1 2 1 1754 Not Matches(DLSS.SignalCode,/(BDKPT]/) and DLSS.ToRIC <> DLSS.SubsistPack	512	-		<u></u>	_	-	-	20%		DLSS. FundCode	10/18/90
1 30 RB1 1 3 1 1 754 Not Matches(DLSS.SignalCode,/(BDKPT]/) and DLSS.ToRIC <> DLSS.SubsistPack "S90" and DLSS.FSCGroup = "890" 1 30 RB1 1 4 1 1 2009 Matches(DLSS.SignalCode,/[BDKPT]/) DLSS.TrensBillCod 1 40 R00 1 1 1 1 2010 1 40 R00 1 2 1 1 380 1 40 R00 1 3 1 1 236 DLSS.UnitPrice <> "" "CAT"	512	-		<u>+</u>	2	-	-	2002	DLSS.MDN	DLSS.Distribution	10/18/90
30 RBT 1 4 1 1 2009 Matches(DLSS.SignalCode,/IBDKPT]/) DLSS.TrensBillCod 1 1 2010 Matches(DLSS.SignalCode,/IBDKPT]/) DLSS.UnitOfissue 1 1 280 1 2 1 1 380 DLSS.UnitPrice <> ""	512	-		-	m	-	-	K		DLSS.SubeistPack	10/18/90
1 30 RBT 1 4 1 1 2009 Matches(DLSS.SignalCode,/[BDKP1]/) 1 40 R00 1 1 1 2010 1 40 R00 1 2 1 1 380 1 40 R00 1 3 1 1 236 DLSS.UnitPrice <> "" CAT"									"S90" and DLSS.fSCGroup = "89"		
1 40 Roo 1 1 1 2010 1 40 Roo 1 2 1 1 360 1 40 Roo 1 3 1 1 236 DESS.UnitPrice <> "" "CAT"	512	-	30 RE	<u>=</u>	4	-	-	500 2		DLSS.TrensBillCod	10/18/90
1 40 Raa 1 2 1 1 380 1 40 Raa 1 3 1 1 236 DLSS.UnitPrice <> "" "CAT"	512	-	40 RG	9	-	-	-	2010		DLSS.UnitOfissue	10/18/90
1 40 Red 1 3 1 1 236 DLSS.UnitPrice <> ""	512	-	40 RG	- 2	~	-	-	8		DLSS.Quantity	10/18/90
	512	-		2	m	-	-	236	DESS.UnitPrice <> ""	#CAT#	06/81/01

	Date	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90	10/18/90		10/18/90	10/18/90	10/18/90		10/18/90	10/18/90	10/18/90		04/81/01
	Eval	DLSS.UnitPrice	us su	DLSS.NSM	DLSS.Priority	DLSS.Project	DLSS.DocMoSvc	DLSS.CountryCode	DLSS.Customer	DLSS.FMSDelivery	DLSS.Asstfinance	DLSS.FMSServ	DLSS.FMSOfferRel	DLSS.FMSCase	DLSS.fMSSubcase	DLSS.FMSFrtfwdr	DLSS.DocNoSvc	DLSS.CountryCode	DLSS.Customer	DLSS.AsstFinance	DLSS.ILPYear	DLSS.1LPLineItem	DLSS.SupStatus		DLSS.ShipDate	DLSS.q765	DISS. FedSchedNbr		A.SS.UnitOfissue	"BY" DLSS.GFMgtCode	DLSS.ARMCond		DLSS.ReleaseDate
	Elid Condition	DLSS.UnitPrice <> ***			Not (Matches(DLSS.DIC,/[AU]FT/) and DLSS.ToRIC <> "S90")	Not DLSS.18ASfollowUp	DLSS.1sFMS	DLSS.1sfMS	DLSS.1sFMS	DLSS.18FMS	DLSS.1afMS	DLSS.1aFMS	DLSS.1sFMS	DLSS.1sFMS	DLSS.19FMS	DLSS.18FMS	DLSS.18MAP	DLSS.1sMAP	DLSS.19MAP	DLSS.19MAP	DLSS. I SMAP	DLSS.19MAP	Matches(DLSS.DIC,/[AU]F(1-5C]/) and	IsAlpha(RP(CC(),65,1))	Matches(DLSS.DIC,/(AU)F[1-5C]/)	Matches(DLSS.DIC,/[AUJF[1-50]/) and DLSS.SupStatus = HTBM and BP/CC/ 74 3/ = CDAPEC/2)	Matches	"DA" and	Matches(Hatches (Matches(DLSS.DIC,/[AUJF[1-5C]/) and RP(CC(), 75 ,6) =	SPACES(6	Matches(DLSS.DIC,/(AU)F(TT)/)
	EUG	212	128	127	23	2051	2057	92	208	2067	2068	2057	2069	202	862	2113	2057	92	2066	2068	202	2073	2077		373	88	7007		2010	2341	2065	ļ	373
ĕ	Sect	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-	-	-		-	-	-	•	~	-	-	•	_
0	ord s	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-		-	-	-	•	-	-	-	,	_
E	Seq	4	-	~	_	~	_	~	m	4	~	9	_	•	0	_	-	~	m	4	~	9	_		~	m	4	•	5	9	m		-
Use E	Ctr S	_	_	_	_	_	_	_	_	_	-	_	_	_	-	_	_	_	_		—	_	_		-	_	_		, _	_	_		_
Seg U		8	REF	REF	ð	90	20	ZQ.	ROF	ROF	20	ROF	ZO.	20	#OF	20	ROE	20 6	30	ROE	305	3 0	RSI		IS	RSI	120	;	RSI	RSI	ICS		Si Si
	PI bas	0	50 R	32 R										2	<u>د</u> ا	2	8	8		8	8	è	8		S RS								_
2	- ¥ ;	•	8	Ň	8	3	2	2	2	2	~	►	2	~	_	~	•	•	8	•	•	•	σ.		8	8	8	•	8	σ.	8		2
d Seg		-		<u>.</u>	2	2	2	2	F	F -	~	1	<u>_</u>	1	7	1	-	-	.	-	-	-	•		~	ъ -	2		•	8	100		1 110 RSE
Tid Seg	Tid Sect Sec	512 1 4	512 1 5	512 1 5	512 1 60	512 1 60	512 1 70	512 1 70	S12 1 74	S12 1 7	512 1 7	512 1 7	512 1 7	512 1 7	512 1 7	512 1 7	512 1 8	512 1 8	512 1 84	512 1 8	512 1 8	512 1 8	512 1 9		512 1 90	512 1 9	\$12 1 Q	•	512 1 9	512 1 9	512 1 100		512 1 110

Tid	Seg	Seg Use	E	ర	õ			
Tid Sect	ot Seq 1d	ם כני	Š	Ord Sect		Elid Condition	Eval	Date
	338 044		,	: •	· •			10/48/00
2 .		- •	J (- (- ,	## (1/00/10) March March	: 16:	06/01/01
716		_	7	7	-	Matches(DLSS.DIC,/[AU]F[I1]/) and RP(CC(),66,1) =		10/16/30
512	1 110 RSE	₩ -	7	m	-	128 Matches(DLSS.DIC,/[AU]F[TY]/) and RP(CC(),66,1) = "I"	nd!n	10/18/90
512	1 110 RSI	¥ +	7	4	-	128 Matches(DLSS.DIC,/[AU]F[TY]/) and RP(CC(),66,1) = "R"	нфи	10/18/90
512	1 110 RSI	¥.	~	~	-		HZZH	10/18/90
512	1 110 RS	₩ +	m	-	-		DLSS.SID	10/18/90
512	1 110 RS	ñ	4	-	-	91 Matches(DLSS.DIC,/IAUJF[TY]/)	DLSS.ShipmentMode	10/18/90
512		, -	S	-	-	2379 Matches(DLSS.DIC./[AU]F[TY]/)	DLSS. HoldCode	10/18/90
512	1 110 RSE	<u>ئۆ</u>	•	-	-	310 Matches(DLSS.DIC,/[AU]F[TY]/)	DLSS.POE	10/18/90
512	1 110 RSE	¥.	5	-	-	115 Matches(DLSS.DIC,/[AU]F[TY]/) and RP(CC(),78,1) = "5"	202	10/18/90
512	1 110 RSE	76	ħ	~	-	115 Matches(DLSS.DIC,/[AU]F[TY]/)	nlu	10/18/90
512	1 120 80	1 00	-	-	-	61 Matches(RP(CC(),12,2),/0[01]/)	DLSS.RP212	10/18/90
512		200	~	_	-	61 DLSS.IsServinfo or Not DLSS.Is45Sig	DLSS.RP456	10/18/90
512	1 120 ROU	2	m	-	-		DLSS.RP552	10/18/90
512	130 MI	_	-	-	-	98 DLSS.ToRIC <> "H	HTO**	10/18/90
512 1	1 130 M	-	m	-	-			10/18/90
512 1	130 H	-	4	-	-	67 DLSS.ToRIC <> ""	DLSS.TORIC	10/18/90
512	130 M	2	-	-	-	98 Matches(DLSS.DIC,/[AU]F[1-5C]/) and DLSS.ShipToDoDAAC <>	nStn	10/18/90
						===		
512 1	1 130 HT	- 2	-	7	-	98 Matches(DLSS.DIC,/LAUJF[TY]/) and DLSS.DoDAAC75 <> ""	"26"	10/18/90
512 1	130 M	7	m	-	-	***************************************	m10m	10/18/90
512	130 H	~	4	-	-	67 Matches(DLSS.DIC,/[AU] F[1-5C]/)	DLSS.ShipToDoDAAC	10/18/90
512 1	1 130 M	2	4	~	-	67 Matches(DLSS.DIC,/[AU]F[TY]/)	DLSS.DoDAAC75	10/18/90
512 1	130 M	m _	-	-	-	98 Matches(DLSS.DIC,/[AU]F[1-5C]/) and DLSS.BillToDoDAAC <>	± - 20 =	10/18/90
512 1	130 H	m	m	-	-	66 Matches(DLSS.DIC,/[AU]F[1-5C]/) and DLSS.BillToDoDAAC <>	*10*	10/18/90
512 1	130 M1	m _	4	-	-	67 Matches(DLSS.DIC,/[AU]F[1-5C]/) and DLSS.BillToDoDAAC <>	DLSS.BillToDoDAAC	10/18/90
512	1 130 M	4	-	-	-	98 Matches(DLSS.DIC,/[AU]F(1-3]/) and DLSS.IsSig	#75#	10/18/90
512 1	1 130 H1	4	-	~	-	98 Matches(DLSS.DIC,/[AU]F[CTY]/) and Matches(RP(CC(),7,1),/[02-58A-HJ-NPGSTUVYZ]/) and	M 75H	10/18/90
						DLSS.18Sig		

Date	10/18/90	10/18/90	10/18/90	10/18/90			10/18/90			10/18/90			10/18/90	10/18/90			10/18/90			10/18/90			3/06/91		3/06/91	3/06/91	10/18/90			10/18/90	
Eval	H10H	EDIValue(DLSS.ServCode,DLSS.Distribution)	n75n	m7Su			#10#			DLSS. SupAddress			*7S*	# 7 \$#			# 7 \$#			#10#			*10*	•	*10*	DLSS.DoDAAC30	DLSS.DQDAAC30			DLSS.DoDAAC30	
El Out Seq Ord Sect Elid Condition	Matches(DLSS, DIC, //Au) Fr1-3CTY)/) and DLSS, lasia	Matches (Matches(RP(CC(),7,1),/[450EFGH#MPGUV2]/) and	DLSS.SupAddress <> ""	5 (Matches(DLSS.DIC,/[AU]F2/) or	(Matches(DLSS.DIC,/[AU]F(CTY]/) and	Matches(RP(CC(),7,1),/[45DEFGHMMPQUVZ]/))) and		(Matches(DLSS.DIC,/[AU]F(CTY]/) and	Matches(RP(CC(),7,1),/[450EFGHMNPQ(NZ]/))) and			Matches(RP(CC(),7,1),/[08/]/) and Not DLSS.1sSig and	DLSS.DoDAAC30 <> ***	Matches(DLSS.DIC,/[AU]F[CTY]/) and	Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/) and	DLSS.DoDAAC30 <> **	<pre>Matches(DLSS.DIC,/[AU]F[CTY]/) and</pre>	Matches(RP(CC(),7,1),/[08Y]/) and Not DLSS.isSig and	DLSS.DoDAAC30 <> MM	S Matches(DLSS.DIC,/[AU]F[CTY]/) and	Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/) and				Matches(RP(CC(),7,1),/[08Y]/) and Not DLSS.IsSig and	DLSS.0cDAAC30 <> ***		Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/) and DLSS.DoDAAC30 <> ""
ELIG	; %	67	8	8			8			67			8	8			8			8			8		8	67	29			29	
Sect	•	-		_						_			_	_			-			_			-		_	_	_			_	
P O P	: -		_	7			_			_			_	~			M			_			~		м	_	~			M	
e EE	·	4	_	_			M			4			-	_			_			m			M		M	4	4			4	
Seg Use El Id Ctr Se	•	4	~	~			₩.			~			•	•			9			9			9		•	•	•			•	
Seg Sed	130 M	130 M1	130 MT	130 M1			130 N1			130 M1			130 H1	130 N1			130 M1			130 N1			130 H1		130 N1	130 H1	130 N1			130 N1	
Tid Sect	: -	_	-	-			-			•			-	-			-			-			-		-	-	-			-	
110	512	512	512	512			512			512			512	512			512			512			512		512	512	512			512	

				E .	•	ğ	•			
S D	Sect ::	2 de :	: נל	Š :	ָ פַל	Sect	Sect Elld Conditi	JITION	Fval	Date
512	-	130 N1	^	-	-	_	98 Matches	(DLSS.DIC,/[AU]F[1-5C]/) and DLSS.RIC <	"S"	10/18/90
512	-	130 M1	7	m	-	_	66 Matches	ches(DLSS.DIC,/[AU]F[1-5C]/) and DLSS.RIC <> ""	*****	10/18/90
512	-	130 M1	^	4	-	_	67 Matches	thes(DLSS.DIC,/IAU)F[1-50]/) and DLSS.RIC <> ***	DLSS.RIC	10/18/90
512	-	130 N1	•	_	-	-	98 Matches	(DLSS.DIC, / [AU] F [1-5C] /)	#06#	10/18/90
512	-	130 N1	•0	m	-	_	66 Matches	thes(DLSS.DIC,/[AU]F[1-5C]/) and DLSS.RIC <> ""	**************************************	10/18/90
512	-	130 N1	•0	4	-	_	67 Matches		DLSS.RIC	10/18/90
512	-	140 XXX	-	-	-	_	2000		RP(CurrentCard, 1,80)	10/18/90
513	-	10 RFL	-	-	-	_	2001		DLSS.DIC	10/18/90
513	-	10 RFL	-	7	-	_	2008		DLSS.DocNo	10/18/90
513	-	10 RFL	-	m	-	_	2076		DLSS.DocNoSuffix	10/18/90
513	-	10 RFL	_	4	-	-	373		DLSS.TransDate	10/18/90
513	-	10 RFL	-	•0	-	_	350		DLSS.MediaStatus	10/18/90
513	-	10 RFL	-	•	-	_	350		DLSS.SignalCode	10/18/90
513	-	20 P.I	-	-	-	_	367 Matches	thes(RP(CC(),30,1),/[CEHLQUZ]/) and DLSS.MDN = ""	DLSS.GFMContract	10/18/90
513	-	20 P.I	-	4	-	-	2059		DLSS.MDN	10/18/90
513	-	30 RBT	-	-	-	-	2046		DLSS. FundCode	10/18/90
513	_	30 RBT	-	~	-	_	2006 DLSS.MD		DLSS.Distribution	10/18/90
513	-	30 RBT	-	m	-	_	754 Hot	Not Matches(RP(CC(),30,1),/(BDKPT]/) and DLSS.ToRIC <>	DLSS. SubsistPack	10/18/90
							#06S#			
513	-	40 R00	-	-	-	_	2010		DLSS.UnitOflesue	10/18/90
513	_	40 ROD	-	~	-	_	380		DLSS.Quantity	10/18/90
513	-	40 R90	-	m	-	-	236 Hot	Not Matches(RP(CC(),30,1),/[CEHLQU2]/) and	"CAT"	10/18/90
							IsAlpha	pha(RP(CC(),65,1))		
513	-	00¥ 07	-	4	-	_	212 Not		DLSS.UnitPrice	10/18/90
,	,		•		,	•	eud) vs.	pa(KP(CC(),05,1))		
513	-	SO REF	-	-	-	_	128			04/81/01
513	-	SO REF	-	~	-	_	127		DLSS.NSN	10/18/90
513	-	3 8	-	-	-	_	2052 DLSS.Do).DocNoSuffix = ***	DLSS.DemendCode	10/18/90
513	_	70 R0p		-	_	_	2.4		DLSS.Priority	10/18/90
513	_	20 ROP	-	~	-	-	2051		DLSS.Project	10/18/90
513	_	80 RAS	-	-	-	-	2013 1sNumer	umeric(RP(CC(),65,1))	DLSS.AdviceCode	10/18/90
513	_	90 RQF	-	_	-	-	2057 DLSS.18	. Jafus	DLSS.DocNosvc	10/17/90
513	_	90 ROF	-	7	-	_	26 DLSS.18	. IBFHS	DLSS.CountryCode	10/17/90

,			:	:	:			
: -	: 8 : 8	<u>-</u>	m	-	-	2066 DLSS.18FMS	DLSS. Customer	10/17/90
_	8	-	4	-	-	2067 Matches(RP(CC(), 30,1),/[BDKPT]/) and DLSS.1sFMS	DLSS.FMSDelivery	10/11/90
_	90 80	-	S	-	+	2068 DLSS.isfMS	DLSS.Asstfinance	10/17/90
-	90 80		•	-	-	2057 Matches(RP(CC(),45,1),/[BDKPT]/) and DLSS.1sFMS	DLSS.FMSServ	10/17/90
	90 ROF	-	7	-	-	2069 DLSS.18FMS	DLSS.FMSOfferRel	10/11/90
-	90 ROF	<u>-</u>	∞	-	~	2070 DLSS.18FMS	DLSS.FMSCase	10/17/90
-	90 RGF		۰	-	-	2071 DLSS.18FMS and RP(CC(),35,1) = "V" and	DLSS.FMSProgSup	10/11/90
						Matches(RP(CC(),72,1),/[12]/)		
-	90 RGF	<u>-</u>	2	-	-	20% DLSS.18FMS	DLSS.FMSSubCase	10/11/90
-	90 ROF	-	Ξ	-	1	2113 DLSS.18FMS	DLSS.FMSFrtFwdr	10/17/90
-	100 RGE		_	-	-	2057 DLSS.18MAP	PLSS.DocNoSvc	10/17/90
-	100 RGE		~	-		26 DLSS.18MAP	DLSS.CountryCode	10/17/90
-	100 ROE	 -	m	-	-	2066 DLSS.18MAP	DLSS.Customer	10/17/90
-	100 ROE	-	4	-	1 2	2068 DLSS.18MAP	DLSS.AsstFinance	10/17/90
-	100 RGE	- -	2	-	-	2072 DLSS.18MAP	DLSS.ILPYear	10/11/90
-	100 ROE	 -	9	-	+	2073 DLSS.1sMAP	DLSS.ILPLineItem	10/17/90
-	110 ROY	_	-	-	-	2075 DLSS.1sDisposal and Matches(DLSS.ReqidCode,/[JKLRS]/)	DLSS.Req1DCode	10/17/90
-	120 RS	-	-	-	-	2077 IsAlpha(RP(CC(),65,1))	DLSS.SupStatus	10/17/90
-	120 RSI	-	~	-	-	373 DLSS. Supstatus <> ""	DLSS.ShipDate	10/17/90
-	130 ROU	-	-	-	-		DLSS.RP212	10/17/90
-	130 ROU	-	~	_	_	61 DLSS.18Servinfo or Not DLSS.1845Sig	DLSS.RP456	10/17/90
_	130 ROU	-	m	-	-	61 DLSS.MDM = """	DLSS.RP552	10/17/90
-	140 M1	-	-	-	-	98 DLSS.TORIC <> ""	#10#	10/17/90
-	140 N1	-	m	-	-	66 DLSS.TORIC <> ""	147Min	10/17/90
-	140 M1	-	4	-	-	67 DLSS.TORIC <> ""	DLSS.TORIC	10/17/90
-	140 N1	2	_	,	-	98 DLSS.ShipToboDAAC <> ""	*LS#	10/17/90
-	140 M1	~	₩	-	-	66 DLSS.ShipToDoDAAC <> ""	H10"	10/17/90
-	140 N1	7	4	-	-	67 DLSS.ShipToDoOAAC <> ""	DLSS.ShipToDoDAAC	10/17/90
-	140 M1	m	-	-	-	98 DLSS.BillToDoDAAC <> ***	n Lan	10/17/90
-	140 M1	m	m	-	_	66 DLSS.BillToDoDAAC <> ""	1101	10/17/90
-	140 M1	m	4	-	-	67 DLSS.BillToDoDAAC <> ""	DLSS.BillTcDcDAAC	10/17/90
-	140 M1	4	_	-	-	98 DLSS.18Sig	n7Sm	10/17/90
-	**	7	•	•	,			

	Date	10/17/90	10/17/90	10/17/90	10/17/90	10/17/90		10/17/90		10/17/90		10/17/90	10/17/90	10/17/90	10/17/90	10/22/90	10/22/90	10/22/90	10/22/90	10/22/90	10/22/90	10/22/90	10/22/90	10/22/90			10/22/90			10/22/90	10/22/90	10/22/90		10/22/90	
	Eval	EDIValue(DLSS.ServCode, DLSS.Distribution)		H10**	DLSS. SupAddress	=7Sn		#10#		DLSS.DoDAAC30		w06m	# * * * * * * * * * * * * * * * * * * *	DLSS.RIC	RP(CC(),1,80)	DLSS.DIC	DLSS.DocNo	DLSS.DocNoSuffix	DLSS.TransDate	DLSS.MediaStatus	DLSS.SignalCode	DLSS.UnitOf1ssue	DLSS.Quantity	HCAT"			DLSS.UnitPrice			DLSS.SupStatus	DLSS.EstShipDate	DLSS.Minorder		DLSS.FedSchedNbr	
	ElId Condition	DLSS.16Sig	DLSS.MediaStatus <> "9" and DLSS.SupAddress <> ""	DLSS.MediaStatus <> "8" and DLSS.SupAddress <> ""	DLSS.MediaStatus <> "8" and DLSS.SupAddress <> ""	(DLSS.MediaStatus <> "8" and DLSS.DoDAAC30 <> "") or	(DLSS.MediaStatus = "8" and Not DLSS.1sSig)	(DLSS.MediaStatus <> "8" and DLSS.DoDAAC30 <> "") or	(DLSS.MediaStatus * "8" and Not DLSS.IsSig)	(DLSS.MediaStatus <> "8" and DLSS.DoDAAC30 <> "") or	(DLSS.MediaStatus = "8" and Not DLSS.18Sig)	DLSS.RIC <> ""	DLSS.RIC <> ""	DLSS.RIC <> ""					373 DLSS.IsAE or Matches(DLSS.DIC,/[AU]SH/)				-	(Matches(DLSS.DIC,/[AU]E[1-58ABDE]/) and Not	Matches(DLSS.SupStatus,/C8 DA/)) or	(Matches(DLSS.DIC,/[AU]E6/) and $RP(CC(),55,2) = "BY"$) or	(Matches(DLSS.DIC,/[AU]E[1-58ABDE]/) and Not	Matches(DLSS.SupStatus,/C8 DA/)) or	(Matches(DLSS.DIC,/[AU]E6/) and RP(CC(),55,2) \approx "BY") or	DLSS.1sAE or Matches(DLSS.DIC,/[AU]SY/)	DLSS.18ABE	Matches(DLSS.DIC,/[AU]E[1-58/60E]/) and DLSS.SupStatus =	TOBE TO THE TENT OF THE TENT O	Matches(DLSS.DIC,/[AU]E[1-58ABDE]/) and DLSS.SupStatus =	*PA*
	ELId	29	8	8	29	8		8		29		8	8	29	2000	2001	2008	2076	373	350	350	2010	88	% %			212			2077	373	8		2002	
Š	Sect	-	-	-	-	-		- -		-		-	-	-	_	-	-	-	-	-	-	-	-	-			-			-	-	-	•	-	
O	ord s	-	-	-	-	-		-		-		-	-	-	-	-	-	-	-	-	-	-	-	_			-			-	-			-	
ш	Sec.	4	_	~	4	_		m		4		_	₩	4	-	-	~	m	4	•0	۰	-	2	m			4			_	7	M)	•	
Use	#:	4	5	2	2	9		9		•		7	~	~	-	-	-	-			-	-	-	-			-			-	-	-	•	-	
Seg	P :	Ξ	=	=	Ξ	Ξ		Ξ		Ξ		Ξ	Ξ	Ξ	X	Ę	RFL	RFL	RFL	ÆFE	RFL	8	8	8			8			RSI	RSI	SSI		RSI	
Seg	§ :	140	140	140	140	140		140		140		140	140	140	150	9	5	5	10	9	9	2	20	20			20			30	30	30)	30	
T id	Sect	-	-	-	-	-		-		-		-	-	-	-	•	-	-	-	-	-	-	-	-			-			-	-	_	•	-	
	T.	513	513	513	513	513		513		513		513	513	513	513	514	514	514	514	514	514	514	514	514			514			514	514	514		514	

S Pil	Tid Sect 9	Seg Seg Seg 1d	9 Use	Seq :	ord F:	Out Sect		Elld Condition	Eval	Date
514	-	30 RSI	-	~	-	-	2010	2010 Matches(DLSS.DIC,/[AU]E[1-58ABDE]/) and DLSS.SupStatus = "CEM	DLSS.UICorrect	10/22/90
514	-	30 RS	-	•	-	-	2341	Matches(DLSS.DIC,/[AU]E6/) and DLSS.SupStatus = "BY"	DLSS.DenialMgmt	10/22/90
514	-	30 RS1	-	^	-	_	367	Matches(D	DLSS.ContractWbr	10/22/90
514	-	30 RS	-	•0	-	-	2031	Matches(D	DLSS.CallOrder	10/22/90
514	-	40 PI	-	4	-	-	2059		NON'SS'IO	10/22/90
514	_	50 RBT	-	-	-	_	2046		DLSS. FundCode	10/22/90
514	-	50 RBT	-	~	-	-	%		DLSS.Distribution	10/22/90
514	-	50 RB1	-	M	-	-	ĸ		DLSS. SubsistPack	10/22/90
514	-	50 RBT	F	4	-	-	5006	Matches(BLSS.DIC,/LAU]S(1-587][AU]UB/) and Matches(RP(CC(),30,1),/EBDKP11/)	DLSS.TransBillCod	10/22/90
514	-	60 REF	-	_	-	-	128		nSX.	10/22/90
514	-	60 REF	-	7	-	_	127		DLSS.NSN	10/22/90
514	-	20 8 06	-	-	-	-	23	Matches(DLSS.DIC,/[AU]E[1-689AB0E] [AU]S3/)	DLSS.Priority	10/22/90
514	-	200	-	~	-	-	2051	DLSS.1sABE	DLSS.Project	10/22/90
514	-	80 RSE	ਜ਼	-	-	_	373	Matches(DLSS.DIC,/[AU]S[1-58Y] [AU]U[1-578]/)	DLSS.ReleaseDate	10/22/90
514	. -	80 RSE	Ψ. W	7	-	-	128	128 Matches(DLSS.DIC,/[AUJS[1-58] [AUJU[1-578]/]	DLSS.1DType	10/22/90
514	-	80 RSE	m -	m	-	-	145	Matches(DLSS.DIC,/LAUJS[1-58] [AUJU[1-578]/)	DLSS.ShipUnitMbr	10/22/90
514	-		с.	4	-	-	2	Matches(DLSS.DIC,/[AU]S[1-58] [AU]U[1-578]/)	DLSS.ShipmentMode	10/22/90
514	-		—	~	-	-	23	Matches (D	DLSS.HoldCode	10/22/90
514	_	SO RSE	m _	•	-	-	310	Matches(DLSS.DIC,/[AU]S[1-58] [AU]U[1-578]/)	DLSS.POE	10/22/90
514	_	80 RSE	ш —	T	-	_	115	RP(CC(),78,1) = "5"	E 40 E	10/22/90
514	_	80 RSE	ш Т	£	~	•	=======================================		u"u	10/22/90
514	_	20 20 20 20 20	- -	-	-	-	2	Matches(RP(CC(),12,2),/0[01]/)	DLSS.RP212	10/22/90
514	-	20 20 20 20	-	~	-	-	2	DLSS.18Servinfo or Not DLSS.1945Sig	DLSS.RP456	10/22/90
514	_	20 20 20 20 20 20 20 20 20 20 20 20 20 2	_	m	-	-	5		DLSS.RP552	10/22/90
514	-	100 ICS	S 1	m	_	-	5065	Matches(DLSS.DIC,/[AU]E[1-58AB0E]/)	DLSS.ARMCord	10/22/90
514	_	10 H	-	-	-	-	88	(DLSS.18A)	1841	10/22/90
514	-	110 #1	-	m	-	-	8	(DLSS.1sABE or Matches(DLSS.DIC,/(AUJSH/)) and DLSS.fromE(C.<> ***	"*************************************	10/22/90
514	-	110 N1	-	4	-	-	29	(DLSS. 18A	DLSS.FromRIC	10/22/90
								DESS.Fromkic <> ""		

	Date	10/22/90	10/22/90	10/22/90	10/22/90		10/22/90		10/22/90		10/22/90		10/22/90		10/22/90		10/22/90		10/22/90		10/22/90		10/22/90			10/22/90			10/22/90			10/22/90		
	Eval	110"	" ?# "	DLSS.TORIC	**O**		w7#w		DLSS.OwnICP		#LS#		H10#		DLSS.ShipToDcDAAC		m Library and market a		#10#		DLSS.BillToDoDAAC		n7Su			m10m			EDIValue(DLSS.ServCode, DLSS.Distribution)			n\$5n		
	Seq Ord Sect Elld Condition	Matches(DLSS.DIC,/[AU]SH [AU]E6/) and DLSS.ToRIC <> ""	Matches(DLSS.DIC,/[AUJSH [AU]E6/] and DLSS.ToRIC <> ""		Matches(D	DLSS.OwnICP <> ""	Matches(D	DLSS.OwnICP <> ""	Matches(D	DLSS.OwnICP <> ""	(DLSS.18ABE or Matches(DLSS.DIC,/[AU]SH/)) and	DLSS.ShipTcOcoDAAC <> ""	(DLSS.1sABE or Matches(DLSS.DIC,/[AU]SH/)) and	DLSS.ShipToDoDAAC <> ""	(DLSS.18ABE or Matches(DLSS.DIC,/[AU]SH/)) and	DLSS.ShipToDoDAAC <> ""	(DLSS.1sABE or Matches(DLSS.DIC,/[AU]SH/)) and	DLSS.BillToDoDAAC <> ""	(DLSS.1sABE or Matches(DLSS.DIC,/[AU]SH/)) and	DLSS.BillTofoDAAC <> ""	(DLSS.IsABE or Matches(DLSS.DIC,/[AU]SH/)) and	DLSS.BillToDoDAAC <> ""	Not Matches(DLSS.DIC,/[AU]E6/) and	Matches(RP(CC(),7,1),/[02-58A-HJ-WPGSTUVYZ]/) and	DLSS.18Sig	Not Matches(DLSS.DIC,/[AU]E6/) and	Matches(RP(CC(),7,1),/[02-58A-HJ-NPQSTUVY2]/) and	DLSS.18Sig	Not Matches(DLSS.DIC,/[AU]E6/) and	Matches(RP(CC(),7,1),/[02-58A-HJ-NPQSTUVYZ]/) and	DLSS.18Sig	Not Matches(DLSS.DIC,/[AU]E6/) and	Matches(RP(CC(),7,1),/[45DEFGHMNPQUVZ]/) and	DLSS.SupAddress <> ***
	E 11d	98	8	67	8		8		67		8		8		67		8		8		29		8			8			29			8		
š	Sect	-	-	-	-		-		-		-		_		_		-		-		-		-			_			_			-		
	0.d	-	-	_	-		_		-		-		_		-		-		_		_		-			-			-			-		
e El		-	M	4	-		m		4		-		m		4		-		m		•		-			m			4			~		
g Use	- 5	2	~	~	M		m		M		4		4		4		~		~		₩.		•			•			•			7		
g Seg	p i	E	0 E	- C	<u>=</u>		E		E		=		E		E O		E .		E .				E			£ .						ž.		
Seg	t Seq	110	=======================================	110	110		=======================================		110		110		130		110		110		110		110		10			110			10			110		
Tid	Tid Sect	_	-	_	_		_		_		_		_		-		-		_		-		_			-			-			-		
	1	514	514	514	514		514		514		514		514		514		514		514		514		514			514			514			514		

PI	Tid Sect	Seg		Use Ei Ctr Se	b Od	Sec	t EU	Use El Out Ctr Seg Ord Sect Elid Condition	Eval	Date
:	;			•			:			
514	-	110 M1	-	m	-			_	*10**	10/22/90
514	-	110 M1	<u>-</u>	4	-		-	DLSS.SupAddress <> 67 Not Matches(DLSS.DIC,/[AU]E6/) and Matches(RP(CC(),7,1),/[45DEFGHMMPQUV2]/) and	DLSS. SupAddress	10/22/90
514	-	110 #1	*	~	-	-	-	DLSS.SupAddress <> "" 98 Not Matches(DLSS.DIC,/[AU]E6/) and Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/) and Dies Debasers	m 75 m	10/22/90
514	-	110 M1		•	~		-	96 Not Matches(DLSS.DIC,/[AU]E6/) and Matches(RP(CC(),7,1),/[087]/) and Not DLSS.IsSig and	**************************************	10/22/90
514	-	110 M1		6 0	•		-	66 Not Matches(DLSS.DIC,/[AU]E6/) and Matches(RP(CC(),7,1),/[23ABCFGJKLPST2]/) and	#10#	10/22/90
514	-	110 M1		m 80	~		-	66 Not Matches(DLSS.DIC,/IAUJE6/) and Matches(RP(CC(),7,1),/[08Y]/) and Not DLSS.IsSig and	*10*	10/22/90
514	-	110 N1	*	4	-		-	67 Not Matches(DLSS.DIC,/[AU]E6/) and Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/) and	DLSS.DODAAC30	10/22/90
514	-	110 M1		40	2		-	67 Not Watches(DLSS.DIC,/[AU]E6/) and Matches(RP(CC(),7,1),/[087]/) and Not DLSS.IsSig and DLSS.Anhaack() <> MM	DLSS.DodAAC30	10/22/90
514		110 M	= -	~ ~				98 Matches(DLSS.DIC,/(AUJSY/) and DLSS.DoDAAC75 <> *** 44 Matches(DLSS.DIC,/(AUJSY/) and DLSS.DoDAAC75 <> ***	#9Z#	10/22/90
514		5 5	. .	n ~	- -	_		Matches	DLSS.DODAAC75	10/22/90
514 514 514 514		11 OLL 11	0 0 0 1 1	- 10 4 -				98 Matches(DLSS.DIC,/LAUJE[1-589A8DE]/) and DLSS.RIC <> "" 66 Matches(DLSS.DIC,/LAUJE[1-589A8DE]/) and DLSS.RIC <> "" 67 Matches(DLSS.DIC,/LAUJE[1-589A8DE]/) and DLSS.RIC <> "" 98 Not DLSS.Isservinfo and (Matches(DLSS.DIC,/LAUJS[1-587] LAUJU[1-578]/) or (Matches(DLSS.DIC,/LAUJS[1-578]/) and RP(CC(),54,1) = "9")) and DLSS.DoDAAC45 <> ""	"LS" "H4" DLSS.RIC "RC"	10/22/90 10/22/90 10/22/90 2/20/91

66 Not Diss. isservinfo and Chetchee(Diss.Dic_/(Au)337) and 8671 (Au)1011-57201/) or (Natchee(Diss.Dic_/(Au)337) and 8671 (Au)1011-57201/) or (Natchee(Diss.Dic_/(FIGOL)/) 8671 (Au)1011-57201/) or (Natchee(Diss.Dic_/(FIGOL)/) 8671 (Au)1011-57201/) or (Natchee(Diss.Dic_/(FIGOL)/) 8721 (Au)1011-57201/) or (Natchee(Diss.Dic_/(FIGOL)/) 8721 (Au)1011-57201/) or (Natchee(Diss.Dic_/(FIGOL)/) 8721 (Au)1011-57201/) 8721 (Au)1011/ (Au)1011-1/ (Au)1011-1	Seg S	Seg Id	Seg Use El	σ,	bro :		Elld Condition	Eval	Date
Not DISS.185ervinfo and (Matches(DISS.DIC,/LAU)S(1- 587) [AU)UI(1-578)/) or (Matches(DISS.DIC,/LAU)S(3-) and RP(CCC),54,1) = "9")) and DISS.DODAAC45 <- "" Ratches(DISS.DIC,/FT(RD6L)//) Ratches(DISS.DIC,/FT(RD6L)//) Retches(DISS.DIC,/FT(RD6L)//) and DISS.UnitPrice <- "" Retches(DISS.DIC,/FT(RR)//) and DISS.UnitPrice <- "" Retches(DISS.DIC,/FT(RR06Z)//) Retches(DISS.DIC,/FT(RR06Z)//) and DISS.UnitPrice <- "" Retches(DISS.DIC,/FT(RR06Z)//) and DISS.DIC = "FTR" and DISS.Expfrice OISS.DIC = "FTR" and DISS.Expfric	110 M1 11 3 1	1 3 1	۳ -	-		-	Not DLSS. 587] [AU] RP(CC().5	"10"	2/20/91
RP(CurrentCard,1,80) BISS.DIC BISS.DIC BISS.DIC BISS.DIC BISS.TeamBate BISS.RediaStatus BISS.RemiaStatus BISS.RemiaStatus BISS.RemiaStatus BISS.SignalCode BISS.Signa	110 N1 11 4 1	- -	-	-		-	Not DLSS. 58YJ (AU)	DLSS.DodAc45	2/21/91
Natches(DLSS.DIC,/FT (GCRMZTL]/) Natches(DLSS.DIC,/FT (RD6L]/) Natches(DLSS.DIC,/FT (RD6L]/) Natches(DLSS.DIC,/FT (RD6L]/) Natches(DLSS.DIC,/FT (RD6L]/) Natches(DLSS.DIC,/FT (RMI)/) Natches(DLSS.DIC, FT (RMI)/)	20 XXX 1 1 1	1 1 1	-	-		-		RP(CurrentCard, 1,80)	10/22/90
DLSS.DocNo Matches(DLSS.DIC,/FT(6CRMZTL]/) Matches(DLSS.DIC,/FT(RD6L]/) DLSS.NediaStatus DLSS.NediaStatus DLSS.SignalCode DLSS.Dic,/FT(ARI)/) and DLSS.UnitPrice <> "" Matches(DLSS.DIC,/FT(ARI)/) and DLSS.UnitPrice <> "" Matches(DLSS.DIC,/FT(AREFGZ)/) or (DLSS.UnitPrice <> "" Matches(DLSS.DIC,/FT(AREFGZ)/) or (DLSS.UnitPrice <> "" Matches(DLSS.DIC,/FT(AREFGZ)/) or (DLSS.UnitPrice <> "" DLSS.SupStatus <> "Sq") or (DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.DIC = "FTR" and RP(CC(),70,1) <> "") DLSS.DIC = "FTR" DLSS.DIC = "FTR"	10 RFL 1 1 1	-	_			_	001	DISS.DIC .	10/23/90
Matches(DLSS.DIC,/FT(RD6L]/) Matches(DLSS.DIC,/FT(RD6L]/) DLSS.Mediastatus DLSS.Mediastatus DLSS.SignalCode DLSS.SignalCode DLSS.SignalCode DLSS.SignalCode DLSS.SignalCode DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.DatePackCode DLSS.DatePackCode DLSS.DatePackCode DLSS.DatePackCode DLSS.DatePackCode DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitPrice <> "" EST" Matches(DLSS.DIC,/FT(ARI/) and DLSS.UnitPrice <> "" EST" Matches(DLSS.DIC,/FT(AREFG2]/) or (DLSS.UnitPrice <> "" DLSS.UnitPrice DLSS.DIC,/FT(ROD6Z]/) DLSS.DIC,/FT(ROD6Z]/) DLSS.DIC,/FT(ROD6Z]/) DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FTR" and RP(CC(),70,1) <> " ") DLSS.ExpCredit DLSS.DIC = "FTR" DLSS		1 2 1	2	-		-	800.	DLSS.DocNo	10/23/90
Matches(OLSS.DIC,/FT(RD6L1/) DLSS.MediaStatus DLSS.MediaStatus DLSS.SignalCode DLSS.SignalCode DLSS.SignalCode NNSN DLSS.SignalCode NNSN DLSS.SignalCode NNSN DLSS.SignalCode NNSN DLSS.SignalCode DLSS.DIC,/FT(MR)/) and DLSS.Unitprice <> ***		. 1 3 1	м Т	-		-	.076 Matches(DLSS.DIC,/FT[6CRMZTL]/)	DLSS.DocNoSuffix	10/23/90
DLSS.NediaStatus DLSS.SignalCode DLSS.SignalCode DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfice <>> *** Matches(DLSS.DIC,/FTIARI)) and DLSS.UnitOfice <> *** Matches(DLSS.DIC,/FTIARI) and DLSS.UnitOfice <> *** DLSS.UnitOfice *** DLSS.UnitOfice <> *** DLSS.UnitOfice ** DLSS.UnitOfice </ ** DLSS.UnitOfice </ *** DLSS.UnitOfice *** DLSS.UnitOfice DLSS.UnitOfice *** DLSS.UnitOfice </td <td>10 RFL 1 4 1</td> <td>- +</td> <td>- 1</td> <td>-</td> <td></td> <td>-</td> <td></td> <td>DLSS.TransDate</td> <td>10/23/90</td>	10 RFL 1 4 1	- +	- 1	-		-		DLSS.TransDate	10/23/90
DISS. SignalCode DISS. FundCode NNSN DISS. Wash DISS. SubsistPack Natches(DISS. DIC,/FT(AR1/) and DISS. UnitPrice <> "" Waln Matches(DISS. DIC,/FT(AR1/) and DISS. UnitPrice <> "" WeST" Natches(DISS. DIC,/FT(AR1/) and DISS. UnitPrice <> "" West" DISS. Supsitatus DISS. DISS. Supsitatus DISS. Sups	10 RFL 1 8 1	. 1 8	60	_		-	350	DLSS.MediaStatus	11/16/90
DLSS.FundCode "NS" DLSS.MSN DLSS.MSS appleck DLSS.SubsistPack DLSS.ObsistPack DLSS.ObsistPack DLSS.ObsistPack DLSS.ObsistPack DLSS.ObsistPack DLSS.ObsistPack DLSS.ObsistPack DLSS.ObsistPack Matches(DLSS.DIC,/FT(AR)/) and DLSS.UnitPrice <> "" Matches(DLSS.DIC = "FTR" and DLSS.DIC DLSS.Demilitar DLSS.DEMILitar		1 9 1	6	-		-	350	DLSS.SignalCode	11/16/90
"NS" DLSS.NSN DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.Unitofissue DLSS.Unitofissue DLSS.Unitofissue DLSS.Unitofissue DLSS.Unitofice <> "" "EST" Matches(DLSS.DIC,/FT[AR]/) and DLSS.Unitofice <> "" "EST" Matches(DLSS.DIC,/FT[ROB62]/) or (DLSS.DIC="FTR" and DLSS.SupStatus DLSS.SupCandCode DLSS.SupCandCode DLSS.SupCandCode DLSS.SupCandCode DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FTR" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.DEMILitar CDLSS.DIC = "FTR" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.DEMILitar MATCHER DLSS.DIC = "FTR" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.DEMILitar) MATCHER DLSS.DIC = "FTR" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.DEMILitar) MATCHER DLSS.DIC = "FTR" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.DEMILitar)	20 RBT 1 1 1	1 1 1	-	-		-	970	DLSS. FundCode	10/23/90
Iskumeric(RP(CC(),22,1)) DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.SubsistPack DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitOfissue DLSS.UnitPrice <> *** Matches(DLSS.DIC,/FT(AR1/) and DLSS.UnitPrice <> *** Matches(DLSS.DIC,/FT(AR1/) and DLSS.UnitPrice <> *** Matches(DLSS.DIC,/FT(AREGZ)/) or (DLSS.UnitPrice <> *** DLSS.Supsistue <> **SW**) or (DLSS.DIC = **FT6** and DLSS.UnitPrice DLSS.Supsistue <> **SW**) or (DLSS.DIC = **FT6** and DLSS.Supsistue DLSS.Supsistue or (DLSS.DIC = **FT6** and DLSS.Supsistue DLSS.DIC = **FT0** DLSS.DIC =	30 REF 1 1 1	:	-	-		-	128	"SN"	10/23/90
DLSS.SubsistPack IsNumeric(RP(CC(),22,1)) Matches(DLSS.DIC,/FT(AR)/) and DLSS.UnitPrice <> "" DLSS.UnitPrice DLSS.UnitPrice Matches(DLSS.DIC,/FT(ROD62)/) or (DLSS.DIC="FTR" and DLSS.SupCondCode DLSS.SupStatus <> "SAM") or (DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.DIC = "FTR" and RP(CC(),70,1) <> " ") DLSS.DIC = "FTR" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.Demilitar CDLSS.DIC = "FTR" and DLSS.DIC DLSS.DIC DLSS.Demilitar		. 1 2 1	2	-		-	127	NSN. SS. I O	10/23/90
IsNumeric(RP(CC(),22,1)) DLSS.OatePackCode DLSS.UnitOfissue DLSS.Ouantity Matches(DLSS.DIC,/FI(AR]/) and DLSS.UnitPrice <> "" DLSS.SupStatus <> "SM") or (DLSS.DIC = "FT6" and PLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.SupStatus DLSS.DIC = "FT6" and RP(CC(),70,1) <> " ") DLSS.DIC = "FT0" and RP(CC(),70,1) <> " ") DLSS.DIC = "FT0" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.Demilitar cond.)		1 6 1	9	-		-	ž	DLSS.SubsistPack	10/23/90
DLSS.UnitOfissue DLSS.Quantity Matches(DLSS.DIC,/FT(AR]/) and Matches(RP(CC(),12,2),/0[01]/) and DLSS.UnitPrice <> ""	40 ICS 1 7 1	1 7 1	7	_		-	373 1sNumeric(RP(CC(), 22, 1))	DLSS.DatePackCode	10/23/90
DLSS.Quantity Matches(DLSS.DIC,/FT(AR]/) and Matches(RP(CC(),12,2),/0[01]/) and DLSS.UnitPrice <> ""	50 RGG 1 1 1		-	_		-	010	DLSS.UnitOfissue	10/23/90
Matches(DLSS.DIC,/FT(AR1/) and DLSS.UnitPrice <> "" HEST" Matches(DLSS.DIC,/FT(AR1/) and DLSS.UnitPrice <> "" HEST" Matches(DLSS.DIC,/FT(AR1/) and DLSS.UnitPrice <> "" DLSS.UnitPrice Matches(DLSS.DIC,/FT(AR1/) and DLSS.UnitPrice <> "" DLSS.UnitPrice Matches(DLSS.DIC,/FT(AREFGZ)) or (DLSS.DIC="FFR" and DLSS.SupCondCode DLSS.SupStatus <> "SM") or (DLSS.DIC = "FFR" and DLSS.SupStatus DLSS.DIC = "FFD" or (DLSS.DIC = "FFR" and DLSS.SupStatus DLSS.DIC = "FFD" or (DLSS.DIC = "FFR" and DLSS.SupStatus DLSS.DIC = "FFT"	50 RGO 1 2 1	1 2 1	2	-		-	380	DLSS.Quantity	10/23/90
Matches(DLSS.DIC,/FT[AR]/) and DLSS.UnitPrice <> ""	0 R00 1 3 1	1 3 1	3	-		-		"CAT"	10/23/90
Matches(DLSS.DIC,/FT[AR]/) and DLSS.UnitPrice <> "" DLSS.UnitPrice Matches(DLSS.DIC,/FT[AR]/) and DLSS.UnitPrice <> "" DLSS.UnitPrice Matches(DLSS.DIC,/FT[ACEFGZ]/) or (DLSS.DIC="FTR" and DLSS.SupCondCode DLSS.SupStatus <> "SAM") or (DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FTD" or (DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FTD" or (DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FTD" or (DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FTD" or (DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FTD" D							Matches(RP(CC(), 12, 2), /0[01]/) and DLSS.UnitPrice <> ""		
Matches(DLSS.DIC,/FT[AR]/) and DLSS.UnitPrice <> "" DLSS.UnitPrice Matches(DLSS.DIC,/FT[ACEFGZ]/) or (DLSS.DIC="FTR" and DLSS.SupCondCode DLSS.SupStatus <> "SM") or (DLSS.DIC = "FT6" and DLSS.SupStatus DLSS.DIC = "FT0" or (DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.DIC = "FT0" or (DLSS.DIC = "FT6" and DLSS.SupStatus DLSS.DIC = "FT0" and RP(CC(),70,1) <> " ") DLSS.DIC = "FT0" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.Demilitar DLSS.DIC = "FT6" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.Demilitar	50 RGG 1 3 2	1 3 2	3 2	~		-	236 Matches(DLSS.DIC,/FT[AR]/) and DLSS.UnitPrice <> ""	MESTA	10/23/90
Matches(DLSS.DIC,/FT[ACEFG2]/) or (DLSS.DIC=#FTR* and DLSS.SupCondCode DLSS.SupStatus <> "SM") or (DLSS.DIC = "FT6" and RP(CC(),70,1) = " ") Matches(DLSS.DIC,/FT[R0062]/) Matches(DLSS.DIC = "FTR" and DLSS.SupStatus DLSS.ExpRplyDate = "SM") or (DLSS.DIC = "FT6" and RP(CC(),70,1) <> " ") DLSS.DIC = "FT2" DLSS.DIC = "FT6" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.Demilitar and RP(CC(),70,1) = " ") or (DLSS.DEMILITAR and RP(CC(),70,1) = " ") or	50 ROG 1 4 1	1 4 1	7	-		_		DLSS.UnitPrice	10/23/90
Matches(DLSS.DIC,/FT[R006Z]/) Matches(DLSS.DIC,/FT[R006Z]/) = NSM*) or (DLSS.DIC = NFT6* and DLSS.SupStatus DLSS.ExpRplyDate = NSM*) or (DLSS.DIC = NFT6* and RP(CC(),70,1) <> " ") DLSS.DIC = NFT2* (DLSS.DIC = NFT6* and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.Demilitar DLSS.Comilitar DLS	60 MRP 1 1 1	-	-	-		-		DLSS.SupCondCode	10/23/90
DLSS.DIC = MFTD" or (DLSS.DIC = MFTR" and DLSS.SupStatus DLSS.ExpRplyDate = MSM") or (DLSS.DIC = MFT6" and RP(CC(),70,1) <> " ") DLSS.DIC = MFT2" (DLSS.DIC = MFT6" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.Demilitar = MFT8" and RP(CC(),70,1) = " ") or (DLSS.DIC DLSS.Demilitar = MFT8" and DLSS.SupStatum <> MSM")	40 H0P 1 2 1		,	-		-		DLSS.SupStetus	10/23/90
DLSS.DIC = "FTZ" DLSS.DIC = "FTZ" (DLSS.DIC = "FT		. F	. m	-		-	DLSS.DIC		10/23/90
(DLSS.DIC = wf16" and RP(CC(), 70,1) = " ") or (DLSS.DIC DLSS.Demilitar	60 MRP 1 4 1	. 1 4 1	•	-		-	_	DLSS.ExpCredit	10/23/90
	60 MRP 1 5 1	1 5 1	5	-		-	(DLSS.DIC	DLSS.Demilitar	10/23/90

	•			:					
515	3	MRP	_	•	_	:	373 0188,010 a 1127 and an CCC, 71, 10 a 10	DI SS. MatiRcvDate	10/23/90
515 1	3	O MRP	_	2	_	-	# #FTZH	DLSS.MatiRcvDate	10/23/90
515	۲ ۲) RAS	_	_	_	1 20		DLSS.AdviceCode	10/23/90
515	8	80	·	_	_	1	470 Matches(DLSS.DIC,/FT(ALR26]/)	DLSS.Priority	10/23/90
515	88	200	_	~	_	1 20	2051 Matches(DLSS.DIC,/FT[ACDEFGR06]/)	DLSS.Project	10/23/90
515	8) RSI	_	~		÷	373 DLSS.DIC = "FIL"	DLSS.EstShipDate	10/23/90
515 1	100) RSE	_	_	_	-	373 Matches(DLSS.DIC,/FT[MT2]/)	DLSS.ReleaseDate	10/23/90
515	100) RSE	_	~	_	_	128 Matches(DLSS.DIC,/FT[MT]/)	DLSS.10Type	10/23/90
515	5) RSE	_	m	_	_	145 Matches(DLSS.DIC,/FT[MT]/)	DLSS.ShipUnitMbr	10/23/90
515 1	100) RSE	_	.	-	_	91 Matches(DLSS.DIC,/FT[MT]/)	DLSS.ShipmentMode	10/23/90
515 1	1 110	3 ROU	_	_	_	_	61 Matches(RP(CC(),12,2),/0[01]/)	DLSS.RP212	10/23/90
515	1 110	202	-	~	_	_	61 DLSS.Irservinfo or Not DLSS.I845Sig	DLSS.RP456	10/23/90
515	110	2 0€	_	m	_	_	61 Matches(DLSS.DIC,/FT(CEFG]/)	0LSS.RP701	10/23/90
515	1 120	<u>.</u>	_	_	_	_	98 Matches(DLSS.DIC,/FT(ACDEFGORZ6)/) and DLSS.FromRIC <> ""	# T T T T T T T T T T T T T T T T T T T	10/23/90
515 1	1 120	<u> </u>	_	m	_	_	66 Matches(DLSS.DIC,/FTIACDEFGGR26)/) and DLSS.FromRIC <> "	n phi n	10/23/90
515	1 120	H	_	•	_	_	67 Matches(DLSS.DIC,/FT[ACDEFGORZ6]/) and DLSS.FromRIC <> ""	* DLSS.FromRIC	10/23/90
515	1 120	. H	~	_	_	_	98 Matches(DLSS.DIC,/FT[ACEFGLMTZ]/) and DLSS.ToRIC <> ""	*10*	10/23/90
515 1	1 120	E	~	_	2	_	98 Matches(DLSS.DIC,/FT(QR]/) and DLSS.RIC <> ""	uS lu	10/23/90
515 1	1 120	. H	~	m	_	_	66 Matches(DLSS.DIC,/FT[ACEFGLMTZ]/) and DLSS.TORIC <> ""	- 	10/23/90
515	1 120	<u> </u>	~	m	~	-	fs Matches(DLSS.DIC,/FT[QR]/) and DLSS.RIC <> ""	" >#	10/23/90
515	1 120	_ EM C	7	•	_	_	67 Matches(DLSS.DIC,/FT[ACEFGLMTZ]/) and DLSS.ToRIC <> ""	DLSS.TORIC	10/23/90
515 1	1 120	<u>.</u>	~	J.	~	_	67 Natches(DLSS.DIC,/FT[OR]/) and DLSS.RIC <> ""	DLSS.RIC	10/23/90
515 1	1 120	<u> </u>	m	_	_	_	98 Matches(DLSS.MediaStatus,/[23459]/) and DLSS.StatDoDAAC	*****	10/23/90
515	120	- N	m	m	-	_	66 Matches(DLSS.MediaStatus,/[23459]/) and DLSS.StatDoDAAC	н10н	10/23/90
515 1	120	<u> </u>	m	J.	_	_	67 Matches(DLSS.MediaStatus,/[23459]/) and DLSS.StatDcDAAC	DLSS.StatDoDAAC	10/23/96
							# ◊		
515 1	120	E C	4	_	_	_	98 Not DLSS.isServinfo and DLSS.CreditTo <> ***	#SS#	10/23/90
515	1 120	E	•	m	_	_	66 Not DLSS.1sServinfo and DLSS.CreditTo <> ***	m10m	10/23/90
515 1	1 120	IN C	4	•	_	_	67 Not DLSS.Isservinfo and DLSS.Creditio <> ""	DLSS.CreditTo	10/23/90
515	1 120	EN C	•	_	-	_	98 Not DLSS.1sServinfo and DLSS.Shipfrom <> **	I.S.	11/20/90

Date	11/20/90	10/23/90	10/23/90	10/23/90	10/23/90	3/04/91			10/23/90	10/23/90	10/23/90	11/16/90	11/16/90	10/23/90	10/23/90		10/23/90	10/23/90	10/23/90	10/23/90	10/23/90	10/23/90		10/23/90	10/23/90	10/23/90		10/23/90	10/23/90		10/23/90	10/23/90	10/23/90
Eval	DLSS.ShipFrom	"RC"		DLSS.ReportRIC	RP(CurrentCard, 1,80)	EXITO			DLSS.DIC	DLSS.DocNo	DLSS.DocWoSuffix	DLSS.MediaStatus	DLSS.SignalCode	DLSS.FundCode	DLSS.Distribution		DLSS.TrensBillCod	DLSS.UnitOf1ssue	DLSS.Quantity	"CAT"	DLSS.UnitPrice	DLSS.GFMMgtCode		T S Z Z	NSN:SS10	DLSS.Priority		DLSS.Project	DLSS.RDD		DLSS.LatestDD	DLSS.EarliestDD	DLSS.SpecReq
Use El Out Ctr Seq Ord Sect Elid Condition	67 Not DLSS.18Servinfo and DLSS.Shipfrom <> ***	98 Matches(DLSS.DIC,/FT[RMA6ZTL]/) and DLSS.ReportRIC <> ""	66 Matches(DLSS.DIC,/FT[RMA6ZTL]/) and DLSS.ReportRIC <> ""	67 Matches(DLSS.DIC,/FI[RMA6ZTL]/) and DLSS.ReportRIC <> ""		0 Not	Matches(DLSS.SourceDIC,/[AU][56][12457ABCDEJ] [AU][CEFGK]	J [2076 Matches(DLSS.SourceOIC,/[AU]RH/) or DLSS.184R			2046 Not Matches(DLSS.SourceDIC,/[AU]RH/)	2006 DLSS.19MRO or DLSS.19MRD or DLSS.19DRO or DLSS.19DRC or	DLSS.1eDRD	DLSS. ISMRC or DLSS. ISRCR			(DLSS.1sMRO or DLSS.1sDRO) and DLSS.UnitPrice <> ""	(DLSS.1sMRO or DLSS.1sDRO) and DLSS.UnitPrice <> ""	DISS.ISMRO or DISS.ISMRD or DISS.ISDRO or DISS.ISDRO or	DLSS.19DRC			470 DLSS.18MRO or DLSS.18MPD or (DLSS.18MRC and	RP(CC(),78,1) = "S")	DLSS.18MRO or DLSS.18MRD	(DLSS.ISMRO or DLSS.ISMRD) and Not	Matches(DLSS.RDDFlag,/[XS]/)	(DLSS.IsMRO or DLSS.IsMRD) and DLSS.RDDFlag = "X"	(DLSS.ISMRO or DLSS.ISMRD) and DLSS.RDDFlag * "S"	DLSS.ISMRO or DLSS.ISMRD
ELId	29	8	8	67	2000	0			2007	2008	2076	350	350	2046	2008		2002	2010	8	%	212	2341		128	127	2,		2051	373		373	373	2061
Out Sect	-	-	-	•	_	0			-	-	-	_	-	-	-		-	-	-	-	-	-		_	-	_		-	-		-	-	_
P.C.	-	-	-	-	-	0			-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		-	-		-	-	-
Seq	4	_	m	4	-	0			-	~	m	•	•	-	~		•	-	2	m	4	-		-	7	-		2	m		4	~	•
Seg Seg Use El Seg 1d Ctr Se	~	•	9	9	-	0			-	-		_	-	-	-			-	-	_	-	-		-	-	_		-	-		-	_	-
Seg	*	Ξ	=	Ξ	XXX	5			10 RFL	RFL	RFL	RFL	RFL	20 RBT	RB 1		RBT	8	8	8	8			50 REF	50 REF	80		60 ROP	9		60 R0P	90	60 Rop
Seg	120	120	120	120	130 XXX	0			2	2	9	2	2	20	20		8	8	30	30	30	0,4		20	50	8		3	3		8	8	8
Tid Sect	-	-	-	-	-	-			-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		-	-		-	-	-
110	515	515	515	515	515	516			516	516	516	516	516	516	516		516	516	516	516	516	516		516	516	516		516	516		516	516	516

Tid Sect	d Seg	Seg -	Use Ctr	FE 88	ord bro	Sect	ELIA	Elid Condition		Oate ete
:	•	. ;	:	:	:	:	. :			
\$16	۲ -	O RAS	-	-	-	-	2013	(DLSS.iaMRO or DLSS.isMRD) and isNumeric(RP(CC(),65,1))	DLSS.AdviceCode	10/23/90
516	58	O RSI	-	-	•	-	2077	DLSS.1aDRC	DLSS. SupStatus	10/23/90
516	≖	O RS1	_	7	-	-	373	(DLSS.isMRC or DLSS.isRCR) and Not DLSS.isDZK	DLSS.Date78	10/23/90
516	- 8	O RS1	_	~	7	-	373	DLSS.isDRC or DLSS.isDRD	DLSS.EstShipDate	10/23/90
516	1 80	O RS1	_	m	-	-	8	DLSS.1sDRO or DLSS.1sDRC or DLSS.1sDRD	DLSS.QuentRet	10/23/90
516	28	O RSI	-	•	-	-	2064	(DLSS.1sMRC or DLSS.1sRCR) and RP(CC(),78,1) = "S"	DLSS.DT10	10/23/90
516	8	0 051	_	-	-	-	2016	DLSS.1sDRC or DLSS.1sDRO	DLSS.Metalind	10/23/90
516	8	0 051	-	~	-	-	2017	DLSS.18DRC or DLSS.18DRO	DLSS.ADPEId	10/23/90
516	8	150 0	-	m	-	_	2019	DLSS.1sDRC or DLSS.1sDRO	DLSS.DisposalAuth	10/23/90
516	8	0 051	_	~	-	_	2003	DLSS.1eDRO	DLSS.Demilitar	10/23/90
516	8	150 O	-	•	-	-	2020	DLSS. 1eDRO	DLSS.Reclamation	10/23/90
516	100	0 108	-	-	-	-	2011	(DLSS.184RO or DLSS.184RD or DLSS.18DR) and	DLSS.OwnerCode	10/23/90
								isNumeric(DLSS.OwnerCode)		
516	100	0 105	-	~	-	-	2012	DISS. ISHRO or DISS. ISHRO or DISS. ISDR	DLSS.Purpose	10/23/90
516	100	0 105	-	m	-	_	2065	DLSS.18MRO or DLSS.18MRD or DLSS.18DR	DLSS. Supcondicade	10/23/90
516	100	0 105	-	•	-	-	Ķ	DLSS.ISMRO or DLSS.ISMRD or DLSS.ISDR	DLSS. SubsistPack	10/23/90
516	100	0 ICS	-	^	-	-	373	(DLSS.18480 or DLSS.1848D or DLSS.18DR) and	DLSS.DatePack	10/23/90
								RP(CC(),53,1) = "0"		
516	100	0 1CS	<u>-</u>	•	-	-	373	(DLSS.18MRO or DLSS.18MRD or DLSS.18DR) and	DLSS.DatePrck	10/23/90
								Metches(RP(CC(),53,1),/[1234]/)		
516	1 110	O RSE	-	-	-	-	373	(DISS.19MRC or DISS.19RCR) and Not DISS.19DZK	DLSS.EstShipDate	10/23/90
516	1 110	O RSE	-	~	_	-	128	(DLSS.184RC or DLSS.18RCR) and DLSS.ShipUnitNbr <> ""	OLSS.101ype	10/23/90
								and Not DLSS.18DZK		
516	1 110	O RSE	_	m	-	-	145	(DLSS.19MRC or DLSS.19RCR) and Not DLSS.19DZK	DLSS.ShipUnitNbr	10/23/90
516	1 110	O RSE	-	4	-	-	2	(DLSS.1sHRC or DLSS.1sRCR) and Not DLSS.1sDZK	DLSS.ShipmentMode	10/23/90
516	1 110	O RSE	~	80	-	-	2379	(DLSS.1sMRC or DLSS.1sRCR) and Not DLSS.1sDZK	DLSS.Holdcade	10/23/90
\$16	1 110	O RSE	•-	•	-	-	310	(DISS.ISMRC or DISS.ISRCR) and Not DISS.ISDZK	DLSS.POE	10/23/90
516	1 110	O RSE	-	\$	-	-	115	(DLSS.18MRC or DLSS.18RCR) and Not DLSS.18DZK and	: ::	10/23/90
								RP(CC(),54,1) = "5"	:	
916	100	O RSE	-	5	~	-	1 5	(DLSS.ISMRC or DLSS.ISRCR) and Not DLSS.ISDZK and RP(CC(),54,1) <> "5"	* 1.	10/23/90
516	1 120	7d 0	-	*	-	-	2059	(01.55.1	DLSS.MON	10/23/90
516	1 130	2	-	-	-	-	5	Matches(RP(CC(),12,2),/0[10]/)	DLSS.RP212	10/23/90

REPORT
TABLE
DLSSZEDI
٥

Page 26

	Tid		use Ctr	₩	ord s	Out Sect 1	E119	Condition		Date
516	, -	150 M1	'n	•	· -	-	19	((DLSS.1sMR or DLSS.1sRCR or Matches(DLSS.DIC,/(AUJRH/)) and Mot DLSS.1sDZK) and Matches(RP(CC(),7,1),/(D2-58A-HJ- MPOSTINY21/) and DLSS.1sSig	EDIValue(DLSS.ServCode,DLSS.Distribution)	10/23/90
516	-	150 N1	•	-	-	-	8	((DLSS.1 and Not	# 75 #	10/23/90
516	-	150 N1	•	m	•-	-	8		#10#	10/23/90
516	-	150 M1	•	4	-	-	79	((DLSS.1 and Not	DLSS.SupAddress	10/23/90
516	•	150 N1	~	-	-	-	8	((DLSS.ISMR or DLSS.ISRCR or Matches(DLSS.DIC,/[AU]RW/)) "S4" and Not DLSS.ISDZK) and Matches(RP(CC), 7.1),//23ABCFGJKLPS721/) and	# 7 5#	10/23/90
516	-	150 M1	~	-	7	•	8	((DLSS.1	# 7 5#	10/23/90
516	-	150 M1	^	m	-	-	8	((DLSS.1 and Not Matches(#10*	10/23/90
516	•	150 N1	~	m	8	-	8	((DLSS.1	#10#	10/23/90
516	-	150 M1	~	4	-		19	((DLSS.1 and Not Matches(DLSS.D©DAAC30	10/23/90
516	-	150 M1	~	4	~	-	19	((DLSS.I	DLSS.D©DAAC30	10/23/90
516 516 516		150 N1 150 N1 150 N1	60 60 60	- m 4			8 8 %	DLSS.18D DLSS.18D DLSS.18D	mRC" m10" DLSS.SupAddress	10/23/90 10/23/90 10/23/90

Date	10/25/90 10/25/90	10/25/90	10/25/90	10/25/90	10/25/90	10/25/90	10/25/90	10/25/90	10/25/90	10/25/90	10/25/90	10/25/90
Eval		EDIValue(DLSS.ServCode,DLSS.Dístributíon)	DLSS.DoDAAC7	# 7 5#	#10*	DLSS.SupAddress	m \$4m	# % #	m10m	m10m	DLSS.DoDAAC30	DLSS.DoDAAC30
Use El Out Ctr Seq Ord Sect Elld Condition	Matches(DLSS.DIC	DLSS.DoDAAC30 <> "" 67 Matches(DLSS.DIC,/[AU]PR [AU]QV/) end Matches(RP(CC(),7,1),/[02345&ABCDEFGHJKLMNPQSTUV72]/)	end DLSS.issig 67 Matches(DLSS.DIC,/[AUJP8/) 67 Matches(DLSS.DIC./[AUJM192] [AUJP19x]/)		66 Matches(DLSS.DIC,/[AUJPR [AUJQV/) and Matches(RP(CC(),7,1),/[45DEFGHMNPQUVZ]/) and DLSS.SupAddress <> ""	67 Matches(DLSS.DIC,/[AU]PR [AU]QV/) and Matches(RP(CC(),7,1),/[45DEFGHMNPQUVZ]/) and DLSS.SupAddress <> ""	96 Matches(DLSS.DIC,/IAUJPR IAUJQV/) and Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/) and DLSS.DoDAAC30 <> ***	98 Matches(DLSS.DIC,/[AU]PR [AU]QV/) and Matches(RP(CC(),7,1),/[087]/) and Wot DLSS.IsSig and DLSS.DoDAAC30 <> ***	<pre>66 Matches(DLSS.DIC,/[AU]PR [AU]QV/) end Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/) end DLSS.DoDAAC30 <> ***</pre>	66 Matches(DLSS.DIC,/[AU]PR [AU]QV/) and Matches(RP(CC(),7,1),/[087]/) and Not DLSS.IsSig and DLSS.DoDAAC30 <> ***	67 Matches(DLSS.DIC,/[AU]PR [AU]QV/) and Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/)	67 Matches(DLSS.DIC,/LAU]PR [AU]qv/) and Matches(RP(CC(),7,1),/[06Y]/) and Not DLSS.IsSig
. H		-		-	-	-	-	-	_	-	-	-
d Sec	2 5	-	~ m	-	_	-	_	~	-	~	_	~
ت کا ر	~ ~			_	_		_	_	•	~	٠	
tr Se	~ · · · ·	•	4 4	· v	r.	5	•	•	v 0	5 0	•	•
Seg U	55	<u>-</u>		=	-	=	=	<u>-</u>	=	=	-	_
Seg Seg Use El Seg Id Ctr Se	2 2	20 H1	20 KI	3 02	20 M1	20 M1	20 K1	20 N1	20 M1	20 M1	20	20 H1
		-		-	-	-	-	-	-	-	-	-
Tid Sect	517 517	517	517	212	517	517	517	517	517	517	517	517

Tid Sect	Seg	Seg Use Id Ctr	e El	Pro	Out Sect	Elld Condition		Eval	Date
517 1	. 2	: 18	; -	. -	: -	2046 Matches(hes(DLSS.DIC,/[AU]P[1-5R]/)	DLSS. FundCode	10/25/90
517 1	30 R	BT 1	~	-	-	2006 Matches(10/25/90
517	30	RBT 1	m	-	-	754 Matches		DLSS.SubsistPack	10/25/90
517	¥ 07	200	-	-	-	2010 Matches(DLSS.UnitOffisue	10/25/90
517	¥ 07	200	2	-	_	380 Matches(hes(DLSS.DIC, / [AU] P [1-5R] [AU] av [AU] v [1-3] /)	DLSS.Quantity	10/25/90
517	50 %	REF 1	•	-	-	128 Matches		- SZ.	10/25/90
517 1	50 R	REF 1	7	-	-	127 Matches(hes(DLSS.D1C,/[AUJP[1-5R] [AU]QV [AU]V[1-3]/)	DLSS.NSN	10/25/90
517 1	3	ROP 1	_	-	-	470 Matches		DLSS.Priority	10/25/90
517	3	ROP 1	7	-	-	2051 Matches		DLSS.Project	10/25/90
517 1	2	RAS 1	-	-	-	2013 Matches(DLSS.AdviceCode	10/25/90
517 1	88	_	4	-	-	2059 Matches(hes(DLSS.DIC,/[AU]P[1-5R] [AU] Q[RV] [AU] V[1-3]/)	DLSS.MDN	10/25/90
517	8	700	-	-	-	61 Matches	hes(DLSS.DIC,/LAUJP[1-5R] LAU] av [AUJV[1-3]/) and	DLSS.RP212	10/25/90
						Matches (
517 1	8	£00.1	~	-	-	61 Matches		DLSS.RP456	10/25/90
						(Dr Si	(DLSS.18Servinfo or Not DLSS.1845Sig)		
517 1	8	R00-1	m	-	-	61 Matches	hes(DLSS.DIC,/[AU]N[92] [AU]P[9X]/) or DLSS.MDN = ""	DLSS.RP552	10/25/90
517 1	8	ROU 1	4	-	-	61 Matches(DLSS.RP673	10/25/90
517 1	100	SMV 1	٠	-	-	2023 Matches(hes(DLSS.DIC,/LAUJP[1-5] LAUJV[1-3]/)	DLSS.PgmOCode	10/25/90
517 1	100 ss	SHV 1	•	-	-	2021 Matches(hes(DLSS.DIC,/[AU]V[1-3]/)	DLSS.11C0	10/25/90
517	100	HVR .	-	-	-	373 Matches(hes(DLSS.DIC,/[AU]N[92] [AU]P[9X]/)	DLSS.ResponseDate	10/25/90
517 1	110 #	MVR 1	~	-	-	373 Matches(hes(DLSS.DIC,/[AU]N[92] [AU]P[9X]/)	DLSS.DocDate	10/25/90
517 1	110	HVR 1	m	-	_	2029 Matches(hes(DLSS.DIC,/[AU]N[92] (AU]P[9X]/)	DLSS.BatchCtlNbr	10/25/90
517 1	110 M	MVR 1	4	-	_	354 Matches(hes(DLSS.DIC,/[AU]N[92] [AU]P[9X]/)	D. SS. NbrinBatch	10/25/90
517 1	110 14	MVR 1	S	-	-	373 Matches		DLSS.ReceiptDate	10/25/90
517 1	120 XXX	×	-	-	2000	2000		RP(CurrentCard, 1,80)	10/25/90
517 100	S LX	_	_	-	-	554		StrVal(Inc(LX))	3/04/91
517 100	2	RFL 1	-	-	-	2001		DLSS.DIC	10/25/90
517 100	2	RFL 1	7	-	_	2008		DLSS.DocNo	10/25/90
517 100	10 %	RFL 1	m	-	_	2076		DLSS.DocMoSuffix	10/25/90
517 100	10 %	RFL 1	•0	-	-	350		DLSS.MediaStatus	11/16/90
517 100	5	RFL 1	0	-	-	350		DLSS.SignalCode	11/16/90
517 100	2	RBT 1	_	-	-	2046		DLSS.FundCode	10/25/90
517 100	8	RBT 1	7	-	-	2006 DLSS.MDN	= NQ4.	DLSS.Distribution	10/25/90

Tid Sect	Seg Seg	Use	. E	Out Ord Sec	•	Elid Condition	Eval	Date
:		;	. ;	:				
517 100	20 RBT	-	⊷	-	<u>-</u> بر	•	DLSS. SubsistPack	10/25/90
517 100	30 800	_	•-	_	1 2010	0	DLSS.UnitOflasue	10/22/01
517 100	30 800	-	7	-	-	9	DLSS.Quantity	10/25/90
517 100	40 REF	-	-	_	1 128	€0:	HEN HE STATE OF THE STATE OF TH	10/25/90
517 100	40 REF	-	7	-	1 127	7	DLSS.NSN	10/25/90
517 100	50 ROP	-	-	-	1 470	ρ	DLSS.Priority	10/25/90
517 100	SO ROP	-	~	_	1 2051	=	DLSS.Project	10/25/90
517 100	9 14 14	_	4	_	1 2059	65	DLSS.MDN	10/25/90
517 100	70 SMV	-	-	-	1 207	4	DLSS.SupStatus	10/25/90
517 100	70 SHIV	-	7	_	1 37	3	DLSS.CutOffDate	10/25/90
517 100	70 SHV	-	₩	_	1 373	r	DLSS.ReplyDate	10/25/90
517 100	ZHS OZ	-	4		1 37	r	DLSS.EstShipDate	10/25/90
517 100	ZNS SMV	-	~	_	1 2023	X	DLSS.Pgm0Code	10/25/90
517 100	ZHS OZ	_	•	_	1 2021	Ε.	DLSS.1LCO	10/25/90
517 100	80 ROU	-	_	_	- 61	1 Matches(RP(CC(),12,2),/0[01]/)	DLSS.RP212	10/25/90
517 100	80 ROU	-	~	-	•	of DLSS.1sServinfo or Not DLSS.1s45Sig	DLSS.RP456	10/25/90
517 100	98 80 80	_	m	-	-	1 DLSS.MON = ""	0LSS.RP552	10/25/90
517 100	8 E	-	-	-	~	98 DLSS.FromRIC <> ***	2 Miles	10/25/90
517 100	90 EM	-	m	-	-	6 DLSS.FromRIC <> ***	#7Mu	10/25/90
517 100	8 E	_	4	_	-	7 DLSS.FromRIC <> **	DLSS.FromR1C	10/25/90
517 100	90 E	~	-		<u>ب</u>	98 DLSS.ShipToDoDAAC <> ""	n.Z.L	10/25/90
517 100	8 ₹	7	₩	_	~	6 DLSS.ShipToDoDAAC <> ""	#10#	10/25/90
517 100	8 E	7	4	_	•	7 DLSS.ShipToDoDAAC <> ""	DLSS.ShipToDoDAAC	10/25/90
517 100	8 E	m	_	_	<u>~</u>	98 DLSS.BillioDoDAAC <> ""	1181	10/25/90
517 100	90 E	m	m	-	~	66 DLSS.BillToDoDAAC <> ""	H10H	10/25/90
517 100	8 E	m	4	_	1 67	7 DLSS.BillToDoDAAC <> *"	DLSS.BillToDoDAAC	10/25/90
517 100	100 XXX	-	-	1 20	2000 2000	9	RP(CC(), 1,80)	10/25/90
518 1	10 RFL		-	_	1 2001	=	0155.010	10/24/90
518 1	10 RFL	-	~	-	1 2008	₽	DLSS.DocNo	10/24/90
518 1	10 RFL	-	m	-	1 2076	6 DLSS.18A4	DLSS.DocNoSuffix	10/24/90
518 1	10 RFL	-	•	-	1 373	3 Not (DLSS.1sA4 and RP(CC(),67,3) = "888")	DLSS.Date67	10/24/90
518 1	10 RFL	-	7	-	1 2086	6 DLSS.18A4 and RP(CC(),67,3) = "888"	RP(CC(),67,3)	10/24/90
518 1	10 RFL	•	€0	-	1 350	0	DLSS.MediaStatus	11/16/90

Sect	Seq 1d	֝֝֝֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֡֓֓֡	Seg	ord s	Sect	Elld Condition		Date
		; ;						
	10 RFL	س	۰	-	-	350	DLSS.SignalCode	11/16/90
		-	_	-	-	2046 Not DLSS.18A2	DLSS.FundCode	10/54/90
	20 881	-	~	-	_		DLSS.Distribution	10/24/90
		-	-	-	_	2010	DLSS.UnitOf1ssue	10/54/90
_		-	7	-		380	DLSS.Quantity	10/24/90
		_	-	_	_	128 Matches(RP(CC(),3,1),/[1A]/)	#SZ#	10/54/90
_	40 REF	-	-	~		Matches (RP	z 1×z	10/24/90
_		. <u>.</u>	-	M	_		11 J Na	10/24/90
			-	*	_	RP(CC(),8,	ı.XXII	10/54/90
			-	~	-	Matches (RP	#SN.	10/24/90
		. <u>.</u>	-	· •	_		יינריי	10/24/90
			~	-	_	127	DLSS.NSN	10/24/90
			P1	-	-	2040	DLSS.IDCode	10/24/90
		. .	4	-	-	2027 DLSS.1DCode = "A"	DLSS.TOTM	10/24/90
			· •	-	-	DLSS. IDCode =	DLSS.TechMarrual	10/24/90
		-	•	-	-	DLSS. 1DCod	DLSS.PartName	10/24/90
		-	~	_	-	DLSS. 10Code =	DLSS.End1tem1D	10/24/90
_		-	-	-	-	2052 DLSS.18A3	DLSS.DemandCode	10/24/90
		-	_		-		DLSS.Priority	10/24/90
			~	-	-	373 Not Matches(DLSS.RDDFlag,/[XS]/)	DLSS.RDD	10/24/90
			4		-		DLSS.LatestDD	10/24/90
_		-	10	_	-	DLSS.RODF	DLSS.EarliestDD	10/24/90
		-	•	-	-		DLSS.SpecReq	10/24/90
		. .	-		-	2013 ISNumeric(RP(CC(), 65,1))	DLSS.AdviceCode	10/24/90
	_		-	-	-	DLSS. ISFMS	DLSS.DocNoSvc	10/24/90
			٠ ٨	· •-	-		DLSS.CountryCode	10/24/90
			M	-	_		DLSS.Customer	10/24/90
			4	-	_	2067 DLSS.18FMS	DLSS.FMSDelivery	10/24/90
		<u>.</u>	'n	-	_		DLSS.Asstfinance	10/54/90
_		ب. پ	•	-	-	2057 DLSS.18FMS	DLSS.FMSServ	10/24/90
_		<u> </u>	^	_	_		DLSS.FMSOfferRel	10/54/90
		 ب	•	-	_		DLSS.FMSCase	10/24/90
		-	•	_	-	2071 DLSS.18FMS and Matches(RP(CC(), 72,1),/[12]/)	DLSS. FMSProgSup	10/24/90

Tid Sect		Seg Seg Seq 1d	Use Ctr	Seq	Pro		Elid Condition	Eval	Date
518		90 805	-	: 0	: -	1.2	20% DLSS.18FM3	DLSS.FMSSubcase	10/24/90
518		20.00	<u>-</u>	=	_	1 2	DLSS.18FP	DLSS.FMSFrtFwdr	10/24/90
518	1 10	100 RGE		-		-2	2057 DLSS.16M.+	DLSS.DocNoSvc	10/24/90
518	10	100 ROE	-	~	-	-	26 DLSS.19MAP	DLSS.CountryCode	10/24/90
518	1 10	100 ROE	-	m	-	1 2	2066 DLSS.18MAP	DLSS.Customer	10/24/90
518	1 16	100 ROE	-	4	-	-	2068 DLSS. I SMAP	DLSS.AsstFinance	10/24/90
518	1 10	DO ROE	-	v	-	12	2072 DLSS.18MAP	DLSS.ILPYear	10/24/90
518	1 10	30% 00		•		1 2	2073 DLSS.18MAP	DLSS.1LPLineItem	10/24/90
518	-	10 ROY	-	-	-	-	2075 RP(CC(),4,3) = #S90#	DLSS.ReqIDCode	10/24/90
518	-		-	~	-	-	2065 Not DLSS.1sA3 and RP(CC(),4,3) = "S90"	DLSS. SupcondCode	10/24/90
518	1 12	120 ICS	,	-	-	-	2011 (DLSS.1sAZ or DLSS.1sA4) and IsNumeric(RP(CC(),70,1))	DLSS.OwnerCode	10/24/90
518	1 12	120 ICS	-	7	-	~	2012 (DLSS.1sAZ or DLSS.1sA4) and 1sAipha(RP(CC(),70,1))	DLSS.Purpose	10/24/90
518	1 12			m	-	-	2065 (DLSS.1sA2 or DLSS.1sA4) and RP(CC(),4,3) <> "590"	DLSS. SupcondCode	10/24/90
518	1 12		-	4	-	-	2051 DLSS.18A2 or DLSS.18A4	DLSS.Project	10/24/90
518	1 12	120 1CS		•	-	-	754 RP(CC(), 8,2) = "89"	DLSS. SubsistPack	10/24/90
518	1 12		-	7	-	-	373 RP(CC(), 8,2) = "89" and RP(CC(),53,1) = "0"	DLSS.DatePack	10/24/90
518	1 12	120 ICS	-	•0	•	-	373 RP(CC(),8,2) = "89" and Matches(RP(CC(),53,1),/[1-4]/)	DLSS.DatePack	10/24/90
518	1		-	4	-	-	2059	DLSS.MDN	10/24/90
518	1 14		-	-	-	-	61 Matches(RP(CC(),12,2),/0[01]/)	DLSS.RP212	10/24/90
518	1 14	140 ROU	-	7	-	-	61 DLSS.isservinfo or Not DLSS.is45Sig	DLSS.RP456	10/24/90
518	1 12	140 ROL	-	m	-	-		DLSS.RP552	10/24/90
518	1 14	140 ROU	-	4	-	-	61 (DLSS.18A2 or DLSS.18A4) and	DLSS.RP722	10/24/90
							Matches(RP(CC(),30,1),/[^80KP1]/)		
518	7	140 ROU	_	8	-	-	61 DLSS.18A2 or DLSS.18A4	DLSS.RP774	10/24/90
518	1.5	50 N1		-	-	-	98 DLSS.FromRIC <> ""	3 T T T T T T T T T T T T T T T T T T T	10/24/90
518	15	150 MT	-	m	-	-	66 DLSS.FromRIC <> ***	- 7Ha	10/24/90
518	15	150 M1	-	4	-	-	67 DLSS.FromRIC <> ***	DLSS.FromRIC	10/24/90
518	+	150 N1	7	-	-	-	98 DLSS.TORIC <> ""	#10#	10/24/90
518		150 N1	~	M	-	-	66 DLSS.TORIC +> ""	- 7Ha	10/24/90
518	-	150 M1	~	4	-	-	67 DLSS.TORIC <> ""	DLSS.TORIC	10/24/90
518	-	150 N1	m	-	-	-	98 DLSS.ShipToDoDAAC <> ""	nST*	10/24/90
518	1.15	150 N1	m	m	•	-	66 DLSS.ShipToDoDAAC <> ""	#10#	10/24/90
518	-	150 N1	M	4	-	-	67 DLSS.ShipToDoDAAC <> ""	DLSS.ShipToDoDAAC	10/24/90

16/12/7

	. 8	1110 00 10			**************************************	200776704
8 0 0	2 2	98 DLSS.8111	TODODAAC <> "" TODODAAC <> ""		10	10/24/90
67 DLSS.Bill1	OLS	S.E			DLSS.BillToDoDAAC	10/24/90
98 Matches(Ri	Metc and	P E	RP(CC(),7,1),/[0 .18Sig	P(CC(),7,1),/[02345&ABCDEFGHJKLMNPQSTUVY2]/) IsSig	" 7 S"	10/24/90
66 Matches(RI and DLSS.		2 3	RP(CC(),7,1),/10 .18Sig	Matches(RP(CC(),7,1),/[023458A8CDEFGHJKLMNPQSTUVY2]/) and DLSS.18Sig	*10**	10/24/90
67 Matches(RI and DLSS.		2 2	RP(CC(),7,1),/[0 .18Sig	Matches(RP(CC(),7,1),/[02345&ABCDEFGNJKLMNPQSTUVY2]/) and DLSS.18Sig	EDIValue(DLSS.ServCode,DLSS.Distribution)	on) 10/24/90
98 Matches(R) DLSS.SupAc		<u> </u>	Matches(RP(CC(),7,1),/[4 DLSS.SupAddress <> ""	P(CC(),7,1),/[450EFGHMNPQUVZ]/) and ddress <> mm	# 7 5#	10/24/90
66 Match DLSS.		Īά	Matches(RP(CC(),7,1),/[4 DLSS.SupAddress <> ""	Metches(RP(CC(),7,1),/[450EFGHMNPQUV2]/) and DLSS.SupAddress <> ""	*10**	10/24/90
67 Matche DLSS.S	Matche DLSS.S	T	Matches(RP(CC(),7,1),/[4 DLSS.SupAddress <> ***	Matches(RP(CC(),7,1),/[450EFGHMNPQUV2]/) and DLSS.SupAddress <> ""	DLSS. SupAddress	10/24/90
98 Matches(RI		-	RP(CC(),7,1),/[2 AAC30 <> ***	Matches(RP(CC(),7,1),/(23ABCFGJKLPSTZ]/) and DLSS.DoDAAC30 <> ""	" 7 Su	10/24/90
98 Matches(R) DLSS.DoDA			RP(CC(),7,1),/[0 AAC30 <> ""	Matches(RP(CC(),7,1),/[OBY]/) and Not DLSS.IsSig and DLSS.DoDAAC30 <> ***	# 7 5#	10/24/90
66 Matches(Ri DLSS.DoDA	Matches DLSS.Do		RP(CC(),7,1),/[2 AAC30 <> ""	<pre>Matches(RP(CC(),7,1),/[23ABCFGJKLPST2]/) and DLSS.DoDAAC30 <> ***</pre>	m10w	10/24/90
66 Matches(RF DLSS.DoDA	Matches DLSS.Do		RP(CC(),7,1),/[0 AAC30 <> ""	P(CC(),7,1),/[08Y]/) and Not DLSS.1sSig and 4C30 <> ***	M10**	10/24/90
67 Matches(R)	Matche		RP(CC(),7,1),/[2	P(CC(),7,1),/[23ABCFGJKLPSTZ]/)	DLSS.DoDAAC30	10/24/90
67 Matches(Ri	Matche	Τ:	RP(CC(),7,1),/[0	P(CC(),7,1),/[08Y]/) and Not DLSS.1sSig	DLSS.DoDAAC30	10/24/90
2077 Matches(D	Match	2		LSS.DIC,/(AU] [24]a/) and IsAlpha(RP(CC(),65,1))	DLSS.SupStatus	3/05/91
2000					RP(CurrentCard, 1,80)	10/24/90
2001					DLSS.DIC	10/24/90
2008					DLSS.DocMo	10/24/90
2076					DLSS.DocNoSuffix	10/24/90
350					DLSS.MediaStatus	11/16/90
350					DLSS.SignalCode	11/16/90
2046 Matches(DI	Manage		V. FV. 7 C.	***	A. 60 P	Sec. 15.65

16/12/7

	Seg	Seg U	Use E	ĭ	Š				
Tid Sect	t Seq	₽ :	Ctr S	Seq Ord	d Sect	t Elld Condition	£	Eval	Date
519	2	R8T		. ~	: : -	1 2006		DLSS.Distribution	10/24/90
519 1	2	₩ 184	_	m	_	1 754		DLSS. SubsistPack	10/24/90
519 1	30	8	_		_	1 2010		DLSS.UnitOfissue	10/24/90
519 1	30	8	_	2	_	1 380		DLSS.Quantity	10/24/90
519 1	9	REF	_	_	_	1 128		"SK"	10/24/90
_	9	REF	_	~	_	1 127		DLSS.NSN	10/24/90
_	20	ð	_	_	_	1 470 Matches(I	DLSS.DIC,/[AU] F (X2)/)	DLSS.Priority	10/24/90
-	8	RAS	_	_	_	1 2013		DLSS.AdviceCode	10/24/90
519 1	2	RSE	_	_	_	1 373 Matches (DLSS.DIC,/[AU] F [XZ]/)	DLSS.ReleaseDate	10/24/90
-	2	RSE	_	د	_	1 2379 Matches (I	Matches(DLSS.DIC,/[AU]F[XZ]/)	DLSS. HoldCode	10/24/90
_	8	5	_	_	_	1 61 Matches(Matches(RP(CC(), 12,2), /0[01]/)	DLSS.RP212	10/24/90
-	8	3	_	2	_	1 61 Matches (i	Matches(DLSS.DIC,/[AU]F[X2]/) and (DLSS.IsServinfo or	DLSS.RP456	10/24/90
						Not DLSS	Not DLSS.1845Sig)		
-	8	30	_	m	_	1 61 Matches (i	Matches(DLSS.DIC,/[AU] F [XZ]/)	DLSS.RP552	10/24/90
-	8	Ξ	_	_	_	1 98 Matches (i	Matches(DLSS.DIC,/[AU]F[XZ]/) and DLSS.ToRIC <> ""	*10*	10/24/90
_	8	Ë	_	_	~	1 98 Matches (i	Matches(DLSS.DIC,/[AU]SZ/) and DLSS.ToRIC <> ""	2 XLL 2	10/24/90
-	8	Ξ	•	m	,	1 66 DLSS.TORIC <> ""	w <> 31	"7Hu	10/24/90
_	8	Ξ	-	4	_	1 67		DLSS.TORIC	10/24/90
-	8	=	~	_	_	1 98 Not DLSS	Not DLSS.isservinfo and DLSS.SupAddress <> ***	HRC#	10/24/90
-	8	=	~	m	_	1 66 Not DLSS	Not DLSS.isservinfo and DLSS.SupAddress <> ""	#10#	10/24/90
-	8	<u> </u>	7	4	_	1 67 Not DLSS	Not DLSS.isServinfo	DLSS.SupAddress	10/24/90
_	8	=	m	_	_	1 98 Matches (.bLSS.DIC,/[AU] F [XZ]/) and		10/24/90
						Matches (Matches(RP(CC(),7,1),/[023458ABCDEFGHJKLMNPQSTUVY2]/)		
						and DLSS.IsSig	. IsSig		
-	8	Ξ	m	m	_	1 66 Matches (Matches(DLSS.DIC,/[AU]F[XZ]/) and	*10*	10/24/90
						Matches	Matches(RP(CC(),7,1),/[023456ABCDEFGHJKLMMPGSTUVY2]/)		
							91891		
	8	<u> </u>	m	4	_	1 67 Matches(I	Matches(DLSS.DIC,/[AU]F[XZ]/) end metches(DD/CC/) 7 1/ /[D24.53ABCDEECH.KIMNDOSTINV7]/)	EDIValue(DLSS.ServCode,DLSS.Distribution)	10/24/90
						and DLSS.18Sig	18519		
-	8	=	4	_	_	1 96 Matches(I	Matches(DLSS.DIC,/[AU]F[XZ]/) and	**75**	10/24/90
						Matches	Matches(RP(CC(),7,1),/[45DEFGHMNPQUVZ]/) and		
						DLSS.Sup	DLSS.SupAddress <> ""		

Date		10/24/90	10/24/90	10/24/90	10/24/90	10/24/90	10/24/90	10/24/90	10/24/90	11/16/90	11/16/90	10/24/90	10/24/90	06/72/01	10/24/90	10/24/90	10/24/90	10/24/90
Evat	н10-	DLSS.SupAddress	# 7 5#	# 7 5#	#10#		DLSS.DoDAAC30	DLSS.D@DAAC30	RP(CurrentCard, 1,80)	DISS.DIC	DLSS.SignalCode	DLSS.Priority	DLSS.Project	DLSS.Date78	DLSS.CountryCode	DISS. RESOLATION	DLSS. FESCESE	DLSS.FMSFrtFwdr
Out Ord Sect Elld Condition	Matches(DLSS.DIC,/[AU]F[XZ]/) end Matches(RP(CC(),7,1),/[45DEFGHNNPQUVZ]/) and	DLSS.SupAddress <> "" Matches(DLSS.DIC,/[AU]F(XZ]/) and	Matches(DLSS.DIC,/LAU)F(XZ)/) and Matches(RP(CC(),7,1),/L23ABCFG3KLPSTZ)/) and	DLSS.DoDAAC30 <> "" Matches(DLSS.DIC,/[AU]F[XZ]/) and Matches(RP(CC(),7,1),/[08Y]/) and Not DLSS.IsSig and		Matches (Ri	<pre>DLSS.DoDAAC30 <> "" Metches(DLSS.DIC,/(Au]F[XZ]/) end Metches(PCCC(),7.1) / [23ABCFGJK[PSTZ]/)</pre>	Matches (R	•									
Elid	. 8	19	8	8	8	8	67	67	2000	2001	350	2,5	2051	373	92	2027	2069	
Out Sect	; -	-	-	-	-	-	-	-	-			_	_		-	_ `	- •	- •
Pio	: -	-	-	~	-	~	-	7	-	-		• •	-	-	_	- 1	- •	- •
E Se s	m	4	-	-	m	m	4	4	-	-	10 0	-	~	*	~	• 1	~ •	٠:
₩ L	*	4	₩.	~	•	1 0	5	₩.	×	ب	 		-	<u>-</u>	<u>ب</u>	- ·	- ·	_ ,
g Use Ctr			-	Ξ	#	Ξ	Ξ	Ξ	X	_	7 1	_		Ş				2
Seg	8 E	8	8 E	8	8	8	8	8	90	9	2 5	2 5	2 2	20	30	2	8	3 3
_						8	~	-	100	- 10			2 2	1 20	1 30	ନ -	R :	ב ה

*** *** *	. 2	:			
ROF 1		_	1 2216 Matches(DLSS.DIC./[AU]D5/)	DLSS.RefesseCode	10/24/90
=	-	_	Matches	= 201 =	10/24/90
-	-	7	1 98 Matches(DLSS.DIC,/[AUJD5/) and DLSS.ToRIC <> ***	*10*	10/24/90
L LM	m	-	1 66 DLSS.ToRIC <> ""	"74"	10/24/90
=	4	-	1 67	DLSS.TORIC	10/24/90
50 FSI 1	-	_	1 145	DLSS.FMSNoticeMbr	10/24/90
50 FSI 1	~	-	1 2215 Matches(DLSS.DIC,/[AU]D5/)	DLSS.CustTrensWbr	10/24/90
50 FSI 1	m	-	1 354	DLSS.NbrLineItems	10/24/90
50 FSI 1	4	-	1 103 Not Matches(RP(CC(), 24,1), / [XAY2]/)	DLSS.TypeOfPack	10/24/90
50 FSI 1	5	-	1 80	DLSS.Pieces	10/24/90
50 FSI 1	9	-	1 81	DLSS.Weight	10/24/90
50 FS1 1	7	-	1 183	DLSS.Cube	10/24/90
50 FSI 1	€0	-	1 22	DLSS.WaterCode	10/24/90
50 FSI 1	۰	-	1 221 RP(CC(), 24, 1) = "X"	222	10/24/90
50 FSI 1	۰	2	1 221 Matches(RP(CC(),24,1),/[AY2]/)	*AA*	10/24/90
50 FSI 1	5	-	1 220	DLSS.TypeOfPack	10/24/90
50 FSI 1	=	-	1 22	DLSS.AirCode	10/24/90
50 FSI 1	13	-	1 2101	DLSS.AirDimension	10/24/90
50 FSI 1	7	-	1 91	DLSS.TransMode	10/24/90
10 RFL 1	_	-	1 2001	DLSS.DIC	10/24/90
IO RFL 1	7	-	1 2008	DLSS.DocNo	10/24/90
10 RFL 1	m	-	1 2076	DLSS.DocNoSuffix	10/24/90
IO RFL 1	•0	-	1 350	DLSS.MediaStatus	11/16/90
10 KFL 1	۰	-	1 350	DLSS.SignalCode	11/16/90
<u>8</u>	-	-	1 2010	DLSS.UnitOf1ssue	10/24/90
8	7	-	1 380	DLSS.Quantity	10/24/90
REF 1	-	-	1 128	NS24	10/24/90
30 REF 1	2	_	1 127	DLSS.NSN	10/24/90
40 FSI 1	-	-	1 145	DLSS.FMSNoticeNbr	10/24/90
50 ROP 1	7	-	1 2051	DLSS.Project	10/24/90
50 ROP 1	m	_	1 373	DLSS.RAD	10/24/90
50 ROP 1	4	-	1 373	DLSS.Date78	10/24/90
ROF 1	•	-	1 2057	DLSS.Service	10/24/90

	Seg	_	<u>u</u>		š				
Tid Sect	. Seq 10		Ctr Seq	Ord Sect	Sect		Elld Condition	Eval	Date
520 100	60 ROF	15	~	-	-	5069	6	DLSS.FMSOfferRel	10/24/90
520 100	20 ROF	¥ 1	•0	-	_	2070		DLSS. FMSCase	10/24/90
520 100	60 ROF	¥.	=	_		2113	5	DLSS.FMSFrtFwdr	10/24/90
520 100	70 RQU	-	-	-	_	6	1 Matches(RP(CC(),12,2),/0[01]/)	DLSS.RP212	10/24/90
520 100	80 **	-	-	_	_	82	B DLSS.FromRIC <> ""	2 F.R. 2	10/24/90
520 100	80 H	_	m	-	_	8	5 DLSS.fromRIC <> ***	11 7 Mu	10/24/90
520 100	80 M	-	4	-	_	49		DLSS.FromR1C	10/24/90
520 100	80 H.	~	-	-	-	8	B Matches(RP(CC(),7,1),/[023458ABCDEFGHJKLMNPQSTUVY2]/)	"\$\$"	10/24/90
							and DLSS.18Sig		
520 100	88 E	-	m	-	-	8	Matches(RP(CC(),7,1),/[023458ABCDEFGHJKLMMPGSTUVY2]/) and DLSS.laSig	#10#	10/24/90
520 100	80 N	- 2	4	-	_	67	Matches(EDIValue(DLSS.ServCode,DLSS.Distribution)	10/24/90
							and DLSS.isSig		
520 100	80 M1	m _	-	-	-	8	_	#7S#	10/24/90
							DLSS.SupAddress <> ""		
520 100	80 EM	m	m	-	_	8		#10#	10/24/90
							DLSS.SupAddress <> ***		
520 100	8	m	4	-	_	67	7 Matches(RP(CC(),7,1),/(450EFGHMNPQUVZ)/)	DLSS.SupAddress	10/24/90
520 100	80 H	4	-	-	-	8		±7S=	10/24/90
							DLSS.DoDAAC30 <> MM		
520 100	80 E	4	-	7	-	8	B Matches(RP(CC(),7,1),/[08Y]/) and Not DLSS.IsSig and DLSS.DoDAAC30 <> ***	***S#	10/24/90
520 100	80 M	4	m	-	_	8	5 Matches(RP(CC(),7,1),/(23ABCFGJKLPSTZ]/) and	*00*	10/24/90
							DLSS.DoDAAC30 <> MM		
520 100	8	4	m	~	_	3 8	<pre>b Matches(RP(CC(),7,1),/[08Y]/) and Not DLSS.IsSig and DISS.DedAAC30 <> ""</pre>	*10**	10/24/90
520 100	80 M	4	4	-	-	67	Matches	DLSS.DoDAAC30	10/24/90
	80 K	4	4	~	_	29	Matches (DLSS.DoDAAC30	10/24/90
520 100	XXX 06	٠ ×	-	-	_	2000		RP(CurrentCard, 1,80)	10/24/90
521 1	10 RFI	ب بي	-	-	_	2001		DLSS.DIC	10/24/90
521 1	10 RFL	<u>ب</u>	7	-	-	2008	•	DLSS.DocNo	10/24/90
521	10 RFL	<u>۔</u>	m	-	-	2076	•	DLSS.DocNoSuffix	10/24/90
521 1	10 RFI	<u>۔</u> ب	••	-	_	320		DLSS.MediaStatus	11/16/90

	Date	11/16/90	10/24/90		10/24/90	10/24/90	10/24/90		10/24/90	10/24/90	10/24/90	10/24/90	10/24/90	10/24/90	10/24/90	10/24/90	10/24/90		10/24/90	10/24/90	10/24/90	10/24/90	;	10/24/90	10/24/90	10/24/90		10/24/90	10/24/90	10/24/90
	Eval	DLSS.SignalCode	DLSS.PIIM		DLSS.LineltemNbr	DLSS.MDM	DLSS.PRN		DLSS. FundCode	DLSS.Distribution	DLSS.UnitOfissue	DLSS.Quantity	- SN-	DLSS.NSM	DLSS.Priority	DLSS.Project	DLSS.RDD		DLSS.LatestDD	DLSS.EarliestDD	DLSS.SpecReq	DLSS.AdviceCode	,	DLSS. SubsistPack	DLSS.DatePack	DLSS.DatePack		DLSS.RP212	* DLSS.RP552	I (X.
			nd RP(CC(),51,19) <>		rd RP(CC(),64,6) <>	[GK] 6/)	d RP(CC(),65,5) =		(GK) 6/)	[GK] 6/)							[GK]6/) and Not		(GK)6/) and DLSS.RDDFlag	(GK)6/) and DLSS.RDDFlag	[GK16/)	[GK]6/) and		[GK]6/)	(GK)6/) and	(GK)6/) end			[GK]6/) and DLSS.MDN = "	
	Elld Condition		Matches(DLSS.DIC,/[AU]C[MP]/) and RP(CC(),51,19) <>	SPACES(19)	Matches(DLSS.DIC,/[AU]C[MP]/) and RP(CC(),64,6) <> SPACES(6)	Matches(DLSS.DIC./[AU]C[67] [AU] [GK]6/)	Matches(DLSS.DIC,/(AU]C[MP]/) and RP(CC(),65,5)	SPACES(5)	Metches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/)	Matches(DLSS.DIC, / [AU] C [67] [AU] [GK] 6/)							Matches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/) and Not	Matches(DLSS.RDDFlag,/[XS]/)	Matches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/) and DLSS.RDDFlag DLSS.LatestDD	 Matches(DLSS.DIC,/[AU]C(67] [AU] (GK]6/) and DLSS.RODFlag DLSS.EarliestDO = "S"	Matches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/)	Matches(DLSS.DIC,/LAU]C(67] [AU] [GK]6/) and	I SNUMBETIC(RP(CC(), 65, 1))	Matches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/)	Matches(DLSS.DIC,/[AU]C[67] [AU][GK]6/)	Matches(DLSS.DIC,/IAU]C[67] [AU] [GK]6/) and	Matches(RP(CC(),53,1),/[1-4]/)	Matches(RP(CC(),12,2),/0[01]/)	Matches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/) and DLSS.MDN = "" DLSS.RP552	DLSS.FromRIC <> ""
	D PI	350	367 R	ß	2025 RE	2059 M		∞	2046 M	2006 M	2010	380	128	127	24	2051	373 R	ž	373 15	373 m	2061 M	2013 M		3,4 E	Σ Σ Σ	373 M	ž	29 E		8
ىد	Ct	-	-		~	7	7		~	~	~	-	_	-	_	7	-		-	-	7	- 2		_	-	-		_	-	_
Š	Seq Ord Sect	-	_		-	_	_		_	_	_	_	_	_	_	_	_		_	_	_	_		_	_	_		_		_
_	Ş	•	_		~	4	1 0		_	~	_	~	_	~	_	2	m		4	5	•	_		•	~	•0		-	7	_
Use El	Ctr S	_	_		_	_	_		_	_	_	_	_	_	_	_			_	-	_	-		_	-	_		_	_	_
Seg U		F	=		<u>.</u>	1	<u>-</u>		78 1	RBT	8	8	REF	REF	ð	ð	ð		ĝ	è	ĝ	RAS		108	ıcs	ICS		3	3	=
Seg	Seq 1d		2		2	2	8		8	_	0,4	0,4	50	50	3	3	8		8	8	3	R			8	8				8
P		-	-		-	-	-		-	-	-	-	-	<u>.</u>	-	-	-		-	-	-	-		_	-	-		-	-	-
_	Tid Sect	521	\$21		521	521	\$21		521	521	521	521	521	521	521	521	521		\$21	251	125	521		521	521	521		521	521	521

	Date	10/24/90	10/24/90	10/24/90	10/24/90	10/24/90	10/24/90		10/24/90		10/24/90	10/24/90		10/24/90		10/24/90	10/24/90		10/24/90		10/24/90		04/47/01	10/24/90		10/24/90	10/54/90		10/24/90		10/24/90	
	Eval	** 7H **	DLSS.FromRIC	"10"	# 7 1 1	DLSS.TORIC	#ZT#		H10H		DLSS, ShipToDoDAAC	*18*		#10#		DLSS.BillToDoDAAC	#7S#		m10m		EDIValue(DLSS.ServCode,DLSS.Distribution)	1	r 700	#10**		DLSS.SupAddress	~ 75 .		#10#		DLSS.DcDAAC30	
	Sect Elld Condition	66 DLSS.FromRIC <> ***	19	98 DLSS.TORIC <> ""	66 DLSS.TORIC <> ""	29	98 Matches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/) and	DLSS.ShipToDoDAAC <> ""	66 Matches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/) end	DLSS.ShipToDoDAAC <> ""	67 Matches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/)	98 Matches(DLSS.DIC,/[AU]C[67] [[AU] [GK] 6/) and	DLSS.BillToDoDAAC <> ""	66 Matches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/) and	DLSS.BillToDoDAAC <> ""	67 Metches(DLSS.DIC,/[AU]C[67] [AU] [GK]6/)	96 Metches(RP(CC(),7,1),/[02345&ABCDEFGHJKLMNPGSTUVY2]/)	and DLSS.18Sig	66 Matches(RP(CC(),7,1),/[02345&ABCDEFGHJKLMWPGSTUVY2]/)	and DLSS.18Sig	67 Matches(RP(CC(),7,1),/[023458ABCDEFGHJKLMNPGSTUVY2]/)		98 Matches(RP(CC(),7,1),/[450EFGHWNPQUVZ]/) and DLSS.SumAddress <> ***	66 Matches(RP(CC(),7,1),/[45DEFGHMPQUVZ]/) and	DLSS.SupAddress <> ""	67 Matches(RP(CC(),7,1),/[450EfGHMNPQUV2]/)	98 ((Matches(RP(CC(),7,1),/[081]/) and Not DLSS.[sSig) or	Marcnes(RP(CC(),','),'[C3ABCFGJKLPS 2]/) and DLSS.DoDAAC30 <> ***	66 ((Matches(RP(CC(),7,1),/[08Y]/) and Not DLSS.IsSig) or	Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/)) and DLSS.DoDAAC30 <> ""	67 (Matches(RP(CC(),7,1),/(08Y1/) and Not DLSS.1sSig) or	Matches(RP(CC(),7,1),/[Z3ABCFGJKLPSTZ]/)
ĕ	Sect	-	-	-	_	-	-		-		-	-		-		-	-		-		-	•	_	-		-	-		-		-	
	ord :	-	-	-	_	-	-				-	-		-		-	-		-		-	•	-	-		-	-		-		-	
III	Sec :	m	4	-	m	4	-		m		4	-		M		4	- -		m		•	,	,	m		4	-		m		4	
g Use	5 :	-	-	~	~	~	m		М		m	4		4		4	₩.		5		₩.	•	•	•		•	~		^		~	
Seg	pl bes	5 E	5	5	δ Ξ	Ŏ 1	2		0 E		100 H	5 E		S #		E	S E		5 E		5 E			0 E		2	Ö E		0 E		<u>5</u>	
Seg		5	100	100	100	5	5		5		5	5		100		100	100		5		5	,	<u> </u>	5		± 50	5		5		100	
Tid	d Sect	-	_	_	_	_	_		_		_	_		-		_	_		_		-	,		_		_	_		_		_	
	1.d	521	521	521	521	521	521		521		521	521		521		521	521		521		521		521	521		521	521		521		521	

Di T	Pil		SO US.	11		ă			
, .) :	; :		בנו אשל		360	ord sect Elia Longition	EVAL	
525	-	88	m	4	-	-	1 67 Matches(DLSS.DIC,/(AUJMF/)	DLSS.ShipToDoDAAC	10/24/90
525	-	80 N.1	•	-	-	_	1 98 Matches(DLSS.DIC,/[AU]MF/) and DLSS.BillToDoDAAC <> ""	1811	10/24/90
\$22	-	80 ×	4	m	_	_	1 66 Matches(DLSS.DIC,/[AU]MF/) and DLSS.BillToDoDAAC <> ""	*10*	10/24/90
525	-	80 M	4	4		_	1 67 Matches(DLSS,DIC,/[AU]MF/)	DLSS.BillToDoDAAC	10/24/90
525	-	80 N	2	-	-	-	1 98 Matches(RP(CC(),7,1),/[023458ABCDEFGHJKLMNPGSTUVY2]/)	# 7 5#	10/24/90
							and DLSS.18Sig		
225	-	8	~ •	F)	-	-	1 66 Matches(RP(CC(),7,1),/[023458ABCDEFGHJKLMMPGSTUVY2]/) and DLSS.lasia	#10#	10/24/90
525	-	80 M	8	4	-	_	1 67 Matches(RP(CC(),7,1),/[023458ABCDEFGHJKLMNPQSTUVY2]/)	EDIValue(DLSS.ServCode, DLSS.Distribution)	10/24/90
							and DLSS. issig		
\$22	-	80 K1	•	-	-	_	1 98 Matches(RP(CC(),7,1),/[45DEFGMMNPQUVZ]/) and	# 7 \$#	10/24/90
							DLSS.SupAddress <> ***		
225	-	80 E	•	M	-	_	1 66 Matches(RP(CC(),7,1),/[45DEFGHMNPQUVZ]/) and	#10#	10/24/90
							DLSS. Suprogress <> ""		
522	-	88 E	•	4	_	_	1 67 Matches(RP(CC(),7,1),/[45DEFGHMMPQUVZ]/)	DLSS.SupAddress	10/24/90
225	-	80 M	^	-	-	_	1 98 ((Matches(RP(CC(),7,1),/[08Y]/) and Not DLSS.IsSig) or	n7Su	10/24/90
							Matches(RP(CC(),7,1),/[23ABCFGJKLPST2]/)) and		
							ULSS. DOUNTCSU CS ""		
225	-	8	_	m	-	-	1 66 ((Matches(RP(CC(),7,1),/108Y]/) and Not DLSS.IsSig) or Matches(RP(CC(),7,1),/123ABCFGJKLPSTZ]/)) and	*10*	10/24/90
							DLSS.DoDAAC30 <> mm		
225	-	80 E	_	4	-	_	1 67 (Matches(RP(CC(),7,1),/[08Y]/) and Not DLSS.IsSig) or	DLSS.DodAAC30	10/24/90
							Matches(RP(CC(),7,1),/[23ABCFGJKLPSTZ]/)		
2 25	-	80 XX	~ ×	-	-	_	1 2000	RP(CurrentCard, 1,80)	10/24/90
527	-	0 00	-	0	_	-	1 (DLSS.1sDZG or DLSS.1sDZK) and Not	EXITC	1/14/91
							Matches(DLSS.SourceDIC,/[DE][460FUMX]a/)		
527	-	10 RFL	ب	-	_	_	1 2001	DLSS.DIC	9/11/90
527	-	10 RFL	-	~	-	_	1 2008 RP(CurrentCard,43,1) <> " " or	DLSS.DocNo	9/11/90
							Matches(DLSS.SourceDIC,/IDE] (6FW]@ IDE]X(BD]/)		
257	-	10 RFL	ب ب	m	-	_	1 2076	DLSS.DocNoSuffix	9/11/9
227	-	10 RFL	ب <u>.</u>	•	-	_	1 350	DLSS.SignalCode	11/19/90
527	-	20 1CS	٠ ج	-	_	_	1 2011 IsNumeric(RP(CurrentCard,70,1))	DLSS.OwnerCode	9/12/90
252	-	S) 02	S:	7	-	-	1 2012 IsAlpha(RP(CurrentCard,70,1))	DLSS.OwnerCode	9/12/90

Date	9/12/90	9/12/90	9/12/90	9/12/90		9/12/90		9/12/90		9/12/90			9/12/90		9/12/90	9/12/90	9/12/90		9/12/90		9/13/90	9/12/90		9/12/90		9/12/90	90, 51, 6	DK/21/6	10/15/90	10/15/90	10/15/90	10/15/90
Eval	DLSS. SupCondCode	DLSS.Project	DLSS.Distribution	DLSS.SubeistPack		DLSS.DatePack		DLSS.DatePack		DLSS.DatePack			DLSS.DatePack		DLSS.UnitOfissue	DLSS.Quentity	₩CAT#		DLSS.UnitPrice		DLSS.GFMMgtCode	DLSS.PIIN		DLSS.LineItemNbr		DLSS.SublineNbr		DLSS.RDN	DLSS. FundCode	NSE:	DLSS.NSW	DLSS.Date73
Seg Seg Use El Out Seq 1d Ctr Seq Ord Sect Elid Condition	Matches(DLSS.SourceDIC,/[DE][46FUMX]3/)	Metches(DLSS.DIC,/(DE)(460FUNX)2/)	Metches(DLSS.DIC, / (DE) [460FUM]@ [DE]X(8D]/) and DLSS.MDN	RP(CurrentCard, 8, 2) = "59" and	IsMumeric(RP(CurrentCard,21,1))	Matches(DLSS.SourceDIC,/{DE}{6Fl/}8/} and	RP(CurrentCard, 8, 2) = "69" and RP(CurrentCard, 62, 1) = "0"	Matches(DLSS.SourceDIC,/[DE]4a/) and RP(CurrentCard,8,2)	= *89* and RP(CurrentCard,53,1) = *0*	Matches(DLSS.SourreDIC,/[DE][6FW]2/) and	RP(CurrentCard, 8,2) = *89* and	Matches(RP(CurrentCard,62,1),/[1234]/)	Matches(DLSS.SourceDIC,/[DE149/) and RP(CurrentCard,8,2)	= "59" and Matches(RP(CurrentCard,53,1),/(1234)/)			Matches(DLSS.SourceDIC,/[DE]X[BD] [DE]DB/) and	OLSS.UnitPrice <> ***	Matches(DLSS.SourceDIC,/IDE1X(BD1 IDE1DB/) and	DLSS.UnitPrice <> ***	2341 Matches(DLSS.SourceDIC,/[DE][46FUNX]8/)	Matches(DLSS.SourceDIC,/[DE]X[AC] [DE] [4DU]&/) and	DLSS.1eP11M	Matches(DLSS.SourceDIC,/[DE]X[AC] [DE] [4DU]3/) and	DLSS.16P11N	Matches(DLSS.SourceDIC,/[DE]X[AC] [DE][4DU]B/) and		2059 Matches(DLSS.DIC,/[DE]X(BD] [DE][46DFUM]H/)	2046 Matches(DLSS.SourceDIC,/[DE]X(80] [DE] [6FV] 9/)			373 Matches(DLSS.SourceDIC,/[DE][46]8/) and Not DLSS.1aDZK
P	2065	2051	2008	ř		33		33		33			373		2010	8	82		212		24.	767	_	2022		2031		32	98	128	127	373
Out Sect 1	-	-	-	-		-		-		-			-		-	-	-		-		-	-		-		-	•	-	-	-	-	-
o p	-	-	-	-		-		~		-			~		-	-	-		-		_	-		-		-	,	_	-	-	-	-
E I	m	4	~	•		~		_		•			•		-	~	m		4		_	_		7		m		•	_	_	2	_
Jse E	_	-	_	_		-		-		_			_		-	-	-		_		_	_		-		_	•	_	-	_	_	-
Seg Use	2	S	S	ICS		20 ICS		20 ICS		20 ICS			20 ICS		30 800	8	8		8		JR.	<u> </u>		PI		=	:	=	RBT	REF	REF	RSE
Seg	2			2		2		2		2			2		8	30 R00	2		2		40 JRL	20		20		20		2	60 RBT	2		8
Tid Sect	-	-	-	-		-		-		-			-		-	_	-		-		-	-		-		-	•	-	-	-	-	-
P .	527	527	257	\$27		227		527		527			527		527	527	527		527		527	527		257		257		257	527	527	527	527

	Tids	Sect	Sed Id	d Ctr	. E		Ord Sect	Elld Condition		Eval	Date
1 60 NSE 1 2 1 1 1155 Natches(0.153. SourceOIC, //DEI.44 DEIXIGL)	527	-		й -	•	~		Matches(SS.SourceOlf / (DE) (DFUWX) /)	DLSS.YMM73	10/15/90
1 60 N1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	527	-		<u>بر</u>	~	-	_		SS.Source01C,/ IDE149 IDE1X [AC1/)	nISn	10/15/90
90 M 1 1 90 BLSS.TORIC ~ 114 90 M 1 3 1 66 BLSS.TORIC ~ 114 90 M 1 3 1 66 BLSS.TORIC ~ 114 90 M 2 1 1 90 BLSS.TORIC ~ 114 90 M 2 1 1 90 BLSS.TORIC ~ 114 90 M 2 3 1 66 (Marcher(DLSS.SourceOlC,/DE] (FDU)a/) or DLSS.1BDZG or 1178.1BDZG or 1178.1BDZ or 1178.1BDZG or 1178.1BDZ o	527	_		ئ ة 1	m	_	_		SS.SourceDIC,/[DE]49 [DE]X[AC]/)	DLSS.ShipmentNbr	10/15/90
90 M 1 3 1 66 DLSS.TORIC C 11 98 (Hatches(DLSS.SourceDIC,/DEIFDUJA/) or DLSS.LBDZG or 1844 167	527	-	8	_	-	_	•			H10H	10/15/90
90 NI 1	527	-		-	M	-	_		#I	- 7H-	10/15/90
90 NI 2 1 190 (Natchee(DLSS. SourceOIC, / IDE] (FNUIA/) or DLSS. 18026 or "FR" 90 NI 2 3 1 66 (Natchee(DLSS. SourceOIC, / IDE] (FNUIA) or DLSS. 18026 or "M4" 90 NI 2 4 1 67 Natchee(DLSS. SourceOIC, / IDE] (FNUIA) or DLSS. 18026 or "NA" 90 NI 3 1 1 60 Natchee(DLSS. DLC, / IDE] (460F1a] (DEIX(DD)/) and DLSS. RIC "DT" 90 NI 3 1 1 60 Natchee(DLSS. DLC, / IDE] (460F1a] (DEIX(DD)/) and DLSS. RIC "M4" 90 NI 3 4 1 60 Natchee(DLSS. DLC, / IDE] (460F1a] (DEIX(DD)/) and DLSS. RIC "M4" 90 NI 3 4 1 10 Natchee(DLSS. DLC, / IDE] (460F1a] (DEIX(DD)/) and DLSS. RIC "M4" 90 NI 4 1 1 1 1 1 1 1 1 1	527	-	8	_	4	-	_	29		DLSS.TORIC	10/15/90
90 M 2 3 1 66 (Matches CDLSS. Gourced) [C, MEI (FBUJA)) or DLSS. 18DZG or "M4" 90 M 2 4 1 67 (Matches CDLSS. Sourced) [C, MEI (FBUJA)) or DLSS. 18DZG or DLSS. FromRIC 90 M 3 1 1 1 98 Matches (DLSS. DIC, / DEI (460F1a] (DEIX(DDL)) and DLSS. RIC "DT" 90 M 3 3 1 1 66 Matches (DLSS. DIC, / DEI (460F1a] (DEIX(DDL)) and DLSS. RIC "M4" 90 M 3 4 1 1 67 Matches (DLSS. DIC, / DEI (460F1a] (DEIX(DDL)) and DLSS. RIC "M4" 90 M 4 1 1 67 Matches (DLSS. DIC, / DEI (460F1a] (DEIX(DDL)) "155. Matches (DLSS. DIC, / DEI (MA)a] (DEIX(MBL)) and "155. Matches (DLSS. DIC, / DEI (MA)a] (DEIX(MBL)) and "157. Matches (DLSS. DIC, / DEI (MA)a] (DEIX(MBL)) and "157. Matches (DLSS. DIC, / DEI (MA)a] (DEIX(MBL)) and "157. Matches (DLSS. DIC, / DEI (MA)a] (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEI (640Fa) (DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEIX(MBL)) and "157. Matches (DLSS. SourceDIC, / DEIX(MBL)) and "157. Matc	257	-		- 2	-	_		(Matches	LSS.SourceDIC,/[DE][FDU]a/) or DLSS.1sDZG or	* 12.5	10/15/90
90 M1 2	527	-		~	M	-	-		SS.SourceDIC,/[UE][FDU]a/) or DLSS.1sDZG or send DLSS.FromRIC <> ""	P.H.	10/15/90
1 90 N1 3 1 1 1 98 Matches(DLSS.DIC,/(DE)1(466F)a (DE)X(CD)/) and DLSS.RIC "W4" 1 90 N1 3 3 1 1 66 Matches(DLSS.DIC,/(DE)1(466F)a (DE)X(CD)/) and DLSS.RIC "W4" 1 90 N1 4 1 1 67 Matches(DLSS.DIC,/(DE)1(466F)a (DE)X(CD)/) and DLSS.RIC 1 90 N1 4 3 1 1 66 Matches(DLSS.DIC,/(DE)1(Ma)a (DE)X(MB)/) and DLSS.ReportToRIC ~ "" 1 90 N1 4 3 1 1 66 Matches(DLSS.DIC,/(DE)1(Ma)a (DE)X(MB)/) and DLSS.ReportToRIC ~ "" 1 90 N1 5 4 1 1 67 Matches(DLSS.DIC,/(DE)1(Ma)a (DE)X(MB)/) and "ST" 1 90 N1 5 3 1 1 66 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "ST" 1 90 N1 5 4 1 1 69 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "ST" 1 90 N1 6 1 1 1 98 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "ST" 1 90 N1 6 1 1 1 98 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "ST" 1 90 N1 6 1 1 1 66 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "ST" 1 90 N1 6 1 1 1 66 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "ST" 1 90 N1 6 1 1 1 67 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "ST" 1 90 N1 6 1 1 1 67 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "ST" 1 90 N1 6 1 1 1 67 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "STS.RillToDODAAC ~ "" 1 90 N1 6 4 1 1 67 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "STS.RillToDODAAC ~ "" 1 90 N1 6 4 1 1 67 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "STS.RillToDODAAC ~ "" 1 90 N1 6 4 1 1 67 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "STS.RillToDODAAC ~ "" 1 90 N1 6 4 1 1 67 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "STS.RillToDODAAC ~ "" 1 90 N1 6 7 1 1 67 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "STS.RillToDODAAC ~ "" 1 90 N1 6 7 1 1 67 Matches(DLSS.SourceD)C,/(DE)1(6FU)a (DE)X(RD)/) and "STS.RillToDODAAC ~ "" 1 90 N1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	527	-		2	4	-	_		SS.SourceDIC,/[DE][FDU]@/) or DLSS.18DZG or	DLSS.FromR1C	10/15/90
1 90 N1 3 3 1 1 66 Marches(DLSS.DIC,/DE] (466F3) and DLSS.RIC "W4" 1 90 N1 4 1 1 1 96 Marches(DLSS.DIC,/DE] (466F3) [DE] (XID]) and DLSS.RIC 1 90 N1 4 1 1 1 96 Marches(DLSS.DIC,/DE] (MJ) DE] (MJ) DES.RIC 1 90 N1 4 2 1 1 66 Marches(DLSS.DIC,/DE] (MJ) DE] (MJ) DES.REPORTORIC (> "" 1 90 N1 5 1 1 66 Marches(DLSS.SOURCEDIC,/DE] (MJ) DE] (MJ)	527	-		m	-	-	_		SS.DIC,/[DE][460F]a [DE]X[CD]/) and DLSS.RIC	"DT"	10/15/90
90 M1 3 4 1 1 67 Matches(DLSS.DIC,/(DE)(460F1a) DE)X(EQ)/)	\$27	-		m	m	-	_		55.DIC,/[DE][460F]a [DE]X[CD]/) and DLSS.RIC	"7H"	10/15/90
1 90 M1 4 1 1 98 Matches(DLSS.DIC,/DEI (NA) = DEIS/ReportTORIC + "" 1 90 M1 4 3 1 1 66 Matches(DLSS.DIC,/DEI (NA) = DEIS/ReportTORIC + "" 1 90 M1 4 4 1 1 67 Matches(DLSS.DIC,/DEI (NA) = DEIS/REPORTTORIC + "" 1 90 M1 5 1 1 69 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORTTORIC - "" 1 90 M1 5 3 1 1 66 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORTTORIC - "" 1 90 M1 5 4 1 1 67 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 5 4 1 1 67 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 1 1 1 98 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 3 1 1 66 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 3 1 1 66 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 3 1 1 66 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 4 1 67 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 4 1 67 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 4 1 67 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 4 1 67 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 5 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7 M1 6 7 Matches(DLSS.SourceDIC,/DEI (6FU) = DEIS/REPORDAC - "" 1 90 M1 6 7	527	-		۳	7	•			SS DIC / COET (AGNET DELY COM 1/)	218.2810	10/15/90
1 90 N1 4 3 1 1 66 Matches(DLSS.DIC,/(DE) [UMJa] (DE)X(AB)/) and "M4" DLSS.ReportTORIC <> ""	527	· 🕶		•	· -	• •	. —		SS.DIC,/(DE) (WJ3) (DE)X(AB)/) and	m55#	10/15/90
1 90 N1 4 4 1 1 67 Matches(DLSS.DIC,/(DE) [UMJa] (DE)X(BD)/) and DLSS.ReportTORIC "ST" DLSS.ReportTORIC "ST" DLSS.ShipToDoDAAC <> ""	527	-		4	m	-			SS.DIC,/[DE][UMJ8 [DE]X[A8]/) and	u 7Mu	10/15/90
1 90 N1 5 1 1 98 Natches(DLSS.ShipToDobAAC <> "" DLSS.ShipToDobAAC <> "" DLSS.ShilToDobAAC <> ""	527	-		4	4	_	_		SS.DIC,/[DE][UW]@ [DE]X[AB]/)	DLSS.ReportToRIC	10/15/90
1 90 N1 5 3 1 1 66 Matches(DLSS.SourceDIC,/IDE] (6FV)3 (DE) X (BD) /) and "10" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" NBT" 1 90 N1 6 1 1 1 98 Matches(DLSS.SourceDIC,/IDE] (6FV)3 (DE) X (BD) /) and "BT" DLSS.BillToDoDAAC <> ""	227	-		<u>-</u>	-				SS.Source01C,/(DE] [6FV]@ [DE]X(B0]/) and DODAAC <> ""	"ST"	10/15/90
1 90 N1 5 4 1 1 67 Matches(DLSS.SourceDIC,/(DE][6FV]@ (DE]X(BD]/) and DLSS.SHipToboDAAC DLSS.ShipToboDAAC <> "" "BT" DLSS.BillToboDAAC <> "" " " " " " " " " " " " " " " " " "	527	-		<u>.</u>	M	_	_		SS.SourceD1C,/[DE][6FV]a [DE]X[8D]/) and DODAAC <> ""	m10**	10/15/90
1 90 M1 6 1 1 198 Matches(DLSS.SourceDIC,/(DE)[6FW]@ (DE)X(BD)/) and "BT" DLSS.BillToDoDAAC <> "" 1 90 M1 6 3 1 1 66 Matches(DLSS.SourceDIC,/(DE)[6FW]@ (DE)X(BD)/) and "10" DLSS.BillToDoDAAC <> "" 1 90 M1 6 4 1 1 67 Matches(DLSS.SourceDIC,/(DE)[6FW]@ (DE)X(BD)/) and DLSS.BillToDoDAAC DLSS.BillToDoDAAC <> ""	527	-		<u> </u>	4	-	_	Matches(DLSS.Shi	SS.Source01C,/(DE] (6FV)3 (DE)X(B0)/) and DODAAC <> ""	DLSS.SHipTododAAC	10/15/90
1 90 W1 6 3 1 1 66 Matches(DLSS.SourceDIC,/IDE] [6FW]@ IDE]X(BD]/) and "10" DLSS.BillToDoDAAC <> "" 1 90 W1 6 4 1 1 67 Matches(DLSS.SourceDIC,/IDE] [6FW]@ IDE]X(BD]/) and DLSS.BillToDoDAAC DLSS.BillToDoDAAC <> ""	527	-		•	-	_		Matches(DLSS.8il	SS.Source01C,/(DE)[6FV]a (DE)X(80)/) and DODAAC <> ""	1871	10/15/90
1 90 W1 6 4 1 1 67 Matches(DLSS.SourceDIC,/IDE][6FW]@ [DE]X[BD]/} and DLSS.BillToDoDAAC DLSS.BillToDoDAAC <> ""	527	-		•	m	-	_		SS.Source01C,/[DE][6FV]8 [DE]X(80]/) and DODAAC <> ***	м10н	10/15/90
	527	-		•	4	-	_		SS.Source01C,/(DE)[6FV]a (DE)X[BD)/) and DOODAAC <> ***	DLSS.BillToDoDAAC	10/15/90

1 1 S	Tid	Seg S	Seg Use Id Ctr		a Ord	El Out Seq Ord Sect		Elid Condition	Eval	Date
527	-	8		-	-		: 8	DISS.1sD7G and DISS.CorrectR1C <> ***	#58a	10/15/90
527	-		. ·	M	_	_	38	DLSS.1sD	*****	10/15/90
527	_			•	_	_	67	DLSS.18D	DLSS.CorrectRIC	10/15/90
527	_	100 ROU	8	_	_	_	2	Matches (DLSS.RP212	10/16/90
527	-	90	5	~	_	_	61	Matches (DLSS.RP456	10/16/90
								(DLSS.IsServinfo or Not DLSS.Is45Sig)		
527	-	100 Rou	<u>§</u>	~	2	-	2		DLSS.RP456	10/16/90
								and (DLSS.18Servinfo or Not DLSS.1945Sig)		
527	-	90 8	5	~)	-	29	_	# DLSS.RP513	10/16/90
527	-	100 ROU	8	~	4	-	2	_	DLSS.RP552	10/16/90
527	-	50	500	m	-	_	6	Matches (DLSS.RP552	10/16/90
527	-	100	200	M	N		2	Matches(DLSS.SourceDIC,/IDE1Da/)	DLSS.RP712	10/16/90
527		5	5	m	PT)	_	2	Matches (DLSS.RP607	10/16/90
527	-	50	200	4	_	_	2			10/16/90
								H681		
527	-	90	5	*	14	-	29	Matches(DLSS.SourceDIC,/IDE)[40V]9/)	DLSS.RP761	10/16/90
527	_	100 ROU	3	.	_		5	Matches (DLSS.RP634	10/16/90
527	-	90	3	· •	17		2	Matches(DLSS.RP456	10/16/90
į								and (DLSS.isServinfo or Not DLSS.is45Sig)		
527	-	001	200	9	_	-	2	_	DLSS.RP765	10/16/90
527	-		20	9	.7	_	2	Matches (DLSS.RP792	10/16/90
527	-	110 1	T#1		_	_	2007	01.55.180	DLSS.SourceOIC	10/16/90
527	_		1H1		_	_	373		DLSS.SourceDate	10/16/90
527	_		TH.	· ~		_	2088	01.55.180	DLSS.InvType	10/16/90
527	-		Ξ	. 7	_	_	2100	DLSS.180	DLSS.LotSegNbr	10/16/90
222	-		181		_		2001	DLSS. 1sD	DLSS.RejectedD1C	10/16/90
22	-		TET	_	-	_	2207	DL SS. 18D	DLSS.RejectAdvice	10/16/90
2 2	-		<u> </u>			_	207	DLSS. 1sD	DLSS.Status	10/16/90
202	-	130	XX			_	200		RP(CurrentCard, 1,80)	10/16/90
\$28	-	0	1		-	_	_	1 (DLSS.1sD29 or DLSS.1sD2G) and Not	EXITC)	1/14/91
								Matches(DLSS.SourceDIC,/[DE]Y[A-DGHJ-M]/)		
\$28	-	10 RFL	7	-		_	2001	_	DLSS.DIC	9/13/90
: 										

	Date	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90	9/13/90		9/13/90	06/11/6	9/14/90	06/11/6	9/14/90	9/14/90	9/14/90	9/14/90	9/14/90	9/14/90	9/14/90	9/14/90	9/14/90	9/14/90	06/71/6
	Eval	DLSS, DocNo	DLSS.DocNoSuffix	DLSS.TransDate	DLSS.UnitOfIssue	DLSS.Quentity	DLSS.AdviceCode	"SN"	וועריי	.83 #	DLSS.PartWbr	DLSS.NIIM	DLSS.Purpose	DLSS. Supcondcode	DLSS.Project	DLSS.CoastDes	DLSS.Genericsub	DLSS.YMM62		DLSS.SPRStatus	DLSS.LeadTime	DLSS.RoutingDIC	DLSS.Status	DLSS.FSC	DLSS.RP212	DLSS.RP516	DLSS.RejectedD1C	DLSS.RejectAdvice	DLSS.Status	m10m	-7H	DLSS.TORIC	I FR I	H53n
	Elld Condition	2008	2076	373 Matches(DLSS.SourceDIC,/[DE]Y[CDGHK]/) and DLSS.isDate73		380	2013 Not Matches(DLSS.DIC,/[DE]YK/)	128 Not DLSS.18D29 and Matches(RP(CurrentCard, 12, 2), /0[01]/)	128 Not DLSS.18D29	128 DLSS.1aD29 and RP(CurrentCard, 79,2) = "8G"	127 Not DLSS.18DZ9	127 DLSS.18D29	2012	2065	2051 Not DLSS.1sDZ9 and Not DLSS.1sDZG	2053	2050	373 Not Matches(DLSS.SourceDIC,/[DE]YK/) and	IsNumeric(RP(CC(),62,3))	2098 Matches(DLSS.SourceDIC,/[DE]YK/)	2032 Matches(DLSS.SourceDIC,/[DE]YK/)	2001 DLSS.18029	2077 DLSS.18029	2015 DLSS.18DZ9 and RP(CurrentCard, 79 , 2) = "BG"	19	61	2001 DLSS.1802G	2207 DLSS.1s02G and lsNumeric(RP(CurrentCard,79,1))	2077 DLSS.1802G and 18Alpha(RP(CurrentCard, 79,1))	98 DLSS.ToRIC <> ""	66 DLSS.ToRIC <> ***	29	98 Not DLSS.18DZ9 and DLSS.RIC <> ""	98 DLSS.1sDZ9 and DLSS.RIC <> ***
Š	Sect	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	•-	-	-
0	ord S	-	-	-	-	-	-	-	7	m	-	~	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	_	-	-	-	-	~
Ħ	Sed	~	m	4	-	7	-	-	-	_	~	~	~	m	4	-	~	m		•	~	_	7	m	-	~		~	m	-	m	4	_	-
Use	נג	-	-	-	-	-	-	-	_	-	-	-	-	-	-	_	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	~	~
Seg	P	7	RFL	RFL	8	8	RAS	REF	REF	REF	REF	REF	ICS	108	108	SPR	SPR	SPR		SPR	SPR	SNI	SMI	NS	5	3	<u>x</u>	181	<u> </u>	Ξ	Ξ	Ĩ	Ξ	Ξ
Š	8	2	5	5	20	2	30	9	9	9	9	9	8	S	20	8	8	8		8	8	2	2	2	8	8	8	8	8	5	5	5	5	8
Tid	Sect	_	-	-	-		-	-	-	-	-	_	_	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	119	528	528	528	528	528	528	528	528	528	528	528	528	\$ 28	528	528	528	528		528	528	528	528	528	528	528	528	528	528	528	528	528	\$28	\$28

	Date	9/14/90	9/14/90	9/14/90	9/14/90	9/14/90	9/14/90		9/14/90		9/14/90	9/14/90	9/14/90	9/14/90	9/14/90		9/14/90		9/14/90	9/14/90	1/14/91		9/14/90	9/14/90	9/14/90	9/17/90	9/11/90	9/17/90	9/17/90	9/17/90	9/11/90	9/11/90	9/17/90	9/11/6
	Eval		DLSS.RIC	** LO**	*10**	DLSS.SupAddress					DLSS.OriginR1C		"7Hn	DLSS.GIM	₩58*		= 7 14		DLSS.CorrectRIC	RP(CurrentCard, 1,80)	EXITC		DLSS.DIC	DLSS.DocNo	DLSS.ReplyDate	#83 #	NASA NASA NASA NASA NASA NASA NASA NASA	mKf.m	OLSS.PartNbr	DLSS.NIIM	DLSS.RequestCode	DLSS.AAC	DLSS.UnitOf1ssue	DLSS.LeadTime
	Ord Sect Elld Condition	66 DLSS.RIC <> ""		98 DLSS.SupAddress <> ***	DLSS.SupAddress <> ***		Matches(DLSS.SourceDIC,/[DE]Y[ABJLM]/) and	DLSS.OriginRIC <> ***	Matches(DLSS.SourceDIC,/[DE]Y[ABJLM]/) and	DESS.OriginAIC <> ""	Matches(DLSS.SourceD1C,/[DE]Y[ABJLM]/)	Matches(DLSS.DIC,/IDEJYK/) and DLSS.GIM <> ""	Matches(DLSS.DIC,/IDE]YK/) and DLSS.GIM <> ""	Matches(DLSS.DIC,/(DEJYK/)	DLSS.IsD2G and RP(CurrentCard, 79,2) = "AB" and	DLSS.CorrectRIC <> ""	DLSS.1sD2G and RP(CurrentCard, 79,2) = "AB" and	DLSS.CorrectRIC <> ***	DLSS.18DZG and RP(CurrentCard, 79,2) = "AB"		(DLSS.1sDZ9 or DLSS.1sDZG) and Not	Matches(DLSS.SourceOIC,/(DEJT(A-D)/)			Matches(DLSS.DIC,/[DE]T(BC]/) and DLSS.1sDate77	DLSS.18D29 and RP(CurrentCard, 79,2) = "BG"	Not DLSS.18D29 and Matches(RP(CurrentCard, 12, 2), /0[01]/)	Not DLSS.1sD29	Not (DLSS.1sD29 and RP(CC(), 79,2) = "8G")	DLSS.1sD29 and RP(CurrentCard, 79,2) = "BG"		Matches(DLSS.DIC,/(DE]T(8C]/)	Matches (0	Matches(DLSS.DIC,/[DE]TB/)
	E113	8	29	8	8	67	8		8		67	8	8	67	8		8		67	2002	-		2002	2008	33	128	128	128	127	127	2078	2079	2010	2343
š	Sect	-	_	-	_	_	-		-		-	_	-	-	_		-		-	_	-		-	-	-	-	_	-	-	_	-	-	-	-
	ord D	-	-	-	-	-	-		••		-	-	-	-	-		-		-	-	-			-	-	-	2	M	-	~	-	_	-	-
ĭ	Şed	m	4	-	m	4	-		M		4	-	m	4	-		m		4	-	0		-	7	4	-	-	-	~	7	-	~	m	4
Use	Çţ	~	~	M	m	m	4		4		4	ĸ	'n	8	ø		•		•	_	-		-	-	-	-	-	-	-	-	-	-	-	-
Seg	<u> </u>	=	Ξ		Ξ	Ξ	=		Ē		Ξ	Ξ	Ξ	Ä			Ξ		I		3		RFL	RFL		REF						AS	AS	
Seg	Š	. <u>8</u>	5	5	5	5	5		\$		5	\$	5	5	5		5		\$	110	0		9	5	\$	20	2	2	2	2	8	8	2	8
Tid	Tid Sect	-		-	-	-	-		-		-	-	_	_	_		-		-	_	-		_	_	-	-	-		-	_	•	_	-	-
	1 id	528	528	528	528	528	528		528		528	528	528	528	528		528		528	528	23		8	8	\$3	\$	23	23	8	23	83	23	23	23

:					Date
· - ·	TT Matches (DI S	S DIC / METIC/)		DI SC Zerchete	00/17/00
,	Matches (Matches(DLSS.DIC,/(DE)TC/)		DLSS.DuelaDate	9/11/90
-	2081 Matches(DLS	Matches(DLSS.D1C,/[DE]T[8C]/)		DLSS.PartInd	9/11/90
_	673 Matches(DLS	Matches(DLSS.DIC,/[DE]TB/) and DLSS.Q446<>"	=	HTX11	9/11/90
-	673 Matches(DLS	Matches(DLSS.DIC,/[DE]IC/) and DLSS.Q446<>"	2	"XA"	9/17/90
-	380 Matches(DLS	Matches(DLSS.DIC,/[DE]T[BC]/) and DLSS.Q446<>"	=	9770.32.0446	9/11/90
-	673 Matches(DLS	tatches(DLSS.DIC,/[DE]TB/) and DLSS.q506<>"	=	*XX*	9/11/90
•	673 Matches(DLS	Matches(DLSS.DIC,/[DE]TC/) and DLSS.0504<>" "	_	148×11	9/11/90
-	380 Matches(DLS		3	DLSS.0506	9/11/90
-	380 Matches(DLS	Matches(DLSS.DIC,/[DE]TC/) and DLSS.Q504<>" "	_	DLSS.0504	9/11/90
-	673 Matches(DLS	Matches(DLSS.DIC,/[DE]TB/) and DLSS.Q566<>"	=	"IX"	9/11/6
-	673 Matches(DLS	Matches(DLSS.DIC,/[DE]TC/) and DLSS.q544<>" "	_	"XC"	9/11/90
-	380 Matches(DLS	Matches(DLSS.DIC,/[DE]TB/) and DLSS.Q566<>"	=	DLSS.0566	9/11/6
-	380 Matches(DLS	Matches(DLSS.DIC,/[DE]TC/) and DLSS.Q544<>" "	_	DLSS.0544	9/11/60
-	673 Matches(DLS	Matches(DLSS.DIC,/(DE)TB/) and DLSS.9626<>"		"XX"	9/11/90
-	673 Matches(DLS	Matches(DLSS.DIC,/[DE]IC/) and DLSS.Q584<>" "	_	мОхи	9/11/90
-	380 Matches(DLS	Matches(DLSS.DIC,/[DE]TB/) and DLSS.Q626<>"	=	DLSS.0626	9/11/90
-	Matches (1.55.01C,/(DEJTC/) and DLSS.9584<>" "	_	DLSS.0584	9/11/90
-	673 Matches(DLS	Matches(DLSS.DIC,/[DE]TB/) and DLSS.Q685<>**		nXFn	9/11/90
-	673 Matches(DLS)LSS.DIC,/(DE)IC/) and DLSS.9624<>" "	_	HXE4	9/11/90
-	380 Matches(DLS)LSS.DIC,/[DE]TB/) and DLSS.Q685<>*	=	01.55.0685	9/11/90
-	380 Matches(DLS	DLSS.DIC,/[DE]TC/) and DLSS.0624<>" "	_	DLSS.0624	9/11/90
-	673 Matches(DLS	DLSS.DIC,/[DE]TC/) and DLSS.0724<>" "		uXF*	9/11/90
-	380 Matches(DLS)LSS.DIC,/[DE]TC/) and DLSS.Q724<>" "	_	0155.0724	9/11/90
-	2001 0LSS.18029			DLSS.RoutingD1C	9/11/90
-	2077 DLSS.18029			DLSS.Status	9/11/90
-	2015 DLSS.18029	29 and RP(CurrentCard, 79,2) = "8G"		DLSS.FSC	9/17/90
-	2001 DLSS.1sDZG			DLSS.RejectedDIC	9/11/90
-	2207 DLSS.1802G	<pre>2G and Iskumeric(RP(CurrentCard, 79,1))</pre>		DLSS.RejectAdvice	9/11/90
-	2077 DLSS.1802G	and 1sAlpha(RP(CurrentCard, 79,1))		DLSS.Status	9/11/90
	61			DLSS.RP243	9/11/90
-	98 DLSS.TORIC	## ♦ 3 !		"TO"	9/17/90
-	66 DLSS.TORIC	# ◆		in Phila	06/11/60

	Date	9/17/90	9/17/90	9/17/90	9/17/90	9/17/90	9/17/90	9/17/90	9/17/90	9/17/90	9/17/90	9/11/90		9/11/90	9/11/90	9/11/90	1/14/91	9/17/90	9/11/90	9/11/90	9/11/90	9/11/90	9/11/90	9/11/6	9/11/6	9/11/90	9/11/90	9/17/90	9/11/90	0/17/00	0/17/00	9/17/90	***************************************
	Eval	DISS. TORIC	יוצו	#FR:	117W11	DLSS.FromR1C	HFR.		DLSS.RIC	115311	#50%#	71		DLSS.CorrectR1C	DLSS.RIC	RP(CurrentCard, 1,80)	EXITC	DLSS.DIC	DLSS.DocNo	DLSS.DocNoSuffix	DLSS.UnitOf1ssue	DLSS.Quantity	DLSS.GF#MgtCode	»SV»	™XS**	ייעריי	DLSS.PartNbr	DLSS.OwnerCode	DLSS. Purpose	DI SS. SumCondinde	DISC Broiect	DISC Sites to the feet Back	100 COC - 0 - 10 CO
	Elld Condition	29	98 (DLSS.18029 or DLSS.1802G) and DLSS.FromRIC <> ""	98 DLSS.FromRIC <> ##	66 DLSS.FromRIC <> ***	29	98 DLSS.isDZG and DLSS.RIC <> **	66 DLSS.1sDZG and DLSS.RIC <> ""	67 DLSS.18DZG	98 DLSS.1sD29 and DLSS.RIC <> ""	98 DLSS.isDZG and DLSS.CorrectRIC <> ***	66 (DLSS.1sDZG and DLSS.CorrectRIC <> "") or (DLSS.1sDZ9	and DLSS.RIC <> **)	67 DLSS.1eDZG	67 DLSS.1eD29	2000	1 DLSS.1sDZG and Not Matches(DLSS.SourceDIC,/(DE)L[A-F]/)	2001	2008 Not (Matches(DLSS.DIC,/[DE]L[CDEF]') and DLSS.IsPIIN)	2076 Not Matches(DLSS.DIC,/(DE1L[AB]/)	2010	380 Not Matches(DLSS.DIC,/[DE]L[AB]/)	2341 Matches(DLSS.DIC,/[DE]2[CD]/)	128 Matches(RP(CurrentCard,12,2),/0[01]/)	123 RP(CurrentCard, 8, 2) = "89"	128	127	2011 Matches(DLSS.DIC,/[DE]Z(CD]/) and jakimeri-"RP(CurrentCard,70.1))	2012 Matches(DLSs h1C,/IDE12(CD)/) and isaliches(PCCH-intend 70.1)			ARL BECCITEDATED AND BECCITEDATED AND BECCITEDATED AND BECCITEDATED AND AND AND BECCITEDATED AND AND AND AND AND AND AND AND AND AN	ארונישו
ğ	Sect	_	_	_	-	_	-	_	-	_	_	-		-	-	_	_	_	_	_	_	_	_	•	_	_	_	-	-	_	•		•
	d Ord		_	7	-	_		_	_		~	_		_	~	-	_		_	_	_	_	-	_	~	PT.	_	_	_	_	_		<u>-</u>
Use El	Ctr Seq	*	~	2	2	7 ~		1	× ×	_	_	M		4	4	-	0	_	7		-	1 2	_	_	-	_	7	_	- 2			• •) -
Seg U		=	Ξ	=	=	=	=	=	=	=	` =	=		` =	_	ğ	7	RFL	RFL	RFL	8	8	굨	REF	REF	REF	REF	23	ICS	2	3 2	3 5	3
Seg	Seq 1d	8	8	8	8	8	8	8	8	8	8			8	8	% %	٥ کر	0	5	5	20 1300	2	8	9	9	9	40	50	20	5	2		
Tid	Sect	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-
	Tid	23	25	23	2,5	25	23	23	2,5	23	8	2 %		2 3	6 25	6 25	530	530	530	530	530	530	530	530	530	530	530	530	530	2			2

Date	9/17/90	9/17/90	9/17/90	9/17/90	9/17/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90		9/18/90		9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	
Eval	DLSS.DatePack	DLSS.DatePack	DLSS.PIIN	DLSS.LineItemNbr	DLSS. SublineNbr	DLSS.TransDate	DLSS.DueInDate	DLSS.EffectDate	DLSS.QuantRet	DLSS.0555	DLSS.SupStatus	DLSS.FollowUpInd	DLSS.RejectedDIC	DLSS.RejectAdvice	DLSS.Status	DLSS.RP212	DLSS.RP483		DLSS.RP456		DLSS.RP516	DLSS.RP733	DLSS.RP71	.m10**	n Mills	DLSS.TORIC	T WILL	11.77da	DLSS.FromRIC	DLSS.RIC	1511	
Elid Condition	373 Matches(DLSS.DIC,/[DE]2[CD]/) and RP(CurrentCard,8,2) = "89" and RP(CurrentCard,50,1) = "0"	373 Matches(DLSS.DIC,/[DE]Z[CD]/) and RP(CurrentCard,8,2) = "89" and Matches(RP(CurrentCard,50.1),/(1-41/)		1025 Matches(DLSS.SourceDIC,/[DE]L[CDEF]/) and DLSS.IsPIIN	1026 Matches(DLSS.SourceDIC,/[DE]L[CDEF]/) and DLSS.IsPIIN	373 Matches(DLSS.DIC,/[DE]Z[CD]/)	373 Matches(OLSS.DIC,/(DE)L(COEF)/)	373 Matches(DLSS.DIC,/IDE)LA/)	380 Matches(DLSS.DIC,/[DE]2[CD]/)	380 Matches(DLSS.DIC,/[DE]L[CDEF]/)	2212 Matches(DLSS.DIC,/[DE]L[80F]/)	2201 Matches(DLSS.DIC,/[DE]LC/)	2001 DLSS.1sDZG	2207 DLSS.isDZG and isNumeric(RP(CurrentCard,79,1))	2077 DLSS.1sDZG and 1sAlpha(RP(CurrentCard, 79,1))	61 Matches(RP(CurrentCard, 12,2),/0[01]/)	61 Matches(DLSS.DIC,/[DE]2[CD]/) and RP(CurrentCard,8,2) <>	nió@m	61 Matches(DLSS.DIC,/[DE]L[C-F]/) and RP(CC(),43,1) <> " "	and (DLSS.isServinfo or Not DLSS.is45Sig)	61 Matches(DLSS.DIC,/[DE]Z[CD]/)	61 Matches(DLSS.DIC,/[DE]2(CD]/)	61 Matches(DLSS.DIC,/[DE]ZD/)	98 DLSS.TORIC <> ""	66 DLSS.TORIC <> ""		98 DLSS.FromRIC <> ""	66 DLSS.FromRIC <> ""	67 Not DLSS.1sDZG	67 DLSS.1sDZG		DLSS.GainingRIC <> ""
Out Sect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-		-		-	-	-	-	-	-	-	-	-	-	-	
ord	-	-	-	-	-	-	~	m	-	~	-	-	-	-	-	-	-		~		-	-	_	-	-	-	-	-	_	~	-	
Seg :	~	€0	-	7	m	-	-	_	~	~	m	4	-	~	m	-	7		2		m	4	~	-	m	4	-	m	4	4	-	
Use	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-	-	-	-	-	•-	~	~	7	~	m	
g Seg	S ICS	0 1CS	14 0	1 6	140	O LRS	O LRS	O LRS	O LRS) LRS	C LRS	O LRS	TRI C	TRI C	INT C	5	3		₩ 2		5	5	5	Ħ	- X	E	E	<u> </u>	<u>.</u>	=	<u>=</u>	
Seg t Seq	52	20	8	8	8	2	2	2	2	2	2	2	8	8	8	8	8		8		8	8	8	5	5	\$	5	5	90	5	5	
Tid Sect	-	_	_	-	_	_	_	_	-	_	_	_	_	_	_	_	_		_		-	_	_	-	_	-	-	_	-	-	-	
1 id	530	530	530	530	530	530	530	530	530	530	530	530	530	530	530	530	530		530		530	530	530	530	530	530	530	530	530	530	530	

Ctr Seq Ord Sect Elid Condition	
Seq Ord Sect Elid Condition 1 2 1 96 Matches(E) 4 1 1 67 Matches(E) 1 1 96 DLSS.18D2 1 1 96 DLSS.18D2 1 1 96 DLSS.18D2 2 1 67 Matches(E) 1 1 96 DLSS.18D2 1 1 2000 0 1 1 1 2000 1 1 2000 2 1 1 2000 2 1 1 2000 2 1 1 2000 2 1 1 2000 2 1 1 2000 3 1 1 2010 2 1 1 350 9 1 1 350 1 1 1 2010 2 1 1 380 1 1 1 2046 1 1 1 2046 1 1 1 2046 1 1 1 2010 2 1 1 380 3 1 1 28 1 1 373 Not Matches(E) 1 1 373 Not Matches(E) 4 1 1 373 DLSS.RDDF 5 1 1 373 DLSS.RDDF 6 1 373 DLSS.RDDF	DLSS.AdviceCode DLSS.OwnerCode
Seq Ord Sect Elld 1 2 1 98 3 1 1 66 4 2 1 67 1 1 1 98 3 1 1 66 4 1 1 1 2000 0 1 1 1 2001 0 1 1 2001 0 1 1 373	Not Matches(DLSS.DIC,/[DE]7J/) Not Matches(DLSS.DIC,/[DE]MA/) and
Se	2013 2011
Se	
$=\frac{8}{8}\left\{-\text{W}_{4}+\text{W}_{4}-\text{W}_{4}+\text{W}_{5}-\text{W}_{5}+\text{W}_{5}$	
J G .	
Seg Seg Seg 1d 100 ml 1	RAS 1CS
	2 3
District Control of the Control of t	~ -
1 - Q	532

9		9/18/90	00,000	DK/91 /K	9/18/90	9/18/90		9/18/90		9/18/90		9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90		9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90
T.		DLSS.Purpose		DLSS. Supcondicae	DLSS.Distribution	DLSS.SubsistPack		DLSS.DatePack		DLSS.DatePack		DLSS.RejectedDIC	DLSS.RejectAdvice	DLSS.Stetus	DLSS.SourceDIC	DLSS.SourceDate	DLSS. InvType	DLSS.LotSegNbr	DLSS.RP212	DLSS.RP456	DLSS.RP552	DLSS.RP763		DLSS.RP765	DLSS.RP792	DLSS.Metalind	DLSS.ADPE1d	DLSS.DisposalAuth	DLSS.Demilitar	DLSS.Reclamation	m10*	n 74tii	DLSS.TORIC	2 5 7 2
Fild Condition			ISAIDAIR KY(CUTTENCE TO /U, 1)	Not Matches(DLSS.DIC,/[DE]MA/)		Not Matches(DLSS.DIC,/[DE]HA/) and RP(CurrentCard,8,2) =	**S\$**	Not Matches(DLSS.DIC,/[DE]HA/) and RP(CurrentCard,8,2) =	"89" and RP(CurrentCard, 78,1) = "0"	Not Matches(DLSS.DIC,/[DE]HA/) and RP(CurrentCard,8,2) =	"89" and Matches(RP(CurrentCard, 78, 1), / [1-4]/)	DLSS.1aDZG	DLSS.1sDZG and IsNumeric(RP(CurrentCard, 79,1))	DLSS.IsDZG and IsAlpha(RP(CurrentCard, 79,1))	DLSS.18DZK	DLSS.1802K	DLSS.1sDZK	DLSS.1eDZK	Matches(RP(CurrentCard,12,2),/0101)/)	DLSS.18Servinfo or Not DLSS.1845Sig	Not Matches(DLSS.DIC,/[DE]7J/)	(Matches(DLSS.DIC,/[DE]70/) and RP(CurrentCard,0,2) <>	"89") or (Matches(DLSS.DIC,/[DE]Ga/) and DLSS.1sDZG)	Matches(DLSS.DIC,/[DE]GB/) and Not DLSS.1sDZG	Matches(DLSS.D1C,/(DE17a/)	Matches(DLSS.D1C,/[DE]7J/)	Matches(DLSS.DIC,/[DE]7J/)	Matches(DLSS.DIC,/(DE)7J/)	Matches(DLSS.DIC,/(DE)7J/)	Matches(DLSS.DIC,/(DE17J/)	DLSS.TORIC <> ""	DLSS.TORIC <> ""		(DLSS.IsDZG or DLSS.IsDZK) and DLSS.RIC <> ""
-	:	2012	3	6	500	74		373		373		2001	2207	2077	2001	373	2088	2100	5	2	2	6		2	5	2016	2017	2019	2003	2020	8	8	67	8
or s		-	•	-	-	-		-		-		-	-	-	-	-	-	_	•	-	-	-		-	-	-	-	_	-	-	-	-	-	~
5	, . ? :	-	•	-	-	-		-		-		-		-	-	-	-	_	-	-	-	-		~	-	-	-	-	-	-	-	-	-	-
5	; ;	7	,	1	₩.	9		~		•		_	7	m	-	7	m	4	_	~	m	4		4	~	_	~	m	2	•	_	m	4	_
Seg Use Et	; ;	-	•	-	-	-		_		-		-	-	-	-	-	-	-	-	-	-	-		-	_	-	-	_	-	_	-	-	_	~
Seg		108	:	2	ICS	ICS		ICS		SOI		TRI	I	TRI	THT	THT	THT	THT	3	3	8	5		3	3	ISO	DSI	ISO	DSI	ISO	Ξ	Ξ	ž	ī
Seg Seg	? :	8			8	8		8		8		8	8	8	5	5	5	5	100	110	100	110		10	1 0		120			120	130	130		130
Tid	. :	-	•	-	-	-		-		-		-	-	-	-	-	-	_	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
7		532	:	250	532	532		532		532		532	532	532	532	532	532	532	532	532	532	532		532	532	532	532	532	532	532	532	532	532	532

	Date	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90		9/18/90	9/18/90		9/18/90	9/18/90	9/18/90		9/18/90		9/18/90		9/18/90		9/18/90		9/18/90	9/18/90		9/18/90		9/18/90	9/18/90		9/18/90	
	Eval	n LSu	#74u	#10#	DLSS.RIC	DLSS.ShipToDoDAAC	*58*	#19#			*10*		DLSS.SourceD1C	DLSS.Bill ToD ODAAC	***S*		***Su		*744.		*10*		EDIValue(DLSS.ServCode,DLSS.Distribution)		DLSS.ReqDoDAAC	*75:		н10н		DLSS.SupAddress	***S*		H10H	
	Elid Condition	98 DLSS. ShipToDoDAAC <> ""	66 (DLSS.1802G or DLSS.1802K) and DLSS.RIC <> ""	66 DLSS.ShipToOcDAAC <> ""	67 DLSS.1sDZG or DLSS.1sDZK	29	98 DLSS.1sDZG and DLSS.SourceDIC <> ***	98 Matches(DLSS.SignalCode,/[ABCJKL]/) and	DLSS.BillTcDcDAAC <> ""	66 DLSS.1sDZG and DLSS.SourceDIC <> ""	66 Matches(DLSS.SignalCode,/[ABCJKL]/) and	DLSS.BilladaDAAC <> ""	67 DLSS.1sDZG	67 Matches(DLSS.SignalCode,/[ABCJKL]/)	98 Matches(DLSS.MediaStatus,/[0238ABCFGJKLPSTY2]/) and	DLSS.1851g	98 Matches(DLSS.MediaStatus,/[08Y]/) and Not DLSS.IsSig and	DLSS.RecpobAAC <> ""	66 Matches(DLSS.MediaStatus,/[0238ABCFGJKLPSTY2]/) and	DLSS.18Sig	66 Matches(DLSS.MediaStatus,/[087]/) and Not DLSS.IsSig and	DLSS.ReqDoDAAC <> ""	67 Matches(DLSS.MediaStatus,/[023&ABCFGJKLPSTY2]/) and	DLSS.18Sig	67 Matches(DLSS.MediaStatus,/[08Y]/) and Not DLSS.IsSig	98 Matches(DLSS.MediaStatus,/[45DEFGHMNPQLV2]/) and	DLSS.SupAddress <> ***	66 Matches(DLSS.MediaStatus,/[450EFGHMNPQUVZ]/) and	DLSS.SupAddress <> ***	67 Matches(DLSS.MediaStatus,/[45DEFGHMNPQUVZ]/)	98 Matches(DLSS.MediaStatus,/[23ABCFGJKLPSTZ]/) and	DLSS.ReqDoDAAC <> ""	66 Matches(DLSS.MediaStatus,/[23ABCFGJKLPSTZ]/) and	DLSS.RequoDAAC <> ""
ğ		•-	-	-	-		-	-		-	-		-	_	-		-		-		-		•		-	-		-		-	-		-	
J	Ord Sect	~	_	7	-	~	-	~		-	~		-	~	-		~		-		7		-		~	-		-			-		-	
ı	Seg		m	m	4	4	-	-		m	m		4	4	-		-		m		m		4		4	-		٣		4	-		m	
g Use	Ct.	~	2	~	~	7	M	m		M	m		m	m	4		4		4		4		4		4	~		~		٠	•		9	
Seg Seg	Seq 1d	130 M1	130 H1	130 M1	130 141	130 N1	130 H1	130 M1		130 M1	130 M1		130 M1	130 N1	130 N1		130 H1		130 N1		130 H1		130 N1		130 M1	130 N1		130 N1		130 M1	130 H1		130 HT	
Tid	Sect	-	-	-	-	-	-	-		-	-		•	-	-		-		-		-		-		-	_		-		-	-		-	
	119	532	532	532	532	532	532	532		532	532		532	532	535		532		532		532		532		532	532		532		532	532		532	

	Date	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	1/14/91			06/57/60	06/57/6	6/54/90	06/57/60		6/54/90	06/57/60	06/57/60	6/54/90	1/54/91	06/57/60			06/57/60	06/57/60	6/54/90	0/54/60	06/57/60	6/57/60		06/57/60	06/52/6	6/54/60	
	Eval	DLSS.ReqDoDAAC	· · · · · · · · · · · · · · · · · · ·	H24H	711. .	DLSS.RIC	RP(CurrentCard, 1,80)	EXITC)			DLSS.D1C	DLSS.DocNo	DLSS.DocNoSuffix	DLSS.TransDate		DLSS.UnitOf1ssue	DLSS.Quentity	"CAT"	DLSS.UnitPrice	RP(CC(),74,5)	DLSS.GFIMgtCode			DL.SS.OwnerCode	DLSS.Purpose	0LSS.Supcondcode	DLSS.Project	DLSS.Distribution	DLSS. SubsistPack		DLSS.DatePack	DLSS.DatePack	DLSS.ToOmerCode	
	Elid Condition	67 Matches(DLSS.MediaStatus./[23ABCFGJKLPST2]/)	Matches(98 Matches(DLSS.DIC,/[DE]GG/) and DLSS.RIC <> ""	66 Matches(DLSS.DIC,/[DE][76]2/) and DLSS.RIC <> ""	67 Matches(DLSS.DIC,/[DE][7G]@/)	2000	1 (DLSS.1sDZG or DLSS.1sDZK) end Not	Matches(DLSS.SourceDIC,/[DE][89][A-	FJKSZJ (DE19(GH1) (DE1A(COS) (DE1E(EF1/)	2001	2008 RP(CurrentCard, 43,1) <> " "	2076	373 Not (Matches(DLSS.DIC,/[DE]E[EF]/) or DLSS.1sD2K) and	DLSS.1sDate73	2010	380	236 Matches(DLSS.SourceDIC,/[DE]E[EF]/)	212 Matches(DLSS.DIC,/{DEJE(Ef]/}	212 Matches(DLSS.SourceDIC,/[DE]E[EF]/)	2341 Not	(Matches(DLSS.SourceDIC,/(DE)(89)a)(DE)A(DS) (DE)E(EF)/)	and DLSS.1sDZK)	2011 IsNumeric(RP(CurrentCard, 70,1))	2012 1sAlpha(RP(CurrentCard, 70,1))	2065	2051 Not Matches(DLSS.DIC,/[DE]E[EF]/)	2006 Not (DLSS.18D2G or DLSS.18D2K)	754 Not (Matches(DLSS.SourceDIC,/[DE][89A]S/) or	(Matches(DLSS.SourceDIC,/IDE)[89E]# (DE)A[DS]/) and	373 DLSS.DatePackCode = *0"		2011 Matches(DLSS.SourceDIC,/[DEIA[CDS]/) and	isMumeric(RP(CurrentCard,65,1))
=		-	-	-	-	_	1 20	_			± 28	1 20	1 20	-		1 20	-	-	+	-	72			1 20	- 2	1 20	1 20	1 20	1		—	-	2	
Š	Ord Sect	-	-	~	-	•	_	_			_	-	-	-		-	-	-	-	~	-			_	_	-	_	_	-		-	-	-	
E	Sec	4	-	-	m	4	_	0			_	7	m	•		_	7	m	4	4	-			_	~	m	4	د	•		~	€0	_	
Use El	St.	•	7	~	7	^	-	-				-	-	-		-	-	-		-	-			_	-	-	-	-	-		-	_	~	
Seg Seg	Seq 1d	130 K1	130 N1	130 M1	130 N1	130 H1	140 XXX	0 00			10 RFL	10 RFL	10 RFL	10 RFL		20 R00	20 ROG	20 R00	20 R00	20 800	30 JRL			SOI C*	SOI 07	SOI 07	40 1CS	SOI 07	501 07		SOI 07	\$0 1CS	4 0 1CS	
1 id		-	-	-	-	-	_	-			-	-	-	_		_	-	-	_	-	-			-	-	-	-	-	-		_	_	-	
-	Tid Sect	532	532	532	532	532	532	533			533	533	533	533		533	533	533	533	533	533			533	533	533	533	533	533		533	533	533	

Date	9/24/90	9/54/90	06/57/6	06/57/6		9/54/90	6/54/90	06/52/6	06/57/6	06/57/6	6/54/90	06/57/6	6/54/60	9/54/90	9/54/90	8/54/90		9/54/90		6/54/90	6/54/90	06/57/6	6/54/90	6/57/60	06/57/6	9/54/90	6/54/60	6/54/90	06/52/6	6/54/90	9/54/90	06/57/60
Eval	DLSS.ToPurpose	DLSS.ToSupCode	DLSS.ErrClassCode	DLSS.EffectDate		TSZ.	DLSS.PertMbr	DLSS.SourceD1C	DLSS.SourceDate	0LSS.InvType	DLSS.LotSegNbr	DLSS.RejectedD1C	DLSS.RejectAdvice	DLSS.Status	DLSS.RP212	DLSS.RP459		DLSS.RP456		DLSS.RP522	DLSS.RP453	DLSS.RP483	DLSS.RP575	DLSS.RP603	DLSS.RP721	DLSS.RP483	DLSS.RP522	DLSS.RP633	DLSS.RP522	DLSS.RP765	DLSS.RP661	DLSS.RP603
Elld Condition	Matches(DLSS.SourceDIC,/[DEJA[CDS]/) and failpha(RP/CurrentCard 65 1))	Matches(DLSS.SourceDLC,/DEJA(CDS)/)	Matches(DLSS.SourceDIC,/[DE][89]A/) and Not DLSS.1sDZK	Matches(DLSS.SourceDIC,/[DE][89E][EF]/) and Not	DLSS.1802K			DLSS.16D2K	DLSS.1s02K	DLSS.18DZK	DLSS.18DZK	DLSS.18DZG	DLSS.IsDZG and IsMumeric(RP(CurrentCard, 79,1))	DLSS.1sDZG and 1sAlpha(RP(CurrentCard, 79,1))	Matches(RP(CurrentCard, 12, 2), /0(01)/)	Matches(DLSS.SourceDIC,/[DE][89][A-DJK2]/) and	DLSS.DatePack = ""	Matches(DLSS.SourceDIC,/[DE][89][A-DJK2]/) and	DLSS.DatePack <> ""	Matches(DLSS.SourceDIC,/[DE][89]S/)	Matches(DLSS.SourceDIC,/[DE]A[CD]/)	Matches(DLSS.SourceDIC,/(DE)AS/)	Matches(DLSS.SourceDIC,/(DE)E(EF)/)	Matches(DLSS.SourceD1C, / [DE] [89] [A-DJK2] /)	Matches(DLSS.SourceDIC,/[DE]E[EF]/)	Matches(DLSS.SourceDIC,/[DE]A[CD]/)	Matches(DLSS.SourceDIC,/[DE]AS/)	Matches(DLSS.SourceD1C,/{DE1{89}[A-DJKZ]/}	Matches(DLSS.SourceDlC,/{DE]A{CD}/)	Matches(DLSS.DIC,/[DE]AS/)	Matches(DLSS.SourceDIC, / [DE] [89] [A-DJK2] /)	Matches(DLSS.SourceDIC,/[DE]A[CD]/)
E11d		2065	2085	373		128	127	2001	373	2088	2100	2001	2207	2077	5	5		2		2	5	2	5	2	5	2	2	2	5	2	6	61
Out Sect 6	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-		-		-	-	-	-	-	-	-	-	-	-	-	-	-
0 Ø :	-	-	-	-		-	_	_	-	-	-	_	-	_	-	_		~		m	4	~	•	-	7	m	4	-	7	m	-	~
El Seq Ord	~	M	_	2		_	2	_	7	m	4	_	2	m	_	7		~		2	2	2	7	m	m	m	m	4	4	4	5	S
	~	7	_	_			_	_	_	_	_	-	_	_	_	_		_		_	_	_	_	_	_	_	_	_	_	_	_	-
Seg Use Id Ctr	S	ICS	Ξ	IAI		REF	REF	THI	THT	THT	THT	TRI	TRI	TRI	200	5		3		3	5	3	3	3	3	2	5	3	5	2	3	20
Seg		9		20		8			R	-		8				8		8		8		8	8		8		8	8	8	8	8	8
Tid	-	-	-	-		-	-	-	-	-	-	_	-	-	-	-				-	_	-	***	-	-	-	-	-	-	-	-	-
11d S	533	533	533	533		533	533	533	533	533	533	533	533	533	533	533		533		533	533	533	533	533	533	533	533	533	533	533	533	533

Date	9/54/90	9/54/90	9/54/90	06/57/6			06/52/6	06/57/6	06/57/6	06/72/6	06/57/6	06/57/6	06/57/6	06/57/6		06/75/6		9/54/90	9/54/90	9/54/90	06/72/6	9/54/90	1/14/91		9/28/90	9/28/90	9/28/90	9/28/90		9/28/90	9/28/90	9/28/90	9/58/90
Eval	DLSS.RP765	DLSS.RP632	DLSS.RP765	DLSS.PIIN			H10H	# 7# :,	DLSS.ToRIC	a Fr. R.	#2 6 #	. 7H.	DLSS.RIC	н52и		w 7H:		DLSS.LosingRIC	58 . .	# 7 Man	DLSS.CorrectRIC	RP(CurrentCard, 1,80)	EXIT()		DLSS.DIC	MOZE	DLSS.NSM	DLSS. Q 2510		DLSS.CountMbr	DLSS.UnitOfIssue	DLSS.CountDate	DLSS.ControlMbr
Out Ord Sect Elld Condition	Matches(DLSS.DIC,/[DE][89][A-DJK2]/)	Matches(D	Matches(DLSS.DIC,/[DE]A[CD]/)	Matches(D	KSZJ [D	==	DLSS.ToRIC <> ""	DLSS.TORIC <> ***		(DLSS.18DZG or DLSS.18DZK) and DLSS.RIC <> **	DLSS.RIC <> ""	DLSS.RIC <> ""		98 Matches(DLSS.SourceDIC,/[DE][89E][EF] [DE]AS/) and	DLSS.LosingRIC <> ww	Matches(D	DLSS.LogingRIC <> ""	Matches(DLSS.SourceD1C, / [DE] [89E] [EF] [DE]AS/)	DLSS.1sDZG and DLSS.CorrectR1C <> ""	DLSS.18DZG and DLSS.CorrectRIC <> ***	, DLSS.18DZG		DLSS.18D2G and Not	Matches(DLSS.SourceD1C,/[DE]J[AB] [DE]KA/)				Matches(DLSS.SourceDIC,/[DE]KA/) and	Matches (R	Matches(DLSS.SourceDIC,/[DE]KA/)		Matches (D	Matches(DLSS.SourceDIC,/{DE]KA/} and Not Matches(RP(CurrentCard,7,1),/{Y2]/)
ELIG	2	2	2	%			8	8	67	82	8	8	67	87		8		29	82	8	29	2000	_		2001	128	127	8		8	2010	373	2211
Sect		_	_	_			_	_	_	_	•	•	_	_		-		_	_	_	_	-	_			•	_	_		_		_	-
0.0	_	~	_	_				_	_	_	~	_	-	_		_		_	_	_	_	_			_	_	_	-			_	-	-
Use El Ctr Seq	•	4	1	_			-	- M	,	2	2	2 3	2 4	. E		ы		3	7	%	4	-	-0		-	-	1 2	-		1	-	4	د
Seg Seg U Seg 1d C	90 ROU	90 ROU	90 RQU	100 P.I			110 M1	110 M1	110 M1	110 #1	110 M1	110 N1	110 M1	110 M1		110 M1		110 M1	110 M1	110 N1	110 N1	120 XXX	MA 0		10 RFL	20 REF	20 REF	30 PIC		30 PIC	30 PIC	30 PIC	30 PIC
Tid S	_	_	-	-			_	_	_	-	_	-	-	-		-		-	-	-	-	-	-		_	-	_			_	- -	-	_
Tids	533	533	533	533			533	533	533	533	533	533	533	533		533		533	533	533	533	533	534		534	534	534	234		234	534	534	XX

Date	9/28/90	9/28/90	9/28/90	06/82/6	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90		9/28/90	9/28/90	9/28/90		9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	6/28/60	9/28/90	9/28/90	9/28/90	9/28/90		9/28/90	9/28/90	6/28/90	9/28/90	9/28/90
Eval	DLSS.MOIdentifier	DLSS.LotSegNbr	DLSS.ErrorCode	DLSS.0xmerCode	DLSS.Purpose	DLSS.SupcondCode	DLSS.Project	DLSS.Distribution	DLSS.SubsistPack)* DLSS.DatePack	DLSS.DatePack		DLSS.GF#MgtCode	DLSS.ImType	DLSS.CutOffDate		DLSS.InfloatDate	DLSS.ShelfLife	DLSS.InvitemCode	DLSS. ImCategory	DLSS.RejectedDIC	DLSS.RejectAdvice	DLSS.Status	DLSS.RP212	DLSS.RP391	DLSS.RP652	DLSS.RP765		DLSS.RP733	DLSS.RP764	DLSS.RP801	w _{TO} *	
Elid Condition	Matches(DLSS.SourceDIC,/[DE]KA/)		Matches(DLSS.SourceD1C,/(DE)KA/)	isNumeric(RP(CurrentCard, 70,1))	1sAlpha(RP(CurrentCard, 70, 1))		Matches(DLSS.DIC,/[DE]J(AB] [DE]KA/)	Matches(DLSS.DIC,/[DE]J[AB] [DE]KA/)	RP(CurrentCard, 80,1) = " "	RP(CurrentCard,80,1) = " " and RP(CurrentCard,78,1) = "0" DLSS.DatePack	RP(CurrentCard,80,1) = " " and	Matches(RP(CurrentCard, 78,1),/[1-4]/)			Not (Matches(DLSS.SourceDIC,/[DE]KA/) and	Matches(DLSS.InvType,/[YZ]/))	Matches(DLSS.SourceDIC,/(DE]J[AB]/)	Matches(DLSS.SourceDIC,/[DE]KA/)	Matches(DLSS.SourceD1C,/[DE]KA/)	Matches(DLSS.SourceDIC,/(DE)KA/)	DLSS.1e02G	DLSS.1sD2G and 1sNumeric(RP(CurrentCard, 79,1))	DLSS.1sDZG and 1sAlpha(RP(CurrentCard, 79,1))	Matches(RP(CUrrentCard,12,2),/0[01]/)	Matches(DLSS.SourceD1C,/[DE]KA/)	Matches(DLSS.SourceDIC,/[DE]J[A8]/)	Matches(DLSS.DIC,/[DE]J[A8]/) and RP(CurrentCard,8,2) <>	*68·	Matches(DLSS.SourceDIC,/(DE)KA/)	Matches(DLSS.SourceDIC,/[DE]KA/)	Matches(DLSS.SourceDIC,/[DE]KA/)	DLSS.TORIC <> ""	DLSS.ToRIC <> ""
	2213	2100	2085	2011	2012	2065	2051	2006	ř	373	373	_	2341	2088	373	_	373	2069	20602	2091	2001	2207	2077	61	61	6	5	-	61	2	6	8	8
Out Ord Sect	-	-	_	_	-	_	_	_	_	_	_		-	_	_		_	_	_	_	-	_	_	_	_	_	_		-	_	_	_	-
	_	•	_		-	-		-	_	_			•	-	_		-	_	_	_	-	_	_	-	_	_	-		~	_	_	•	-
Use El Ctr Seq	•	_	_	_	~	m	4	- 5	•	7	8		_	_	- 2		m	_	2	m	_	-	m	_	-	<u>_</u>	4		4	~	9	_	m
Seg Us	2	5	¥	S	SO	ICS 1	53	1CS	108	108	SOI		JR.	N. N.	I I		I M	101	101	2	- E	<u> </u>	=	3	8	8	3		3	3	3	-	-
Seg Seg Seg 10	30 P10	30 P.I	40 IAI	50 1CS	20	50	50	50	50	50 1	50 1		8				2	20	2	8	90 TR	80 ∓R	% TRI	100 ROU	100 ROL	100 ROL	38 F		100 ROU	100 ROU	₩	110 M1	110 M
Tid Sect S	_	-	_		-	_	_	_	-	_	_		-	_	_		-	-	_	_	-	-	_	-	-	-	-		_	-	-	-	-
Tids	53%	534	2%	2%	534	23%	5%	534	534	534	534		534	534	534		534	534	534	534	534	534	534	534	534	534	534		534	5%	2%	534	534

Page 57

	,	9/28/90	9/28/90	06/82/6	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	6/28/90	9/28/90	9/28/90	9/28/90			9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	06/82/6	9/28/90	9/28/90	06/92/6	9/58/90	;	06/52/6	007.00	0,705/7	04,55,49	04/97/4
	Eval	DLSS.TORIC	2 KL	# 5th	DLSS.FromR1C	m28m	# 77thu	DLSS.CorrectRIC	RP(CurrentCard, 1,80)	0.55.010	DLSS.DocNo	DLSS.DocNoSuffix	DLSS.TransDate			ESR:	DLSS.NSM	m78m	DLSS.NewPartNbr	DLSS.TrensCode	DLSS.RejectCode	DLSS.RejectDate	DLSS.SerialMbr	DLSS.NewSerialWbr	DLSS.RP212	DLSS.RP6318	DLSS.RP237	DLSS.RP552		DLSS.RP362	:	m1On	- 7±-	DLSS.TORIC
	Seq Ord Sect Elid Condition		96 DLSS.FromRIC <> **	DLSS.FromRIC <> ""		DLSS.18DZG and DLSS.CorrectRIC <> ""	66 DLSS.1sDZG and DLSS.CorrectRIC <> ""	DLSS,1s0ZG			Matches(DLSS.DIC./[DE]S[CDFMR]/)	2076 Matches(DLSS.DIC,/IDE]S[CDFMR]/)	Not (Matches(DLSS.DIC,/[DE]SB/) or	(Matches(DLSS.DIC,/[DE]SA/) and	Matches(RP(CurrentCard, 76,2),/0(5-91/))			Matches(DLSS.DIC,/[DE]S[A8]/)		2048 Not Matches(DLSS.DIC,/IDE]SD/)	Matches(DLSS,DIC,/DE)S(ACFR)/)		Mot Matches(DLSS.DIC./[DE]SB/)	Matches (DLSS, DIC, / (DE) SA/)		Matches(DLSS,D1C,/[DE]SB/)	Matches(DLSS.D1C./(DE1S(DM]/)	Matches(DLSS.DIC,/IDE)SA/) and	Matches(RP(CurrentCard, 46, 2), /0[01]/)	Matches(DLSS.DIC,/[DE]SB/) and	Matches(RP(CurrentCard,27,2),/0[01]/)	DLSS.TORIC <> ""	DLSS.TORIC <> ##	
	P :	29	8	8	29	8	8	29	2002	2001		2076	373			128	127	_	127	8	2040		2038	2344	61	5				5		8	8	67
out	2	-	-	-	-	-	-	-	-	-	-	-	-			-	~	-	-	-	-		-	-	-	-	-	-		-		-	-	-
ర	ž į	-	-	-	-	_	_	-	-	_	-	_	-			-	_	_	-	_	_		-	-		-	^			~		_	-	-
::	5	4	_	~	4	_	m	4	_		~	m	4			-	~	-	. ~			٠ ٦	-	. 5	. -	٠ ,	۰ ،	. m	ı	m		,	m	4
Use El	Ctr S	-	~	~	~	m	m	m	-	_	_	-	_			_	-	~	٠,					-					•	_		_	-	-
Seg L	פַ	=	=	=	=	Ŧ	=	=	X	RFL	1	RF.	RFL			REF	REF	# E		SAS	7	240				2	2	2		5		Ħ	Ξ	=
Seg (Ses	110	110	101	110	100	101			2						2														50		8	8	
Pid	Sect	-	_	-	-	-	_	-	-	_	-	-	_			-	-	-	-		•	- +				-	-			-		-	-	-
_	Tids		**	534	534	234	23.	25	24	535	535	535	535			515	535	33				435	7	2 2	25	25	1) £		535		535	535	\$35

Date	0/36/00	2/ 50/ 70	06/92/6		9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	9/28/90	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91
Eval	TA CHE	5	#10#		DLSS. SupAddress	"PL"	m10m	DLSS.ReportUIC	nS711	*10**	DLSS.CorrectUIC	RP(CurrentCard, 1,80)	Exit()	DLSS.DIC	DLSS. SubDate	HSN.	OLSS.NSM	1851	DLSS.EndNSN	DLSS.ReviewInd	DLSS.UnitCube	DLSS.UnitWeight	DLSS.BuyDate	DLSS.DemandDate	*0d*	DLSS.LeadTime	DLSS.EssentCode	#Å#	DLSS.EndDate	DLSS.ExtOpt	1911	DLSS.a0mend	*AA*
Elld Condition	A assistant of the control of the co	Maithreachtsonoile, the seconds of the proposition			Matches(DLSS.DIC,/IDE)S(CDFMR]/)	DLSS.ReportUIC <> ***	DLSS.ReportUIC <> ***		DLSS.CorrectUIC <> ""	DLSS.CorrectUIC <> ***			Not (Matches(DLSS.DIC,/IDE)LS/) or RP(CC(),22,2) = "01")					Matches(DLSS.DIC,/IDE]LX/)	Matches(DLSS.DIC,/(DE)LX/)		Matches(DLSS.DIC,/[DE]LS/)	Matches(DLSS.DIC,/[DE]LS/)	Matches(DLSS.D1C,/IDE)LS/)	Matches(DLSS.DIC,/IDE1LS/)	Matches(DLSS.DIC,/(DEJLS/) and DLSS.LeadTime <> ""	Matches(DLSS.DIC,/[DE]LS/)	Matches(DLSS.DIC,/[DE]LS/)	Matches(DLSS.DIC,/[DE]LS/) and $RP(CC(),59,1) = wyw$	Matches(DLSS.DIC,/[DE]LS/)	Matches(DLSS.DIC,/IDE)LS/)	Matches(DLSS.DIC,/[DE]LS/) and DLSS.QOnHand <> ""	Matches(DLSS.DIC,/[DE]LS/)	Matches(DLSS.DIC,/(DE)LU/) and DLSS.QOnHand <> ""
Elid	: 8	2	8	!	6	8	8	67	8	8	29	2000	0	2001	373	128	127	128	127	2375	2363	33	373	373	345	8	2370	2372	33	2	673	8	673
El Out Seq Ord Sect	: *	-	-	,	-	_	-	-	-	_	-	-	0	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	_	-	-
ord C	-	-	-	•	_	-	~	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E. Seq	: -	-	m		4	_	M	4	-	~	4	-	0	_	4	-	~	-	~	-	~	m	4	ĸ	9	~	•	٥	5	=	12	Ĭ.	-
Use Ctr	; `	J	7	•	7	m	m	m	4	4	4	-	0	-	-	-	-	~	7	-	-	-		-	-	-	-	-	-	-	-	-	-
Seg Seg Seg 1d	: 5		80 H	:	8 =	3 =	60 HT	8 ₹	8	8	3 E	20 XXX	M 0	10 RFL	10 RFL	20 REF	20 REF	20 REF	20 REF	30 RGM	30 RGM	30 RGM	30 RGM	30 RGM	30 RGM	30 RGM	30 RGM	30 RGM	30 RGM	30 80	30 20	30 RGM	40 OTY
Tid Sect	: -	-	-	,	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	_	-
1.6 S	: 5		535		232	232	535	535	535	535	535	535	538	536	536	536	536	536	536	536	536	536	536	536	536	538	538	536	536	538	536	536	536

11 1 2 1 13 13 14 15 15 15 15 15 15 15	1	rid Se	Seg Seg	Use	E	Š	يد			
4.0 017 1 2 1 673 Matches(DLSS, DIC,/DE]LV/) and DLSS, Goniland DLSS, FromElic C = 1 127 Matches(DLSS, DIC,/DE]LV/) and PRCCC(), 24, 1) TLSM, Matches(DLSS, DIC,/DE]LV/) and PRCCC(), 24, 1) TLSM, Matches(DLSS, DIC,/DE]LV/) and PRCCC(), 24, 1) TLSM, Matches(DLSS, DIC,/DE]LV/) and PRCCC(), 25, 2) TLSM, Matches(DLSS, DIC,/DE]LV/) and PRCCC(), 22, 2) = 101**** 6.0 MI 2 1 1 1000 Matches(DLSS, DIC,/DE]LV/) and PRCCC(), 22, 2) = 101**** 6.0 MI 2 1 1 1000 Matches(DLSS, DIC,/DE]LV/) and PRCCC(), 22, 2) = 101***** 6.0 MI 2 1 1 1000 Matches(DLSS, DIC,/DE]LV/) and PRCCC(), 22, 2) = 101***** 7.0 MI 2 1 1 1000 Matches(DLSS, DIC,/DE]LV/) and PRCCC(), 22, 2) = 101***** 8.0 MI 1 1 1 1 1 1 1 1 1	Tid Se		P :	÷ :	Sec :	ord Se	Α :	lld Condition	Eval	Date
50 NP 1 1 128 Matches(01SS, DIC, //DEJLU,DM/) DISS.com/end 50 NP 1 1 128 Matches(01SS, DIC, //DEJLU,DM/) DISS.com/end 50 NP 1 1 128 Matches(01SS, DIC, //DEJLW) and RPCCC(),24,1) "10"	536	-		-	_	~	-		#A.	4/04/91
50 W 1 1 128 Matches(DLS, DLC, DELLW) and RPCCC(), 24, 1)	536	_		-	~	_	-		DLSS.QOnHand	4/04/91
50 NP 1 2 1 127 Matches(DLS. D.C. / DELIM) and michaes(RPCCO, 24, 1), CTM1 / 1 1 198 DLSS. TORIC 0 = 11 127 Matches(DLS. D.C. / DELIM) and michaes(RPCCO, 24, 1), CTM1 / 1 1 198 DLSS. TORIC 0 = 11 1 1 198 DLSS. TORIC 0 = 11 1 1 1 198 DLSS. TORIC 0 = 11 1 1 1 198 DLSS. TORIC 0 = 11 1 1 1 1 1 1 1 1	536	_		-	-	-	_	Matches(DLSS.DIC,/(DE)LW/) and RP(CC(),24,1) <> "	»Ann	4/04/91
60 MI 1 1 1 99 DISS.TORIC 0- mm mythmedia mythmedi	536	-		-	~	_	_		RP(CC(), 24, 1)	16/70/7
60 NI 1 1 1 96 DLSS.TORIC \$\to\$								Matches(RP(CC(),24,1),/[YN]/)		
60 NI 1 3	536	-	2	-	_	-	-	DLSS.TORI	"TO"	4/04/91
60 Mi	538	-	3 E	-	m	_	_	DLSS.TORI	u 7the	4/04/91
60 M1 2 1 1 96 DLSS.FromRIC 0	536	-	2	-	•	-	_	29	DLSS.TORIC	16/70/7
60 M1 2 3 1 1 66 DLSS.FromRIC +> "" "" "" "" "" "" "" "" "" "" "" "" ""	536	-	3	7	_	_	_	DLSS.From		4/04/91
1 60 MI 2 4	536	-	3	~	m	-	_	66 DLSS.FromRIC <> ***	n 7Mai	4/04/91
1 70 XXX 1 1 1 1000 1 Matches(DLSS.SourceDIC,/DEILS/) 100 10 M9 1 1 1 128 100 10 M9 1 1 1 128 100 10 M9 1 3 1 1 369 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCCUrrentCard,67,1) 100 10 M9 1 3 1 1 369 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCCUrrentCard,67,1) 100 10 M9 1 3 2 1 369 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCCUrrentCard,67,1) 100 10 M9 1 4 1 1 373 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCCUrrentCard,67,1) 100 10 M9 1 4 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCCUrrentCard,67,1) 100 20 017 1 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "02" "YL" 100 20 017 1 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "02" "YL" 100 20 017 1 1 2 1 390 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" DLSS.G269 100 20 017 1 2 2 1 390 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" DLSS.G269 100 20 017 1 2 3 1 390 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" DLSS.G270 100 20 017 1 2 4 1 390 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 1 2 4 1 390 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 1 2 4 1 390 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 1 2 4 1 390 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 1 2 4 1 390 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 1 2 4 1 390 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 2 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 2 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 2 1 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 2 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 2 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 2 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2) = "01" RPCS.G270 100 20 017 2 1 1 673 Matches(DLSS.DIC,/DEILV/) and RPCCC(),22,2)	536	-	2	~	•	-	-		DLSS.FromR1C	4/04/91
100 10 k9 1 1 1 1 128 100 10 k9 1 2 1 1 128 100 10 k9 1 3 1 1 369 Matches(0LSS.DIC,/DEILV/) and RP(CCC/,2Z,2) c= "01" RP(CurrentCard,67,1) 100 10 k9 1 3 2 1 359 Matches(0LSS.DIC,/DEILV/) and RP(CCC/,2Z,2) c= "01" RP(CurrentCard,67,1) 100 10 k9 1 4 1 1 373 Matches(0LSS.DIC,/DEILV/) and RP(CCC/,2Z,2) c= "01" RP(CurrentCard,67,1) 100 10 k9 1 4 2 1 373 Matches(0LSS.DIC,/DEILV/) and RP(CCC/,2Z,2) c= "01" DLSS.DateDueIn1 100 20 017 1 1 1 1 1673 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" RP(CurrentCard,67,1) 100 20 017 1 1 2 1 673 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" "17" 100 20 017 1 1 3 1 673 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" "17" 100 20 017 1 1 5 1 673 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" "17" 100 20 017 1 1 5 1 673 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" "17" 100 20 017 1 2 1 380 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" DLSS.QZ49 100 20 017 1 2 2 1 380 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" DLSS.QZ39 100 20 017 1 2 4 130 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" DLSS.QZ310 100 20 017 1 2 6 1 380 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" DLSS.QZ39 100 20 017 1 2 6 1 380 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" DLSS.QZ39 100 20 017 1 2 6 1 380 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" RPS.QZ39 100 20 017 1 2 6 1 380 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" RPS.QZ39 100 20 017 1 2 6 1 380 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" RPS.QZ39 100 20 017 1 2 6 1 380 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" RPW" 101 20 017 2 1 1 673 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" RPW" 101 20 017 2 1 1 1 673 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" RPW" 101 20 017 2 1 1 1 673 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" RPW" 101 20 017 2 1 1 1 673 Matches(0LSS.DIC,/DEILV/) and RP(CCC,)ZZ,2) c= "01" RPW" 101 20 017 2 1 1 1 673 Matches(0LSS.DIC,/DEILV/) and RPCCC, ZZ,2) c= "01" RPW" 101 20 017 2 1 1 1 673 Matches(0LSS.DIC,/DEILV/) and RPCCC,	538	-		-	-	1 10	8	1 Matches(DLSS.SourceDIC,/[DE]LS/)	RP(CC(),1,80)	4/10/91
100 10 M9 1 2 1 1 127 100 10 M9 1 2 1 1 127 100 10 M9 1 3 2 1 369 Matches(0LSS.DIC,/DEILV/) and RP(CCC),222,2) = "01"				-	-	_	-	_	**UX**	4/04/91
100 10 kg 1 3 1 1 369 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" RP(CurrentCard,67,1) 100 10 kg 1 3 2 1 369 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" RP(CurrentCard,67,1) 100 10 kg 1 4 2 1 373 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" RP(CurrentCard,67,1) 100 20 0TY 1 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" "VL" 100 20 0TY 1 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" "VL" 100 20 0TY 1 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "03" "YL" 100 20 0TY 1 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" "VL" 110 20 0TY 1 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" "VL" 111 2 1 1 380 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" "DLSS.Q49 100 20 0TY 1 2 2 1 380 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" DLSS.Q4710 100 20 0TY 1 2 2 1 380 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" DLSS.Q59 100 20 0TY 1 2 3 1 380 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" DLSS.Q59 100 20 0TY 1 2 4 1 380 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" DLSS.Q59 100 20 0TY 1 2 6 1 380 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "03" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "03" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "03" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "03" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "03" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "03" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2) = "03" RYH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CCC(),22,2)				-	~	-	_	127	DLSS.PSN	4/04/91
100 10 NP 1 3 2 1 369 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" RP(CurrentCard,49,1) 100 10 NP 1 4 1 1 373 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" DLSS.DateOueln2 100 10 NP 1 4 2 1 373 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" NY" 100 20 0TY 1 1 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "02" NYC" 100 20 0TY 1 1 2 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "03" NYC" 100 20 0TY 1 1 4 1 673 Matches(DLSS.DIC,/DE]LV/) 100 20 0TY 1 1 5 1 673 Matches(DLSS.DIC,/DE]LV/) 100 20 0TY 1 2 2 1 380 Matches(DLSS.DIC,/DE]LV/) 100 20 0TY 1 2 2 1 380 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" DLSS.Q329 100 20 0TY 1 2 3 1 380 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" DLSS.Q329 100 20 0TY 1 2 3 1 380 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" DLSS.Q329 100 20 0TY 1 2 4 1 380 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" NYM" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" NYM" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" NYM" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" NYM" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "01" NYM" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "03" NYM" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "03" NYM" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "03" NYM" 100 20 0TY 2 1 2 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "03" NYM" 100 20 0TY 2 1 2 1 673 Matches(DLSS.DIC,/DE]LV/) and RP(CCC),22,2) = "03" NYM"				-	m	_	_	Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2)	RP(CurrentCard, 67, 1)	4/04/91
100 10 M9 1 4 1 1 373 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) = "01" DLSS.DateOueIn2 100 10 M9 1 4 2 1 373 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) = "01" DLSS.DateOueIn1 100 20 0TY 1 1 1 673 Matches(DLSS.DIC,/DE]LT/) and RP(CC(),22,2) = "01" My" 100 20 0TY 1 1 2 1 673 Matches(DLSS.DIC,/DE]LT/) and RP(CC(),22,2) = "03" My" 100 20 0TY 1 1 5 1 673 Matches(DLSS.DIC,/DE]LV/) 100 20 0TY 1 1 5 1 673 Matches(DLSS.DIC,/DE]LV/) 100 20 0TY 1 2 1 1 380 Matches(DLSS.DIC,/DE]LT/) and RP(CC(),22,2) = "01" DLSS.0329 100 20 0TY 1 2 2 1 380 Matches(DLSS.DIC,/DE]LT/) and RP(CC(),22,2) = "01" DLSS.0329 100 20 0TY 1 2 3 1 380 Matches(DLSS.DIC,/DE]LU/) and RP(CC(),22,2) = "01" DLSS.0329 100 20 0TY 1 2 5 1 380 Matches(DLSS.DIC,/DE]LU/) and RP(CC(),22,2) = "01" DLSS.0379 100 20 0TY 1 2 5 1 380 Matches(DLSS.DIC,/DE]LU/) and RP(CC(),22,2) = "01" DLSS.0379 100 20 0TY 1 2 6 1 380 Matches(DLSS.DIC,/DE]LU/) and RP(CC(),22,2) = "01" My" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LT/) and RP(CC(),22,2) = "01" My" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LT/) and RP(CC(),22,2) = "01" My" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LT/) and RP(CC(),22,2) = "01" My" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LT/) and RP(CC(),22,2) = "01" My" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE]LT/) and RP(CC(),22,2) = "03" My"				-	m	~	_	Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2)	RP(CurrentCard, 49, 1)	4/04/91
100 20 GTY 1 1 1 673 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "01" "X," 100 20 GTY 1 1 1 673 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "01" "X," 100 20 GTY 1 1 2 1 673 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "02" "YC" 100 20 GTY 1 1 4 1 673 Matches(DLSS.DIC,/ DEILV) 100 20 GTY 1 1 2 1 673 Matches(DLSS.DIC,/ DEILV) 100 20 GTY 1 2 1 1 380 Matches(DLSS.DIC,/ DEILV) 100 20 GTY 1 2 2 1 380 Matches(DLSS.DIC,/ DEILV) 100 20 GTY 1 2 2 1 380 Matches(DLSS.DIC,/ DEILV) 100 20 GTY 1 2 3 1 380 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "01" DLSS.G4710 100 20 GTY 1 2 4 1 380 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "01" DLSS.G4710 100 20 GTY 1 2 5 1 380 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "01" GLSS.G509 100 20 GTY 1 2 6 1 380 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "01" GLSS.G509 100 20 GTY 1 2 6 1 380 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "01" WYW" 100 20 GTY 2 1 2 6 1 380 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "01" WYW" 100 20 GTY 2 1 673 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "01" WYW" 100 20 GTY 2 1 673 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "03" WYW" 100 20 GTY 2 1 673 Matches(DLSS.DIC,/ DEILV) and RP(CCC), 22,2) = "03" WYW"				-	4	-	_	Matches(0LSS.DIC,/[DE]LV/) and RP(CC(),22,2)	DLSS.DateDueIn2	4/04/91
100 20 aty 1 1 1 673 Matches(DLSS.DIC,/DEJLY/) and RP(CC(),22,2) = m01m				-	•	~	_	Matches(DLSS.DIC,/IDEJLV/) and RP(CC(),22,2)	DLSS.DateDueIn1	4/04/91
100 20 0TY 1 1 2 1 673 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "02" "YL" 100 20 0TY 1 1 4 1 673 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "03" "YL" 100 20 0TY 1 1 4 1 673 Matches(DLSS.DIC,/(DE1LV/) and RP(CC(),22,2) = "01" "YG" 100 20 0TY 1 2 1 1 360 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "01" DLSS.Q249 100 20 0TY 1 2 2 1 360 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 0TY 1 2 3 1 360 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 0TY 1 2 4 1 360 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 0TY 1 2 5 1 360 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 0TY 1 2 6 1 360 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 0TY 1 2 6 1 360 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "01" NXH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "01" NXH" 100 20 0TY 2 1 1 1 673 Matches(DLSS.DIC,/(DE1LT/) and RP(CC(),22,2) = "01" NYH"				-	_	-	_	Matches(DLSS.DIC,/ [DE]LT/) and RP(CC(),22,2)	HTX.	4/04/91
100 20 0TY 1 1 3 1 673 Matches(DLSS.DIC,/DE1LV) 100 20 0TY 1 1 4 1 673 Matches(DLSS.DIC,/DE1LV) 100 20 0TY 1 1 5 1 673 Matches(DLSS.DIC,/DE1LV) 100 20 0TY 1 2 1 380 Matches(DLSS.DIC,/DE1LV) 100 20 0TY 1 2 2 1 380 Matches(DLSS.DIC,/DE1LT/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 0TY 1 2 2 1 380 Matches(DLSS.DIC,/DE1LT/) and RP(CC(),22,2) = "01" DLSS.Q470 100 20 0TY 1 2 3 1 380 Matches(DLSS.DIC,/DE1LV/) and RP(CC(),22,2) = "01" DLSS.Q470 100 20 0TY 1 2 4 1 380 Matches(DLSS.DIC,/DE1LV/) and RP(CC(),22,2) = "01" DLSS.Q509 100 20 0TY 1 2 5 1 380 Matches(DLSS.DIC,/DE1LV/) and RP(CC(),22,2) = "01" DLSS.Q509 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE1LV/) and RP(CC(),22,2) = "01" WYW" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/DE1LV/) and RP(CC(),22,2) = "01" WYW"				-	-	7	_	Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2)	mJ.k.	4/04/91
100 20 01Y 1 1 4 1 673 Matches(DLSS.DIC,/DEILV/) 100 20 01Y 1 1 5 1 673 Matches(DLSS.DIC,/DEILV/) 100 20 01Y 1 2 1 380 Matches(DLSS.DIC,/DEILT/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 01Y 1 2 2 1 380 Matches(DLSS.DIC,/DEILT/) and RP(CC(),22,2) = "01" DLSS.Q470 100 20 01Y 1 2 3 1 380 Matches(DLSS.DIC,/DEILU/) and RP(CC(),22,2) = "01" DLSS.Q4710 100 20 01Y 1 2 4 1 380 Matches(DLSS.DIC,/DEILU/) and RP(CC(),22,2) > "01" DLSS.Q4710 100 20 01Y 1 2 5 1 380 Matches(DLSS.DIC,/DEILU/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 01Y 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CC(),22,2) = "01" NXH" 100 20 01Y 2 1 1 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CC(),22,2) = "01" NXH" 100 20 01Y 2 1 2 1 673 Matches(DLSS.DIC,/DEILV/) and RP(CC(),22,2) = "02" NYM"				-	_	m	_	Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2)	m TAn	4/04/91
100 20 017 1 2 1 380 Matches(DLSS.DIC,/DE]LIV) 100 20 017 1 2 2 1 380 Matches(DLSS.DIC,/DE]LIV) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 017 1 2 2 1 380 Matches(DLSS.DIC,/DE]LIV) and RP(CC(),22,2) = "01" DLSS.Q470 100 20 017 1 2 3 1 380 Matches(DLSS.DIC,/DE]LUV) and RP(CC(),22,2) = "01" DLSS.Q4710 100 20 017 1 2 5 1 380 Matches(DLSS.DIC,/DE]LUV) and RP(CC(),22,2) = "01" DLSS.Q509 100 20 017 1 2 6 1 380 Matches(DLSS.DIC,/DE]LVV) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 017 2 1 1 673 Matches(DLSS.DIC,/DE]LIV) and RP(CC(),22,2) = "01" WXH" 100 20 017 2 1 673 Matches(DLSS.DIC,/DE]LIV) and RP(CC(),22,2) = "01" WYH" 100 20 017 2 1 673 Matches(DLSS.DIC,/DE]LIV) and RP(CC(),22,2) = "03" WYH"				-	-	•	-	_	m17m	4/04/91
100 20 017 1 2 1 1380 Matches(DLSS.DIC,/IDE]LT/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 017 1 2 2 1380 Matches(DLSS.DIC,/IDE]LT/) and Address of the state of				-	_	1 0	_			4/04/91
100 20 qTY 1 2 2 1 380 Matches(DLSS.DIC,/IDE]LT/) and Matches(RP(CC(),22,2),/01231/) 100 20 qTY 1 2 3 1 380 Matches(DLSS.DIC,/IDE]LU/) and RP(CC(),22,2) = "01" DLSS.Q4710 100 20 qTY 1 2 4 1 380 Matches(DLSS.DIC,/IDE]LU/) and RP(CC(),22,2) <" "01" DLSS.Q509 100 20 qTY 1 2 6 1 380 Matches(DLSS.DIC,/IDE]LV/) and RP(CC(),22,2) = "01" DLSS.Q509 100 20 qTY 2 1 1 673 Matches(DLSS.DIC,/IDE]LT/) and RP(CC(),22,2) = "01" "XH" 100 20 qTY 2 1 2 1 673 Matches(DLSS.DIC,/IDE]LT/) and RP(CC(),22,2) = "03" "YP" 100 20 qTY 2 1 3 1 673 Matches(DLSS.DIC,/IDE]LT/) and RP(CC(),22,2) = "03" "YP"				-	~	-	_	_	DLSS.0329	4/04/91
100 20 qTY 1 2 3 1 380 Matches(DESS.DIC,/DEJLU/) and RP(CC(),22,2) = "01" DLSS.Q4710 100 20 qTY 1 2 4 1 380 Matches(DLSS.DIC,/DEJLU/) and RP(CC(),22,2) <> "01" DLSS.Q3210 100 20 qTY 1 2 6 1 380 Matches(DLSS.DIC,/DEJLU/) and RP(CC(),22,2) <> "01" DLSS.Q329 100 20 qTY 1 2 6 1 380 Matches(DLSS.DIC,/DEJLV/) and RP(CC(),22,2) = "01" DLSS.Q329 100 20 qTY 2 1 1 673 Matches(DLSS.DIC,/DEJLY/) and RP(CC(),22,2) = "01" "XH" 100 20 qTY 2 1 2 1 673 Matches(DLSS.DIC,/DEJLY/) and RP(CC(),22,2) = "02" "YP" 100 20 qTY 2 1 3 1 673 Matches(DLSS.DIC,/DEJLY/) and RP(CC(),22,2) = "03" "YW"	-			-	~	7	_		01.55.9249	4/04/91
100 20 017 1 2 3 1 380 Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "01" DLSS.04710 100 20 017 1 2 4 1 380 Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) <> "01" DLSS.03210 100 20 017 1 2 5 1 380 Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) = "01" DLSS.0509 100 20 017 2 1 1 1 673 Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) = "01" MYH" 100 20 017 2 1 2 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "02" MYH" 100 20 017 2 1 3 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "03" MYH"								Matches(RP(CC(), 22, 2), /0[23]/)		
100 20 0TY 1 2 4 1 380 Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) <> "01" DLSS.Q3210 100 20 0TY 1 2 5 1 380 Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) = "01" DLSS.Q509 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/[DE]LY/) and RP(CC(),22,2) = "01" "XH" 100 20 0TY 2 1 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "02" "YP" 100 20 0TY 2 1 2 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "03" "YP"				-	~	m	_	Matches(DLSS.DIC, / [DE]LU/) and RP(CC(), 22, 2)	DLSS.04710	4/04/91
100 20 017 1 2 5 1 380 Matches(DLSS.DIC,/[DE]LV/) end RP(CC(),22,2) = "01" DLSS.Q509 100 20 017 1 2 6 1 380 Matches(DLSS.DIC,/[DE]LV/) end RP(CC(),22,2) <> "01" DLSS.Q329 100 20 017 2 1 1 1 673 Matches(DLSS.DIC,/[DE]LT/) end RP(CC(),22,2) = "01" "XH" 100 20 017 2 1 2 1 673 Matches(DLSS.DIC,/[DE]LT/) end RP(CC(),22,2) = "02" "YP" 100 20 017 2 1 3 1 673 Matches(DLSS.DIC,/[DE]LT/) end RP(CC(),22,2) = "03" "YM"			10 OTY	-	~	4	_	Matches(DLSS.DIC,/(DE)LU/) and RP(CC(),22,2)	DLSS.43210	4/04/91
100 20 QTY 1 2 6 1 380 Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> "01" DLSS.Q329 100 20 QTY 2 1 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "01" "XH" 100 20 QTY 2 1 2 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "02" "YD" 100 20 QTY 2 1 3 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "03" "YM"			0 017	-	~	1	_	Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2)	DLSS.0509	4/04/91
100 20 QTY 2 1 1 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "01" "XH" 100 20 QTY 2 1 2 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "02" "YD" 100 20 QTY 2 1 3 1 673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "03" "YM"				-	~	•	-	Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2)	01.55.0329	4/04/91
100 20 GTY 2 1 2 1 673 Matches(DLSS.DIC,/[DE]LT/) end RP(CC(),22,2) = "02" "YD" 100 20 GTY 2 1 3 1 673 Matches(DLSS.DIC,/[DE]LT/) end RP(CC(),22,2) = "03" "YM"				~		-	_	Matches(DLSS.DIC,/IDEJLT/) and RP(CC(),22,2) =	HXXH	4/04/91
100 20 GTY 2 ; 3 1 673 Matches(DLSS.DIC,/(DE]LT/) and RP(CC(),22,2) = "03" "YM"				~	-	~	-	Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) =	mQAm	4/04/91
				~	ζ	m	_	and RP(CC(), 22, 2)	a A A	4/04/91

	Date	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	10/70/7		4/04/91
	Eval	DLSS.0419	DLSS.0335	#X2#	uyEn	· NAn	DLSS.0505	DLSS. 0389	my'm	***	нфи	DLSS.q559	DLSS.0475	*84*	#9*#	wo.ka	DLSS.0649	DLSS.4539	m7.Au	at No.	nyg.	DLSS.9738	DLSS.Q625	arka	»SA:	DLSS.0679	MYK#	mile	DLSS.9765	RP(CurrentCard, 60, 1)	C 54 bredicerrion of		RP(CurrentCard, 60, 1)
	Elid Condition	380 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "01"	380 Matches(DLSS.DIC,/IDE)LT/) and RP(CC(),22,2) <> "01"	673 Matches(DLSS.DIC,/(DE]LT/) and RP(CC(),22,2) = "01"	673 Matches(OLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "02"	673 Matches(DLSS.DIC,/(DE]LT/) and RP(CC(),22,2) = "03"	Ē	380 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) <> "01"	673 Matches(DLSS.DIC,/(DE)LT/) and RP(CC(),22,2) = "01"	673 Matches(DLSS.DIC,/(DEJLT/) and RP(CC(),22,2) = "02"	673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "03"	380 Matches(DLSS.DIC,/(DE]LT/) and RP(CC(),22,2) = "01"	380 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) <> "01"	673 Matches(DLSS.DIC,/(DE]LT/) and RP(CC(),22,2) = "01"	673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "02"	673 Metches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "03"	380 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "01"	380 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) <> "01"	673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "01"	673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "02"	673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "03"	380 Matches(DLSS.DIC,/(DE)LT/) and RP(CC(),22,2) = "01"	380 Matches(DLSS.DIC,/(DE]LT/) and RP(CC(),22,2) <> "01"	673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "02"	673 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) = "03"	380 Matches(DLSS.DIC,/(DE]LT/) and RP(CC(),22,2) <> "01"	673 Matches(DLSS.DIC,/(DE]LT/) and RP(CC(),22,2) = "02"	673 Matches(DLSS.DIC,/(DE]LT/) and RP(CC(),22,2) = "03"	380 Matches(DLSS.DIC,/[DE]LT/) and RP(CC(),22,2) <> +01*	11 Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "01" and	Ishumeric(RP(CC(),60,1)) 13 Matcheson CS DIC / (ME111/) and RB(CC() 22 2) <> M01H and	18Mmeric(RP(CC(), 45, 1))	Matches(DL IsAlpha(RP
	=======================================	~ ~	×	± 6.	19	6	X	X	- 6.	- 6	- 63	X	x	- 6	-	- 6	X	X	- 63	- 6	- 6	X	X	- 6	- 6	X	- 6	- 6	X	5	2011	3	1 2012
	Sect								_	· 		_	· 	_			_		_	•	_	_	· 		_		_	•	_	•	_		
	9 ord	_		_	•	-,	_	•	_	•	μ,	_	•	_		7	_		•	•	- 1	_		_	10	_	_	~	_		•	•	-
Use El	Ctr Seq	~	~	_	_	-	~	~	_	_	_	~	~	_	_	_		~	_	-	_	7	7	-	-	~	_	_	2	_	_	•	~
Seg Us	ن چ	01Y	77	917	OTY 3	QTY 3	710	OTY 3	91Y 4	0TY 4	017 A	9TY 4	4 YT0	01Y 5	977	OTY 5	770	977	OTY	017 6	01¥	aty 6	OTY 6	0TY 7	QTY 7	0TY 7	OTY 8	OTY 8	OTY 8	ICS 1	2	?	103
Seg S	≥ Sed	20 0	200	2	200	20	200	20 0	200	200						2		200	S 0		2	200	200	2	20 0	S 0	20 0	20 0	200	30	5		8
9	Sect	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	٤	3	8
_	<u>P</u> :	536	536	536	536	536	536	536	536	536	536	536	538	536	536	536	536	536	536	536	536	536	538	536	536	536	536	536	536	536	713		53.

R RR 9 9 9 9 9 9 9 8 8 8 8 8 8 8 8 8 8 8	Tid Sect		ld ctr	L Sed	o d	Ord Sect		Elld Condition	Eval	Date
9 115 1 3 1 1 2065 Watches(0185.DIC, CDELLW) and RP(CCC), 22, 2) = "0 1"	536 100			~	~	-	201	Matches (16/70/7
30 ICS 1 3 2 1 2065 Natches(DLSS.DIC,/DEJUV) and RP(CC(),22,2) ↔ "01** RP(CurrentCard,46,1) 40 M1 1 1 2 1 99 Natches(DLSS.DIC,/DEJUV) 40 M1 1 1 2 1 99 Natches(DLSS.DIC,/DEJUV) 40 M1 1 2 1 99 Natches(DLSS.DIC,/DEJUV) 40 M1 1 4 2 1 66 Natches(DLSS.DIC,/DEJUV) 40 M1 1 4 2 1 67 Natches(DLSS.DIC,/DEJUV) 40 M1 1 4 3 1 67 Natches(DLSS.DIC,/DEJUV) 40 M1 1 4 4 1 67 Natches(DLSS.DIC,/DEJUV) 40 M1 1 4 1 255 Natches(DLSS.DIC,/DEJUV) 40 M1 1 4 2 1 67 Natches(DLSS.DIC,/DEJUV) 40 M1 1 4 1 1 255 Natches(DLSS.DIC,/DEJUX) 40 M1 1 4 1 1 255 Natches(DLSS.DIC,/DEJUX) 40 M1 1 4 1 1 257 Natches(DLSS.DIC,/DEJUX) 40 M1 1 4 1 1 257 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 2 1 1 2004 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 2 1 1 2010 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 2 1 1 2010 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 2 1 1 2010 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 2 1 1 2010 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 2 1 1 2010 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 2 1 1 2010 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 2 1 1 2010 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 2 1 1 2010 Natches(DLSS.DIC,/DEJUX) 40 M1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8		S	m	-	_	206	Matches(DLSS.DIC./[DE]LU/)	RP(CurrentCard, 61, 1)	16/70/4
0 M1 1 1 1 1 1 99 Matches(0LSS.DIC,/DEILUV) 10 M1 1 1 1 1 1 99 Matches(0LSS.DIC,/DEILUV) 11 1 1 1 1 1 1 99 Matches(0LSS.DIC,/DEILUV) 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8		S	m	~	_	208	Matches(DLSS,DIC,/[DE]LU/)	RP(CurrentCard, 46, 1)	16/70/7
4.0 M 1 2 1 96 Matches(10LSS_DIC_//DELIUV)) 4.0 M 1 4 5 1 66 Matches(10LSS_DIC_//DELIUV)) and RP(CC(), 22_2) = "0 1" DISS_RIGGY 4.0 M 1 4 5 67 Matches(10LSS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" DISS_RIGGY 4.0 M 1 4 5 67 Matches(10LSS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" DISS_RIGGY 4.0 M 1 4 5 67 Matches(10LSS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" DISS_RIGGY 4.0 M 1 4 5 67 Matches(10LSS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_46_4_1) 5.0 RGT 1 1 12551 Matches(10LSS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_46_4_1) 5.0 RGT 1 3 1 869 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_46_4_1) 5.0 RGT 1 3 1 2359 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_46_4_1) 5.0 RGT 4 1 12550 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_46_4_1) 5.0 RGT 5 1 12550 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_46_4_1) 5.0 RGT 6 1 12510 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_46_4_1) 5.0 RGT 6 1 12014 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_46_4_1) 5.0 RGT 7 1 12014 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_37_1) 5.0 RGT 8 1 1 1 1204 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_37_1) 5.0 RGT 9 1 12014 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) = "0 1" RP(CurrentCard_37_1) 5.0 RGT 1 1 1 1204 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) > "0 1" RP(CurrentCard_37_1) 5.0 RGT 1 2 1 1204 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) > "0 1" RP(CurrentCard_37_1) 5.0 RGT 2 1 1 1204 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) > "0 1" RP(CurrentCard_37_1) 5.0 RGT 2 1 1204 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) > "0 1" RP(CurrentCard_37_1) 5.0 RGT 2 1 1204 Matches(10LS_DIC_//DELIUV) and RP(CC(), 22_2) > "	8	H 07			_	_	5	DLSS.DIC,/[DE]LU/)	"ro"	4/04/91
4.0 M 1	\$	N 07	=	-	7	_	5	Matches (*RC*	4/04/91
4.0 Ni 1 4 4 1 67 Matchea(015S.DIC,/DEILU/) and RP(CCC(),22,2) = "01" DISS.RIG57 4.0 Ni 1 4 4 2 1 67 Matchea(01SS.DIC,/DEILU/) and RP(CCC(),22,2) = "01" DISS.RIG57 4.0 Ni 1 4 4 1 67 Matchea(01SS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" DISS.RIG54 4.0 Ni 1 4 4 1 67 Matchea(01SS.DIC,/DEILV/) and RP(CCC(),22,2) = "01" DISS.RIG54 5.0 Ni 1 1 1 12373 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,46,1) 5.0 Ni 1 1 1 1309 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" MR" 5.0 Ni 1 1 2 1 1309 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" MR" 5.0 Ni 1 1 2 1 1309 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" MR" 5.0 Ni 1 1 2 1 12373 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,46,1) 5.0 Ni 1 1 2 1 12374 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,46,1) 5.0 Ni 1 1 2 1 12374 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,46,1) 5.0 Ni 1 2 1 12374 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,56,1) 5.0 Ni 1 2 1 12374 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,56,1) 5.0 Ni 1 2 1 1238 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,56,1) 5.0 Ni 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,56,1) 5.0 Ni 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) = "01" MR" 7.0 Ni 1 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) - "01" MR DISS.PSN 7.0 Ni 1 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) - "01" MR DISS.PSN 7.0 Ni 1 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) - "01" MR DISS.PSN 7.0 Ni 1 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) - "01" MR DISS.PSN 7.0 Ni 1 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) - "01" MR DISS.PSN 7.0 Ni 1 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) - "01" MR DISS.PSN 7.0 Ni 1 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) - "01" MR DISS.PSN 7.0 Ni 1 1 2 1 128 Matchea(01SS.DIC,/DEILX/) and RP(CCC(),22,2) - "01" MR DISS.PSN 7.0 Ni 1 1 2 1 128	\$	H 07	-	m	-	_	<u>ح</u>	Matches (714	4/04/91
4.0 Mil 1 4 2 1 67 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) c= "01" DISS.RICG2 4.0 Mil 1 4 4 1 67 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) c= "01" DISS.RICG3 4.0 Mil 1 4 4 1 67 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) c= "01" RPCCurrentCard.46,1) 50 RGT 1 1 1 1 2351 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.46,1) 50 RGT 1 3 1 1 46.9 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.46,1) 50 RGT 1 3 1 1 46.9 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.46,1) 50 RGT 1 4 1 12373 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.46,1) 50 RGT 1 5 1 12373 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.46,1) 50 RGT 1 5 1 12373 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.46,1) 50 RGT 1 5 1 12373 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.46,1) 50 RGT 1 7 1 12004 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.55,1) 50 RGT 1 7 1 120 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.55,1) 50 RGT 1 7 1 120 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.55,1) 50 RGT 1 7 1 120 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" RPCCurrentCard.55,1) 50 RGT 1 7 1 120 Natches(0LSS.DIC./DEJLV/) and RPCCC(),22,2) = "01" NATCHES(0LSS.DIC./DEJLV/) and RPCCC(),22,2) - "01" and RPCCC(),22,2) - "01	5	40 H	_	4	-	_	9	Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2)	DLSS.RIC57	4/04/91
4.0 Ni 1 4 5 1 67 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" DLSS.RIC59 4.0 Ni 1 4 4 6 7 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" RP(CurrentCard,46,1) 5.0 RGT 1 1 1237 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" RP(CurrentCard,46,1) 5.0 RGT 1 3 1 1 669 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" and "0R" 5.0 RGT 1 3 2 1 869 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" and "0R" 5.0 RGT 1 3 2 1 869 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" and "0R" 5.0 RGT 1 4 1 1237 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" RP(CurrentCard,48,1) 5.0 RGT 1 5 1 1 2375 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" RP(CurrentCard,48,1) 5.0 RGT 1 6 1 1 2375 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" RP(CurrentCard,58,1) 5.0 RGT 1 6 1 1 2375 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" RP(CurrentCard,58,1) 5.0 RGT 1 6 1 1 2014 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" RP(CurrentCard,58,1) 5.0 RGT 1 7 1 2014 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" RP(CurrentCard,58,1) 5.0 NF 1 1 1 128 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) = "01" RP(CurrentCard,58,1) 7.0 NF 1 1 1 128 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) > "01" and "UX" 7.0 NF 1 1 1 128 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) > "01" and "UX" 7.0 NF 1 1 1 137 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) > "01" and RP(CCC, 22,2) 7.0 NF 1 1 1 337 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) > "01" and RP(CCC, 22,2) 7.0 NF 1 1 1 337 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) > "01" and RP(CCC, 22,2) 7.0 NF 1 1 1 337 Natches(0LSS.DIC,/DELLV) and RP(CCC),22,2) > "01" and RP(CCC, 22,2) 7.0 NF 1 1 1 337 Natches(0LSS.DIC,/DELLV) and RP(CCC, 22,2) > "01" and RP(CCC, 22,2) 7.0 NF 1 1 1 337 Natches(0LSS.DIC,/DELLV) and RP(CCC, 22,2) > "01" and RP(CCC, 22,2) 7.0 NF 1 1 1 337 Natches(0LSS.DIC,/DELLV) and RP(CCC, 22,2) > "01" and RP(CCC, 22,2) 7.0 NF 1 1 1 337 Natches(0LSS.DIC,/DELLV) and RP(CCC, 22,2) > "01" and RP(CCC, 22,2) 7.0 NF 1 1 1 337 Natches(0LSS.DIC,/DELLV) and RP(CCC, 22,2) > "01" and RP(CCC, 22,2) 7	8	H 07	-	4	~	_	•	Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2)	DLSS.RIC42	4/04/91
50 KGT 1 1 1 2351 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,46,1) 50 KGT 1 1 1 2351 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,46,1) 50 KGT 1 3 1 1 869 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" and "02" RP(CCC(),47,1) = "1" 50 KGT 1 4 1 2375 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" ADS: RP(CCC(),47,1) = "1" RP(CCC(),47,1) = "1" RP(CCC(),47,1) = "1" RP(CCC(),47,1) = "2" S0 KGT 1 5 1 1 2375 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,49,1) S0 KGT 1 5 1 1 2375 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,49,1) S0 KGT 1 5 1 1 2375 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,57,1) S0 KGT 1 6 1 1 2375 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,57,1) S0 KGT 1 6 1 1 2018 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,57,1) S0 KGT 1 8 1 1 2018 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,57,1) S0 KGT 1 8 1 1 2018 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,57,1) S0 KGT 1 8 1 1 2018 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,57,1) S0 KGT 1 8 1 1 2018 Metches(0LSS.DIC,/DELIX/) and RP(CCC(),22,2) = "01" RP(CurrentCard,57,1) S0 KGT 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8	N 07	_	4	m	_	•	Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2)	DLSS.R1C59	16/70/1
50 RGT 1 1 1 2351 Matches(DLSS.DIC,/DE]LX/) and RP(CC(),22,2) = "01"	8	N 07	-	4	**	_	•	Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2)	DLSS.RIC41	16/70/1
50 RGT 1 2 1 1 309 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" and "OR" 50 RGT 1 3 1 649 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" and "OR" 50 RGT 1 3 2 1 649 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" and "OS" FP(CCC(),47,1) = "2" 50 RGT 1 5 1 12373 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" 50 RGT 1 5 1 12373 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" 50 RGT 1 7 1 12004 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" 50 RGT 1 7 1 12004 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" 50 RGT 1 7 1 12004 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" 50 RGT 1 7 1 12014 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" 50 RGT 1 8 1 12014 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" 50 RGT 1 9 1 12018 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) = "01" 60 MTE 1 2 1 120 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) > "01" 61 RP(CUTTENTCAND, 32,48) 62 RGT 1 2 1 120 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) > "01" 63 RGT 1 3 1 120 Matches(DLSS.DIC./ (DELLX/) and RP(CCC(),22,2) > "01" 64 RP(CCCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCO	\$	50 R	15	-	_	_	235	Matches(DLSS.DIC,/[DE]LX/) and	RP(CurrentCard,46,1)	16/70/7
50 RGT 1 3 1 1 849 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" and "OR" RP(CC(),47,1) = "12" S0 RGT 1 4 1 12373 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" and "OS" RP(CC(),47,1) = "2" RP(CC(),47,1) = "2" RP(CC(),47,1) = "2" S0 RGT 1 5 1 12373 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" S0 RGT 1 6 1 12374 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" S0 RGT 1 6 1 12374 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" S0 RGT 1 7 1 12004 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) S0 RGT 1 9 1 12018 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) S0 RGT 1 9 1 12018 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) S0 RGT 1 9 1 1 2018 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) S0 RGT 1 9 1 1 2018 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) S0 RGT 1 9 1 1 2018 Matchee(DLSS.DIC,/DEJLX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) S0 RGT 1 9 1 1 2018 Matchee(DLSS.DIC,/DEJLV/) and RP(CC(),22,2) - "01" and DLSS.PSM DLSS.GSO9 <> "" NW 1 2 1 1 37 Matchee(DLSS.DIC,/DEJLV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) NW 1 3 1 1 359 Matchee(DLSS.DIC,/DEJLV/) and RP(CC(),22,2) <> "01" and DLSS.DSO9 <> "" NW 1 3 1 1 378 Matchee(DLSS.DIC,/DEJLV/) and RP(CC(),22,2) <> "01" and DLSS.DsteDuelr2 NW 1 4 1 1 37 Matchee(DLSS.DIC,/DEJLV/) and RP(CC(),22,2) <> "01" and DLSS.DsteDuelr2 NW 1 5 1 1 37 Matchee(DLSS.DIC,/DEJLV/) and RP(CC(),22,2) <> "01" and DLSS.DsteDuelr2	5	50 %	67	7	-	_	30	Matches(DLSS.DIC,/[DE]LX/) and	nSI n	4/04/91
90 RGT 3 2 649 Matches(DLSS,DIC,/DE)LX/) and RP(CC(),22,2) = "01" and "DS" FP(CCC(),47,1) = "4" FP(CCC),42,1) = "4" FP(CCC),42,2) = "01" FP(CCC),42,1) FP(CCC),42,1) FP(CCC),43,1) FP(CCCC),43,1) FP(CCC),43,1) FP(CCC),4	8		15	m	-	_	Š	Matches(DLSS.DIC,/[DE]LX/) and RP(CC(),22,2) = "01"	"OR"	16/70/7
50 RGT 1 3 2 1 649 Matches(DLSS.DIC,/DELIX/) and RP(CC(),22,2) = "01" and "DS" RP(CC(),47,1) = "2" S0 RGT 1 4 1 12373 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) = "01" S0 RGT 1 5 1 12350 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) = "01" S0 RGT 1 6 1 12374 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) = "01" S0 RGT 1 6 1 1 2004 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) = "01" S0 RGT 1 6 1 1 2014 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) = "01" S0 RGT 1 6 1 1 2014 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) = "01" S0 RGT 1 6 1 1 2016 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) = "01" S0 RGT 1 7 1 2018 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) = "01" S0 RGT 1 8 1 1 2018 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) = "01" S0 RGT 1 9 1 1 2018 Matches(DLS.DIC,/DELIX/) and RP(CC(),22,2) <- "01" and "DX" S0 RGT 1 9 1 1 12 Matches(DLS.DIC,/DELIV/) and RP(CC(),22,2) <- "01" and DLS.PSN DLSS.G509 <- "" S0 M9 1 2 2 1 127 Matches(DLS.DIC,/DELUV/) and RP(CC(),22,2) <- "01" and DLS.PSN DLSS.G509 <- "" S0 M9 1 3 1 1 369 Matches(DLS.DIC,/DELUV/) and RP(CC(),22,2) <- "01" and DLSS.DateDueIn2 S0 M9 1 3 1 1 378 Matches(DLS.DIC,/DELUV/) and RP(CC(),22,2) <- "01" and DLSS.DateDueIn2 S0 M9 1 4 1 3 3 Matches(DLS.DIC,/DELUV/) and RP(CC(),22,2) <- "01" and DLSS.DateDueIn2										
50 RGT 1 4 1 2373 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) = "01" RP(CurrentCard,48,1) 50 RGT 1 5 1 1 2350 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) = "01" RP(CurrentCard,49,1) 50 RGT 1 6 1 1 2374 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) = "01" RP(CurrentCard,59,1) 50 RGT 1 7 1 2004 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 RGT 1 7 1 2014 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 RGT 1 8 1 1 2014 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 RGT 1 9 1 1 2018 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 NF 1 1 2 1 128 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) < "01" and "DK" 70 NF 1 1 2 1 127 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) < "01" and DLSS.PSN 70 NF 1 2 2 1 127 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) < "01" and RP(CC(),22,2) 70 NF 1 3 1 1 369 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) < "01" and RP(CC(),22,2) 70 NF 1 4 1 37 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) < "01" and DLSS.DateDueIn2 70 NF 1 4 1 37 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) < "01" and DLSS.DateDueIn2 70 NF 1 4 1 37 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) < "01" and DLSS.DateDueIn2 70 NF 1 4 1 37 Matches(DLSS.DIC,/DELX/) and RP(CC(),22,2) < "01" and DLSS.DateDueIn2	8		15	m	~	_	ž	Matches (*SQ*	4/04/91
50 RGT 1 5 1 12350 Matches(DLSS.DIC,/DE]LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,49,1) 50 RGT 1 6 1 12374 Matches(DLSS.DIC,/DE]LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 RGT 1 7 1 12004 Matches(DLSS.DIC,/DE]LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 RGT 1 8 1 12014 Matches(DLSS.DIC,/DE]LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 RGT 1 9 1 12014 Matches(DLSS.DIC,/DE]LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 RGT 1 9 1 12014 Matches(DLSS.DIC,/DE]LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 RGT 1 9 1 1 2014 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) < "01" and "UX" 70 M9 1 1 2 1 127 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.PSM 70 M9 1 2 1 1 127 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) <> "01" and RP(CC(),22,2) 70 M9 1 3 1 1 369 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) 70 M9 1 4 1 1 379 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 70 M9 1 4 1 1 379 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 70 M9 1 4 1 1 379 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 70 M9 1 4 1 1 379 Matches(DLSS.DIC,/DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2	8		-	4	-	_	237.	Matches(DLSS.DIC,/ [DE]LX/)	RP(CurrentCard, 48, 1)	16/70/7
50 RGT 1 6 1 12374 Matches(DLSS.DIC,/DE]LX/) and RP(CC(),22,2) = "01"	8		1 19	₩	-	_	235	Matches(DLSS.DIC,/[DE]LX/) and	RP(CurrentCard, 49, 1)	16/70/7
50 RGT 1 7 1 12004 Matches(DLSS.DIC,/IDE)LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,55,1) 50 RGT 1 8 1 12014 Matches(DLSS.DIC,/IDE)LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,56,1) 50 RGT 1 9 1 12018 Matches(DLSS.DIC,/IDE)LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,57,1) 60 NTE 1 2 1 1 3 Matches(DLSS.DIC,/IDE)LX/) and RP(CC(),22,2) <> "01" RP(CurrentCard,57,1) 70 N9 1 1 1 2 1 128 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and "UX" 70 N9 1 1 2 1 127 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.PSN 70 N9 1 2 2 1 127 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and RP(CC(),22,2) 70 N9 1 3 1 1369 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.PSN 70 N9 1 4 1 1373 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 70 N9 1 4 1 1373 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 70 N9 1 4 1 1373 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2	8		15	•	-	_	237	Matches(DLSS.DIC,/[DE]LX/) and RP(CC(),22,2) =	DLSS.SMRCode	4/04/91
50 RGT 1 8 1 12014 Matches(DLSS.DIC,/(DE)LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,56,1) 50 RGT 1 9 1 12018 Matches(DLSS.DIC,/(DE)LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,57,1) 60 NTE 1 2 1 1 3 Matches(DLSS.DIC,/(DE)LX/) and RP(CC(),22,2) <> "01" RP(CurrentCard,32,48) 70 N9 1 1 2 1 128 Matches(DLSS.DIC,/(DE)LV/) and RP(CC(),22,2) <> "01" and "UX" 70 N9 1 2 1 127 Matches(DLSS.DIC,/(DE)LV/) and RP(CC(),22,2) <> "01" and DLSS.PSN 70 N9 1 2 2 1 127 Matches(DLSS.DIC,/(DE)LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) 70 N9 1 3 1 1369 Matches(DLSS.DIC,/(DE)LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) 70 N9 1 4 1 1373 Matches(DLSS.DIC,/(DE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 70 N9 1 4 1 1373 Matches(DLSS.DIC,/(DE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 70 N9 1 4 1 1373 Matches(DLSS.DIC,/(DE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2	8		1 15	~	-	_	200	Metches(DLSS.DIC,/[DE]LX/) and RP(CC(),22,2) =	RP(CurrentCard, 55, 1)	16/70/1
50 RGT 1 9 1 1 2018 Matchee(DLSS.DIC,/IDE1LX/) and RP(CC(),22,2) = "01" RP(CurrentCard,57,1) 60 NTE 1 2 1 1 3 Matches(DLSS.DIC,/IDE1LX/) and RP(CC(),22,2) <> "01" RP(CurrentCard,52,48) 70 N9 1 1 1 128 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and "UX" 70 N9 1 1 2 1 127 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and DLSS.PSN 70 N9 1 2 2 1 127 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) 70 N9 1 2 2 1 127 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) 70 N9 1 3 1 1 369 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 70 N9 1 4 1 373 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 70 N9 1 4 1 1 373 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2	8		15	•	-	_	201	Matches(DLSS.DIC,/[DE]LX/) and RP(CC(),22,2)	RP(CurrentCard,56,1)	4/04/91
60 NTE 1 2 1 1 3 Matches(DLSS.DIC,/IDE)LX/) and RP(CC(),22,2) <> "01" RP(CurrentCard,32,48) 70 NY 1 1 1 128 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and "UX" 70 NY 1 1 2 1 128 Matches(DLSS.DIC,/IDE)LU/) 70 NY 1 2 1 127 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.PSN 70 NY 1 2 2 1 127 Matches(DLSS.DIC,/IDE)LU/) 70 NY 1 3 1 1 369 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) 70 NY 1 4 1 1373 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDuein2 70 NY 1 4 1 1373 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDuein2	8		15	۰	_	_	201	Matches(DLSS.DIC,/[DE]LX/) and RP(CC(),22,2)	RP(CurrentCard, 57, 1)	16/70/7
70 N9 1 1 1 128 Matches(DLSS.DIG,/IDE)LV/) and RP(CC(),22,2) <> "01" and "UX" 70 N9 1 2 1 128 Matches(DLSS.DIG,/IDE)LU/) 70 N9 1 2 1 127 Matches(DLSS.DIG,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.PSN 70 N9 1 2 2 1 127 Matches(DLSS.DIG,/IDE)LU/) 70 N9 1 3 1 1 369 Matches(DLSS.DIG,/IDE)LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) 70 N9 1 4 1 1373 Matches(DLSS.DIG,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDuein2 70 N9 1 4 1 1373 Matches(DLSS.DIG,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDuein2	8		TE 1	~	-	_	_	DLSS.DIC,/TDEJLX/) and	RP(CurrentCard, 32, 48)	16/70/7
70 M9 1 1 2 1 128 Matches(DLSS.DIC,/IDE1LU/) 70 M9 1 2 1 1127 Matches(DLSS.DIC,/IDE1LU/) and RP(CC(),22,2) <> "01" and DLSS.PSM DLSS.G509 <> "" DLSS.G509 " DLSS.G509 </ "</td <td>8</td> <td>5</td> <td>٠</td> <td>-</td> <td>-</td> <td>_</td> <td>12</td> <td>Metches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> "01"</td> <td></td> <td>16/70/7</td>	8	5	٠	-	-	_	12	Metches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> "01"		16/70/7
70 M9 1 1 2 1 128 Matches(DLSS.DIC,/IDE1LU/) 70 M9 1 2 1 1127 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and DLSS.PSM DLSS.Q509 <> "" DLSS.Q509 <> "								DLSS.Q509 <> ***		
70 M9 1 2 1 1127 Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.PSN DLSS.G509 <> "" 70 M9 1 2 2 1 127 Matches(DLSS.DIC,/[DE]LU/) 70 W9 1 3 1 1 369 Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) DLSS.G509 <> "" 70 W9 1 4 1 1373 Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 DLSS.G509 <> "" 70 W9 1 4 1 1373 Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2	8		•	-	~	_	12	Matches(,,XD,,	16/70/7
70 M9 1 2 2 1 127 Matches(DLSS.DIC,/IDE)LU/) 70 M9 1 3 1 1 369 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) DLSS.QS09 <> "" 70 W9 1 4 1 1 373 Matches(DLSS.DIC,/IDE)LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 DLSS.DS04 <> ""	5		<u>~</u>	~	-	-	5	Matches(DLSS.050		4/04/91
70 W9 1 3 1 1 369 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and RP(CurrentCard,67,1) DLSS.Q509 <> "" 70 W9 1 4 1 1373 Matches(DLSS.DIC,/IDE1LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2 DLSS.Q500 <> ""	8		•	~	~	_	12	Matches (DLSS.PSM	4/04/91
70 W9 1 4 1 1 373 Matches(DLSS.DIC,/IDE]LV/) and RP(CC(),22,2) <> "01" and DLSS.DateDueIn2	8		<u>5</u>	m	-	-	× ×	Metches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> #01# DLSS.G509 <> ""		4/04/91
	8		<u>ح</u>	•	-	_	37.			4/04/91

Date	4/04/91	16/70/1	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91	4/04/91		4/04/91	4/04/91	4/04/91	16/70/7		4/11/91	4/04/91	4/04/91	4/04/91	4/11/91	4/04/91	4/04/91	4/04/91	4/04/91
Eval	7.7	*XC**	DLSS.06210	DLSS.04710	DLSS.4509	RP(CurrentCard, 75, 1)	RP(CurrentCard,60,1)	BOCCurrentCard 75.1)		RP(CurrentCard,60,1)	RP(CurrentCard, 76, 1)	RP(CurrentCard,61,1)	"FO»		"ro"	#2C#	n 7ths	#7#L	n 7tha	DLSS.RIC72	DLSS.RIC57	OLSS.RIC59	mUX**
Use El Out Ctr Seq Ord Sect Elld Condition	Matches(DLSS.D1C,/IDE)LU/)	Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> #01# and DLSS.Q509 <> ##	Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "01"				Matches(DLSS.DIC,/DEJLU/) and RP(CC(),22,2) <> "01" and	IsNumeric(RP(CC(),60,1))	IsAlpha(RP(CC(), 75, 1))	Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) <> "01" and lsAlpha(RP(CC(),60,1))	Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "01"		Matches(DLSS.DIC,/IDE1LU/) and RP(CC(),22,2) <> "01" and	DLSS.RIC57 <> MM	Matches(DLSS.DIC,/ $IDEJLU/$) and $RP(CC(),22,2) = *01*$ and $DLSS.RIC72 <> ***$	Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.RIC59 <> ""	Matches(DLSS.DIC,/[DE]LV/) and RP(CC(),22,2) <> "01" and DLSS.RIC59 <> ""	Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) <> $\pm 01^{12}$ and Diss BIG57 <> ± 01	Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "01" and DLSS.RIC72 <> ""	Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "01"	Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) <> "01"	Ē	Ē
PIT	673	673	8	8	38	2011	2011	2012		2012	2065	2065	8		8	8	8	8	8	67	29	67	128
Sect	-	-	-	-	-	-	-	•	•	-	-	-	-		-	-	-	-	-	-	~	-	-
6 Ø .	4	~	m	4	~	-	~	-		~	-	~	_		~	m	-	~	m	-	~	m	-
- B	_	_	~	2	~	-	_	^	,	~	m	m	_		_	-	m	m	m	4	4	4	-
Jae E	_	_	_	_	_	_	_	-		_	-	_	_		_	-	-	-	_	_	-	_	-
	7	ΔŢ	7	7	Ϋ́	ICS	S	2	}	S	S	SOI	Ę		=	=	=	ī	ī	Ξ	Ę	Ę	2
Seg Seg Seq Id	8	8	8	8	8	8	90 ICS	8	?	% 20 20 30 30 30 30 30 30 30 30 30 30 30 30 30	SO 1CS	80 ICS	100 H		00 E	100 14	100 K	<u>§</u>	8	100 K	100 H	100 H	110
Tid	8	8	8	8	Š	<u>8</u>	8	8	}	8	8	8	8							8	8	2	<u>8</u>
P	536	538	536 1	536	536		536 100	27.		536 ±00	536 1	536 100	536 1		536 100	536 100	536 100	536 100	536 100	536	536		

Tid	d Seg	g Seg Use	Use	13	Out	¥			
Tid Sect		Seq 1d	Ctr	Sed	ord Se	, ct	Ord Sect Elid Condition	Eval	Date
536 100	0 110	6	-	~	-	-	127 Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "02" and DLSS.06210 <> ""	DLSS.PSN	4/04/91
536 100	120	0 QTY	-	-	•	-	673 Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "02" and DISS DA210 45 "H	n12n	4/04/91
536 100		120 QTY	-	7	m	-	380 Metches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "02" and DLSS.06210 <> ""	01.55.06210	4/04/91
536 100		130 1CS	-	-	-	-	2011 Matches(DLSS.DIC,/[DE]LU/) and RP(CG(),22,2) = "02" and	RP(CurrentCard,75,1)	16/70/7
536 100		130 ICS	-	~	-	- 2	<pre>isnumeric(FF(CC(),75,1)) 2012 Matches(DLSS.DIC,/(DE)LU/) and RP(CC(),22,2) = "02" and isAlpha(RP(CC(),75,1))</pre>	RP(CurrentCard, 75,1)	4/04/91
536 100		130 1CS	-	m	-	-	2065 Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "02" and DLSS.q6210 <> ""	RP(CurrentCard, 76, 1)	4/04/91
536 100	0 140	- T	-	-	-	-	96 Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "02" and DLSS.g6210 <> ""	"Co"	4/04/91
536 100	0 140	0 [#	-	m	-	-	66 Matches(DLSS.DIC,/[DE]LU/) and RP(CC(),22,2) = "02" and DLSS.a6210 <> ""	*****	4/04/91
536 100	0 140		-	4	-	-	67 Matches(DLSS.DIC,/[DEJLU/) and RP(CC(),22,2) = "02" and DLSS.06210 <> ""	OLSS.RIC72	4/04/91
536 100		150 XXX	-	_	1 10	1000	-	RP(CC(),1,80)	4/04/91
536 200		₩0 0	-	0	0	0	0	R1 := R2 := R3 := R4 := 0	4/04/91
536 200		M 0 0	~	0	0	0	0 DLSS.PSM <> *A01*	Exit()	4/04/91
536 200		₹0 0	m	0	0	٥	0	R1 :* CurrentCard	4/04/91
236 200		150 0	4	0	0	0	0 Found :" FindCard(/[DE]LW/,Forward,CC(),1,3,"02",22,2)	R2 :* Found	4/04/91
236 200		M 0	₽	0	0	0	0 Found := FindCard(/[DE]LW/,Forward,CC(),1,3,"03",22,2)	R3 :* Found	4/04/91
536 200		M70 0	•	0	0	0	0 Found := FindCard(/[DE]LW/,Forward,CC(),1,3,"04",22,2)	R4 : # Found	16/70/7
536 200		10 P.I	-	-	-	-	367	DLSS.PIIW	4/04/91
536 200		10 PI		~	_	-	2025	DLSS.LineltemMbr	4/04/91
536 200		10 PI	-	m	-	-	2031	DLSS.SPIIN	4/04/91
536 200	0 20	6 €	-	_	_	_	128	"UX"	4/04/91
536 200	0 20	9 N O		~	-	_	127	DLSS.PSN	4/04/91
536 200	02 0	0 × 0	~	-	-	-	128 R2	"UK"	4/04/91
536 200	200	<u>6</u>	~	7	_	-	127 R2	DLSS.PSN2	16/70/1
536 200	0 20	6 <u>H</u>	m	-	_	-	126 R3	"UX"	4/04/91

1.d	Seg Seg	Use	Ħ	Š	#4		
Tid Sect	Seq 1d	Çţ	Sed	ord Se	Ord Sect Elld Condition	Eval	Date
	6¥ 02	m	~	-	1 127 R3	DLSS.PSM3	4/04/91
536 200	20 H2	4	-	-	1 128 R4	"UX"	4/04/91
536 200	% 2	•	~	-	1 127 R4	DLSS.PSW4	16/70/7
	30 RGC	-	-	_	1 2010	DLSS.UnitOflasue	4/04/91
-	30 RGC	-	~	_	1 236 DLSS.UnitPrice <> ***	"NOON"	4/04/91
	30 RGC	-	m	_	1 212	DLSS.UnitPrice	4/04/91
	30 RGC	-	4	-	1 522 RP(CC(), 62,1) = "E"	m20m	4/04/91
-	30 RGC	-	4	7	1 522 Matches(RP(CC(), 62,1),/[A]/)	n¢\$n	4/04/91
	30 860	-	4	m	1 522 RP(CC(),62,1) = "U"	# 61 #	16/70/7
	30 RGC	-	4	4	1 522 RP(CC(),62,1) = "W"	*23*	4/04/91
	30 860	-	•	5	1 522 RP(CC(), 62,1) = "C"	n£9n	4/04/91
	30 RGC	-	4	•		# ? 9#	4/04/91
	30 RGC	-	~	-		01.55.05911	4/04/91
	30 RGC	-	ø	-	1 373	DLSS.DateAward	4/04/91
	30 160	-	~	-	1 2253 R2	RP(R2, 79,1)	4/04/91
	30 760	-	€	-	1 2253 R2	RP(R2,80,1)	4/04/91
	30 RGC	-	٥	-	1 954 75	RP(R4,55,2)	4/04/91
	30 RGC	-	5	-	1 954 84	RP(R4,57,2)	4/04/91
	30 760	-	Ξ	-	1 2408 R4	RP(R4,65,1)	4/04/91
	30 1860	-	2	-	1 2256 R4	RP(R4,66,1)	4/04/91
	30 RGC	-	T	-	1 2377 84	RP(R4,67,1)	4/04/91
	30 RGC	-	7	_	1 2371 84	RP(R4, 68, 1)	4/04/91
536 200	30 RGC	-	\$	-	1 373 R4	OLSS.DateShip	4/04/91
536 200	30 RGC	-	2	_	1 373 84	DLSS.DateDel	4/04/91
	30 RGC	-	17	-	1 2255 R4	RP(R4, 79,1)	4/04/91
536 200	40 M1	-	_	-	1 98 R2 and DLSS.CAGESup <> ""	n/Su	4/04/91
	40 M1	-	. v 3	-	1 66 R2 and DLSS.CAGESup <> ""	M24	4/04/91
	40 M1	-	•	_	1 67 R2	DLSS.CAGESup	4/04/91
	40 H1	~	_	-	1 98 R4 and DLSS.CAGEDes <> ""	nZzu	4/04/91
	40 M1	~	m	-	1 66 R4 and DLSS.CAGEDes <> ""	M/2"	4/04/91
	40 H1	~	•	-	1 67 84	DLSS.CAGEDes	4/04/91
536 200	40 M	m	-	_	1 96 R4 and DLSS.CACOffice <> ""	н67м	4/04/91
	40 M1	m	~	_	1 93 R4 and Matches(DLSS.CACOffice,/00000[^L]/)	DLSS.CACOffice	4/04/91

Tid Sect	Seg	0 P	Use El Ctr Se	ŏ Z	out d Sec	# # #	Id Co	Use El Out Ctr Seq Ord Sect Elld Condition	Eval	Date
536 200	9	 : <u>-</u>	; "' !	; :	: : -	: : •-	. % . %	and Not Matches(DLSS.CACOffice,/000009/)	н10н	4/04/91
536 200	0,7	=	1	1 00	7	-	32 99	. and DLSS.CA00ffice = "00000L"	# 7 Mer	4/04/91
	9	Ξ	·		_	_	67 R4	and Not Matches(DLSS.CACOffice,/000009/)	DLSS.CACOffice	4/04/91
	0,7	=	·		2	-	67 R4	and DLSS.CAOOffice = "00000L"	RP(R1,76,3)	4/04/91
	8	REF	_	_	_	_	128 R3	send RP(R3,50,27) <> SPACES(27)	as d Mass	4/04/91
536 200	50	REF	_	~	_	_	127 R3	send RP(R3,50,27) <> SPACES(27)	RP(R3,50,27)	4/04/91
536 200	8	XX	_	_	1 1000	8	- E		RP(R1,1,80)	4/04/91
536 200	3	XX		_	1 1000	2	1 R2		RP(R2,1,80)	4/04/91
536 200	3	XX		_	1000	2	1 R3		RP(R3, 1, 80)	4/04/91
536 200	8	XXX	٠	_	1000	2	1 84		RP(R4,1,80)	4/11/91
537 1	5	150	_	6	_	_	- 2	DLSS.1sDZG and Not Matches(DLSS.SourceDIC,/[DE]Z[EF]/)	EXIT()	1/14/91
537 1	0	RFL 1	_	_	-	۲ -	2001		DLSS.DIC	9/26/90
537 1	20	8	_	_	_	7	10 Mai	2010 Matches(DLSS.SourceDIC,/[DE12f/)	DLSS.UnitOf1ssue	9/56/90
537 1	8	REF		_	_	-	128		*SE*	6/56/90
537 1	30 REF	REF	_	~	_	_	127		DLSS. MSM	9/26/90
537 1	40 AS	ASR		_	_	1 2	2209		DLSS.ReportCode	9/56/90
537 1	9	ASR 1	_	~	_	-	73 160	373 Not Matches(DLSS.ReportCode,/[KLM]/)	DLSS.ReportDate	9/26/90
537 1	0,7	ASR		ĸ		1,	1202 Mai	Matches(DLSS.DIC,/[DE]ZF/)	DLSS.NbrTrans	9/56/90
537 1	22	- -		_	_	-	673 Mai	Matches(DLSS.SourceDIC,/[DE]ZF/) and	w^Xu	9/56/90
							<u>s</u>	IsNumeric(RP(CurrentCard,41,6))		
537 1	50 101	101	_	~	_		380 Ha		01.55.9416	8/56/90
							<u>.</u>	sNumeric(RP(CurrentCard,41,6))		
537	50 101		~	_	_	-	673 Mai	Matches(DLSS.SourceDIC,/[DE]ZF/) and	אעניי	9/56/90
							<u>.</u>	IsNumeric(RP(CurrentCard, 47, 6))		
537 1	20	E	2	~	_		380 Ma1	Matches(DLSS.SourceDIC,/[DE12F/) and	0155.0476	6/56/90
								IsNumeric(RP(CurrentCard,47,6))		
537 1	S	<u>=</u>	· ·	_	_	-	673 Mai	Matches(DLSS.DIC,/[DE]ZF/) and	#21 #	9/56/90
							<u>s</u>	isNumeric(RP(CurrentCard,56,6))		
537 1	20	101		~	_		380 Mai	Matches(DLSS.DIC,/[DE]ZF/) and	01.55.4566	9/56/90
							<u>=</u>	IsNumeric(RP(CurrentCard,56,6))		
537 1	20 101		~		_	1 2	65 Me	2065 Matches(DLSS.DIC,/[DE]ZF/)	DLSS.Supcond1	9/56/90
537 1	8	7	٠	-	_	-	673 Mai		n17n	9/56/90
							<u>s</u>	sNumeric(RP(CurrentCard,65,6))		

Tid Sep Sep Use E1	Date	06/92/6		9/56/90	9/56/90	,	9/56/90		06/92/6	06/97/6	6/56/90	06/92/6	06/92/6	06/92/6	06/92/6	6/56/90	06/97/6	06/92/6	06/92/6	06/97/6	0/56/90	0/56/90	0/56/90	06/92/6	9/56/90	00/ 76/ 0	04/07/4	00/36/00	04/07/4	06/92/6	06/92/6	06/92/6	06/92/6	9/56/90
Sect Seq Id Ctr Seq Ord Sect Elid Condition 1 50 101 4 2 1 1 300 Matches(DI 1 50 101 5 1 1 1 673 Matches(DI 1 50 101 5 2 1 1 300 Matches(DI 1 50 101 5 2 1 1 300 Matches(DI 1 50 101 5 2 1 1 300 Matches(DI 1 50 101 5 2 1 1 300 Matches(DI 1 50 101 5 2 1 1 300 Matches(DI 1 50 101 5 2 1 1 300 Matches(DI 1 50 101 5 2 1 1 300 Matches(DI 1 50 101 5 2 1 1 300 Matches(DI 1 70 RQU 1 2 2 1 61 Matches(DI 1 70 RQU 1 2 2 1 61 Matches(DI 1 70 RQU 1 3 1 1 60 Matches(DI 1 70 RQU 1 3 1 1 1 98 Matches(DI 1 80 M1 2 1 2 1 98 Matches(DI 1 80 M1 2 4 1 1 67 Matches(DI 1 80 M1 2 4 2 1 67 Matches(DI 1 80 M1 2 4 1 1 98 Matches(DI 1 80 M1 3 1 1 1 98 Matches(DI 1 80 M1 3 1 1 1 98 Matches(DI 1 80 M1 3 3 1 1 66 DLSS.18D2 1 80 M1 4 1 1 1 98 DLSS.18D2 1 80 M1 4 3 1 1 67 Matches(DI 1 80 M1 4 3 1 1 67 Matches(DI 1 80 M1 4 1 1 1 1 98 DLSS.18D2 1 80 M1 4 1 1 1 1 98 DLSS.18D2 1 80 M1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Eval	DLSS.9656		DLSS.Supcond2	אמיי		DLSS.Q716		DLSS.RejectedDIC	DLSS.RejectAdvice	DLSS.Status	DLSS.RP212	DLSS.RP7011	DLSS.RP256	0LSS.RP532	DLSS.RP622	чтом	****	DLSS.TORIC	*****	#\$\$#		DLSS.fromR1C	DLSS.RIC	#9¢#				DLSS.StorageR1C	n58n	**************************************	DLSS.CorrectRIC	RP(CurrentCard, 1,80)	DLSS.DIC
Sect Seq Use El Out Sect Seq Id Ctr Seq Ord Sect E 1 50 101	Condition		1sNumeric(RP(CurrentCard, 65,6))	Matches(DLSS.SourceD1C,/IDE12F/)		1sNumeric(RP(CurrentCard, 71,6))	.SS.Source01C,/(DE)2F/)	1sNumeric(RP(CurrentCard,71,6))	92001:\$\$10	DLSS.1802G and 1sWumerfc(RP(CurrentCard, 79,1))	DLSS.1eDZG and 1eAlpha(RP(CurrentCard, 79,1))			Matches(DLSS.SourceDIC,/IDE)ZF/)	Matches(DLSS.SourceDIC,/DE1ZF/)		DLSS.TORIC <> HH	DLSS.TORIC <> ##		.\$\$.\$ourceDIC,/[DE]ZF/) and DLSS.FromRIC <>	Matches(DLSS.DIC,/[DE]ZE/) and DLSS.FromRIC <> ""	DLSS.FromRIC <> ""	Matches(DLSS.SourceDIC,/DE12F/)	Matches(DLSS.DIC,/DE12E/)	LSS.SourceDIC,/(DE)ZF/) and DLSS.StorageRIC		Matches(DLSS.SourceDIC,/(DE)ZF/) and DLSS.StorageRIC <>		Matches(DLSS.SourceDIC,/[DE]ZF/)	DLSS.1sD2	DLSS.1sDZG and DLSS.CorrectR1C <>	DLSS. 1802		
Sect Seq Use El Out Sect Seq Id Ctr Seq Ord Sect 1 50 101 4 2 1 1 1 1 50 101 5 1 1 1 1 1 50 101 5 2 1 1 1 50 101 5 2 1 1 1 50 101 5 2 1 1 1 50 101 5 2 1 1 1 50 101 5 2 1 1 1 50 101 5 2 1 1 50 101 5 2 1 1 60 7R! 1 1 2 1 1 70 R0U 1 2 1 1 70 R0U 1 3 1 1 1 80 N1 2 4 2 1 80 N1 2 4 2 1 80 N1 3 3 1 1 80 N1 3 4 1 1 80 N1 4 4 1 1 90 XXX 1 1 1 1 10 WRR 1 4 3 1 1 10 WRR 1 4 3 1 1 10 WRR 1 1 1 1 1 1 1 1 10 WRR 1 1 1 1 1 1 1 10 WRR 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ELIG	98		2065	673								6	5								8	29	67	8		8		67	8	8	67	2000	200
Sect Seq Use El Sect Seq Use El Sect Seq Id Ctr Seq Id Ctr Seq Id Ctr Seq Id Ctr Seq Id	¥ \$ \$	-		_	-		-		-	-	-	-	-	-	-	-	-	-	-	-	-	•-	-	-	-		_		_	-	_		-	
Sect Seq Use El Sect Seq Use El Sect Seq Id Ctr Seq Id Ctr Seq Id Ctr Seq Id Ctr Seq Id	<u> </u>	: -		_	-		-		-	_	-			~	-	-	-		_	,	~	-	_	~	-		-		_	_	-	-	-	-
Sect Seq Use Sect Seq Id Ctr 1 50 191 4 1 50 191 5 1 50 191 5 1 50 191 5 1 50 191 5 1 70 RQU 1 70 RQU 1 70 RQU 1 70 RQU 1 70 RQU 1 80 M1 2 80 M1 2 80 M1 2 1 80 M1 2 1 80 M1 3 1 90 MX 1 1 90 MX 1	₩ ₩	. ~)	4	_		~		_	~	M	-	~	~	P1	•	_	m	•		_	M	4	4	-		m		•	-	M	. 4	-	
Sect Seg Seg Sect Sect Sect Id	Use C		,	4	~		5		-	_	_	_	-	_	_	-	-	_	-	۰ ~	~	~	~	~	m		m		m	•	7	4	-	-
	Seg Id	: 5		ē	ē		5		TRI	78.	1	8	ō	2	ō	ē	Ξ	=	=	=	=	=	=	Ξ	Ξ		Ξ		Ξ	Ξ	ï	=		
policies e errererererere e errer	Seg Seg			8	20		50		8	8	8	2	2	2	2	2	8	20	2	2	2	8	8	8	8		8		8	2	Ş	3 8	8	2 2
		: -		-	-		-		-	-	-	-	-	_	-	-	_	-	-	-	_	_	-	_	-		-		-	_	-	-		
그는 그는 그는 그를 하는 그를 하는 그를 하는 그를 하는 것이 되는 것이 되는 것이 되는 것이 되는 것이 되는 것이 되는 것이 없는 것이다.	1 d S		;	537	537		537		517	23.	23.	23.	237	23.	23.		537	537	3 2	537	537	537	537	537	537		537		537	537	417			8

	Date	9/26/90	9/56/90	6/56/90	6/56/90	6/56/90	6/56/90	6/56/90	06/97/6	6/56/90	6/56/90	6/57/6	6/56/90	06/92/6	6/56/90	6/56/90	6/56/90	6/56/90	6/56/90	6/56/90	6/56/90	9/56/90	6/56/90	6/56/90	6/56/90	6/56/90	1/14/91	6/56/90	6/56/90	6/56/90	06/92/6	6/56/90	6/56/90	6/56/90
	Eval	DLSS.TransSerWbr	DLSS.NbrTrans	DLSS.PreparedDate	**X**	DLSS.0238	rdXu	DLSS.0318	"OX"	DLSS.Q398	*X**	DLSS.0478	"XX"	DLSS.0558	"XI"	0155.0638	#10#	*7#**	DLSS.TORIC	nfRn		DLSS.FromRIC	"ST"	DLSS.NSN	DLSS.UnitOfissue	RP(CurrentCard,1,80)	EXIT()	DLSS.DIC	DLSS.DocNo	DLSS.DocNoSuffix	DLSS.UnitOf1ssue	DLSS.Quantity	DLSS.GFMgtCode	
	Elid Condition	01	*	r	r	9	r	9	'3 Not Matches(DLSS.DIC,/(DE)ME/)	90 Not Matches(DLSS.DIC,/DE)ME/)	Not Matc	Not Matc	3 Not Matches(DLSS.DIC,/[DE]ME/)	Hot	3 Not Matches(DLSS.DIC,/ (DE)ME/)	30 Not Matches(DLSS.DIC,/DE]ME/)	98 DLSS.TORIC <> ***	6 DLSS.TORIC <> ***	29	98 DLSS.FromRIC <> ***	66 DLSS.FromRIC <> ***	29	€21	4:	0		1 DLSS.1sDZG and Not Matches(DLSS.SourceDIC,/[DE]A[12]/)		2	9.	0	9		90:
		350	354	373	- 57	8	- 67	88	579	8	- 57	<u>8</u>	579	- 88	579	380	<u>•</u>	•	•	•	•	•	128	127	2010	8	_	8	2008	207	201	x	- 234	- 12
š		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_			_	_	_	_	_	_	_	_	_	_	_	_
	P Ord	-	-	_	_	_	_	-	_	-	-	-	-	-	-	_	_	-	-	-	_	_	•	_	-	-	-	_	-	_	_	-	_	-
E	Seg	~	m	4	-	7	-	~	-	7	-	~	-	~	-	~	-	m	4	-	m	4	-	7	-	-	0	-	2	m	•	~	_	-
g Use	7	~	~	~	-	7	Y 2	۲ 2	×	™	*	7 ×	× 5	≻	7 6	∀	-	-	•	7	~	~	-	_	-	~ ×	_ _	_	-	_	-	~ o	_	_
Seg Seg	Seq 1d	₹	5	5	20 97	20 97	20 aT	20 oT	20 QT	20 QTY	20 QTY	20 QTY	20 QTY	20 QTY	20 QTY	20 QT	30 M	30 M1	30 KI	30 H	30 M1	30 M1	40 RE	40 RE	50 R00	XXX 09	0 0	10 RFI	10 RFI	10 RF	20 800	20 20	30 JR	40 RE
rid S	Sect Se	_	_	_	_	,	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_		_	_	_	-		-	_	_	_
Ξ	id Se	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	538	539	539	539	539	539	539	539	539
	- :	Š	'n	'n	'n	'n	~	'n	Š	8	'n	8	Ŋ	'n	8	5	'n	Š	Š	Š	S	8	5	Ś	'n	'n	'n	8	Ŋ	'n	'n	'n	'n	Š

Page 68

Date	06/92/6	6/56/90	06/92/6	06/92/6	06/92/6	6/56/90	9/56/90	06/92/6	06/92/6	06/92/6	06/92/6	06/92/6	06/92/6	06/92/6	6/56/90	6/56/90	06/92/6	6/56/90	6/56/90	6/56/90	1/14/91	06/97/6	06/92/6	06/97/6	06/92/6	06/92/6	06/92/6	06/92/6	06/92/6	06/92/6	06/92/6	06/97/6	06/92/6
Eval	DLSS.xsx	DLSS.OwnerCode	DLSS.Purpose	DLSS. SupCondCode	DLSS.FreezeDate	DLSS.RejectedD1C	DLSS.RejectAdvice	DLSS.Status	DLSS.RP212	"TO"	u 744.u	DLSS.TORIC	2011	#26#	11 7 Min	DLSS.RIC	#50#	27Hz	DLSS.CorrectRIC	RP(CurrentCard, 1,80)	EXIT()	DLSS.D1C	DLSS.TransDate	DLSS.UnitOflasue	"SR»	DLSS.NSN	DLSS, Owner Code	DLSS.Purpose	DLSS. SupCondCode	DLSS.Distribution	DLSS. InvType	DLSS.LotSegNbr	DLSS.THStartDate
Elld Condition		2011 Telliameric/BP/CurrentCard 70.1))	1 a loha (BD			2001 DLSS.1sDZG	DLSS.1902G and laNumeric(RP(CurrentCard, 79,1))	DLSS.1802G		96 DLSS.Togic <> ***	DLSS.TORIC		96 DISS. 1802G and DISS.RIC <> **				OR DISS. MOZG and DLSS.CorrectRIC <> ""		01.55.18026		DLSS.1s02G and Not Matches(DLSS.Source01C,/(DE)2J/)						2011 Iskumeric(RP(CurrentCard, 70, 1))	IsAlpha(RP(CurrentCard, 70, 1))		Matches(DLSS.DIC./IDE1ZJ/)		2100 Matches(N) SS.NIC./(DE)24/)	DEST INTYDE <> "Z"
Elid	127	1 2	2012	2005	373	2001	2207	202	2	8	3	67	8	8	\$	} &	5	3	} \	2000	-	2001	373	2010	128	127	201	2012	2065	200	2 2	35	3 12
Out Sect		-			-	_	-	-	_	-		-	-		-		•	-	-		-	_	_	-	•	-	-	•	-				
or bro	•		-		_	-	-	_	_	-	-	-	-	٠ ٨			-	-	-	-	-	-	-	-	-	-	-	•	-	· -			
El Seq Ord	; •		۰ ،		^	. –	~	1 11	-	-	. p.	4	-	-	- pr	٠,	-	. pr	٠ ٦	-	- ح	-	•	-	-	٠,		٠ ،		, v	٠ +	- ۲	V P
Use	; -				•	-	-	-	-	-	-	-	٠,	٠,	1 ^	, ,		۱ ۳) M	•	- -		-	-					- •	
- S						•	•				=	=	:	=	: :		:	•	5	}					956		֓֞֜֝֓֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֓֡֓֓֡֓֡֓֡֓֡				-		֡֝֞֝֝֝֞֜֝֝֟֝֓֓֞֝֟֝֓֓֓֓֓֓֓֡֟֝֓֓֡֓֡֓֓֓֓֡֡֓֜֜֡֓֡֡֡֓֜֝֡֡֡֡֓֓֡֡֡֡֡֡֡֡֡֡
Seq		2 5	2 2	3 5	2 2	3	8	3	8 8	2	3 2	3 8	3	3 8	3 8	8 8	3 8	3 2	3 \$	3 8		, 5	2 5	. 5	2 5	2 5	3 5	7	? 5	9 9	2 5	X 2	2 6
Tid Sect	: -			- •	-	-	_	-	_	-	-	-				- •	- •			• •			. •	•				- •		- •	- •	- •	

Tid Sect	d Seg	Seg 1 Id	Use Ctr	Seq 0	ord Se	Out Sect 6	: Elld Condition	Eval	Date
240	50	. E	: +	•	; -	-	373 DLSS. InvType <> "2"	DLSS.THStopDa+e	06/92/6
240	1 50	THC	-	~	-	-	373 Matches(DLSS.InvType,/[Y2]/)	DLSS.RecordDate	9/26/90
240	1 50	THC.		•	-	-	2203	DLSS.MediaType	06/92/6
240	8	TRI	-	_	-	-	2001 DLSS.1aDZG	DLSS.RejectedD1C	06/92/6
240	3	TRI	-	~	-	-	2207 DLSS.1sDZG and IsNumeric(RP(CurrentCard, 79,1))	DLSS.RejectAdvice	9/56/90
240	3	TRI	-	m	-	-	2077 DLSS.1sDZG and 1sAlpha(RP(CurrentCard, 79,1))	DLSS.Status	9/56/90
075	5	200	-	-	_	-	61 Matches(RP(CurrentCard, 12, 2), /0[01]/)	DLSS.RP212	6/56/90
240	5	<u>§</u>	-	~	_	-	61 Not DLSS.18DZG	DLSS.RP552	06/92/6
240	1 80	=	-	_	-	•	98 DLSS.TORIC <> ""	#10"	6/56/90
240	1 80	Ξ	-	m	-	-	66 DLSS.TORIC <> ""	#7#u	9/56/90
240	1 80	=	-	4	-	-	29	DLSS.TORIC	06/92/6
240	1 00	Ξ	~	-	-	-	98 DLSS. FromRIC <> ""	252	9/56/90
240	88	Ξ	~	m	-	-	66 DLSS.FromRIC <> **	This	9/56/90
240	1 80	=	~	4	-	-	29	DLSS.FromRIC	06/92/6
240	80	=	m	_	-	-	98 DLSS.1aDZG and DLSS.CorrectRIC <> ***	#58"	9/56/90
240	1 80	Ξ	m	m	-	-	66 DLSS.1sDZG and DLSS.CorrectRIC <> ""	** 7*#**	06/97/6
240	8	=	m	4	-	-	67 DLSS.1sDZG	DLSS.CorrectR1C	9/56/90
240	8	XXX 06	-	-	-	-	2000	RP(CurrentCard, 1,80)	9/56/90
241	1 0	10	-	0	-	-	1 DLSS.1sDZG and Not Matches(DLSS.SourceDIC,/[DE]2B/)	EXIT()	1/14/91
541	1 10	10 RFL	-	~	-	-	2001	DLSS.DIC	9/56/90
541	1 10	RFL	-	4	-	-	373	DLSS.TransDate	9/56/90
541	1 20	20 ROO	-	-	-	-	2010	DLSS.UnitOf1ssue	9/56/90
541	1 20	8	~	-	_	-	2010	DLSS.NewU01	9/56/90
541	1 30	REF	-	-	-	-	128	TSTE	9/56/90
541	1 30	REF	-	7	-	-	127	DLSS.NSN	9/56/90
541	1 30	REF	~	-	-	-	128	XX.:	9/26/90
541	1 30	REF	~	7	-	-	127	DLSS.NewsN	9/56/90
541	1 40	101	-	-	-	-	2089	DLSS.ShelfLife	9/26/90
541	1 40	101	-	7	-	-	5090	DLSS.InvCode	06/92/6
541	1 50	810	-	-	_	_	5204	DLSS.ChangeCode	9/56/90
241	1 50	810	-	2	-	-	2205	DLSS.Conversion	9/56/90
541	1 50	810	-	m	- -	-	2206	DLSS.PEC1	9/56/90
541	5	SID	-	4	-	-	2111	DLSS.PEC1	9/26/90

DLSS.EffectDate DLSS.Demilitar DLSS.Demilitar DLSS.PEC2 DLSS.PEC2 DLSS.RejectedDIC DLSS.RejectAdvice)) DLSS.RejectAdvice DLSS.RP4014 DLSS.RP4014 DLSS.RP542 DLSS.RP542	373 isNumeric(RP(CurrentCard,70,4)) 2003 2206 2111 2001 DLSS.iaDZG and isNumeric(RP(CurrentCard,79,1)) 61 61 61 61 61 61 61 61 62 61 62 61 62 61 62 63 64 64 65 65 65 66 66 67 98 DLSS.iaDZG 66 67 98 DLSS.iaDZG 68 69 60 60 60 60 60 60 60 60 60 60 60 60 60
	c(RP(CurrentCard, 79, 1))
	(RP(CurrentCard, 79, 1))
	RP(CurrentCard, 79, 1))
	RP(CurrentCard, 79, 1)) (CurrentCard, 79, 1))
	(CurrentCard, 79,1))
	(CurrentCard, 79,1))
DLSS.RP214 DLSS.RP4014 DLSS.RP542 DLSS.RP634 DLSS.RP634	
DLSS.RP4014 DLSS.RP542 DLSS.RP634 DLSS.RP634	
DLSS.RP542 DLSS.RP634 DLSS.RP704	
DLSS.RP634 DLSS.RP704	
DLSS.RP704	
2// 20 30 10	
CT LAS. KL	
DLSS.RP747	·
10	-
# 74 4.	·
DLSS.TORIC	
1581	
#7Hu	
DLSS.FromRIC	
"58"	ig and DLSS.CorrectRIC <> ""
- 	DLSS.1s02G and DLSS.CorrectRIC <> ""
DLSS.CorrectRIC	
TRIC <> nm mmgm	Matches(DLSS.DIC,/[DE]28/) and DLSS.ManagerRIC <> ""
TRIC <> nn mpt.n	Matches(DLSS.DIC,/[DE]ZB/) and DLSS.ManagerRIC <> ""
DLSS.ManagerR1C	
RP(CurrentCard, 1,80)	
(DEJRIABF)) EXIT()	G and Not Matches(DLSS.SourceDIC,/[DE]R[ABF]/)
DLSS.DIC	
DLSS.DocNo	
DLSS.DocNoSuffix	
DLSS.TransDate	
DLSS.MediaStatus	

	Date	11/19/90	9/21/90	9/27/90	9/27/90	9/22/60	9/27/90	9/22/60		9/21/90	9/27/90		9/27/90	9/27/90	9/27/90	9/21/90	9/27/90	9/21/90	9/27/90	9/27/90	9/22/6	9/27/90		9/27/90		9/27/90	9/27/90	9/27/90	9/27/90	9/21/90	9/27/90	9/27/90	9/27/90	9/52/60
	Eval	DLSS.SignalCode	DLSS.UnitOf1ssue	DLSS.Quantity	*SX	DLSS.NSN	DLSS.Project	DLSS.SubsistPack		RP(CurrentCard, 63, 1)	DLSS.DatePost		uISu	DLSS.SID	DLSS.DateShip	DLSS.RejectedD1C	DLSS.RejectAdvice	DLSS.Status	DLSS.RP71	DLSS.RP212	DLSS.RP212	OLSS.RP456		DLSS.RP456		DLSS.RP673	DLSS.RP738	DLSS.RP736	m10*	****	DLSS.TORIC	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	**************************************	DLSS.FromR1C
	Elld Condition		2010	380	128	127	2051 Matches(DLSS.DIC,/[DE]R[AB]/)	754 RP(CurrentCard,8,2) = "69" and	IsNumeric(RP(CurrentCard,21,1))	2342 Matches(DLSS.SourceDIC,/[DE]R[AB]/)	373 Matches(DLSS.SourceDIC,/[DE]R[AB]/) or	Matches(DLSS.DIC,/(DE]RF/)	128 Matches(DLSS.SourceDIC,/[DE]RF/)	145 Matches(DLSS.SourceDIC,/[DE]RF/)	373 Matches(DLSS.SourceDIC,/[DE]RF/)	2001 DLSS.1902G	2207 DLSS.1sD2G and 1sNumeric(RP(CurrentCard, 79,1))	2077 DLSS.1802G and 18Alpha(RP(CurrentCard, 79,1))	61 Matches(DLSS.SourceDIC,/[DE]R[AB]/)	61 Matches(DLSS.SourceDIC,/IDE)RF/)	61 Matches(DLSS.SourceDIC,/[DE]R[A8]/)	61 Matches(DLSS.SourceDIC,/(DE]RF/) and (DLSS.isServinfo or	Not DLSS.1845Sig)	IC,/[DEJR[AB]/) and (DLSS.IsServinfo	of Not DLSS,1845Sig)	61 Matches(DLSS.DIC,/(DE]R[A8]/)	61 Matches(DLSS.DIC,/[DE]R[AB]/)	61 DLSS.18DZG	98 Not Matches(DLSS.DIC,/[DE]RF/) and DLSS.ToRIC <> ***	66 Not Matches(DLSS.DIC,/[DE]RF/) and DLSS.ToRIC <> ""	67 Not Matches(DLSS.DIC,/[DE]RF/)	98 Not Matches(DLSS.DIC,/[DE]R[AB]/) and DLSS.FromRIC <> ""	66 Not Matches(DLSS.DIC,/[DE]R[AB]/) and DLSS.FromRIC <> ""	67 Not Matches(DLSS.DIC,/[DE]R[A8]/)
ort O	Sect	_	-	-	-	-	-	-		-	•		-	-	-	-	-	-	-	-	-	_		-		_	-	-	_	-	-	_	_	-
	P :	-	-	-	•	-	-	-		-	-		-	~	-	-	-	~	-	~	-	7		-		-	-	~	-	•	-	-	-	-
E	S :	0	-	~	-	~	4	9		•	-		~	m	~	-	~	7	-	-	~	7		m		4	~	5	-	m	4	-	m	4
g Use	: נג	_	-	-	_	-	S	S		s 1	T T		μ	m 	-	_	-	-	-	-	-	-		-		-	-	-	-	_	-	~	7	~
Seg Seg	Seq 1d	10 RFL	20 800	20 800	30 REF	30 REF	SOI 07	SOI 05		40 ICS	SO RSE		SO RSE	50 RSE	60 RSI	30 TRI	2 TR.	70 TR.1	80 RQU	80 ROU	80 ROU	80 ROU		80 RQU		30 Ro	20 20 3	80 800	8 E	8 =	8	8 ₹	8 E	8
P	Sect	_	-	_	-	-	-	-		-	-		-	-	-	-	-	-	-	_	-	-		-		-	_	-	-	-	-	-	-	-
_	2 Pi L	245	245	242	245	242	245	245		245	242		242	245	245	245	245	245	245	245	242	245		245		245	245	75	275	245	245	245	245	245

Tid	d Seg	Seg Seg	Use	E	ð	š			
Tid Sect		Seq Id	t	Seq Ord	ord s	- S	Sect Elid Condition	Eva!	Date
245		8	m	-	~	-	98 DLSS. ShipToDoDAAC <> ""	2 LOZ	9/27/90
245	2	80 EE	۳	m	-	-	66 DLSS.ShipToDoDAAC <> ""	*10"	9/27/90
245	- 5	% ™	m	4	_	-	29	OLSS.ShipToDoDAAC	9/27/90
245	~	90 H	4	-	m	-	98 DLSS.BillToDoDAAC <> ""	m Lan	9/27/90
245	~	90 HI	4	m	_	-	66 DLSS.BillToDoDAAC <> ""	*10*	9/27/90
245	~	8 E	4	4	_	-	29	DLSS.BillToDoDAAC	9/27/90
245	4	% E	v	_	_	-	98 Matches(DLSS.DIC,/[DE]R[AB]/) and DLSS.ReportRIC <> ""	*55*	9/27/90
245	÷	20 EI	2	_	~	-	98 DLSS.1sDZG and DLSS.CorrectRIC <> ""	#30s#	9/27/90
245	5	8 E	Ś	m	-	-	66 Matches(DLSS.DIC,/[DE]R[AB]/) or DLSS.1802G	*74.	9/27/90
245	~	% E	5	4	-	-	67 Matches(DLSS.DIC,/[DE]R[AB]/)	DLSS.ReportRIC	9/27/90
245	٠ د	90 HI	~	4	~	-	67 DLSS.1eDZG	DLSS.CorrectR1C	9/27/90
245	1 10	OO XXX	-	-	<u>ہ</u>	2000	-	RP(CurrentCard, 1,80)	9/27/90
244	_	100 O	-	0	_	-	1 DLSS.1sDZG and Not Matches(DLSS.SourceDIC,/(DE)ZA/)	EXIT()	1/14/91
24	_	10 RFL	-	-	-	_	2001	DLSS.DIC	9/27/90
244	-	10 RFL	-	m	-	-	2076	DLSS.Overflow	9/27/90
344	-	20 800	-	-	-	-	2010	DLSS.UnitOfissue	9/21/90
244	~	30 REF	-	-	-	-	128	"S"	9/27/90
544	—	30 REF	•	7	-	-	127	DLSS.NSN	9/27/90
24.6	4	40 ICS	-	-	_	-	2011 IsNumeric(RP(CurrentCard,70,1))	DLSS.OwnerCode	9/27/90
244	-	40 1CS	-	7	_	_	2012 IsAlpha(RP(CurrentCard, 70, 1))	DLSS.Purpose	9/27/90
244	+	40 ICS	-	m	-	-	2065	DLSS. SupcondCode	9/27/90
244	7	40 1CS	-	9	•	-	754 RP(CurrentCard, 8, 2) = "89"	DLSS.SubsistPack	9/27/90
244	-	40 ICS	-	7	-	-	373 RP(CurrentCard, 8,2) = "89" and RP(CurrentCard, 78,1) = "0" DLSS.DatePack	" DLSS.DatePack	9/27/90
244	4	40 ICS	-	•	_	-	373 RP(CurrentCard, 8, 2) = "89" and	DLSS.DatePack	9/27/90
							Matches(RP(CurrentCard, 78, 1), /[1-4]/)		
244	~	50 101	-	-	-	-	673 DLSS. 9256 <> ***	n17m	9/27/90
¥ 5	~	101 05	-	7	-	-	380 DLSS. 9256 <> ***	DLSS.0256	9/27/90
244	÷	50 101	~	-	-	-	673 DLSS.Q316 <> ""	n9Xn	9/27/90
244	5	101 03	~	~	-	-	380 DLSS.q316 <> ***	DLSS.Q316	9/27/90
244	5	50 Iai	m	-	-	-	673 DLSS.Q375 <> ***	MXH.	9/27/90
24.	÷	50 191	m	7	-	-	380 DLSS.Q375 <> **	DLSS.4375	9/27/90
244	4	60 TRI	-	_	-	-	2001 DLSS.1802G	DLSS.RejectedDIC	9/27/90
244	-	60 TR1	-	7	-	-	2207 DLSS.1sDZG and IsNumeric(RP(CurrentCard,79,1))	DLSS.RejectAdvice	9/27/90

Date		9/27/90	9/27/90	9/27/90	9/27/90	9/27/90	9/27/90	9/27/90	9/21/90	9/27/90	9/27/90	9/27/90	9/27/90	9/27/90	9/27/90	9/27/90	9/27/90	1/14/91	9/27/90	9/27/90	9/27/90	9/21/60	9/27/90	9/27/90		9/27/90		06/22/6	9/21/90	9/27/90	100	06/27/6	9/57/90	
e L		DLSS.Status	DLSS.RP212	DLSS.RP4225	DLSS.RP724	DLSS.RP763	DLSS.RP792	#10#	*****	DLSS.TORIC	T T T T T T T T T T T T T T T T T T T	****	DLSS.FromRIC	m58"	***	DLSS.CorrectRIC	RP(CurrentCard, 1,80)	EXIT()	DLSS.DIC	DLSS.UnitOfissue	DLSS.02510	wSN:	DLSS.NSN	DLSS.OwnerCode		DLSS.Purpose		DLSS.SupCondCode	DLSS.SubsistPack	DLSS.DatePack		DLSS.DatePack	Diss shelf life	j 1
Out Ond care filld Condition		2077 DLSS.1sDZG and 1sAlpha(RP(CurrentCard, 79,1))	61 Matches(RP(CurrentCard, 12,2),/0[01]/)	61	61	61	61 Not DLSS.isDZG	98 DLSS.TORIC <> ***	66 DLSS.TORIC <> ""	79	98 DLSS.FromRIC <> ***		29	98 DLSS.1sDZG and DLSS.CorrectRIC <> ""	66 DLSS.1sDZG and DLSS.CorrectRIC <> ""	67 DLSS.1sDZG	2000	1 DLSS.18DZG and Not Matches(DLSS.SourceDIC,/[DE]Z[HLMN]/)	2001	2010 Matches(DLSS.SourceDIC,/[DE]ZM/)	380 Matches(DLSS.SourceDIC,/IDE12H/)	128	127	2011 Matches(DLSS.SourceDIC,/[DE1ZM/) and	IsNumeric(RP(CurrentCard, 70, 1))	2012 Matches(DLSS.SourceDIC,/[DE]ZW/) and	1sAlpha(RP(CurrentCard, 70,1))	2065 Matches(DLSS.SourceDIC,/DE12H/)	754 Matches(DLSS.DIC,/IDE1ZH/)	373 Matches(DLSS.SourceDIC,/[DE]ZN/) and		373 Matches(DLSS.SourceDIC,/[DE12H/) and	Matches(RP(CurrentCard, 78, 1), [1-4]/)	1 CUBY MAKCHER(ULSS.SOUTCEUIL,/ LUEIEM/)
or t	٠. 	-	-	-	-	-	_	-	-	-	-		-	-	-	-	-		-	-	-	-	-	-		-		-	-	-		-	•	-
Š	5 :	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	***	-		•		-	-	-		_	•	_
Use El		m	-	7	M	4	8	-	m	4	-	M	4	-	M	4	-	0	-	-	~		7	-		~		m	9	7		€0	•	-
		1	5	5	≥	5	5	_	_	_	~	~	~	~	<u>_</u>	m	×	=	۔	2	2	<u>ب</u>		S		S 1		S	S	103		S	•	- 5
Seg Seg		60 TRI	5 8	20 20	70 ROU	201	70 ROU	88	88 E	88 E	88 E	8	8	88 EM	88 E	8 2	XXX	0			20 800	30 REF		40 ICS		501 07		40 ICS	\$0 ICS	9		\$31 O	:	20 20 20 20 20 20 20 20 20 20 20 20 20 2
Tid S		-	-	-	-	_	-	-	-	_	-	_	_	_	_	_	_		_	_	_		-	-		-		-	-	-		-		_
- 0 - 0	2 :	244	544	244	7,5	544	244	25	244	3 5	244	244	*	244	244	244	¥	545	545	245	545	545	545	545		245		245	545	245		242	;	Š.

2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	: 121		; •	:				
288888888888888888888888888888888888888			_	_	206	Matches(DLSS.SourceDIC./[DE]2H/)	DLSS, Invitemtode	9/21/90
333388888888	101	<i>;</i> •1	-	-	2091	Matches (I	DLSS. InvCategory	9/27/90
33332222388	LRR 1	-	-	-	2211		DLSS.ControlWbr	9/21/90
33888888888	LRR 1	7	-	-	373		DLSS.DocDate	9/27/90
338888888	LRR 1	* 7	•-	-	2213	Matches(DLSS.SourceOIC,/[DE]2H/)	DLSS.M01dentifier	9/27/90
8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	LRR 1	4	_	-	2100	Matches(DLSS.SourceOlC,/[DE]ZH/)	DLSS.LotSegNbr	9/27/90
R R R & & & & & & & & & & & & & & & & &	LRR 1	2	-	_	2203	Matches(DLSS.SourceDIC,/[DE]Z[LP]/)	DLSS.MediaType	6/27/90
2222222	TRI 1	_	_	_	2001	01.55.1 0026	DLSS.RejectedDIC	9/27/90
P 8 8 8 8 8 8	TR! 1	~	-	_	2207	DLSS.1sDZG and 1sNumeric(RP(CurrentCard, 79,1))	DLSS.RejectAdvice	9/21/90
888888	TRI 1	M	-	_	207	DLSS.18DZG and 1sAlpha(RP(CurrentCard, 79,1))	DLSS.Status	6/21/90
2222	100 T	_	-	_	2	Matches(DLSS.SourceDIC,/[DE]ZH/)	DLSS.RP212	9/21/90
5 5 8 8	100	~	-	-	2	Matches(DLSS.SourceOlC,/[DE]ZH/)	DLSS.RP351	6/21/90
288	<u>5</u>	M	-	_	29	Matches(DLSS.DIC,/CDE12H/)	DLSS.RP764	9/21/90
~ ~	700	m	2	-	5	Matches(DLSS.SourceDIC,/IDE)2H/)	DLSS.RP763	9/21/90
&	1	*	-	_	5	Matches(DLSS.DIC,/[DE]ZH/)	DLSS.RP801	9/21/90
	N.1	_	_	_	8	DLSS.TORIC <> ""	#10#	9/27/90
8	L	M	-	_	8	DLSS.TORIC <> ""	# 7Ha	9/21/90
8		4	-	_	67		DLSS.TORIC	06/22/6
- 8	H1 2	-	-	-	8	DLSS.fromRIC <> ""	****	9/21/90
8	N1 2	m	-	_	8	DLSS.fromRIC <> ***		9/21/90
8	N1 2	*	-	_	29		DLSS.FromRIC	06/22/6
8	N TH	_	-	-	8	DLSS.1aDZG and DLSS.CorrectRIC <> ""	#28#	06/22/6
8	H 3	M	-	_	8	DLSS.1sDZG and DLSS.CorrectRIC <> ""	*****	9/21/90
	H 3	4	-	-	67	0(.55.1.0026	DLSS.CorrectRIC	06/12/6
1 100	xxx	-	~	-	8 000		RP(CurrentCard, 1,80)	9/22/90
	RFL 1	_	-	_	200		DLSS.DIC	7/03/90
	RFL 1	~	-	_	800 2		DLSS.DocNo	7/03/90
551 1 201	RFL 1	€0	-	_	554	DLSS.DIC = "P11"	DLSS.Reqitumber	2/03/90
	RFL 1	•	-	_	2348		DLSS.SignalCode	3/06/91
551 1 30 1	REF 1	•	-	•	128		*SX=	7/03/90
551 1 30 1	REF 1	~	_	_	127		DLSS.NSN	7/03/90
551 1 40 1	200	~	-	_	8		DLSS.QuentityN2	2/03/90
1 50	R87 1	_	-	_	2046		DLSS. FundCode	2/03/90

1 1 2006 DISS.DIC = "P11" DISS.Distribution 1 1 2052 DISS.DIC = "P11" DISS.Distribution 1 1 2052 DISS.DIC = "P11" DISS.Project 2 1 2054 DISS.DIC = "P11" DISS.Project 3 1 373 DISS.DIC = "P11" DISS.Rob 3 1 375 DISS.DIC = "P11" DISS.Rob 4 1 1 96 DISS.DIC = "P11" BAND (DISS.IaServinfo or Not 5 1 1 96 DISS.DIC = "P11" BAND (DISS.IaServinfo or Not 6 1 1 96 DISS.DIC = "P11" BAND (DISS.DIC = "P11" DISS.Rob 7 1 1 96 DISS.DIC = "P11" BAND (DISS.DIC = "P11" DISS.DIC = "P11"	Seg Seg Use Seg 1d Ctr	Seq C	Out ord Sec	El Out Seq Ord Sect Elld Condition	Eval	Date
DLSS.DIC = "P11" DLSS.DIC = "P19" DLSS.IsS.DIC = "P19" DLSS.IsS.SIGNO or Not DLSS.IsServInfo or Not DLSS.IsS.SIGNO or Not DLSS.IsS.SIGNO or Not DLSS.IsS.SIGNO or Not DLSS.IsIIToDoDAAC <> "" DLSS.BIIIToDoDAAC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" Matches(DLSS.DIC,/P1[03C]/) DLSS.DIC > "P17" Matches(DLSS.DIC,/P1[03C]/) Matches(DLSS.DIC,/P1[03C]/) Matches(DLSS.DIC,/P1[03I]/)	R8T 1	. ~	: -		DLSS.Distribution	7/03/90
DLSS.DIC = "P19" DLSS.LDIC = "P11" and (DLSS.IsServInfo or Not DLSS.Is455ig) DLSS.Is455ig) DLSS.TORIC <> "" DLSS.BiliToDoDAAC <> "" DLSS.Bili	200 1	-	_	#	DLSS.DemandCode	7/03/90
DLSS.DIC = wp19m DLSS.Is45Sig) DLSS.Is45Sig) DLSS.IoRIC <> *** DLSS.BillToDoDAAC <> *** DLSS.Bill	20 T	-	_	2.5	DLSS.Priority	7/03/90
DLSS.DIC = "P19" DLSS.DIC = "P11" and (DLSS.IaServinfo or Not DLSS.Ia45Sig) DLSS.Ia45Sig) DLSS.IA6IC <> "" DLSS.IAITODODAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.Bill and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC = "P11" DLSS.DIC <> "P11" D	ROP 1	~	_	1 2051	DLSS.Project	7/03/90
DLSS.DIC = "P19" DLSS.DIC = "P11" and (DLSS.JaServinfo or Not DLSS.Ja455ig) DLSS.Ja455ig) DLSS.JORIC <> "" DLSS.BillToDoDAAC <> "" DLSS.Bill	-	m	-	1 373	DLSS.RDD	7/03/90
DLSS.DIC m mp11m and (DLSS.laservinfo or Not DLSS.la45Sig) DLSS.TORIC <> wm DLSS.TORIC <> wm DLSS.BillToDoDAAC <> wm DLSS.Bill white and DLSS.Consignor <> wm DLSS.DIC = wp11m and DLSS.Consignor <> wm DLSS.DIC = wp11m and DLSS.Consignor <> wm DLSS.DIC = wp11m DLSS.DIC = wp11m DLSS.DIC <> wp17m DLSS.DIC wp17m DLSS.DIC </ wp17m DLSS.DIC</td <td>_</td> <td>m</td> <td>_</td> <td>DLSS.DIC</td> <td>DLSS.ActionCode</td> <td>7/03/90</td>	_	m	_	DLSS.DIC	DLSS.ActionCode	7/03/90
DLSS.DIC = "P11" and (DLSS.laServinfo or Not DLSS.la65Sig) DLSS.TORIC <> "" DLSS.TORIC <> "" DLSS.RilitobobAC <> "" DLSS.RilitobobAC <> "" DLSS.ShipTobobAC <> "" DLSS.ShipTobobAC <> "" DLSS.Ric <> "" DLSS.ShipTobobAC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC = "P11" DLSS.DIC <> "P11" DLSS.DI	-	7	_	% - 3%	DLSS.Medium	7/03/90
DLSS.ToRIC <> "" DLSS.BillToDoDAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.RIC <> "" DLSS.RIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC = "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/)) DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/)) Matches(DLSS.DIC,/P1(03T1/))	-	-	_	DLSS.DIC	DLSS.RP456	7/03/90
DLSS.TORIC <> "" DLSS.BillToDoDAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.RIC <> "" DLSS.RIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC = "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/)) DLSS.DIC <> "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/)) DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/))				0.55.1845519)		
DLSS.BillToDoDAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.RIC <> "" DLSS.RIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/) DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/) DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/)) Matches(DLSS.DIC,/P1(03C1/))	_	_	_	DLSS. TORI	mt0**	7/03/90
DLSS.BillToDoDAAC <> "" DLSS.BillToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.RIC <> "" DLSS.RIC <> "" DLSS.BIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC = "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/) DLSS.DIC <> "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/) Matches(DLSS.DIC,/P1(03C1/))	_	m	-	DLSS.TORI		7/03/90
DLSS.BillToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.RIC <> "" DLSS.RIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC = "P11" DLSS.DIC = "P11" Matches(DLSS.DIC,/P1(03C1/) DLSS.DIC <> "P1Y" Matches(DLSS.DIC,/P1(03C1/) DLSS.DIC <> "P1Y" Matches(DLSS.DIC,/P1(03C1/) DLSS.DIC <> "P1Y" Matches(DLSS.DIC,/P1(03C1/)) Matches(DLSS.DIC,/P1(03C1/))	_	4	_	1 67	DLSS.TORIC	7/03/90
DLSS.BillToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.RIC <> "" DLSS.RIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC = "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C1/)) DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C1/)) DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C1/)) Matches(DLSS.DIC,/P1(03C1/))	~	_	_	DLSS.BilitoDoDAAC <>	#10r	7/03/90
DLSS.ShipToDoDAAC <> "" DLSS.ShipToDoDAAC <> "" DLSS.RIC <> "" DLSS.RIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C]/) DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/)	~	m	_	DLSS.BILLToDODAAC <>	m10m	7/03/90
DLSS.ShipTobobAAC <> "" DLSS.ShipTobobAAC <> "" DLSS.RIC <> "" DLSS.RIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC = "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C]/) DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/)	~	4	_	1 67	DLSS.BillToDoDAAC	7/03/90
DLSS.RIC <> "" DLSS.RIC <> "" DLSS.RIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC <> "P11" DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C1/) DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C1/) Matches(DLSS.DIC,/P1(03C1/)) Matches(DLSS.DIC,/P1(03C1/))	~	-	_	1 96 DLSS.ShipToDoDAAC <> ""	ELS:	7/03/90
DLSS.RIC <> mm DLSS.RIC <> mm DLSS.DIC = mp11m and DLSS.Consignor <> mm DLSS.DIC = mp11m and DLSS.Consignor <> mm DLSS.DIC = mp11m DLSS.DIC <> mp17m Matches(DLSS.DIC,/p1(03C1/) DLSS.DIC <> mp17m DLSS.DIC <> mp17m DLSS.DIC <> mp17m Matches(DLSS.DIC,/p1(03C1/) Matches(DLSS.DIC,/p1(03C1/)) Matches(DLSS.DIC,/p1(03C1/))	m	m	_	DLSS.ShipToDoDAAC	#10#	7/03/90
DLSS.RIC <> "" DLSS.RIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C)/) DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C)/) Matches(DLSS.DIC,/P1(03C)/) Matches(DLSS.DIC,/P1(03C)/)	m	4	-		DLSS.ShipToDoDAAC	7/03/90
DLSS.BIC <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C]/) DLSS.DIC <> "P17" DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/)	4	-	-	DLSS.RIC	2 04.1	7/03/90
DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC <> "P11" Matches(DLSS.DIC,/P1(03C]/) DLSS.DIC <> "P17" DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/)	4	m	-	DLSS.RIC	- 	7/03/90
DLSS.DIC = mp11" and DLSS.Consignor <> "" DLSS.DIC = mp11" and DLSS.Consignor <> "" DLSS.DIC = mp11" DLSS.DIC <> mp17" Matches(DLSS.DIC,/P1(03C1/) DLSS.DIC <> mp17" DLSS.DIC <> mp17" DLSS.DIC <> mp17" Matches(DLSS.DIC,/P1(03C1/) Matches(DLSS.DIC,/P1(03C1/))	4	4	_	1 67	DLSS.RIC	7/03/90
DLSS.DIC = "P11" and DLSS.Consignor <> "" DLSS.DIC = "P11" DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C]/) DLSS.DIC <> "P17" DLSS.DIC <> "P17" DLSS.DIC <> "P17" Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/)	~	-	_		2 TO2	7/03/90
DLSS.DIC = "P11" DLSS.DIC <> "P1Y" Matches(DLSS.DIC,/P1(03C]/) DLSS.DIC <> "P1Y" DLSS.DIC <> "P1Y" DLSS.DIC <> "P1Y" Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/)	5	m	_	* "P11" and DLSS.Consignor	#Of#	7/03/90
DLSS.DIC <> mp1ym Matches(DLSS.DIC,/P1(03C]/) DLSS.DIC <> mp1ym DLSS.DIC <> mp1ym DLSS.DIC <> mp1ym Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/)	~	•	_	DLSS.DIC	DLSS.Consignor	7/03/90
DLSS.DIC <> mp1ym Matches(DLSS.DIC,/P1(03C]/) DLSS.DIC <> mp1ym DLSS.DIC <> mp1ym DLSS.DIC <> mp1ym Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/)	_	-	-	1 2000	RP(CurrentCard, 1,80)	7/03/90
DLSS.DIC <> "P1Y" Matches(DLSS.DIC,/P1(03C]/) DLSS.DIC <> "P1Y" DLSS.DIC <> "P1Y" DLSS.DIC <> "P1Y" Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(03C]/)		-	_	1 2001	DLSS.DIC	7/03/90
Matches(DLSS.DIC,/P1[03C]/) DLSS.DIC <>	_	~	-	DLSS.DIC	DLSS.DocNo	7/03/90
DLSS.DIC <> *P1Y** DLSS.DIC <> *P1Y** DLSS.DIC <> *P1Y** Matches(DLSS.DIC,/P1(03C1/) Matches(DLSS.DIC,/P1(071/)	_	~	-	1 2348 Matches(DLSS.DIC,/P1(03C]/)	DLSS.SignalCode	3/06/91
DLSS.DIC <> "P1Y" DLSS.DIC <> "P1Y" Matches(DLSS.DIC,/P1[03C]/) Matches(DLSS.DIC,/P1[07]/)	_	-	-	DLSS.DIC	*S**	7/03/90
DLSS.DIC <> "P1Y" Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(0Y]/)	-	~	-	DLSS.DIC	DLSS.NSN	7/03/90
Matches(DLSS.DIC,/P1(03C]/) Matches(DLSS.DIC,/P1(0Y]/)	-	~	_	DLSS.DIC	DLSS.QuantityN2	7/03/90
Matches(DLSS.DIC,/P1[0Y]/)	-	_	_		DLSS.FundCode	7/03/90
	-	_	-		DLSS.ContractWbr	7/03/90

	Date	7/03/90	7/03/90	7/03/90		7/03/90	7/03/90	7/03/90	7/03/90	7/03/90	7/03/90	7/03/90	7/03/90	7/03/90		2/06/90	2/06/90	2/06/90	2/06/90	06/90/2	2/06/90	7/10/90	7/10/90	7/10/90	2/06/90	2/06/90	2/06/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/10/90
	Eval	DLSS.CLIM	DLSS.Priority	DLSS.RD0		DLSS.DeliveryDate	mXC**	DLSS.CargoNbr	DLSS.ShipmentMode	DLSS.NbrShipments	#00m	DLSS.DelordNbr	DLSS.Del Suffix	DLSS.RP456		DLSS.ActionCode	DLSS.Mngt1nd	DLSS.Medica	MT0M	*****	DLSS.TORIC	2 FR 2	*74**	DLSS.R1C	*LS#	#10#	DLSS.ShipToDoDAAC	* - m*	*10*	DLSS.BillToDoDAAC	"NO"	*10**	DLSS.Consignee	RP(CurrentCard, 1,80)
	Elid Condition	2025 DLSS.DIC = #P10"	470 Matches(DLSS.DIC,/P1(3C]/)	373 Matches(DLSS.DIC,/P1(3C2B]/) or (DLSS.DIC = "P10" and	ishumeric(RP(CC(),67,6)))	373 Matches(DLSS.DIC,/P1(0Y1/)	128 DLSS.DIC = "P10" and Not IsHumeric(RP(CC(),67,6))	145 DLSS.DIC = "P10" and Not laNumeric(RP(CC(),67,6))	91 Matches(DLSS.DIC,/P1[283CBN]/)	622 DLSS.DIC * "P10" and IsNumeric(RP(CC(),67,6))	128 Matches(DLSS.DIC,/P1f0Y)/) and DLSS.DeiOrdNbr <> ""	145 Matches(DLSS.DIC,/P1[0Y]/) and DLSS.DelOrdNbr <> ""	554 Matches(DLSS.DIC,/P1(0Y1/)	61 Matches(DLSS.DIC,/P1[03C]/) and (DLSS.IsServinfo or Not	01.55.1545519)	306 Matches(OLSS.DIC,/P1[0Y3C]/)	2240 Matches(DLSS.DIC,/P1[OY]/)	% 24	98 Matches(DLSS.DIC,/P1[283C8H]/) and DLSS.ToRIC <> ""	66 Matches(DLSS.DIC,/P1[2B3C8N]/) and DLSS.ToRIC <> ""	67 Matches(DLSS.DIC,/P1(283C8H]/)	98 Matches(DLSS.DIC,/P1[283C8H]/) and DLSS.FromRIC <> **	66 Matches(DLSS.DIC,/P1[2B3C8H]/) and DLSS.fromRIC <> ""	67 Matches(DLSS.DIC,/P1(283C8H)/)	96 Matches(DLSS.DIC,/P1[03C]/) and DLSS.ShipToDoDAAC <> ""	66 Matches(DLSS.DIC,/P1[03C]/) and DLSS.ShipToDoDAAC <> ""	67 Matches(DLSS.DIC,/P1(03C1/)	98 Matches(DLSS.DIC,/P1[03C]/) and DLSS.BillToDoDAAC <> ""	66 Matches(DLSS.DIC,/P1[03C]/) and DLSS.BillToDoDAAC <> ""	67 Matches(DLSS.DIC,/P1[03C]/)	98 Matches(DLSS.DIC,/P1[288N]/) and DLSS.Consignee <> ""	66 Matches(DLSS.DIC,/P1[288H]/) and DLSS.Consignee <> ""	67 Matches(DLSS.DIC,/P1[2P8H]/)	
ğ	Sect	-	-	-		-	-	-	-	-	-	-	-	-		_	-	-	-	-	-	-	_	-	-	-	-	-	-	-	_	-	-	-
Ü	ord	-	-	-		-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	~	-	-	-	-
ī	Se :	~	-	m		-	~	m	4	۰	7	m	7	-		m	•	~	-	m	4	-	m	4	-	m	4	-	M	4	-	M	4	-
Use	Ctr	-	-	-		-	-	-	-	-	~	~	7	-		-	-	-	-	-	-	7	~	8	m	m	m	4	4	4	₩	5	₩.	-
Seg Seg	Seq 1d	3	200	70 100		BO RSE	SO RSE	SO RSE	80 RSE	BO RSE	80 RSE	BO RSE	BO RSE	90 ROL		100 PET	100 PET	100 PET	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	110 M1	120 XXX
Tid	Sect	-	-	-		-	-	_	-	-	-	-	_	-		-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
	SPIL	552	552	\$52		552	552	552	552	552	552	552	252	552		2 25	552	552	552	552	552	552	552	552	552	252	552	552	552	552	\$52	552	\$52	552

		Date	06/90/1	2/06/90		7/06/90	3/06/91	2/06/90	2/06/90	2/06/90	2/06/90	06/90/2	06/90/2	2/06/90	2/06/90	2/06/90	06/90/2	06/90/2	06/90/2	06/90/2	2/06/90		2/06/90	06/90/2	2/06/90	2/06/90	06/90/2	06/90/2	1/06/90	2/06/90		1/06/90	00, 70, 1
		Eval	DLSS.01C	DLSS.DocNo		DLSS.DocNoSuffix	DLSS.Signal Code	DLSS.OrigDocNo	DLSS.QuantityM2	DLSS.ShipmentDate	"XC"	"OQ"	DLSS.CergoNbr	DLSS.DelordNbr	DLSS.ShipmentMode	DLSS.Shipmentind	*15*	DLSS.ShipmentWbr	, 00 ,	DLSS.DelordNbr	DLSS.ContractWbr		DLSS.CLIN	*017*	DLSS.LoadDate	»SN»	DLSS.KSW	DLSS.FundCode	DLSS.Priority	DLSS.RP456		DLSS.ActionCode	
	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	cir seq ord sect tild condition	2001	2008 Fatches(DLSS.DIC,/P2(DE1238]/) or (DLSS.DIC = "P29" and	AP(CC(),43,1) <> " ")	2076 Matches(DLSS.DIC,/P2(138)/) or (DLSS.DIC = "P29" and PPCCC() 41 1) <> " ")	. ະ		380 DLSS.DIC <> "XEL"	373 Matches(DLSS.DIC,/P2[012389]/)	128 Matches(DLSS DIC,/P2[012389]/) and DLSS.CargoNbr <> ""	128 Matches(DLSS.DIC,/P2[DE] XEL/) and DLSS.DelOrdNbr <> ""	145 Matches(DLSS.DIC,/P2[012389]/)	145 Matches(DLSS.DIC,/P2[DE] XEL/)	91 Matches(DLSS.DIC,/P2[0123890E]/)	147 Matches(DLSS.DIC,/P2(0123891/)	128 RP(CC(),51,1) <> " " and DLSS.DIC = "P20"	145 RP(CC(),51,1) <> " " and DLSS.DIC = "P20"	128 DLSS.DIC = MP20M and DLSS.DelOrdNtbr <> MM	145 DLSS.DIC = MP20m and DLSS.Delorchibr <> mm	367 (Matches(DLSS.DIC,/P2[DE]/) and RP(CC(),64,1) = " ") or	Matches(DLSS.DIC,/P2[09] XEL/)	1025 Matches(DLSS.DIC,/P2[09] XEL/)	374 DLSS.DIC = MP20M	373 DLSS.DIC = "P20"	128 DLSS.DIC <> WKEL"	127 DLSS.DIC <> "XEL"	2046 Matches(DLSS.DIC,/P2(13)/)	470 Matches(DLSS.DIC,/P2(13)/)		(Matches(DLSS.DIC,/PZ[13]/) and RP(CE(),51,1) = "A" and RP(CE(),51,1) = "A" and	908	
		표 : 당 :	7	~		~	51	7	-	-	_	_	_	-	_	-	-	-	_	-	-		-	-	-	-	-	2	-	_		-	•
ā	3 3	e i	_	_		_	_	-	_	_	-	2	_	7	-	_	_	_	_	_	_		_	_	_	_	_	_	-	_		_	
	}	5 : 8 :	_	~		m	•	~	~	_	~	~	m	₩		•	~	₩.	~	₩.	_		~	_	~	_	~	_	_	_		-	
Hap FI		й :	-	_		-	_	~	-	-	_	_		<u>-</u>	_	_	~	~'	m	m	_		_	_	_	_	_	_	_	_		-·	
2	_	sed to	10 RFL	10 RFL		10 RFL	10 RFL	10 RFL	20 R00	30 RSE	O RSE) RSE) RSE	30 RSE	30 RSE	30 RSE	30 RSE	30 RSE	30 RSE	30 RSF	1d 07		1d 07	50 DTM	50 DTM	60 REF	60 REF	70 RBT	80 Rop	0 ROL		100 PET	. !
Š		% :		•		_	-	-	~	m	30	30	30	₩	1	m	m	M	m	M	4		4	5	•	•	w	_	-	5		ĕ	
Tid Sea		110 Sect Se	_	_		-	-	-	1 2	₩.	-	<u>-</u>	m -	Ē	1	- A	m -	÷.	-	ř	-		-	-	_	-	-	1	-	د		Ę	

		1 98 DLSS.DIC * "XEL" and DLSS.Consignee1 <> ""	I NO	2/06/90
- C C C C E E E E E E	_	1 66 DLSS.DIC = "XEL" and DLSS.Consignee1 <> ""	*10*	2/06/90
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	•	1 67 DLSS.DIC = "XEL" and DLSS.Consignee1 <> ""	DLSS.Consignee1	2/06/90
N 2 F M 4 F M	-	1 98 DLSS.DIC = "XEL" and DLSS.Consignee2 <> ""	ייכאיי	06/90/2
4 - W 4 - W	-	1 66 DLSS.DIC * "XEL" and DLSS.Consignee2 <> ""	H10H	2/06/90
- m + - m	-	1 67 DLSS.DIC = "XEL" and DLSS.Consignee2 <> ""	DLSS.Consignee2	06/90/2
m m ч ч	-	1 96 DLSS.DIC = "XEL" and DLSS.Consignee3 <> ""	· · · · · · · · · · · · · · · · · · ·	2/06/90
W 4 4	-	1 66 DLSS.DIC = "XEL" and DLSS.Consignee3 <> ""	m10m	2/06/90
- r	-	1 67 DLSS.DIC * "XEL" and DLSS.Consignee3 <> ""	DLSS.Consignee3	06/90/2
7	-	1 96 DLSS.DIC * "XEL" and DLSS.Consignee4 <> ""	w.C.C.w	1/06/90
, r	-	1 66 DLSS.DIC * "XEL" and DLSS.Consignee4 <> ***	m10m	2/06/90
130 N1 4 4	-	1 67 DLSS,DIC = "XEL" and DLSS,Consignee6 <> ""	DLSS.Consignee4	2/06/90
140 XXX 1 1	-	1 2000	RP(CurrentCard, 1,80)	2/06/90
10 RFL 1 1	-	1 2001	DLSS.DIC	06/90/2
10 RFL 1 2	-	1 127 Matches(DLSS.DIC,/P3[123901]/)	DLSS.DocNo	2/06/90
10 RFL 1 3	-	1 2076 Metches(DLSS.DIC,/P3[139]/)	DLSS.DocNoSuffix	06/90/2
RFL 1 9	-	1 2348 Matches(DLSS.DIC,/P3[13901]/)	DLSS.SignalCode	3/06/91
20 RBT 1 1	-	1 1046 Matches(DLSS.DIC,/P3[13901]/)	DLSS. FundCode	06/90/2
30 ROO 1 2	_	1 380	DLSS.QuentityN2	06/90/2
ROP 1 1	-	1 470 Matches(DLSS.DIC,/P3[13]/)	DLSS.Priority	1/06/90
RSE 1 1	_	1 373	DLSS.ReceiptDate	2/06/90
RSE 1 2	_	1 128 Matches(DLSS.DIC,/P3[12301]/)	"XC"	2/06/90
RSE 1 2	7	1 128 DLSS.DIC = "P30"	#ISu	2/06/90
RSE 1 3	_	1 145 Matches(DLSS.DIC,/P3[12301]/)	DLSS.CargoNbr	06/90/2
RSE 1 3	~	145 DLSS.DIC = MP30"	DLSS.ShipmentNbr	2/06/90
RSE 1 4	-	1 91 Matches(DLSS.DIC,/P3[012390]/)	DLSS.ShipmentMode	06/90/2
RSE 1 5	-	1 157 Matches(DLSS.DIC,/P3[012301]/)	DLSS.ConsigneeInd	2/06/90
RSE 1 8	-	1 147 Matches(DLSS.DIC,/P3[01239]/)	DLSS.Shipment Ind	06/90/2
RSE 2 2	-	1 128 Matches(DLSS.DIC,/P3100)/)	"OG"	2/06/90
RSE 2 3	-	1 145 Matches(DLSS.DIC,/P3[00]/)	DLSS.DelordWbr	2/06/90
-	-	1 367 0LSS.01C = "P30"	DLSS.ContractMbr	2/06/90
1 2	_	1 1025 DLSS.DIC = "P30"	DLSS.CLIN	06/90/2
F 1	-	1 128	"SZ"	2/06/90

4	Date	1/06/90	06/90/2	06/90/2	06/90/2	2/06/90	06/90/2	2/06/90	06/90/2	06/90/2	06/90/2	06/90/2	2/06/90	2/06/90	06/90/2	06/90/2		,	06/90/2			06/90/2		90, 70, F	04/90/ <i>/</i>		2/06/90		007 707 F	04/90//	06/90/2	06/90/2	
	Eval	DLSS.NSN	DLSS.ActionCode	DLSS.SequenceMbr	OLSS.Mngt Ind	DLSS.Medium	DLSS.SupCondCode	*710*	DLSS.UnicoadDate	#10#	# 7 14	DLSS.TORIC	2442		DLSS.RIC	mSTm			*10**			DLSS.ShipToOoDAAC					#10#		1	DLSS.BillToDoDAAC	00.000000000000000000000000000000000	Arteurence of 1,000	7123.016
	Seq Ord Sect Elld Condition			554 Matches(DLSS.DIC,/P3[029D1]/)				Metches(0LSS.DIC,/P3[01]/)	Matches (DL	DISS.TOBIC <> ""			96 DLSS.RIC ↔ **	-		98 (/Matches(DLSS.DIC./P3(13901)/) and		Matches(DLSS.DIC,/P3[02]/)) and DLSS.ShipToDoDAAC <> **	((Matches(DLSS.DIC,/P3[139DT]/) and	Matches(DLSS.SignalCode,/[A-DJ-M]/)) or	Matches(DLSS.DIC,/P3[02]/)) and DLSS.ShipTcDcDAAC <> ""	(Matches(DLSS.DIC,/P3[13901]/) and	Matches(DLSS.Signa(Code,/[A-DJ-M]/)) or	Metches(DLSS.DIC,/P3[02]/)	.SS.DIC,/P3[13901]/) and	Matches(DLSS.SignalCode,/[ABCJKL]/)	Matches (DI	Metches(DLSS.SignalCode,/[ABCJKL]/) and	DLSS.BillToDoDAAC <> **	Metches(DLSS.DIC,/P3[13907]/) and	Matches(DLSS.SignalCode,/[ABCJKL]/)		
	ELIG	127	300	554	2240	χ.	2065	374	373	8	8	29	8	8	29	8	?		8			29			8		8			67	,	8	2001
ĕ	ec t	-	-	_	-	_	-	-	_		_	_	-	-	•	_	•		-			-			_		-			_	•	_	-
J	pio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	•		-			-			-		-			-		-	~
E	Seg	: ~	· M	4	•	~	•	-	~			٠ ٦	-	. MJ	4	•	•		m			4			-		147			4		-	
Seg Use	Ç	-		-	-	-	-	-	-	-	-		. ^	۸ ۱	~	, pr	1		M			M			4		4			4		-	-
	פ	. 4										=	=	=	=	3			Ξ	:		110 M1			Ξ		110 M1			Ξ		120 XXX	RFL
Seg	Seq	. 2	2	8	8	8	8	8	8	<u></u>	2	1 2	130	2 2	110	130	-		110			110			10		130			110		120	5
1 id	Sect	: -	-	-	-	-	_	-	-			-		-	-		•		-			-			-		-			-		-	-
	1.0	254	254	254	554	554	554	354	3				7	3	755	3	5		554	•		554			554		254			554		554	555

	Date	7/06/90	06/90/1	2/06/90	06/90/2	06/90/1	1/06/90	06/90/1	06/90/1	06/90/2	2/06/90	7/06/90	06/90/1	1/06/90	06/90/2	06/90/2	06/90/2	06/90/1	06/90/2	06/90/2	2/06/90	06/90/1	06/90/2	1/06/90	06/90/2	06/90/2	06/90/2	06/90/2	08) 1/06/90	06/90/2	06/90/2	06/90/2	1/06/90	06/90/2
	Eval	DLSS.DocNo	DLSS.DocNoSuffix	DLSS.QuantityN2	DLSS.QuentityInv	DLSS.QuantityInv8	DLSS.Date73	N S Z N	#3/#	DLSS.NSK	DLSS. NSNF 108	NS21	DLSS.NSN	DLSS.ActionCode	DLSS.SequenceNbr	DLSS.Mngt Ind	DLSS.Medium	DLSS.SupcondCode	DLSS.GL1md	DLSS.Adj1ype	DLSS.TypeChange	DLSS.CondTo	MTO**	*74.	DLSS.TORIC	#FR#	: 7	DLSS.RIC	RP(CurrentCard, 1,80)	DLSS.DIC	DLSS.DocNo	DLSS.DocNoSuffix	#IS#	DLSS.ShipmentNbr
	Elld Condition	127	1076 DLSS.DIC = "P42"	380 Matches(OLSS.01C,/P4[23]/)	380 DLSS.DIC = "P41"	380 DLSS.DIC = "P41"	373	128 Matches(DLSS.DIC,/P4[12]/)	128 DLSS.DIC = "P43"	127 Matches(DLSS.DIC,/P4[12]/)	127 DLSS.DIC # MP43"	128 DLSS.DIC = "P43"	127 DLSS.DIC = "P43"	306	554	2240	356	2065	2226 DLSS.DIC = "P42"	2227 DLSS.DIC = "P42"	2228 DLSS.DIC = "P43"	2065 DLSS.DIC = "P43"	98 DLSS.ToRIC <> ""	66 DLSS.ToRIC <> ""	29	98 DLSS.RIC <> ***	66 DLSS.RIC <> ""	29	2000	2001	2008 RP(CC(),23,1) = " "	2076 RP(CC(), 23,1) = " "	128	571
Š	d Sect	-		1	2 1	1	1	1	2	_	2 1		1	1	-	-	-	1	-	-	_	1	1	1	1	-	1		1	1	1	1	1	_
~	Seq ord	7	m	_	_	2	4	_	-	7	~	_	2	m	4	9	7	€0	•	0	_	m	-	€	•	_	×	•	_	_	~	m	~	~
Use El	Ctr S	-	_	_	-	_	_	_	_	-	_	~	~	_	_	_	_	_	_	-	-	1	_	_	_	~	~	~	_	-	-		_	
Seg Seg	Seq 1d	10 RFL	10 RFL	20 PIC	20 PIC	20 PIC	20 PIC	30 REF	30 REF	30 REF	30 REF	30 REF	30 REF	50 PET	50 PET	50 PET	50 PET	50 PET	50 PET	50 PET	50 PET	50 PET	8 ≖	8	€0 H	8 E	8 E	3 E	20 XXX	10 RFL	10 RFL	10 RFL	20 RSE	30 00
7 14	Sect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	,	-	-	-	-	-	-	-	-	-	-	•
	B :	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	555	\$55	555	556	556	556	556	455

Tid Seg Seg Use El		Date	06/90/1	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90		2/06/90	2/06/90	3/06/91	2/06/90
1id Seg Seg Use El Out Sect Seq Id Ctr Seq Ord Sect ElId 1 20 RSE 2 1 128 1 20 RSE 3 1 145 1 20 RSE 4 2 1 128 1 20 RSE 4 2 1 145 1 20 RSE 4 3 1 145 1 20 RSE 5 2 1 128 1 20 RSE 6 3 1 145 1 20 RSE 7 3 1 145 1 30 PI 1		Eval		DLSS.DelordNbr	*81*	DLSS.BillLeding1	*82*	DLSS.Billeding2	I BUX I	DLSS.BillLading3	**************************************	DLSS.Biilleding4	*B5#	DLSS.8iilleding5	DLSS.ContractNbr	DLSS.CLIM	DLSS.ActionCode	DLSS.Mngt1rd	DLSS.Medium	*01 *	"7th	DLSS.TORIC	2 7 7 2 2	-7H.	DLSS.RIC	RP(CurrentCard,1,80)	DLSS.DIC	DLSS.DocNo		DLSS.DocNoSuffix	DLSS.SupTransDate	DLSS.SignalCode	DLSS.Delquant
Tid Seg Seg Use El Sect Seq Id Ctr Seq ord 20 RSE 2 2 1 20 RSE 2 3 1 20 RSE 3 3 1 20 RSE 4 3 1 20 RSE 6 2 1 20 RSE 7 3 1 20 RSE 6 3 1 20 RSE 6 3 1 20 RSE 7 3 1 20 RSE 6 2 1 1 20 RSE 7 3 1 1 30 Pt 1 1 2 1 1 30 Pt 1 1 2 1 1 30 Pt 1 1 1 1 10 RFL 1 1 1 1 10 RFL 1 3 1 1 10 RFL 1 4 1 1 10 RFL 1 3 1 1 10 RFL 1 6 1	c c	_	RP(CC(),23,1) <> "		DLSS.Billlading1	Leding	Lading2 <>	Lading2 <>	Leding3	DLSS.BillLading3	DLSS.Billlading4	DLSS.Billlading4	DLSS.BillLeding5	DLSS.BillLeding5		RP(CC(),23,1) ->	1 306	1 2240	1 756		DLSS.TORI	1 67	DLSS.RIC	DLSS.RIC	1 67	1 2000		-	(Matches(DLSS.DIC,/P6[BCRS] {P[0-9]Z/) &rd RP(CC(),43,1)				DLSS.DIC
11d Seg Seg Use El Sect Seq 1d Ctr Seq 1 20 RSE 2 2 1 20 RSE 3 3 1 20 RSE 4 3 1 20 RSE 6 2 1 20 RSE 6 2 1 20 RSE 6 2 1 20 RSE 6 3 1 20 RSE 6 3 1 20 RSE 7 3 1 20 RSE 6 3 1 20 RSE 7 3 2 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 3 3 2 3 3 3 2 3 3 3 3	5	ord S	: -	-	-	_	-	-	-	-	-	-	-	-	- -	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
20 RSE 14 20 RSE 15 20 RSE 17 20 RSE		S	?	m	~	m	~	m	~	m	~	m	7	m	-	~	m	\$	~	-	m	4	-	m	4	-	-	7		٣	4	٥	~
Sect			- ~	7	m	m	4	4	5	•	•	•	~	^	-	-	-	-	-	-	_	-	~	~	7	-	-	-		-	-	-	-
			RSE	O RSE											140	Id 0				H	H	E .	E E	E	EM C			O RFL					
	<i>T</i> .	σ.	. 0					Z.,	~	\sim	~	Ž.	Ā.	Ξ.	-	M	K	~	ĸ	Z.	ð	ð	æ	Ø	Ø	5	=	~		=	=	7	⊼
			: 2	~	~	~	~	•	••		••	•		•	.,					_	_												

	Date	06/90/2	2/06/90	2/06/90	06/90/2	2/06/90	2/06/90		2/06/90		2/06/90	06/90/2	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	2/06/90	06/90/2	2/06/90	2/06/90	2/06/90	06/90/2	06/90/2	2/06/90	06/90/2	2/06/90	2/06/90	2/06/90	2/06/90	06/90/2	001701
-	Eval	DLSS.QuantityN2	DLSS.ShipQuant	#S#	DLSS.NSN	DLSS. FundCode	DLSS.ContractNbr		DLSS.CLIM		DLSS.ReceiptDate	*XC*	"0Q"	DLSS.Ca. goMbr	DLSS.DelordNbr	DLSS.ShipmentMode	DLSS.Del Suffix	nSI n	,,OO,,	DLSS.ShipmentWbr	DLSS.DelordNbr	DLSS.FOBSite	DLSS.Narrative1	DLSS.Marrative2	DLSS.Narrative4	DLSS.Narrative5	DLSS.Narrative3	CAT("P", RP(CC(), 21, 2))	CAT(RP(CC(), 1, 2), RP(CC(), 7, 1))	CAT("P1", RP(CC(), 7, 1))	DLSS.RejectInd	
								P(CC(),43,1)		P(CC(),43,1)																						
	Condition	380 Matches(DLSS.DIC,/P6[OCRS] P[0-9]Z/)	380 DLSS.DIC = "P6A"	128 Matches(DLSS.DIC,/P6[OABCDRS] P[0-9]2/)	127 Matches(DLSS.DIC,/P6[OABCDRS] P[0-9]2/)	2046 Matches(DLSS.DIC,/P6[ORS] P[0-9]2/)	57 Matches(DLSS.DIC,/P6[0AF]/) or	(Matches(DLSS.DIC,/P6[BCRS] P[0-9]2/) and RP(CC(),43,1)	2025 Matches(DLSS.DIC,/P6[0AF]/) or	(Matches(DLSS.DIC,/P6(BCRS] P[0-91Z/) and RP(CC(),43,1)	373 DLSS.D1C = "P6C"	128 Matches(DLSS.DIC,/P6(OC)/)	128 Matches(DLSS.DIC,/P6[ABF]/)	145 Matches(DLSS.DIC,/P6[0C]/)	145 Matches(DLSS.DIC,/P6[ABF]/)	91 DLSS.DIC = "P6C"	DLSS.DIC =	128 DLSS.DIC = "P6F"	128 Matches(DLSS.DIC,/P6[0C]/)	145 DLSS.DIC = "P6F"	145 Matches(DLSS.DIC,/P6[0C]/)	146 DLSS.DIC = "P6A"	61 DLSS.DIC = "P68"	51 DLSS.DIC = "P60"	61 DLSS.DIC = "PGR"	51 Matches(DLSS.DIC,/P6S P[0-9]Z/)	61 DLSS.DIC # "P60"	11 DLSS.DIC = "PGR") Matches(DLSS.DIC,/P[0-9]2/)	DLSS.DIC .	31 Matches(DLSS.DIC, /P [0-9]Z/)	1
		~ ~	~	1	-	1 204	1 367		1 202		1 3	1.	1,2	7	1 14	<u>-</u>	1 554	1.2	1 12	1	1 74	-	-	-	-	-	-	1 2001	1 2001	1 2001	1 2231	
ğ	Dect.	~	•	_	_	_	_		_		_	_	~	_	7	_	_	_	~	_	7		_	7	m	4	_	_	2	m	_	,
	sed ord	7	S		~	_	_		~		_	~	~	m	m	•	7	~	~	m	m	_	_	_	_	-	~	_	_	-	~	
	Z :	_	_	_	_	_	_		_		_	_		_	_	_	_	~	~	~		_	_	·	_	_	_	_	_	_	_	
<u> </u>	ם פו	8	8	REF	REF	188	ĕ		i d		RSE	RSE	RSE	RSE	RSE	RSE	RSE	RSE	RSE	RSE	RSE	8	200	3	5	3	200	PET	PET	PET	PET	
		_									_		_						3	8	2	2	8	8	8	8	8	8	8		8	
Seg		20	2	30	30	9	8		50		3	3	8	8	3	8	8	8	Ø	ø	•	_	•	•0	•	•	•	0	δ.	8	δ	•
Seg Seg		1 20	1 20	1 30	1 30	7	- 5		1 50		-	- 3	-8	2	- 3	<u>~</u>	<u>-</u>	~ &	-	-	4	1	-	-	•	-	-	÷	•	~	<u>-</u>	,

	Date	7/06/90	2/06/90	2/06/90	7/06/90	2/06/90	2/06/90	2/06/90	7/06/90	2/06/90	7/06/90	7/06/90	7/06/90	2/06/90	2/06/90	2/06/90			2/06/90	2/06/90	2/06/90			2/06/90	2/06/90	2/06/90		2/06/30	2/06/90	2/06/90		2/06/90	
	\$ 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																																
	Eval	DLSS.Notification	DLSS.Mngt1nd	DLSS.Medium	DLSS.GLInd	DLSS.DATE73	иТОи	27±0	DLSS.TORIC	1 T. W. W. T. W. W. T. W. W. T. W. W. T. W. W. T. W. W. T. W. W. T. W. W. T. W. T. W. W. T. W. W. W	m61m	. 7th.	m10m	DLSS.RIC	DLSS.DoDAAC23	n Si n			··NO·	**09 **	*10*			#10#	: 7t.	DLSS.ShipToDoDAAC		DLSS.SupAddress	DLSS.ReportRIC	. L9.		*10*	
	Elid Condition		2240 Matches(DLSS.DIC,/P6[0ACF]/)	Matches(DLSS.DIC * "P6C"	DLSS.DIC = MP6CM	DLSS.Tof	DLSS.TORIC <> ""		Matches(DLSS.DIC,/P6tACDF]/) and DLSS.RIC <> ""	DLSS.DIC = "P68" and DLSS.DoDAAC23 <> ""	Matches(DLSS.DIC,/P6(ACDF)/) and DLSS.RIC <> ""	DISS.DIC = "P68" and DLSS.DoDAAC23 <> ""	Matches(DLSS.DIC,/P6(ACDF)/)	DLSS.DIC = "P68"	Matches(DLSS.DIC,/P6(ORS) P(0-9)2/) and	Matches(DLSS.SignalCode,/[A-DJ-M]/) and	DLSS.ShipToDaDAAC <> ""	DLSS.DIC = "P6C" and DLSS.SupAddress <> ""	DLSS.DIC = "P60" and DLSS.ReportRIC <> ""	Matches(DLSS.DIC, /P6(0RS) P(0-9)2/) and	Matches(DLSS.SignalCode,/[A-DJ-M]/) and	DLSS.ShipToDoDAAC <> ""	DLSS.DIC # "P6C" and DLSS.SupAddress <> **	DISS.DIC = "P60" and DISS.ReportRIC <> ""	Matches(DLSS.DIC,/P6(ORS) P(0-9)2/) and	Matches(DLSS.SignalCode,/[A-DJ-M]/)	DLSS.DIC = "P6C"	DLSS.DIC = "P60"	Matches(DLSS.DIC,/P6(0RS) P[0-9]2/) and	DLSS.BillToDoDAAC <> ""	Matches(DLSS.DIC,/P6[DRS] P[0-9]2/) and	
	E114	222	2240	%	2226	373	8	8	29	8	8	8	8	67	67	8			8	8	8			8	8	67		67	67	8		8	
š	Sect	_	-	_	_	_	_	_	_	-	_	-	_	_	-	_			_	-	_			_	-	_		_	_	_		_	
	P :	_	-	-	_	_	_	_	-	-	7	_	~	_	~	_			m	4	_			~	m	-		~	M	-		-	
ᇳ	Se :	₩.	•	~	0	4	-	m	4	-	-	m	m	4	4	-			-	-	m			m	m	4		4	4	-		m	
g Use	5	_	-	_	_	-	-	-	-	~	7	2	7	7	7	m			m	m	m			m	m	m		m	m	4		4	
g Seg	P :	90 PET	90 PE1	90 PE1	90 PET	0 910	E	O M	0 H	0 M	D M	O E	E	0 H	O M	0 H			0 11	E	₩ •			0 M1	₩ 0	0 E		O M	OM	.¥ 0		0 H	
Seg	t Seq	•	<u>خ</u>	•	•	5	100	100	10	10	110	130	110	=	110	110			=	110	100			=	110	130		110	110	150		110	
Tid	Sect	_	_	-	_	_	-	-	_	-	_	_	_	-	-	1			_	_	7			_	,	-		_	7	7		-	
	PE :	557	557	557	557	557	557	557	557	557	557	557	557	557	557	557			557	557	557			557	557	557		557	557	557		557	

Seq 1d Ctr	, D	o G	Sect Elid Condition	Eval	Date
110 M1 4	•	: -	1 67 Metches(DLSS.DIC,/P6[0RS] P[0-912/) and	DLSS.BillToDoDAAC	06/90/2
			Matches(DLSS.SignalCode,/[ABC:KL]/)	, ,	
XXX	-	_	1 2000	RP(CurrentCard, 1,80)	3/06/91
RFL 1	_	-	1 2001	DLSS.DIC	2/06/90
10 RFL 1	~	-	1 2008 RP(CC(),43,1) <> " "	DLSS.DocNo	2/06/90
10 RFL 1	m	-	1 2076 Matches(DLSS.DIC,/P9[ABF]/)	DLSS.DocNoSuffix	2/06/90
10 RFL 1	4	-	1 373 DLSS.DIC = #P9A"	DLSS.DATE73	2/06/90
10 RFL 1	4	7	1 373 DLSS.DIC = MP9F"	DLSS. SupTramsDate	2/06/90
20 REF 1	-	-	1 128	"SA"	2/06/90
20 REF 1	~		1 127	DLSS.NSN	2/06/90
30 RSE 1	-	-	1 373 Matches(DLSS.DIC,/P6(8CD)/)	DLSS.ReceiptDate	2/06/90
30 RSE 1	~	-	1 128 Matches(DLSS.DIC,/P9[BF]/)	#XC#	2/06/90
30 RSE 1	m		1 145 Matches(DLSS.DIC,/P9[BF]/)	DLSS.CargoNbr	2/06/90
30 RSE 1	4	-	1 91 DLSS.DIC = MP98"	DLSS. Shipment Mode	2/06/90
30 RSE 2	~	-	1 128 Metches(DLSS.DIC,/P9[BF]/)	#0Q#	2/06/90
30 RSE 2	m	-	1 145 Matches(DLSS.DIC,/P9[8F]/)	DLSS.DelordNbr	2/06/90
30 RSE 3	7	-	1 128 DLSS.DIC = MP9FM	*OT#	2/06/90
30 RSE 3	m	-	1 145 DLSS.DIC = MP9F"	DLSS.TDRFileNbr	2/06/90
40 PI 1	-	-	1 367 Matches(DLSS.DIC,/P9[ABF]/) and RP(CC(),43,1) = " "	DLSS.ContractNbr	2/06/90
40 PI 1	2	-	1 2025 Matches(DLSS.DIC,/P9[ABF]/) and RP(CC(),43,1) = " "	DLSS.CLIN	2/06/90
50 PIC 1	-	-	1 380 Matches(DLSS.DIC,/P9[CD]/)	DLSS.QuentityInv	7/06/90
50 PIC 1	-	7	1 380 DLSS.DIC = "P98"	DLSS.QuantityN2	2/06/90
50 PIC 1	4	-	1 373 DLSS.DIC = "P98"	DLSS.DATE73	2/06/90
60 PET 1	m	-	1 306	DLSS.ActionCode	2/06/90
60 PET 1	4	-	1 554 Matches(DLSS.DIC,/P9[ACD]/)	DLSS.SequenceMbr	2/06/90
60 PET 1	9	-	1 2240 Matches(DLSS.DIC,/P9[BCD]/)	DLSS.MmgtInd	2/06/90
60 PET 1	^	-	1 756	DLSS.Medium	2/06/90
60 PET 1	•0		1 2065 Matches(DLSS.DIC,/P9[CD]/)	DLSS. SupcondCode	2/06/90
60 PET 1	٥	-	1 2226 DLSS.DIC = "P98"	DLSS.GLInd	2/06/90
60 PET 1	2	-	1 2227 DLSS.DIC = "P98"	DLSS.AdjType	2/06/90
60 PET 1	12	-	1 2340 DLSS.DIC = "P9F"	DLSS.TDRStatus	2/06/90
80 N1 1	-	-	1 98 DLSS.TORIC <> ""	"01"	2/06/90
* **	,	•			44.

Pil	Seg	Seg	Use El	_	Š				
Tid Sect		Seq 1d C	Ctr S	Seq Ord	d Sect		Elld Condition	Eval	Date
558 1	8	<u> </u>		•		1 67		DLSS.TORIC	2/06/90
558	28	=	7	_	_	8	B Matches(DLSS.DIC,/P9[ACDF]/) and DLSS.RIC <>> ***	- FF 20 -	7/06/90
558 1	8	Ξ	~	m	_	8		**************************************	2/06/90
558	8	æ	~	•	_	1 67		DLSS.RIC	2/06/90
558	8	Ξ	m	_	_	1 88		#25#	2/06/90
558	8	Ξ	m	_	~	8	B Matches(DLSS.DIC,/P9[CD]/) and DLSS.SupAddress <> ***	*ST*	2/06/90
558	8	=	m	_	m	8	B DLSS.DIC = "POF" and DLSS.SupAddress <> ""	******	2/06/90
558	8	Ξ	m	m	-	8	6 DLSS.SupAddress <> ***	#10#	2/06/90
558	8	Ξ	m	4	_	1 67		DLSS.SupAddress	2/06/90
558	8	XXX 06	_	_	_	1 2000		RP(CurrentCard, 1, 80)	2/06/90
559	5	10 RFL	_	_	_	1 2001	-	DLSS.DIC	2/06/90
559 1	5	10 RFL	_	~	_	1 2008	•	DLSS.DocNo	2/06/90
559	10	10 RFL	<u>.</u>	m	-	1 2076	νο.	DLSS.DocNoSuffix	2/06/90
559	10	10 RFL	_	•	_	22.22		DLSS.Signalcode	3/06/91
559	200	20 REF	-	_	_	1 128		NS.	2/06/90
559	20	REF	_	~	_	1 127		DLSS.NSN	2/06/90
559	30	8	_	~	_	380		DLSS.QuentityN2	2/06/90
559 1	9	40 PET	_	m	_	306	•	DLSS.ActionCode	2/06/90
559 1	9	PET	_	•	_	1 554		DLSS.SequenceMbr	2/06/90
559 1	0,7	PET	_	~	_	1 756	•	DLSS.Medium	2/06/90
559 1	50	AVF	_	_	_	1 67		DLSS.Customer1d	2/06/90
559	50	AVF	_	~	· -	1 2313		DLSS.MFP	2/06/90
559	1 50	AVF	_	•	_	1 2225	•	DLSS.AirMission	2/06/90
559 1	3	RBT	_	-	_	1 2046	•	DLSS. FundCode	2/06/90
559	8	=	_	_	_	- 88	B DLSS.TORIC <> ""	m10m	2/06/90
559	200	Ξ	_	₩	_	~ &	66 DLSS.TORIC <> ***		2/06/90
559 1	8	<u> </u>	<u>_</u>	.	_	1 67		DLSS.TORIC	2/06/90
559	8	ī	7	_	_	8		1 0 1 s	1/06/90
	•		•					200	4,04,00
559 1	3	=	7	m	-	8	<pre>DISS.BillTobobAC <> ""</pre>	:07:	04/90//
559	8	Ξ	~	•	_	1 67	Matches (DLSS.BillToDoDAAC	1/06/90
559	80	ī	m	_	-	1 98	B DLSS.RIC <> ""	#FR:	1/06/90

Date	2/06/90	2/06/90	06/90/2	2/28/90	1/29/90	3/29/90	3/21/90	3/21/90			3/29/90		5/23/90		10/16/89	12/21/89	12/21/89	10/16/89	10/16/89	10/16/89	10/16/89			10/16/89	10/16/89	5/23/90	5/23/90	5/23/90	3/08/90	10/16/89	10/16/89
Eval		DLSS.RIC	RP(CurrentCard, 1, 80)	Exit()	P1 := 1	1sA := 1	PA :* Found	PB := Found			PB := Found		PB2 := Found		DLSS.DIC	DLSS.D1C2	01.55.01.03	DLSS.PIIN	DLSS.SP11N	m53#	nKAn			H52m	# 7 5#	UnPunch(DLSS.Amount,10)	CAT(DLSS.HiAmt8, UnPunch(RP(P8, 45, 10), 9))	CAT(DLSS.MiAmtB, UnPunch(RP(PB, 45, 10), 9, 10))	DLSS. Amount	DLSS.OrderDate	DLSS.SignDate2
Out Ord Sect Elld Condition	66 DLSS.RIC <> ***			0 Matches(RP(CurrentCard,1,3),/PAB P[BE][AB]/)	Matches(RP(CurrentCard,1,3),/P[BE]1/)	RP(CurrentCard, 1,3) = "PAA"	Found := FindCard(/P[ABE]A/,Forward,CurrentCard,1,3)	PA and (Found :=	FindCard(/P[ABE]B/, Forward, CurrentCard, 1, 3, RP(PA, 4, 19), 4,	19)	0 Not PA and (Found :=	FindCard(/P(BE)B/, Forward, CurrentCard, 1, 3))	0 PB and (Found :=	FindCard(/P[ABE]8/, Forward, P8+1, 1, 3, RP(P8, 4, 40), 4, 40))		((P1 and (PA or PB)) or (PA and PB)) and DLSS.DIC2 <> ***	(P1 and PA and PB) and DLSS.DIC3 <> ""	P1 or PA	Pt or PA	522 PB and RP(PB,45,10) = "0000000000"	522 IsA and PB and IsNumeric(RP(PB,45,8)) and	(isNumeric(RP(PB,53,1)) or isPunch(PB,53)) and	IsNumeric(RP(PB,54,1))	P1 and P8 and IsPunch(P8,54)	P1 and PB and IsNumeric(RP(PB,45,10))	P1 and PB and IsPunch(PB,54) and Not IsPunch(PB,53)	PB2 and PB and IsPunch(PB,53) and Not IsPunch(PB,54)	Pi and PB2 and PB and isPunch(PB,54) and isPunch(PB,53)	80.	₹	(PA and PB and Matches(RP(PB,55,2),/10-9]10-9]/) and DLSS.OrderDate <> DLSS.SignDate2) or (PB and Matches(RP(PB,55,2),/10-9]10-9]/))
PI	8	29	2000	0	0	0	0	0			0		0		2001	2007	2001	367	2031	\$22	\$22			525	225	2	282	28		373	373
Out Sect B	· -	-	-	0	0	0	0	0			0		0		-	-	-	-	-	-	-			-	-	-	-	-	-	-	-
ā g Ņ	: -	-	_	_	~	m	4	~			•		~		-	-	_	-	-	-	~			m	•	-	7	m	4	-	-
σ	m	4	_	0	0	0	0	0			0		0		_	_	-	_	7	m	m			m	m	4	4	4	4	S	9
Use El Ctr Se	m	m	-	-	-	-	_	_			-		_			~	m	-	-	-	-			-	_	-	-	-	-	-	-
Seg p	=	Ξ	XXX	5	5	50	5	5			5		5		FF	F	RFL	₹	3	3	₹			3	3	₹	3	₹	₹	₹	₹
Sec	8	8	8	0	0	0	0	0			0		0		2	2	2	20	20	30	8			8		8				8	8
Tid Sect	-	-	-	-	-	-	-	-			-		-		-	-	-	_	-	_	-			-	-	-	-	-	-	-	-
P	559	\$59	529	561	561	561	561	26			561		561		561	561	561	561	561	561	561			561	5 6	561	561	2 6	561	561	561

Tid	d Seg	Seg Seg	Use	ī	Š	ī			
Tid Sect	ct Seq	<u>p</u>	נג	Sed	ord Se	Sect Elid	ld Condition	Eval	Date
2	4	0 KB1	-	-	-	1 227	78 P1	DLSS.ModType	12/21/89
561	4	Ô KB1	-	7	_	1 373		DLSS.ModDate	12/21/89
561	4	0 KB1	-	m	_	1 37		DLSS.SignDate1	12/21/89
561	4	O KB1		4		1 35	52 P1	DLSS.ModAuth	12/21/89
561	~	SO KAB	-	_	-	1 225		DLSS.ContractCode	10/16/89
561	~	SO KAB	-	~	-	1 225		DLSS.PriceCode	10/16/89
26	~	SO KAB	-	m	-	1 2253		DLSS.ConType	10/16/89
561	بة ح	00 EX	-	4	-	1 2256		DLSS.Criticality	10/16/89
261	~ •	SO KAB	-	~	_	1 228	80 PA	DLSS.PartialAb	10/16/89
28	~	0 KA8	-	•	-	1 2281		DLSS.FMSInd	10/16/89
561	-	SO KAB	-	7	-	1 2283		DLSS.CAFL	10/16/89
28	•	SO REF	-		-	1 12	3	*50**	10/16/89
561	-	SO REF	-	~	_	1 12		DLSS.DPAS	10/16/89
561	•	SO REF	~	-	_	1 12	128 (PA or P1) and DLSS.Count <> ***	nZZn	6/18/90
26	•	SO REF	~	~	-	1 12	127 (PA or P1) and DLSS.Count <> ""	DLSS.Count	1/17/90
561	~	O REF	m	-	-	1 12		*#2"	10/16/89
561	4	O REF	m	7	-	1 12	127 PB and RP(PB, 75,5) <> SPACES(5)	DLSS.Special	10/16/89
561	K		_	-	-	1 336	P8 87	#d#	10/16/89
561	L .		-	7	-	1 333	P8 84	****	10/16/89
561	-		-	7	~	1 333	2	x O.Z.	10/16/89
561	7	6 13	-	m	-	1 338	8	DLSS.Disc1	10/16/89
561	K	70 ITD	-	₩.	-	1 351	51 PB and DLSS.DiscDays1<>"" and RP(PB,23,1) <> "N"	DLSS.DiscDays1	10/16/89
561	K		-	7		R	Ps end [DLSS.MetDays	10/16/89
561	<u>_</u>	و <u>1</u> و	~	7	-	1 33	333 PB and RP(PB,35,1) = "N" and RP(PB,23,1) <> "N"	m2Zm	10/16/89
561	_		7	m	-	1 33	38 PB and DLSS.Disc2<>*** and RP(PB,23,1) <> ***	DLSS.Disc2	10/16/89
561	۲ ۲	<u>و</u> 10	~	~	-	- 33	51 PB and DLSS.Discbays2<>>"" and RP(PB,23,1) <> "N"	DLSS.DiscDays2	10/16/89
561	€	5 E		-	-	~	96 DLSS.IssuedBy <> ""	m20m	10/16/89
561	€	5	-	m	-	+	66 DLSS.issuedBy <> ***	*10*	10/16/89
561	4 0	<u>=</u>	-	4	-	-	75	DLSS.1ssuedBy	10/16/89
561	€	5	7	-	-	-	96 DLSS.AdminBy <> ""	*31*	10/16/89
561	€	8	7	m	-	7	66 DLSS.AdminBy <> ""	*10*	10/16/89
561	6 0	5 H	~	4	-	-		DLSS.AdminBy	10/16/89
561 1	€	5 F	m	-	-	~	98 PA and RP(PA,68,1) = "9" and DLSS.Contract <> ""		10/16/89

	Date	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	3/08/90	3/08/90	3/08/90	5/23/90	3/08/90			3/21/90	3/21/90			3/59/90	2/54/90		10/16/89	1/17/90	10/16/89	10/16/89	10/16/89	10/16/89
	Eval		"25"	"M2"	DLSS.Contract	*56 *	нЖэн	DLSS.Facility	m30m	m10m	DLSS.PayOffice	H35H	*10*	DLSS.ADP	RP(P1,1,80)	RP(PA,1,80)	RP(PB,1,80)	RP(PB2,1,80)	Exit()	<u>_</u>		PC := CurrentCard	PD := Found			PD := CurrentCard	P02 :* Found		DLSS.D1C	DLSS.DIC2	DLSS.ACRN	DLSS.Approp	DLSS.SupAcctDate	#5\$#
	Ord Sect Elld Condition	PA and DLSS.Facility <> "" and DLSS.Contract <> ""	PA and DLSS.Facility = "" and DLSS.Contract <> ""	PA and	PA	PA and DLSS.Facility <> ""	PA and DLSS.Facility <> ""	Vd	PB and DLSS.PayOffice <> ***	P8 and	2	(P1 or P8	(P1 or P8) and DLSS.ADP <> **	(P1 or P8)	Ta Ta	A	2	PB2	Matches(RP(CurrentCard, 1,3), /P[AB :]D/) and	findCard(/P[ABE]C/, Backward, CurrentCard, 1, 3, RP(CurrentCar	d,4,21),4,21)	0 Matches(RP(CurrentCard,1,3),/P[ABE]C/)	0 PC and (Found :=	FindCard(/P[ABE]D/, Forward, CurrentCard, 1, 3, RP(PC, 4, 21), 4,	21))	Not PC and (Matches(RP(CurrentCard,1,3),/P[BE]D/))	PO and (Found :=	FindCard(/PLABE1D/, Forward, PD+1, 1, 3, RP(PD, 4, 21), 4, 21))	PC or PO	PC and P0	PC or PO	2	ນ	<pre>isA and PD and IsNumeric(RP(PD,45,8)) and (IsNumeric(RP(PD,53,1)) or IsPunch(PD,53)) and IsNumeric(RP(PD,54,1))</pre>
	ELId	8	8	8	67	8	8	67	8	8	67	8	8	67	5	<u>8</u>	<u>8</u>	1000 PB2	0			0	0			0	0		2001	2001 PC	2284	2093	2095	225
Š	Sect	-	-	-	_	•	_	-	-	-	-	-	-	-	6	100 00 00	8	1000	0			0	0			0	0		5	5	5	5	5	100
	P :	~	m	-	-	-	_	-	-	-	-	•	-	-	-	-	-	-	-			~	m			4	5		-	-	-	-	-	~
ᇤ	Se	-	-	m	•	-	M	•	~	M	4	-	m	4	-	-	-	_	0			0	0			0	0		-	-	-	~	M	4
use use	5	m	m	m	m	4	4	4	5	5	'n	•	•	•	-	2	M	•	0			0	0			0	0		-	~	-	-	-	~ ()
Seg Seg	Seq 1d	. E	80 E	88 E	88 E	80 H1	80 H1	80 H1	80 H1	80 H1	80 H	80 ×1	86 E	80 H	XXX 06	XXX 06	XXX 06	8 XX	0			E 0	0			0	0		10 RFL	10 RFL	20 KAC	20 KAC	20 KAC	
		-	-	-8	-	-	-	-	-	-	*	1	-	-	9	~	2	4	0			0	0			0	0							
Tid	Tid Sect	-	_	-	_	·	_	_	-	_	_	_	_		_	_	-	_	100			13	50 100			561 100	5 18		5 18	5 5	5 18		100	
	Ξ	561	2	26	2	56	561	8	2	561	561	561	3	28	8	561	56	2	561			8	561			8	28		561	2	2	561	561	561

KLC 4 2 100 SZ2 Pl and Pard Interactic(RP(Po, 55, 10) "55" "52" "52	PIL	Seg	Seg Ur	Use El	E!	žŠ	Elif Candi e ins	33	
1								:	
10	•••	2	Ş	_		2 100	P1 and P0	#2 < #	10/16/89
1	~	2	Z Z	_		5	P1 and P0	#25#	10/16/89
1	~	_	Š	_	٠.	200	PO and RP	**26**	10/16/89
King 1	~		Ş	_		5	PO and P02	CAT(DLSS. HiAmtD, UnPunch(RP(PD, 45, 10), 9, 10))	5/24/90
1	N		S	<u> </u>	ھي	2 100	PD and PD2	CAT(DLSS. Ni AmtD, UnPunch(RP(PD, 45, 10), 9))	5/24/90
1	~		Ş	_	, ,	5 5	Po and 1sp	UnPunch (DLSS. Amount, 10)	5/23/90
REF 1 1 100 128 Po and DLSS. Reimb > "" "M3" REF 1 2 1 100 128 Po and DLSS. LockAkD > "" "47" RIF 1 2 1 100 100 Po and DLSS. DOGAAGTS > "" "10" RI 1 3 1 100 66 Po and DLSS. DOGAAGTS > "" "10" RI 1 1 4 1 100 99 Po and DLSS. DOGAAGTS > "" "10" RI 1 2 1 1 100 99 Po and DLSS. DOGAAGTS > "" "10" RI 1 2 2 1 1 100 99 Po and DLSS. DOGAAGTS > "" "10" RI 2 4 1 100 67 Po "100 66 Po and DLSS. DOGAAGTS > "" RI 2 5 1 1 100 90 Po "10" XXX 1 1 1 1000 1000 PC "10" XXX 2 1 1 1000 1000 PC RP(PD.1, BO) XXX 3 1 1 1000 1000 PC RP(PD.1, BO) RXX 3 1 1 1000 1000 PC RP(PD.1, BO) RXX 3 1 1 1000 1000 PC RP(PD.1, BO) RXX 3 1 1 1000 1000 PC RP(PD.1, BO) RXX 3 1 1 1000 1000 PC RP(PD.1, BO) RXX 3 1 1 1000 1000 PC RP(PD.1, BO) RXX 3 1 1 1000 1000 PC RP(PD.1, BO) RXX 3 1 1 1000 1000 PC RP(PD.1, BO) RXX 3 1 1 1000 1000 PC RP(PD.1, BO) RXX 3 1 1 1000 1000 PC RP(PD.1, BO) RA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	~		S S	-	, ,	≥		DLSS.Amount	5/23/90
1	-		TEF	_	_	5	PO and DLSS.Refinb <>	# £ Man	10/16/89
	-		EF	-		5	PO and DLSS.Reimb <>	DLSS.Reimb	10/16/89
	4	Ö	=	_	_	501	and DLSS.DoDAAC75 <>	n.t.3u	10/16/89
1	4	Q	=	_		100	and DLSS.DoDAAC75	*10*	10/16/89
1 100 90 po and DLSS.DoDAGS5 common #30"	4	0	Ξ	_		100		DLSS.DoDAAC75	10/16/89
1 2 3 1 100 66 PO and DLSS.DochACSS +> *** **** **** ******	•	2	=	~	_	5	and DL	#30#	10/16/89
MI	•	9	=	~		5	and DLSS.DoDAACSS	#10#	10/16/89
XXX 1 1 1000 1000 PC XXX 2 1 11000 1000 PC XXX 3 1 11000 1000 PD XXX 3 1 11000 100 PE :=	•	9	=	~	٠.	5		DLSS.DoDAAC55	10/16/89
XXX 2 1 1000 1000 PD RP(PD2,1,80) XXX 3 1 1000 1000 PD2 PE := PE2 := PF := H := 0 DLM 0 1 0 C 0 0 Authority 0 First() Exit()	•	8	×	_	_	1000		RP(PC, 1, 80)	3/08/90
XXX 3 1 11000 1000 PD2 DUM 0 0 1 0 C dum 0 0 2 0 0 Matches(RP(CurrentCard,1,3),/PLABE]F/) Exit() E	50		×	~	_	1000		RP(PD, 1, 80)	3/08/90
DUM 0 1 0 C chm 0 2 0 Matches(RP(CurrentCard,1,3),/PLABE]F/) Exit() Exit() chm 0 3 0 Matches(RP(CurrentCard,65,1) = "Y" Am Cxit() chm 0 4 0 Matches(RP(CurrentCard,1,3),/PLABE]H/) and FindCard(/PDE/,BackMard,CurrentCard-1,3),/PLABE]H/) Exit() chm 0 5 0 Matches(RP(CurrentCard,1,3),/PLABE]E/) H := CurrentCard dard dard found := FindCard(/PLABE]F/,Forward,CurrentCard,1,3,RP(PE,4,25),4, chm 0 0 0 0 0 PE := Found found := FindCard(/PLABE]F/,Forward,CurrentCard,1,3,RP(PE,4,25),4, 25) 25) Am 0	5		×	10	_	1000	§	RP(PD2, 1,80)	2/54/90
dum 0 0 D Matches(RP(CurrentCard,1,3),/P[ABE]F/) Exit() dum 0 0 Matches(RP(CurrentCard,1,3),/P[ABE]H/) and Exit() dum 0 0 A nothes(RP(CurrentCard,1,3),/P[ABE]H/) And Exit() dum 0 0 0 Matches(RP(CurrentCard,1,3),/P[ABE]H/) M := CurrentCard dum 0 0 0 Matches(RP(CurrentCard,1,3),/P[ABE]E/) PE := CurrentCard dum 0 0 0 Matches(RP(CurrentCard,1,3),/P[ABE]E/) PE := Found dum 0 0 0 PE and (Found := Found := Found FindCard(P[ABE]E/, Foruserd,1,3),/P[BE]F/) dum 0 0 0 0 0 PE and Matches(RP(CurrentCard,1,3),/P[BE]F/) PE := Found dum 0 0 0 0 0 PE and (Found := Found Adm 0 0 0 0 0 0 PE and (Found := Found Adm 0 0 0 0 0 0 0			5	-	_	1 0	e	#. #	8/52/90
clam 0 0 3 0 0 Matches(RP(CurrentCard,1,3),/P(ABE]E/) and RP(CurrentCard,65,1) = "Y" Exit() clam 0 0 4 0 0 Matches(RP(CurrentCard,1,3),/P(ABE]M/) and FindCard(/PdE/,BackWard,CurrentCard-1,1,3,RP(CurrentCard,4,29),4,29) Exit() clam 0 0 5 0 0 Matches(RP(CurrentCard,1,3),/P(ABE]M/) H := CurrentCard Grad Grad Grad Grad Grad Grad Grad G		0	5	0	_	2		Exit()	2/28/90
dum 0 0 4 0 0 Matches(RP(CurrentCard-1,3),/P(ABE)H/) and Exit() FindCard(/PGE/,BackMard,CurrentCard- 1,1,3,RP(CurrentCard,4,29),4,29) dum 0 0 5 0 0 Matches(RP(CurrentCard,1,3),/P(ABE)H/) M := CurrentCard dum 0 0 7 0 0 Matches(RP(CurrentCard,1,3),/P(ABE)E/) PE := Curr vtCard findCard(/P(ABE)E/,forward,CurrentCard,1,3,RP(PE,4,25),4, 25)) dum 0 0 9 0 0 Not PE and Matches(RP(CurrentCard,1,3),/P(BE)E/) FindCard(/P(ABE)E/,Forward,PE+1,1,3,RP(PE,23,6),23,6))		0	5	_	_	0	Matches(RP(CurrentCard, 1,3), /P(ABE)E/)	Exit()	8/52/90
<pre>dum 0 0 4 0 0 Matches(RP(CurrentCard,1,3),P[ABE]W/) and FindCard(/PBE/,BackWard,CurrentCard- 1,1,3,RP(CurrentCard,4,29),4,29) dum 0 0 5 0 0 Matches(RP(CurrentCard,1,3),P[ABE]W/) dum 0 0 7 0 0 Matches(RP(CurrentCard,1,3),P[ABE]E/) Aum 0 0 8 0 0 PE and (Found:= FindCard(/P[ABE]F/,Forward,CurrentCard,1,3,RP(PE,4,25),4,</pre>									
FindCard(/PBE/,BackWard,CurrentCard- 1,1,3,RP(CurrentCard,4,29),4,29) dum 0 0 5 0 0 Matches(RP(CurrentCard,1,3),/P[ABE]H/)			5	-	•	• •	Matches (R	Exit()	6/12/90
1,1,3,RP(CurrentCard,4,29) dum 0 0 5 0 0 Matches(RP(CurrentCard,1,3),/P[ABE]H/) dum 0 0 7 0 0 Matches(RP(CurrentCard,1,3),/P[ABE]E/) PE := CurrentCard PF := CurrentCard PF := Found FindCard(/P[ABE]F/,Forward,CurrentCard,1,3,RP(PE,4,25),4, 25)) dum 0 0 9 0 0 Not PE and Matches(RP(CurrentCard,1,3),/P[BE]F/) PF := CurrentCard Aum 0 0 10 0 PE and (Found := FindCard(/P[ABE]E/,Forward,PE+1,1,3,RP(PE,23,6),23,6))							FindCard(/PGE/, BackWard, CurrentCard-		
<pre>dum 0 0 5 0 0 Natches(RP(CurrentCard,1,3),/P[ABE]H/) dum 0 0 7 0 0 Natches(RP(CurrentCard,1,3),/P[ABE]E/)</pre>							1,1,3,RP(CurrentCard,4,29),4,29)		
<pre>dum 0 0 7 0 0 Matches(RP(CurrentCard,1,3),/P(ABE]E/)</pre>		0	5	9		2	Natches (Ri	H := CurrentCard	6/12/90
<pre>dum 0 0 8 0 0 PE and (Found :=</pre>		0	5	_	_	0		PE := Curr mtcerd	3/21/90
<pre>findCard(/P[ABE]F/,Forward,CurrentCard,1,3,RP(PE,4,25),4, 25)) dum 0 0 9 0 0 Not PE and Matches(RP(CurrentCard,1,3),/P[BE]F/)</pre>		0	5	_	_	0	0 PE and (Found :=	PF := Found	3/21/90
25)) dum 0 0 9 0 0 Not PE and Matches(RP(CurrentCard,1,3),/P[BE]F/) PF := CurrentCard dum 0 0 10 0 0 PE and (Found := FindCard(/PLABE]E/,Forward,PE+1,1,3,RP(PE,23,6),23,6))							FindCard(/P[ABE]F/, Forward, CurrentCard, 1, 3, RP(PE, 4, 25), 4	•	•
<pre>dum 0 0 9 0 0 Not PE and Matches(RP(CurrentCard,1,3),/P[BE]F/)</pre>							22))		
dum 0 0 10 0 0 PE and (Found := FindCard(/P[ABE]E/,Forward,PE+1,1,3,RP(PE,23,6),23,6))			5	-		0	0 Not PE and Matches(RP(CurrentCard,1,3),/P[BE]F/)	PF := CurrentCard	3/29/90
			5	-		0	0 PE and (Found :=	PE2 :* Found	2/54/90
							FindCard(/P[ABE]E/,Forward,PE+1,1,3,RP(PE,23,6),23,6))		

	Date	10/16/89	1/17/90	10/16/89	10/16/89	10/16/89		10/16/89	10/16/89	10/16/89	2/54/90	2/54/90	2/54/90	3/21/90	3/08/90	3/08/90	3/26/90	6/18/90	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89	10/16/89
	Evel	DLSS.DIC		DLSS.CLIN	H52H	*01"		H53"	m51m	m50**	CAT(DLSS.HiAmtE, UnPunch(DLSS.TotAmount, 1,9))	CAT(DLSS.NiAmtE, UnPunch(DLSS.TotAmount, 9, 10)	CAT(DLSS.HiAmtE, UnPunch(DLSS.TotAmount,9))	UnPunch(DLSS.TotAmount,10)	UnPunch(DLSS.TotAmount,1)	DLSS.TotAmount	#SI	DLSS.PQASite	uSY.	DLSS.Acceptance	нЕОн	DLSS.FOBSite	*D1**	₩£Qw	*D2**	**************************************	*9Q*	DLSS.StockNbr	DLSS.Noun	*10±	****	1KB11	"KC"	NKAH
	Elid Condition	1 1 200 2001 PE or PF or H	PE and PF	PE or PF or H	P1 and PE and IsPunch(PE, 74)	PE and IsNumeric(RP(PE,65,8)) and (IsPunch(PE,73) or	IsNumeric(RP(PE,73,1))) and IsNumeric(RP(PE,74,1))	PE and RP(PE,65,2) = "N "	PE and RP(PE,65,2) = "U"	PE and IsPunch(PE,65)	PE and PE2 and IsPunch(PE, 73) and IsPunch(PE, 65)	PE and PE2 and 1sPunch(PE, 73) and 1sPunch(PE, 74)	PE and PE2 and 1sPunch(PE, 73)	PE and 1sPunch(PE,74)	PE and IsPunch(PE,65)	P.E.	PF and DLSS.PQASite <> ***	PF and DLSS.PQASite <> **	PF and DLSS.Acceptance <> ***	PF and DLSS.Acceptance <> **	PF and DLSS.FOBSite <> **	PF and DLSS.FOBSite <> ""	PE and Not Matches(RP(PE, 29,1),/[NU]/)	PE and RP(PE, 29,1) = "H"	PE and RP(PE, 29, 1) = "U"	PE and RP(PE, 29, 10) = "N SERVICES"	PE and RP(PE, 29,9) = "N EXHIBIT"	PE and Not Matches(RP(PE, 29, 1), / (NU)/)	¥4.	PE and 1sNumeric(RP(CurrentCard,44,8))		2		
	ELIG	2001	2001	2025	522	525		522	525	525	28	28	28	28	28	20	30	8	8	86	8	ž	235	235	235	235	235	22	352	673		673		
ž	Sect	200	200	200	200	200		8	200	200	200	5 00	8	8	5 00	8	5 00	8	500	8	200	200	200	8	88	200	50	8	200	200	200	200	200	200
	ord s	-	-	-	-	~		m	4	5	-	~	m	4	\$	•	-	-	-	-	-	-	-	~	m	4	5	-	-	-		m		
	٠ چ	-	-	-	7	~		~	2	7	m	M	m	m	m	m	4	5	4	5	4	~	_	-	_	_	-	~	m	_	_	-	-	-
	נל:	-	~	-	-	-		_	-	-	-	-	-	-	-	-	_	-	~	~	m	m	-	-	-	-	-	_	-	-	-	-	-	-
Seg	₽ ;	F	RFL	KCE	KCE	KCE		KCE	KCE	KCE	KCE	KCE	KCE	KCE	KCE	KCE	KCE	KCE	KCE	M M	KCE	KCE	KAE	KAE	K	Z.	K	Ž	KAE	Ŗ	KAF	K	KAF	KAF
) S							2	2	8	2	20	ଥ	2	2	2	2	20	2	2	2	2	30	30	30	8	3	30	30	0,4	0,7	9	9	0,4
Tid	Sect	200	200	200	200	200		200	200	200	200	88	8	8	200	200	80	200	88	200	802	200	200	200	200	8	200	200	88	200	200	200	200	200
	P :																																	561
	•		_,	٠.	٠.	٠.		٠.	٠.	٠,	٠.					٠.	٠.	٠.				٠.	_,			٠.			٠.		_,			- •

Ord Sect E 3 200 4 200 4	Elid Condition 432 PG and RP(PG,41,2) * MJ H 432 PH and IsNumeric(RP(PH,58,1)) MA1**		Date 10/16/89 10/16/89
	432 PH and 1sPunch(PH,58) 432 PH and RP(PH,56.2) = MU = #99=		10/16/89
	PG and RP(PG,41,2) <> MU #	DLSS.DelDate	10/16/89
	PH and RP(PH,58,2) <> "U "	DLSS.ServiceDate	10/16/89
	PG and	•	10/16/89
	PG and IsPunch(PG,48)	_	10/16/89
	673 PG and RP(PG,48,1) = "U" "KB"	•	10/16/89
	673 Matches(DLSS.DIC,/P[8E]G/) and lsPunch(PG,55) and "KE" isPunch(PG,48)		10/16/89
	Matches		10/16/89
	PG and 1sPunch(PG,48) and 1sPunch(PG,55)	UnPunch(DLSS.DelQuant, 1,8)	2/54/90
200	and IsPunch(PG, 48)	UnPunch(DLSS.DelQuent,1)	2/54/90
	PG and 1sPunch(PG,55)	UnPunch(DLSS.DelQuent,8)	2/54/90
	PG and RP(PG, 48,1) <> MU"	DLSS.Delquent	10/16/89
	20	DLSS.Priority	10/16/89
•••		DLSS.CLIN75	10/16/89
	135 PH Hd SE	=	1/22/90
	E. E	DLSS.Text	1/22/90
	Matches(DLSS.DIC,/P@[GH]/) and Not	DLSS.CLIN	1/17/90
	FindCard(/PBE/, Backward, CurrentCard-		
			00/44/00
_	100 101 101 101 101 101 101 101 101 101	_	10/14/80
	MC (1) (1) MC MC		10/16/89
_	Matches(DLSS.DIC,/P[BE]H/) and laPunch(PH,74) and		10/16/89
	IsPunch(PH,65)		
		_	10/16/89
200		-	6/13/90
	PH2 and 1sPunch(PH,73) and 1sPunch(PH,65) and	CAT(DLSS.WiAmtH,UnPunch(DLSS.TotAmount,1,9,1	2/54/90
000	18Punch(PH,74) 180 PH and PH2 and 18Punch(PH 53) CATCO	CATOD SS. HiAmith Unblunch(D) SS. TofAmount (1.9))	2/24/90

	2 0 0	Sect Elld Condition	Eval
•			
•	380 PH and PH2	i2 and IsPunch(PK,73)	CAT(DLSS.HiAmtH, UnPunch(DLSS.TotAmount, 9))
X 0	and Not	380 PH and Not Matches(RP(PH,65,1),/[NU]/) and IsPunch(PH.65) and IsPunch(PH.74)	UnPunch(DLSS.TotAmount,1,10)
-	and Not	and Not Matches(RP(PH,65,1),/[NU]/) and IsPunch(PH,65	and 1sPunch(PH,65) UnPunch(DLSS.TotAmount,1)
	and Not H	Not Matches(RP(PH,65,1),/[WJ]/)	DLSS.TotAmount
	and Match	itches(RP(PH,54,1),/[DS]/)	#S.H
	and Match	itches(RP(PH,54,1),/@S1/)	Edivalue("PQA", RP(PH, 54, 1))
	and Match	stches(RP(PH,55,1),/ØS]/)	*SY*
£	and Matcher	itches(RP(PH,55,1),/ IDS1/)	EdiValue("PGA",RP(PH,55,1))
Χį	and RP(PG, 2	" ∩" <> (bc,29,6) <> "U" <> (pc,29,6)	mST#
۲į	and RP(PG, 29	RP(PG, 29,6) * "U "	wZ.Hu
ğ	and DLSS.DoDAAC75	VC75 ↔ ***	m3%m
&	Um # (9,05,29,6) # "U		
ß	((DLSS.DoDAAC75 <>	c> 44) and PH) or (PG and (RP(PG,29,2)	***
8			\$ 100 miles
0,0	end RP(PG, CV, b) <>	₽	ULSS. DODAAC.
			DLSS.DoDAAC75
200	ದ	C35 <> **	#MA#
900	and DLSS.DoDAAC35	AC35 <> ***	#10#
			DLSS.Dodaac35
			RP(CurrentCard, 1,80)
			RP(PH2,1,80)
at C	StrVal (CurrentCo	irrentCard) <> "1"	EXITO
			DLSS.DIC
ביים	374 Matches(RP(Curre	P(CurrentCard, 56, 2), / [0-3] [0-9] /)	₩600 +
27.5	thes(RP(Curre	373 Matches(RP(CurrentCard,56,2),/[0-3][0-9]/)	DLSS.TransDate
0	.DoDAAC23 <> HR	•	и35и
₽	66 DLSS.DoDAAC23 <>	## ❖	m10m
			DLSS.DcDAAC23
•	. DoDAAC29 <> ""	HR 0	₩20±
9:	.000AAC29	MC29 <> ""	m10*
	29		DLSS.DoDAAC29
Z	TER MOVE THE PROPERTY.		H420

Tid	d Seg	Seg	Use El	۔	ğ				
Tid Sect		Seq 1d C	Ctr S	Sed Or	Ord Sect		Elid Condition	Eval	Date
265	1 10	DIM		-		1 374	4 DLSS.DIC = np.j.m	+600m	9/27/89
\$65	1 10	DIM	_	~	_	1 373	3 DL\$\$.DIC = "PJJ"	DLSS.TransDate	9/27/89
\$65	1 30	30 KAA	_	_	_	786	~	DLSS.PIIN	9/27/89
265	1 30	₹	_	~	_	1 1031		DLSS.SPIIN	9/27/89
\$65	1 40	KSH	_	_	_	1 145		DLSS.ShipmentWbr	9/27/89
292	1 40	KSH	_	2	_	1 372	•	DLSS.Shipbate	9/27/89
\$65	1 40	KSH	_	m	_	1 432	2 DLSS.DIC = "PJJ" and laPunch(CurrentCard,39)	#96#	9/27/89
\$65	1 40	KSH	_	m	~	1 432	2 DLSS.DIC = "PJJ" and Not IsPunch(CurrentCard,39)	*****	9/27/89
\$65	1 40	KSH	_	m	m	1 432	2 DLSS.DIC = "PJR" and IsPunch(CurrentCard, 39)	m26m	9/27/89
265	1 40	40 KSH	,	m	4	1 432	2 DLSS.DIC = "PJR" and Not IsPunch(CurrentCard, 39)	**************************************	9/27/89
\$65	1 40	HSX 07	_	•	_	1 91	1 DLSS.DIC = mpjjm	DLSS.ShipmentMode	9/27/89
565 100	_	TO RFL	_	_	100	0 2001		DLSS.DIC	9/27/89
565 100	_	10 RFL	_	~	1 8	0 2008	8 DLSS.DIC = "PJJ" and RP(CurrentCard, 75,1) <> " "	DLSS.DocNo	9/27/89
565 100	_	10 RFL	-	m	5	0 2076	6 DLSS.DIC = "PJJ" and RP(CurrentCard, 76,1) <> " "	DLSS.DocNoSuffix	9/27/89
565 100	_	20 H1	_		100		98 DLSS.DIC = "PJJ" and DLSS.DoDAAC27 <> ""	*LS#	9/27/89
565 100	_	20 MT	_	_	2 100	98	B DLSS.DIC = "PJR" and DLSS.DoDAAC27 <> ""		9/27/89
565 100	0 20	Ξ	_	m	100	•	5 DLSS.DIC = "PJR" and DLSS.DoDAAC27 <> ""	*10*	9/27/89
565 100	_	Ξ		m	2 100	3	5 DLSS.DIC = "PJJ" and DLSS.DoDAAC27 <> ""	*9H**	9/27/89
565 100	_	Ī	_	J	100	9		DLSS.DoDAAC27	9/21/89
565 100	0 20	Ξ	~	_	100	_	98 DLSS.DIC = "PJJ" and DLSS.DoDAAC33 <> ""	#MM#	9/27/89
565 100	0 20	=	N	m	1 100	8	5 DLSS.DIC = "PJJ" and DLSS.DcDAAC33 <> ""	*10*	9/27/89
565 100	0 20	Ξ	~	J	100		67 DLSS.DIC = "PJJ"	DLSS.DoDAAC33	9/27/89
565 100		30 KAD	_	_	100	306	5 IsPunch(CurrentCard, 10)	#5#	9/27/89
565 100	9	KCE	_	_	00 00	0 1025		DLSS.CLIN	9/27/89
565 100	0 50	KAE	_	_	1 100	0 235	5 DLSS.DIC = "PJJ" and RP(CurrentCard, 75,2) = " "	m01m	9/27/89
565 100		SO KAE	_	,	2 100	0 235	5 DLSS.DIC = "PJR"	₩ 7 0₩	9/27/89
565 100	_	SO KAE	_	~	1 00	757 0	t DLSS.DIC = "PJJ" and RP(CurrentCard, 75,2) = " "	DLSS.NSN	9/27/89
565 100		SO KAE	_	m	100	0 352	2 DLSS.DIC = "PJR"	DLSS.Descritpion	9/21/89
565 100	8	KOS	_	_	5	880	D DLSS.DIC = MPJJ#	DLSS.Quantity46	9/27/89
565 100	3	KOS	_	~	100	**	•	DLSS.ShipAdvice	9/27/89
565 100	200	KTS	_	_	100	9		DLSS.TransStatus	9/27/89
565 100	080	XXX	_	•	1 1000	6		RP(CurrentCard, 1, 80)	3/30/90
566	1 0	5	_	0	0	•	0 StrVal(CurrentCard) <> *1" and	EXIT()	2/02/90
							FindCard(/PK[5NP]/,Backward,CurrentCard- 1,1,3,RP(CurrentCard,1,32),1,32)		

Date	9/27/89	3/30/90	2/59/90	2/59/90	2/59/90	9/27/89	9/27/89	9/27/89	9/27/89	9/27/89	9/27/89	9/21/89	9/21/89	9/27/89	6/21/80	9/27/89	3/08/90	3/08/90	9/27/89	69/22/8		1,7)) 5/29/90	00, 20, 0	69/17/6	69/12/6	68/22/6	6/21/80	9/21/89	68/22/8	6/22/80	9/27/89	9/27/89	9/27/89
Eval	DLSS.TransStatus	RP(CurrentCard, 1, 80)	Exit()	PK :≖ CurrentCard	PK2 := Found	0188.010	*100*	DLSS.Date45	*D02**	DLSS.Date52	*D03**	#500#	₩ 900 ₩	DLSS.Date59	#600#	DLSS.TransDate	252	DLSS.PIIN	DLSS.SPIIM	"UA"		CAT(DLSS.HiAmtK,UmPunch(DLSS.Amount,7))		DLSS.Amount	DLSS.closecode	DLSS.VoucherNbr	#2¢#	DLSS.DelayReason1	#0Zu	DLSS.DelayReason2	1021	DLSS.DelayReason3	DLSS.TrensStatus
El Out Seq Ord Sect Elid Condition		_	<pre>0 Matches(DLSS.DIC,/PK[92]/) and CurrentCard <> 1</pre>	D Matches(DLSS.DIC,/PK[9X2]/)	D PK and (Found := FindCard(/PKR/, Forward, PK+1, 1,3))		4 IsNumeric(RP(CurrentCard,45,2))	Ishumeri	Iskumer	3 IsNumeric(RP(CurrentCard,52,2))	4 DLSS.DIC = "PKX" and lsNumeric(RP(CurrentCard,59,2))	4 DLSS.DIC = "PK9" and 1sNumeric(RP(CurrentCard,59,2))	4 DLSS.DIC = "PK2" and 1sNumeric(RP(CurrentCard,59,2))	3 isNumeric(RP(CurrentCard,59,2))	4 DLSS.DIC = "PKX" and isNumeric(RP(CurrentCard,78,2))	<pre>3 DLSS.DIC = "PKX" and IsNumeric(RP(CurrentCard,78,2))</pre>	6 1sPunch(PK,10)	~		2 Matches(DLSS.DIC,/PK(92]/) and RP(CurrentCard,43,1) <>	2 × 2	Matches(IsPunch(PK,41)	2 Matches(DLSS.DIC,/PK[92]/) and RP(PK,43,1) <> "A"	•	76 DLSS.DIC = "PK9"	8 DLSS.DIC = "PKX" and DLSS.DelayReason1 <> ""	7 DLSS.DIC = "PKX" and DLSS.DelayReason1 <> ""	8 DLSS.DIC = "PKX" and DLSS.DelayReason2 <> ""	7 DLSS.DIC = "PKX" and DLSS.DelayReason2 <> ""		7 DLSS.DIC = MPKK" and DLSS.DelayReason3 <> ""	1 DLSS.DIC = "PK9"
ELL	* 38		_	_	_	100	374	33	374	1 37	37	37	1 37	573	37	373	306	1 367	1031	1 522		782		782	1 1269	1	1 128	1 127	1 128	1 127	1 12	1 127	1 64.1
Out Sect	500	50	٠	_														_	_	_					_		_	_	_	_		_	_
P Ord	: -	_	_	~	₽T)	_	_		_		_	N	(F)		_	_	_			_		_			•				•	_		•	•
	-	_	0	0	0	_	_	~	-	~	_	-	_	~	-	N	_	_	~	m		_		•	-	_	_	-	~	. ~	-	~	_
S Use	: 5	· ~	E	E E	E E	ب	Ξ	Ξ	E	<u> </u>	F)	E	Ξ	×	=	Ξ	9	5	5	5		3		5	5		EF	- L	REF	REF	 E	REF	KTS
Seg Seg Seg 1d	. 08	XXX	0	9	0	10 18	30 DTH			30 DTM	30 DTH	30 DTM	30 DTM	30 DTM	30 DTM		40 KA	50 KW	50 KM	50 K		50 K		50 KA	S0 KA			73 86			_		8
Tid Sect	: 2	8	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•		-		-	-	-	-	-	-	_	-	-	-
P	: 38			267	267	267	567	267	267	567	567	267	267	567	567	567	267	267	267	567		567		267	567	567	267	567	567	567	267	267	267

		n006" 9/27/89	RP(CurrentCard, 1,80) 3/16/90	5/29/90 5/29/90	DLSS.DIC 2/05/90	DLSS.VoucherNbr 10/23/89	0LSS.PIIN 10/23/89	DLSS.SPIIN 10/23/89	DLSS.ACRN 10/23/89	0LSS.Approp 10/23/89	DLSS.ACData 10/23/89	RP(CurrentCard, 1,80) 3/16/90	PV2 := 0 5/25/90	PV2 := Found 5/25/90			Exit() 5/25/90	DLSS.D1C 3/20/90	Type	CAT(DLSS.HiGross,UmPunch(DLSS.GrossAmt,9)) 5/25/90	DLSS.GrossAmt 5/25/90	CAT(DLSS.HiNet, UnPunch(DLSS.NetAmt,9)) 5/25/90	DLSS.NetAmt 5/25/90	DLSS.Col17ype 10/24/89	0LSS.PayType 10/23/89	DLSS.VoucherDate 10/23/89	ů	DLSS.OrigVoucher 10/23/89	rd,1,80)	RP(PV2,1,80) 5/25/90	PV32 := PV42 := 0 5/25/90	PV32 := Found 5/25/90
ti in Condition		RP(CurrentCard, 80, 1) = "F"		PVA2										DLSS.DIC = "PV2" and (Found :=	FindCard(/PV2/, Forward, CurrentCard+1,1,3,RP(CurrentCard,4	((55),(55))	DLSS.DIC = MPVZ" and (RP(CurrentCard,59,1) = MTM or RP(CurrentCard 69.1) = MTM)			PV2 and 1sPunch(CurrentCard, 67)		PV2 and 1sPunch(CurrentCard, 77)								PV2		DLSS.DIC * "PV3" and (Found :=
<u> </u>		3	_		5	28	367	2031	2248	2093	88	_	0	0			0	5	2	282	282	282	28	150	20	33	8	2	-	_	0	0
9 gr		-	%	%	5	9	5	5				866	0	0			0	5	8	5	5	Š	5	5	5	5 0	5	Š	866	8	0	0
1		-	~	-	_	-	-	-	-	-	-	5	-	~			m	-	-	-	7	-	7	-	-	-	_	-	-	-	-	~
E .		-	-	-	_		_	7	_	~	m	_	0	0			0	_	_	~	7	m	m	4	~	m	7	_	_	-	0	0
Use		-	-	~	-	-		-	_	-	-	_	0	0			0	_	-	_	-	-	-	_	-	-	_	~	_	~	0	0
Seg		KTS	XXX	XXX	RFL	1118	₹	₹	K	Š	Σ	XX	3	3			5	RFL	22	3	22	KS	22	3	SII	SII	118	SII	XXX	XX	5	3
S S	; :	20		8		2	200	30	9	9	0,4	20	•	0			0	0	20	20	20	20	8	2	20	2	8	2			0	0
Pir	; ;	_	-	-	1 00	8	\$	8	8	8	8	8	110	110			110	110	110	110	110	110	110	î.10	110	110	10	110	110	130	120	120

Date	\$/25/90	5/25/90	5/25/90	2/05/90 10/24/89	10/24/89	10/24/89 2/06/90	5/25/90	5/25/90	10/24/89	2/06/90	2/06/90	5/25/ 3 0	5/25/90	10/24/89	2/06/90	5/25/90	5/25/90	10/24/89	3/16/90
Eval	Exit()	PV42 := Found	Exit()	DLSS.DIC DLSS.CLIN	DLSS.CLIN2	DLSS.DedCode1 DLSS.VarCode1	CAT(DLSS.HiDed1, UnPunch(DLSS.DedAmount1,9))	CATCLSS.Hiverl, UrPurch(DLSS.VarAmount1,9))	DLSS.VerAmount1 DLSS.DedSign1	DLSS.VarSign1 DLSS.DedCode2	DLSS.VarCode2	CAT(DLSS.MiDedZ,UrPurch(DLSS.DedamountZ,Y)) DLSS.Dedamount2	CAT (DLSS. HiVer2, UnPunch (DLSS. VarAmount2, 9))	DLSS.DedSign2	DLSS.VerSign2	DLSS.DedCode3 CATOLSS.HiDed3 ImPunch(DLSS.DedAmount3.9))	DLSS.DedAmount3	DLSS.DedSign3	RP(CurrentCard, 1, 80)
Out Ord Sect Elid Condition	0 DLSS.DIC = MPV3" and (RP(CurrentCard, 45,1) = "T" or	forcerection (2), () = "1" of Articul Garter 4,05,() = "1", 0 DLSS.DIC = "PV4" and (Found := FindCard(/PV4/, Forward, CurrentCard+1,1,3,RP(CurrentCard,4)	,47),4,47)) 0 DLSS.DIC = "PV4" and (RP(CurrentCard,51,1) = NT" or PP(FirenetFard 60 1) = NT)	1001 2025 (DLSS.DIC	2025 DLSS.DIC • ET1/)	150 DLSS.DIC = "PV3" 150 DLSS.DIC = "PV4"		DLSS.DIC =	782 DLSS.DIC = "PV4" 478 DLSS.DIC = "PV3"	478 DLSS.DIC = MPV4" 150 DLSS.DedCode2 <> ""	DLSS.DIC = "PV4" and	782 DLSS.DIC = MPV3M and PV32 and isPunch(CurrentCard,65) 782 DLSS.DIC = MPV3M and DLSS.DedAmount2 <> MM	DLSS.DIC = "PV4" and	/6Z DLSS.DIC = "PV4" and DLSS.VarAmountz <> "" 478 DLSS.DIC = "PV4" and DLSS.DedSign2 <> ""	DLSS.DIC = "PV4" and	150 DLSS.DIC = MPV3" and DLSS.DedCode3 <> MM 722 DLSS DLSS DTC = MPV3H and DV42 and lebimonic transferd 77)	782 DLSS.DIC = "PV3" and	478 DLSS.DIC = "PV3" and DLSS.DedSign3 <> ""	-
Out Sect		0	•	5 5 6	5	5 5	\$	3 5	\$ \$	5 5		- 5 5 5		3 5	5	5 5	5 5 5	5	8
	: m	_	'n		•	- ~	- 1	N M	4 –	~ -		- ~					- (4	_	_
Use El Ctr Seq	0 0	0	0		2			7 7	~ r	- 2	. ~	~ ~	. ~ .	N 0	. 60	m r	, W	1 0	-
Seg U	. #5	5	50	10 RFL 20 KCE	KCE	2 2	\$	33	88	2 2	3	2 2	3	2 3	3	23	3 3	2	XX
Seg Seg	. 0	0	0	2 2	2	9 P			88	80 80	8	2 2	8	8 8	300	30	8 8		9
	120	120	120	120	120	120	-	•	5 2 2			5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		120		120	-	•	-
114	3	5 8	38	8 8 8	38	2 2 2 3 3	20.	ž ž	3 3	8 2	88	88 8	50	× 2	× 3	88 S	8 3	898	88

Date	5/25/90	5/25/90	5/25/90	2/22/90			2/52/90	2/05/90	3/19/90	10/24/89	10/24/89	2/52/90	2/22/90	10/24/89	3/29/90	10/24/89	10/24/89	10/24/89	3/16/90	2/52/90	2/20/90			5/01/90	3/02/90		3/14/90	3/14/90	3/14/90	5/01/90	5/01/90	;	5/01/90
Eval	RP(PV32,1,80)	RP(PV42,1,80)	PV52 := 0	PV52 := CurrentCard	7		Exit()	DLSS.DIC	DLSS.CLIM	DLSS.ShipmentWbr	DLSS.Quantity55	CAT(DLSS.Hiltem, UnPunch(DLSS.ItemAmt, 9))	DLSS.ItemAmt	DLSS.LineStatus	EDIValue("CONTYPE", RP(CurrentCard, 79, 1))	#St	*10*	DLSS.DoDAAC40	RP(CurrentCard, 1, 80)	RP(PV52,1,80)	EXITC			EXITO	EXIT()		10 := 12 := 0	10 := CurrentCard	12 := CurrentCard	*00*	*01*		u70z
Out Sect Elid Condition	1 PV32	1 PV42	0	0 DLSS.DIC = "PV5" and (Found :=	FindCard(/PV5/, Forward, CurrentCard+1, 1, 3, RP(CurrentCard, 4	(65),4,65))	0 DLSS.DIC = "PV5" and RP(CurrentCard,69,1) = "T"		•	•	0	0 PV52 and IsPunch(CurrentCard, 77)		•	640 Matches(RP(CurrentCard, 79,1),/[CD]/)	98 DLSS.Dodaac40 <> ""	6 DLSS.DoDAAC40 <> ""	L		1 PV52	0 DLSS.1sT_3 and	FindCard(/882/, Backward, CurrentCard, 1, 3, RP(CurrentCard, 4	5),4,5)	0 DLSS.1sT_4 and 1sNumeric(RP(CurrentCard,53,1))	0 StrVal(CurrentCard) <> "1" and	FindCard(/GBL/, BackWard, CurrentCard-1, 1, 3)	0	0 Matches(DLSS.DIC,/880/)	0 Matches(DLSS.DIC,/202/)	3 DLSS.DIC = "GBL" or IsNumeric(RP(CurrentCard,53,1))	Matches (F		3 Matches(RP(CurrentCard,53,1),/[ABCD]/)
ELIC	•	`					_	5	2025	145	8	28	2,0	88	_		8	29 (_	_	_									353	353		353
Sec 2	8	8	٠	0				5	5	5	ᅙ	\$	\$	5	5	ᅙ	Ş	5	8	%	٠				0		•	0	0	•	_		
p ord	-	_	_	~			m	_		_	_	_	~	_	_		_	•	_	-	_			7	M		•	.	•	_	~		m
Use El Ctr Seq	-	_	-	0			-	-	_	-	7	m	M	4	_	_	m	4	_	_	-			_	0		•	0	-	_	_		-
	~ *	۳ خ	٥ <u>ح</u>	о Щ			Ę	ار	H	ν -	ĸ	Ψ.	ر م	رم م	2	_	_	_	5	8	Ę			٥ <u>ټ</u>	0 =		٠ <u>=</u>	٥ =	٠ =	J	J		_
Seg :	XXX 05	XXX 07	0	0			200	10 RFL	20 KCE	30 125	30 53	30 KYS	30 KYS	30 123	40 KV2	50 M1	50 M1	50 M1	8 8 8	8	0			M70	0 0			M 0	0	10 BX	10 BX		10 BX
Tid Sect	120	120	130	130			130	130	130	130	130	130	130	130	130	130	130	130	130	130	-			_	-		-	-	-	-	-		-
1 4	38	38	38	268			\$68	88	3 8	38	268	268	268	8 8	% %	3 8	200	200	568	88	858			858	858		858	858	858	858	858		858

	Date	5/03/90	3/05/90	3/05/90	3/02/90	3/02/90	3/02/90	3/05/90	3/02/90	2/03/90	2/03/90	2/20/90	3/05/90	3/02/90	3/02/90	3/02/90	3/02/90	3/05/90	2/21/90	06/17/7	04/50/5	06/50/5	5/03/90	5/03/90	5/03/90	2/03/60	2/03/60	2/03/90	2/21/90	2/21/90	2/28/90	2/21/90
	Eval	DLSS.ModeMethod	"ST"	DLSS.GBLNbr	#00	"1 8 5"	DLSS.WbrTCNs	n43n	DLSS.ReleaseDate			***	DLSS.GBLPOE	DLSS.POE	*10*	*01*	DLSS.Shipper	RP(CurrentCard, 1,80)	EXIT()	DLSS.Stop1		ULSS. Stopk		101	DLSS.DoDAAC60	**************************************	*10**	DLSS.DoDAAC74	אכא א	DLSS. Sequibr	RP(CurrentCard, 1,80)	EXITO
		• • • • • • • • • • • • • • • • • • •								and RP(CurrentCard, 27,1) = "X") # "STOP"			# NSTOPH and DLSS.DoDAAC74 <> **	= "STOP" and DLSS.DoDAAC74 <> ""	"STOP"				
	Condition			. DLSS.DIC = "GBL"		DLSS.DIC .	DLSS.DIC =	DLSS.DIC = "GBL"	DLSS.DIC .	DL\$S.DIC = "TC1"			DLSS.DIC = "GBL"			S DLSS.DIC = "GBL"	DLSS.DIC .	1 DLSS.DIC = "GBL"	Not DLSS.IsStop				S RP(CurrentCard,68,4)	S DESS. DODAACED <> ""		B RP(CurrentCard, 68,4) =		RP(CurrentCard, 68,4)		. ~		0 01 00 140400
	t Elld Condition	1 91	146	DLSS.DIC =			DLSS.DIC =	DLSS.DIC =	DLSS.DIC .	DL\$S.DIC = "TC1"		1 309	1 310 DLSS.DIC = "GBL"	1 310	1 98 DLSS.DIC = "GBL"	1 66 DLSS.DIC = "GBL"		1 DLSS.DIC =	-	165	163	59	3	2 3	2 29	8	8	67 RP(CurrentCard, 68,4)	128	_	C	2000
ort.		1 91	1 146	DLSS.DIC =		DLSS.DIC .	DLSS.DIC =	DLSS.DIC =	DLSS.DIC .	DL\$S.DIC = "TC1"		1 1 309	•	2 1 310			DLSS.DIC .		-		163	59	1 500 163 RP(CurrentCard,68,4	2 3	2 29	8	8	67 RP(CurrentCard, 68,4)	128	_	_	2000
Out	ord	1 1 91	1 1 146	DLSS.DIC =		DLSS.DIC .	DLSS.DIC =	DLSS.DIC =	DLSS.DIC .	DL\$S.DIC = "TC1"		1 1 309	•	2 1 310			DLSS.DIC .	1 DLSS.DIC =	-		163	59	3	2 3	2 29	8	8	67 RP(CurrentCard, 68,4)	128	_	_	2000
EI	Seq Ord	2 1 1 91	3 1 1 146	DLSS.DIC =		DLSS.DIC .	DLSS.DIC =	DLSS.DIC =	DLSS.DIC .	DL\$S.DIC = "TC1"		2 1 1 309	•	3 2 1 310			DLSS.DIC .	1 DLSS.DIC =	-		163	59	3	2 3	2 29	8	8	67 RP(CurrentCard, 68,4)	128	_	_	2000
Use El	Ctr Seq Ord	1 2 1 1 91	1 3 1 1 146	DLSS.DIC =		DLSS.DIC .	1 3 1 1 369 DLSS.DIC =	1 1 1 1 432 DLSS.DIC =	1 2 1 1 373 DLSS.DIC =	1 1 1 1 115 DLSS.DIC = "TC1"		1 2 1 1 309	•	1 3 2 1 310			DLSS.DIC .	1 1 1 1000 1 DLSS.DIC =	0 0 0 0 Not DLSS.I	1 1 1 500	1 2 1 500 163	59	3	2 3	2 29	8	8	2 4 1 500 67 RP(CurrentCard,68,4)	1 1 500 128		7 1 1000	1971 8810 0 0 0 0
EI	1d Ctr Seq Ord	10 BX 1 2 1 1 91	BX 1 3 1	DLSS.DIC =		N9 1 2 1 1 127 DLSS.DIC =	N9 1 3 1 1 369 DLSS.DIC =	G62 1 1 1 1 432 DLSS.DIC =	G62 1 2 1 1 373 DLSS.DIC =	R4 1 1 1 1 115 DLSS.DIC = "TC1"	R4 1 1 2 1 115	40 R4 1 2 1 1 309	•	40 R4 1 3 2 1 310			DLSS.DIC .	1 DLSS.DIC =	-		55 1 2 1 500 163	ss 2 1 1 500 165	S5 2 2 1 500 163	2 3	M1 1 4 1 500 67	M1 2 1 1 500 98	M1 2 3 1 500 66	#1 2 4 1 500 67 RP(CurrentCard, 68,4)	er 1 1 500 128	BEF 1 2 1 500	ww 4 1 1000	XXX 1 1 1000 2000
Seg Use El	t Seq 1d Ctr Seq Ord	EX 1 2 1 1	BX 1 3 1	BX 1 4 1 1 145 DLSS.DIC =	N9 1 1 1 1 128 DLSS.DIC =	N9 1 2 1 1 127 DLSS.DIC =	N9 1 3 1 1 369 DLSS.DIC =	G62 1 1 1 1 432 DLSS.DIC =	G62 1 2 1 1 373 DLSS.DIC =	R4 1 1 1 1 115 DLSS.DIC = "TC1"	R4 1 1 2 1 115	R4 1 2 1 1	R4 1 3 1 1 310 DLSS.DIC =	R4 1 3 2 1	M1 1 1 1 1 96 DLSS.DIC =	N1 1 3 1 1 66 DLSS.DIC =	M1 1 4 1 1 67 DLSS.DIC =	1 1 1 1000 1 DLSS.DIC =	0 0 0 0 Not DLSS.I	SS 1 1 1 500	10 55 1 2 1 500 163	10 S5 2 1 1 500 165	10 55 2 2 1 500 163	24 000	20 41 1 4 1 500 67	20 11 2 1 1 500 98	20 11 2 3 1 500 66	20 M1 2 4 1 500 67 RP(CurrentCard, 68,4)	30 per 1 1 1 500 128	30 AEF 1 2 1 500	50 KET 1 2 1 500	XXX 1 1 1000 2000

16/12/7

blss.varwibr blss.bic,/T[P]8/) and RP(CurrentCard, 77,4) <> "MOME" 2 and blss.isVan and Not blss.isROR0 2 and blss.isVan and Not blss.isROR0) or blss.ounCode anTric blss.bic,/T[P]8/) and RP(CurrentCard, 77,4) <> blss.ounCode 2 and blss.isVan and Not blss.isROR0) or blss.scac 3 and RP(CurrentCard, 15,1) = "F" blss.scac CAT(blss.vanLength anTric and RP(CurrentCard, 64,2) = "SN" catology CAT(blss.vanLength, "OO") CAT(blss.pop HCB" 3 HNS" 6 HCR" 9 Blss.consCont blss.scalNan Blss.scac CAT(blss.vanLength, "OO") Blss.pop HCB" HCB" Blss.pop HCB" HCB" HCB" HCB" HCB" HCB" HCB" HCB"
•
\$
0
Card, 77, 4) <>
O # # # # # # # # # # # # # # # # # # #
O No.
ONO E
CAT(DLSS.VanLength, "00") MTO" DLSS.POD MCB" MNS" MCK" DLSS.ConsCont DLSS.NSN
DLSS.POD MRS# MRS# MCK# DLSS.ConsCont DLSS.NSW
DLSS.POD HGRH HGKH DLSS.Con6Cont DLSS.NSN
MSM MCKH DLSS.ConsCont DLSS.NSN
DLSS.ConsCont DLSS.NSN
DLSS.ConeCont DLSS.NSN
DLSS.RSK
7100.00M
ברמסי מעסטים
DLSS.MiscT 91nfo
DLSS.PPAddress
#00 .
DLSS.DIC
T_O1 or Matches(DLSS.DIC,/(TRJC1/)) and "FF"
E LONG
(/aa3/,Backward,CurrentCard,1,3,RP(CurrentCard,9,
n SE n

Tid Sect	Seg Seg	eg Use	ਜ਼ §	0 0	ort Sert	11d Condition		9
	[]	_	:					
858 500	6¥ 99	2	-	4	200	128 DLSS.18T 7	"LT"	5/04/90
858 500	3		-	S	200	128 DLSS.18T_8	*CA**	5/03/90
858 500	8 ₹	~	-	•	200	128 DLSS.IsT 9 and RP(CurrentCard, 9,1) = "X"	#ZZ#	2/04/40
858 500	%		~	-	200	127 (DLSS.1sT_01 or Matches(DLSS.DIC,/[TR]C1/)) and	DLSS.FSC	5/03/90
						DLSS.ISA		
858 500	%	~	7	~	200	127 DLSS.1sT_4 and Not (T2 and	DLSS.Dodaac9	5/03/90
						FindCard(/883/, Backward, CurrentCard, 1, 3, RP(CurrentCard, 9,	,6,1	
						((9,6))		
858 500	%	~	~	m	200	127 Matches(DLSS.DIC,/[TR]V5/)	DLSS.SerialMum	5/03/90
858 500	29 FF	2	~	4	200	127 DLSS.181_7	DLSS.LotWbr	2/04/30
858 500	%	~	~	2	200	127 DLSS.18T_8	DLSS.OwnerName	5/03/90
858 500	%		~	•	200	127 DLSS.1sT_9 and RP(CurrentCard,9,1) = "X"	DLSS.ZipCode	5/03/90
858 500	3	2	~	-	200	369 DLSS.1sT_8	DLSS. GradeCode	2/21/90
858 500	3	m	-	-	200	128 Matches(DLSS.DIC,/301011/) or (DLSS.IsT_2 and	n.S.u	5/03/90
						DLSS.1sRORO) or (DLSS.1s7 3 and Not T2)		
858 500	3	M	-	~	200	128 DLSS.isVanTrir and RP(CurrentCard, 78,2) <> " "	# Y 8"	5/03/90
858 500	8 ₹	m	~	-	200	127 Matches(DLSS.DIC,/2020111/) or (DLSS.1sT_2 and	DLSS.DoDAAC9	5/04/90
						DLSS.1sRORO) or (DLSS.1sT_3 and Not 72)		
858 500	8	m	~	~	200	127 DLSS.1sVanTrir and RP(CurrentCard, 78,2) <> " "	DLSS.BeamAss	5/03/90
858 500	6¥ 09	4	-	-	200	128 DLSS.1sTCMDHdr and DLSS.1sAir	»AV»	5/03/90
858 500	8 8	4	~	-	200	127 DLSS.1sTCMDHdr and DLSS.1sAir	DLSS.AirDimCode	2/14/90
858 500	6N 09	~	-	-	200	128 DLSS.1sTCMDHdr	"16"	5/03/90
858 500	6¥ 09	~	-	~	200	128 Matches(DLSS.DIC,/[TR]P8/)	"LV"	5/03/90
858 500	6N 09	~	~	-	200	127 DLSS.1sTCMDHdr	DLSS.TCM	5/03/90
858 500	6¥ 09	~	~	~	200	127 Matches(DLSS.DIC,/[TR]P8/)	DLSS.POVId	5/03/90
858 500	6 ₩ 99	~	~	-	200	127 Matches(DLSS.DIC,/[TR]P8/)	DLSS.POVColor	2/21/90
858 500	6M 09	~	4	-	200	373 DLSS.IsTCMDHdr	DLSS.DateCode	2/14/90
858 500	%	50	~	-	200	337 DLSS.1sTCMDHdr and DLSS.1sAir	DLSS.HourCode	5/04/90
858 500	6N 99	9	-	-	200	128 DLSS.IsTCMDHdr	n8Zn	5/03/90
858 500	8		~	-	200	127 DLSS.1sTCMDHdr	DLSS.DoDAAC47	5/03/90
858 500	8 8	9	4	-	200	373 Matches(DLSS.DIC,/@@[012]/) or ((DLSS.1sT_3 or	DLSS.ETACode	2/14/90
						DLSS.IST_4) and Not T2)		
858 500	6N 09	^	-	-	200	128 DLSS.IsTCMDHdr	#d5#	2/04/90

	Date	2/14/90	5/01/90		;	5/01/90	5/01/90	5/01/90		5/01/90	2/14/90	2/14/90	2/14/90	2/14/90	2/14/90	5/04/90	2/04/30	5/04/90	2/04/30	2/04/30		2/04/30		2/04/90		2/04/30	2/04/90	2/04/90	2/04/90	2/04/90	2/14/90	2/14/90
	Eval	DLSS.Priority	EDIValue("ZERO", DLSS. Priority)		•	EDIValue("TWELVE", DLSS.Priority)	"CHANGE"	"CANCEL"		"ICID"	DLSS.MilstampRDD	# *	DLSS.Project		DLSS.TAC	Strval(LX)	DLSS.NbrUnite	DLSS.Model	DLSS.POVMake	DLSS.CommCode		= = =		EDIValue("PACKTYPE", DLSS. PackType)		DLSS.DelStop	Strva!(LX)	DLSS.PackType	"ER"	"VA"	DLSS.Weight	"A.3"
	Elld Condition	DLSS.1sTCMDHdr and	DLSS.1sTCMDHdr and	(Matches(RP(CurrentCard,53,1),/(STU)/) or		DL.SS. 167	DLSS.1sTCMDHdr and Matches(RP(CurrentCard,53,1),/[A-D]/)	DLSS.isTCMDHdr and Matches(RP(CurrentCard,53,1),/[STU]/)	or RP(CurrentCard,53,1) = "/"	DLSS.isTCMDHdr and isNumeric(RP(CurrentCard,53,1))	DLSS.isTCMDHdr and Not Matches(DLSS.DIC,/[TR]C1/)	Matches(DLSS.DIC,/88[034] a[^c]1/) and DLSS.Project <> "" "P4"	Matches(DLSS.DIC,/80(034) 9[^C]1/)	Matches(DLSS.DIC,/89[014]/)	Matches(DLSS.DIC,/80[014]/)		DLSS.1eT_2	Matches(DLSS.DIC,/[TR]V5/)	Matches(DLSS.DIC,/[TR]P8/)	DLSS.1sTCMDHdr or (Matches(DLSS.DIC,/[TR]36/) and	RP(CurrentCard,15,1) = " ")	DLSS.1sTCMDHdr or (Matches(DLSS.DIC,/[TR]36/) and	RP(CurrentCard, 15, 1) = "")	DLSS.1sTCMDHdr and Not	Matches(RP(CurrentCard, 28, 1), / [XAY2]/)	(DLSS.181_3 or DLSS.181_4) and 12		(DLSS.1sT_3 and RP(CurrentCard, 28,1) = $"X"$) or	DLSS.isT_3 and RP(CurrentCard, 28,1) = "X"	DLSS.1sT_2 and Matches(RP(CurrentCard, 28, 1), / [XAY2]/)	Not Matches(DLSS.DIC,/[TR]V5 [TR]@[69] [TR]P8/)	Not Matches(DLSS.DIC,/[TR]V5 [TR]@[69] [TR]P8/) and DLSS.Weight <> ""
	P113	127	127				\$	\$		\$	373	128	127	128	127	-	R	R	2	25		23		103		87	213	220		221		187
ž		8	200			8	Š	500		8	20	200	2 0	88	8 8	200	2 00	200	2 00	200		200		8		28	200	200	20	2 0	200	20
0	Ord Sect	-	~			m	-	7		m	-	-	-	-	-	-	-	~	m	-		_		-		-	-	-	-	~	-	
E	\$:	~	~			~	M	~		m	4	-	~	-	~	-	~	~	~	m		4		~		•	-	2	m	m	•	∽
Use	Ctr	_	~			~	7	~		_	7	•	•0	۰	•	-	-	-	-	-		-		-		_	-	-	-	-	-	-
Seg	<u> </u>		全					2		£	<u>\$</u>	\$	<u>\$</u>	£	Š	2	5	2	2	2		5		5		5	2	2	9	2		2
Seg	Seq 1d	3	3			8	8	8		8	8	8	8	8	8	R	2	2	2	2		2		2		2	8	8	8	8	8	8
Tid	Sect	8	200		;	8	8	8		8	800	8	8	8	8	500	8	88	500	200		200		2 00		500	200	200	8	500	200	200
	P :		858					858		958	858	858	858	858	858	858	828	658	858	858		858		858		858	858			858	858	858

	Date		06/41/2	2/14/90	2/14/90	2/14/90		5/04/90		2/21/90	2/21/90	2/21/90	2/21/90	2/21/90	2/21/90	2/21/90	2/21/90	2/21/90	2/04/90	5/04/90	5/04/90	\$/04/90	2/04/90	5/04/90	2/21/90	2/21/90	2/21/90	2/21/90	5/04/90	2/21/90	2/21/90	2/28/90
	Eval		ULSS. CUDE	E WI	DLSS. Pieces	mbcs**		-1		**************************************	DLSS.Length	ullu	.9.	DLSS.Width	#F1#	z L Z z	DLSS.Neight	#I'h	#3d#	*RO**	HZZH	DLSS.Pieces	DLSS.RndCnt	пОн	DLSS.HazMatid	DLSS.HazMatClass	DLSS.HazMatOther	DLSS.Hazbet	DLSS.ExpWeight	HDCH	DLSS.DoDIC	RP(CurrentCard, 1,80)
	Elid Condition			.Not Matches(DLSS.DIC,/[TR]V5 [TR]8[669]/) and DLSS.Cube <> **		Not Mate	DLSS.Pieces <> **	Not Met	DLSS.Weight <> ***	DLSS.181	01.55.167	DLSS. 161	DLSS.1eT	DLSS.16T_5	DLSS.1sT_5	0.55.167_5	DLSS.1sT_5	DLSS.1sT_5	01.55.181_7	Matches (DLSS.18T_7	Matches(DLSS.DIC,/[TR]E6/)	Matches(OLSS.DIC,/[TR][EJ]9/)	0LSS.18T_6	DLSS.18T_6	Matches(DLSS.DIC,/[TR]E6/)	Matches(DLSS.DIC,/(TR][EJ]9/)	Matches(DLSS.DIC,/[TR]E7/)	Matches(OLSS.DIC,/[TR][EJ]6/)	Matches(DLSS.DIC,/[TR] [EJ]6/)	
			3	<u>\$</u>	8	211		38		2	2	355	2	33	355	200	23	355	355	355	355	8	2	8	127	215	228	228	267	128	127	2000
š	Sect	: 8	3 3	3	50	20		8		8	8	58	50	58	50	8	<u>8</u>	2 0	2 00	200	500	8	500	2 00	500	2 00	5 00	2 00	2 00	2 00	2 00	1000 1000
	þ	: •	- •	_	-	-		-		-	~	~	-	-	-	-	-	-	-	~	m	-	7	m	-	-	-	2	-	-	-	-
H		: •	o r	-	•	•		=		~	m	4	~	m	4	~	m	4	-	-	-	~	~	~	m	-	~	~	•0	-	~	-
Use		: •	- •	-	-	-		-		-	-		~	~	~	m	m	~ 1	-	_		-	-	_	-	-	-	-	-	-	-	-
Seg				3	07 (97 0		2) #EA	#EA) FEA) MEA) MEA) MEA	MEA (HEA (MEA	EH 1	E		E 1		=======================================	E .	LH2	LH3	LH3	114	L#	LE	XXX
Ses		; 8	8 8	3	8	8		8		8	8	8	8	8	8	8	8	8				8	5	5	5	110	120	120	130	140	140	150
Tid	Tid Sect			926 900	858 500	858 500		858 500		858 500	858 500	858 500							858 500			858 500		858 500		858 500	858 500	858 500	858 500	858 500	858 500	858 500

	3 :	<u> </u>	Default	Condition	CardNo	Start	Length	Transformation	Date
AAC	-	<		DLSS.18STRAP	CurrentCard	12	-		06/21/6
Acbate	-	<		DLSS.18SCAP	CurrentCard	7,	*		2/05/90
ACRN	-	<		DLSS.DIC = "PV1"	CurrentCard	21	7		1/05/90
ACRN	7	<		DLSS.18SCAP	CurrentCard	23	~		2/08/90
ACRN56	-	<		DLSS. I SSCAP	CurrentCard	55	2		1/05/90
ADP	-	<		Found :=	Found	ઢ	•		1/05/90
				FindCard(/PAB P[BE]1/, Forward, CurrentCard					
				,1,3)					
ADPE1d	-	<		DLSS.18STRAP or DLSS.18STRIP	CurrentCard	23	-		9/19/90
ARMCond	-	<		DLSS.1sSTRIP	CurrentCard	2	-		10/18/90
AcceptDate	-	٥		Matches(DLSS.DIC,/PK[NP]/) and	CurrentCard	8	^	YYMMMDD2DAT(Value)	1/05/90
				IsNumeric(RP(CurrentCard,66,2)) and					
				IsNumeric(RP(CurrentCard, 71, 2))					
AcceptDate	~	۵		Matches(DLSS.DIC,/PK[NP]/) and	CurrentCard	8	^	YYMMDD2DAT(UnPunch(Value	06/08/90
				1sPunch(CurrentCard, 66) and				(0,	
				Iskumeric(RP(CurrentCard, 71,2))					
Acceptance	-	<		Pf and Matches(RP(PF, 73, 1), / [005] /)	Pf	ĸ	-	EDIValue("FOB", Value)	1/05/90
Acct2Charge	-	«	•	DLSS.1881.LS	CurrentCard	25	=		11/08/90
Acct2Credit	-	<		DLSS.18BILLS	CurrentCard	60	Ξ		11/08/90
Act fonCode	-	<		Matches(DLSS.DIC,/P1[0Y3C9] P2[DE012389]	CurrentCard	22	-		9/25/89
				P3 (0123901) P4 (23) P9 (ABEF) P51/)					
Act i on Code	7	<		0LSS.DIC # "P53"	CurrentCard	35	-		3/27/89
ActionCode	m	<		Matches(DLSS.DIC,/P41 P9[CD]/)	CurrentCard	77	-		9/25/89
ActionCode	*	<		DLSS.DIC = "P6R"	CurrentCard	24			9/25/89
ActionCode	•	<		DLSS.DIC * "XEL"	CurrentCard	4	-		9/25/89
ActionCode	•	<		Matches(RP(CurrentCard, 10,1),/[J-R)]/)	CurrentCard	9	-		1/05/90
AdjBil (Nbr	-	<		0155.18811.5	CurrentCard	22	5		9/20/90
AdjType		<		DLSS.18PETS	CurrentCard	24	-		9/25/89
AdminBy	_	<		DLSS.1sSCAP	CurrentCard	55	9		1/05/90
AdviceCode	-	«		DLSS.1857RAP or DLSS.1857RIP	CurrentCard	65	~		3/05/91
AirCode	-	<		DLSS.18STRIP	CurrentCard	16	7		10/24/90
AirDimCode	-	<		DLSS.1sTCMDHdr	CurrentCard	20	-		1/12/90

Field	Order	ž.	Default	Condition	CardNo	Start	Length	Transformation	Date
BILLTODODAAC	m	< <		Matches(DLSS.SignalCode,/[CL]/)	CurrentCard	8	-	CAT(Value, RP(CurrentCard, 52.1))	9/19/90
Buybate	-	٥		DLSS.18STRAP	CurrentCard	3	₩.	YYDDDZDAT(Value)	06/72/6
CAFL	-	<		86	84	2	-		1/05/90
CAGEDes	-	<		2	8 4	2	1 0		9/25/90
CAGESUP	_	<		R2	K 2	8	٥		9/25/90
CACACTION	-	<		DLSS.18SCAP	CurrentCard	8 2	-		1/05/90
CACOffice	-	<		2	R4	26	•		4/11/91
CLIM	-	<		DLSS.DIC = "P53"	CurrentCard	5	•		9/52/8
CL13	~	<		Matches(DLSS.DIC,/P2[09] P30 P6 (ABCRS] PE CurrentCard	(CurrentCard	37	•		9/25/89
2	~	•		Hatchas(0) SS D1C /0 (1410/)	presidenti	7	•		7/10/00
	٦ ٧	٠ <		74 (C. M. 1984) 1 (C.	Currentiard	5 %	•		0/25/80
2 2		٠.			Currentend	3 =	•		7/10/90
	٠ <	₹ •		DISC TABLES	Currentfard	- 5	•		1/05/90
	o r	ς .			רמו בשונים ב	- 5	۰ ۵		04/50/1
* T	_	<		Matches(DLSS.DIC,/PZ[DE]/)	CurrentCard	8	•		4/52/84
CL 13	•••	⋖		Matches(DLSS.DIC,/PK[NP5]/)	CurrentCard	1 7	•		1/05/90
CL IN	٥	<		Matches(DLSS.DIC,/P[ABE][EFGH]/)	CurrentCard	23	9		1/05/90
כר זא	2	<		DLSS.DIC = "PV3"	CurrentCard	30	•		2/08/90
CL IN	=	<		DLSS.DIC = "PV4"	CurrentCard	3	•		2/23/90
CL IN	12	<		DLSS.DIC = "PV5"	CurrentCard	63	•		3/19/90
CL 14	£	<		DLSS.18SCAP	CurrentCard	2	•		1/05/90
CL IN2	-	<		DLSS.DIC = "PV4"	CurrentCard	8	•		3/19/90
CLIN75	-	<		DLSS.18SCAP	CurrentCard	ĸ	9		1/05/90
CPNType	-	<		RP(CurrentCard, 79,1) <> " "	CurrentCard	2	-	EDIVatue("CONTYPE", Value)	4/54/90
Callorder	-	<		Matches(DLSS.DIC,/[AU]Ba/)	CurrentCard	ĸ	4		10/22/90
Callorder	7	<		DLSS.18STRIP	CurrentCard	69	4		10/17/90
CancelDate	_	٥		DLSS.18BILLS	CurrentCard	7.	4	YDDD2DAT(Value)	9/20/90
CargoWbr	_	<		Matches(DLSS.DIC, /P2[012389] P3[123] P6C	CurrentCard	55	€0		9/25/89
				P9(BF1/)					
CargoNbr	7	<		Matches(DLSS.DIC,/P3[DT]/)	CurrentCard	55	•		7/12/90
CargoWbr	m	<		DLSS.18PETS	CurrentCard	29	•		9/25/89
ChangeCode	-	<		DLSS.18STRAP	CurrentCard	~	-		06/92/6

Page 4

Field	Order	<u>\$</u>	Defaul t	Condition	CardNo	Start	Length	Transformation	Date
CloseCode	-	<		DLSS.1eSCAP	CurrentCard	43	-		1/05/90
CoastDes	-	<		DLSS. I STRAP	CurrentCard	8	-		9/11/90
CodeType	•	<		Matches(DLSS.DIC,/[FH]P[12]/)	CurrentCard	21	7		11/08/90
CodeType	~	<		DLSS.1881LLS	CurrentCard	8	~		11/08/90
CollAnt	-	<		DLSS.18SCAP	CurrentCard	58	=		2/05/90
CollType	-	<		RP(CurrentCard,58,1) <> * *	CurrentCard	28	~	EDIValue("CHARGECODE", Val	2/02/30
								(e)	
Commicode	-	<		DLSS.18STAMP	CurrentCard	\$	S		1/12/90
ConType	-	<		PA	PA	2	-		1/05/90
CondTo	-	<		DLSS. ISPETS	CurrentCard	8	-		68/52/6
Conscont	-	<		FindCard(/882/, Backward, CurrentCard, 1, 3, R	R CurrentCard	•	•		2/12/90
				P(CurrentCard, 4, 5), 4, 5)					
Conscont	~	<		DLSS. I & STAMP	CurrentCard	4	~		2/12/90
Cons i gnee	-	<		DLSS.DIC = "P51"	CurrentCard	25	9		68/52/6
Consignee	~	<		Matches(DLSS.DIC,/P1[288H]/)	CurrentCard	57	•		1/12/90
Consignee	m	<		DLSS.1sPETS	CurrentCard	2	•		9/25/89
Consignee1	-	<		DLSS.18PETS	CurrentCard	72	•		7/12/90
Consignee2	_	<		DLSS.18PETS	CurrentCard	82	•		7/12/90
Consignee3	-	<		DLSS.18PETS	CurrentCard	25	•		7/12/90
Consignee4	-	<		OLSS. ISPETS	CurrentCard	8	•		7/12/90
Consigneeind	-	<		DLSS.18PETS	CurrentCard	25	_		9/25/89
Consignor	-	<		DLSS.DIC = "P51"	CurrentCard	14	7		6/52/6
Cons i gnor	~	<		DLSS.1sPETS	CurrentCard	2	•		9/25/89
ContCode	-	<		DLSS. ISSTAMP	CurrentCard	22	-		2/13/90
Contract	-	<		PA	A	62	•		1/05/90
ContractCode	-	<		P8	84	62	-		1/05/90
ContractNbr	-	<		Matches(DLSS.SourceDIC,/[DE]LW/)	CurrentCard	\$2	13		9/25/90
ContractMbr	~	<		Matches(DLSS.DIC,/[AU]Ba/)	CurrentCard	8	1		10/22/90
ContractMbr	m	<		Matches(DLSS.D1C,/[AU]C[MP]/)	CurrentCard	5	ħ		10/24/90
ContractMbr	4	<		DLSS.DIC = uP53"	CurrentCard	•••	7		9/52/89
ContractNbr	~	<		Matches(DLSS.DIC,/P2(09) P30 P6(ABCRS) Pf CurrentCard	[CurrentCard	8	^		69/52/6
				0-912 P9[ABF]/)					
ContractNbr	•	<		DLSS.DIC = "P6f"	CurrentCard	14	~		68/52/6

Field	Order	1ype	Default	Condition	CardNo	Start	Length	Trensformetion	Date
ContractNbr	~	<		Matches(DLSS.DIC,/P2(DE)/)	CurrentCard	51	ŧ		68/52/6
ContractNbr	•••	<		DLSS.DIC = "XEL"	CurrentCard	7	7		6/52/6
ContractMbr	•	<		DLSS.DIC = "P29"	CurrentCard	30	Ξ		9/25/89
ContractMbr	10	<		DLSS.18PETS	CurrentCard	25	7		9/25/89
ControlMbr	-	<		Matches(DLSS.SourceDIC,/IDE12H/)	CurrentCard	8	7		06/22/6
ControlMbr	7	<		Matches(DLSS.SourceDIC,/[DE]Z[LMNP]/)	CurrentCard	••	7		9/27/90
ControlMbr	m	<		Matches(DLSS.SourceDIC,/[DE]KA/)	CurrentCard	27	7		9/28/90
Conversion	-	<		DLSS.18STRAP	CurrentCard	3	.		06/97/6
CorrectRIC	-	<		DLSS.18STRAP	CurrentCard	24	M		9/17/90
CorrectUIC	•-	<		Matches(DLSS.DIC,/[DE]SB/)	CurrentCard	22	•		9/28/90
CorrectUIC	7	<		Matches(DLSS.DIC,/[DE]SA/)	CurrentCard	58	•		9/28/90
CorrectUIC	m	<		Matches(DLSS.DIC,/[DE]S[COMFR]/)	CurrentCard	69	•		9/28/90
Count	-	=		DLSS.18SCAP	CurrentCard	11	4		1/17/90
CountDate	-	۵		Ishumeric(RP(CC(),35,1)) and	CurrentCard	35	•	YDDD2DAT(VALUE)	9/58/90
				DLSS.1sDate36					
Countilibr	•	<		OLSS. I STRAP	CurrentCard	3	-		9/28/90
CountryCode	-	<		Found :=	Found	20	~		2/05/90
				FindCard(/PV2/, Forward, CurrentCard, 1,3)					
CountryCode	7	<		Matches(DLSS.DIC,/[AU]D[135R]/)	CurrentCard	\$	~		10/24/90
CountryCode	m	<		DLSS.18STRIP	CurrentCard	31	7		10/17/90
CountryCode	4	<		DLSS.18SCAP or DLSS.18B1LLS	CurrentCard	58	7		3/09/90
CreditDate	_	۵		DLSS.1881LLS	CurrentCard	65	m	YMM2DAT(Value)	9/20/90
CreditTo	•	<		Matches(DLSS.SignalCode,/[AJ]/)	CurrentCard	20	•		11/20/90
CreditTo	~	<		Matches(DLSS.SignalCode,/[BK]/)	CurrentCard	45	•		11/20/90
CreditTo	m	<		Matches(DLSS.SignalCode,/[CL]/)	CurrentCard	õ	-	CAT(Value, RP(CC(), 52,1))	11/20/90
Criticality	-	<		84	P8	2	-		1/05/90
eqn ₂	-	2		DLSS.18STRIP	CurrentCard	፠	4		10/24/90
cope	~	=		Matches (DLSS.DIC,/[TR]@[0-57]/) and	CurrentCard	11	4		2/06/60
				IsNumeric(RP(CurrentCard,77,1))					
cripe	m	<		Matches (DLSS.DIC,/[TR]@[0-57]/) and	CurrentCard	12 0	m	CAT(EDIValue("EXCESS", RP(2/06/60
				(Matches(RP(CurrentCard,77,1),/[A-R&]/) or RP(CurrentCard,77,1) * "-")				CurrentCard, 77, 1)), Value)	
Cube	4	z		DLSS.18STAMP	CurrentCard	8	4		5/30/89

Fleid	Order	Type	Default	Condition	CardNo	Start	Length	Transformation	Dete
CustTransMbr	-	<			CurrentCard	07		****************	11,15,000
Customer	-	<		OLSS. ISSTRIP	Currentford	2	` -		04/61/11
CustomerID	-	<		DLSS.1881LLS or DLSS.189FTS	Currentford	3 2	- p		04/11/01
Cutoffoate	-	0		Matches(D) SS-D)C / (DF) (/48) (DE) val	Current	÷ ;	n -		06/90/11
				DLSS.18Date62	מין ביוניפור	6	•	TUDUCUA! (VALUE)	06/97/6
CutOffDate	8	۵		Matches(DLSS.DIC,/[AU]M[1-5]/) and	CurrentCard	7	M	DDD2Dat(Value.0/SS.0cc0at 10/25/90	10/25/90
,				DLSS.IsDate71 and DLSS.DocDate <> ""			;	6)	
210	-	⋖			CurrentCard	-	m		9/20/90
2010	-	<		Found :=	Found	-	*1		1/05/90
				FindCard(/PAB P (BE) [AB] P (ABE) [DF) PV (24)			1		27 (27 (1
				/, forward, CurrentCard, 1, 3)					
5103	-	<		Found :=	Found	-	* 1		1/05/90
				FindCard(/P[BE]B/, Forward, CurrentCard, 1, 3			1		
DPAS	-	<		¥d	A	45	4		1/05/90
0110	-	⋖		DLSS. ISMRC or DLSS. ISRCR	CurrentCard	85	5		10/23/90
0110	~	⋖		DLSS.1sSTRIP	CurrentCard	29	14		10/17/90
DTIDSUffix	-	<		DLSS.1sSTR1P	CurrentCard	; z	: -		10/17/90
Date45	-	۵		DLSS.1sSCAP	CurrentCard	; 57	- ^	Volume of the Comment	1,05,00
Date52	_	٥		DISS. LesCAP	President.	3 3	- 1		04/60/1
Date59	-	٥		DLSS.18SCAP	Currentfand	2 2	- ^	VANISTO SO AT COLOR	06/50/1
Date67	-	6		Of Carlotte And Mark The Part 20 10		`	- 1	I HERIODEDA! (VALUE)	0%/cn/1
	-	,			currentcard	29	m	DDDZDAT(Value, DLSS.DocDat	10/15/90
Yeard	•	•			•	١	•	6	
Cand	- •	٠ د		DLSS.1808te/3	CurrentCard	ĸ	m	DDD2DAT(Value)	10/15/90
Date/8	-	۵		DLSS.isDate78 and DLSS.DocDate <> ""	CurrentCard	82	m	DDD2DAT(Value, DLSS.DocDat	10/23/90
•	•							•	
DateAward	-	0		DLSS.1sSTRAP	CurrentCard	7	•	YYDDD2DAT(Value)	9/25/90
DateCode	-	<u>م</u>		IsNumeric(RP(CurrentCard, 60,3))	CurrentCard	3	m	DDD2DAT(Value)	5/18/90
DateCode	2	٥		<pre>!sNumeric(RP(CurrentCard,61,2))</pre>	CurrentCard	5	~	DD2DAT(Value)	5/18/90
DateDel	-	٥		74	3 2	7.	ĸ	YYDDD2DAT(Value)	9/25/90
Datebueln1	-	9		DLSS.18STRAP and 18Numeric(RP(CC(),44,5)) CurrentCard	CurrentCard	3	5	YYDDD2DAT(Value)	9/25/90
DateOueIn2	-	۵		DLSS.IsSTRAP and IsNumeric(RP(CC(),62,5)) CurrentCard	CurrentCard	62	r	YYDDD2DAT(Velue)	9/25/90
DatePack	-	۵		1C,/{DE] {89E] {EF] {DE S.18DZK and	CurrentCard	87	m	YMD2DAT(Value)	9/54/90
				DLSS.rscaroup = "89"					

Field	Order	30	Default	Condition	CardNo	Start	Length	Transformation	Date
DatePack	~	۵		Matches(DLSS.SourceDIC,/IDE) [69] [A- DJK2] [DE] 9 [GH] [DE] 49/) and Not DLSS, JaDZK and DLSS, FSGGroup = "89"	CurrentCard	2	M	YMDZDAT (Velue)	6/24/90
DatePack	m	٥		Matches(DLSS.SourceDIC,/[DE]A(CD] [DE][6F CurrentCard V]2/) and DLSS.FSCGroup = "89"	CurrentCard	8	m	YMD2DAT(Value)	06/77/6
DatePack	4	٥		Matches(DLSS.SourceDIC,/IDE)2[AH] IDE]KA CurrentCard (DE)79/)	CurrentCard	2	m	YMD2DAT(Value)	9/21/90
DatePack	5	٥		(DLSS.ISHRO or DLSS.ISHRD or DLSS.ISDR) and Iskumeric(RP(CC(),22,1))	CurrentCard	25	~	YMC.ZDAT(CAT(RP(CC(),22,1) 10/23/90 ,Value))	10/23/90
DatePack	•	۵		Matches(DLSS.DIC,/IAU]2[12457ABDE] [AU]Cf CurrentCard 67] [IAU] [GK]6/) and 18Numeric(RP(CC(),22,1))	CurrentCard	25	~	YMD2DAT(CAT(RP(CC(),22,1) 11/15/90 ,Value))	11/15/90
DatePackCode	-	٥		Matches(DLSS.DIC,/FT[6ACDEFGLMORTZ]/) and Iskumeric(RP(CC(),22,1))	CurrentCard	22	-	CAT(Y2YY(Value), "1231")	10/23/90
DatePackCode	8	<		Matches(DLSS.SourceDIC,/IDE][69E][EF]/) and Not DLSS.18DZK	CurrentCard	20	-		9/54/90
DatePackCode	m	<		Matches(DLSS.SourceDIC,/IDE) IB9) [A- DJKZ] [DE]9[GH]/) and Not DLSS.18DZK	CurrentCard	23	-		0/54/90
DatePackCode	•	< €		Metches(DLSS.SourceDIC,/[DE]A(CD]/)	CurrentCard	3 8	- r	DDD2DAT(Value DLSS.Dccbat	9/24/90
Daterost	-	5		Matches(ULSS.SourceUL,/[UCIKIASJ/) and DLSS.DocDate <> ""		3	1	e)	7,517,70
DatePost	~	٥		Matches(DLSS.DIC,/[DE]RF/) and DLSS.DocDate <> ""	CurrentCard	27	m	DDDTbAT(Value,DLSS.DocDat	9/21/90
DateShip	_	۵		R4	%	69	2	YYDDD2DAT(Value)	9/52/60
DateShip	2	۵		Matches(DLSS.DIC,/[DE]FR/) and DLSS.DocDate <> ""	CurrentCard	22	m	L/DZDAT(Value, DLSS.DocDate)	9/25/90
DateShip	m	<		Matches(DLSS.SourceDIC,/[DE]FR/)	CurrentCard	82	-		9/52/6
DedAmount 1	-	<		DLSS.1sSCAP	CurrentCard	\$!	2		2/06/90
DedAmount2	- ·	< ⋅		DLSS.1sSCAP	CurrentCard	22	2 9		2/06/90
DedAmount3	, ,	< <		DESS.18SCAP	CurrentCard	.	2 -	EDIValue("CHARGECODE", Val	2/06/30
hearage	-	€				;	•	(en	
DedCode2	-	<		RP(CurrentCard,56,1)<>" "	CurrentCard	%	-	EDIValue("CHARGECODE", Value)	2/06/90

Feld	Order	Type	Default	Condition	CardNo	Start	Length	Transformation	Date
DedCode3	-	<		RP(CurrentCard,68,1)<>" "	CurrentCard	8	-	EDIVALUE("CHARGECODE", Value)	2/06/90
DedSigni	-	<		DLSS.18SCAP	CurrentCard	55	-		2/06/90
DedS ign2	-	<		DLSS.18SCAP	CurrentCard	29	-		2/06/90
DedSign3	•	<		DLSS.18SCAP	CurrentCand	2	-		2/06/90
DelDate	-	۵		PG and Not IsPunch(PG,41)	54	7	7	YYMMDD2DAT(Value)	1/05/90
DelDate	7	٥		PG and IsPunch(PG,41)	PG	7	7	YYMMD020AT (UnPunch (Value	6/01/90
	•	•				;	•	,1))	90, 90,
DelDate	•	٥		DLSS.18SCAP	CULLENTCELO	55		TYMEEDUZDAI (VALUE)	3/5/1
DelordNbr	_	<		DLSS.DIC = "P53"	CurrentCard	82	4		69/52/6
DelordNbr	2	<		DLSS.DIC = "P6F"	CurrentCard	8	4		9/25/89
DelordNbr	m	⋖		Matches(DLSS.DIC,/P20 P3[00] P6[AC] P9[BF	CurrentCard	5 9	4		69/52/6
				1/)					
DelordNbr	4	<		DLSS.DIC = "P68"	CurrentCard	2	*		6/52/8
DelordNbr	5	<		DLSS.DIC = "P60"	CurrentCard	ĸ	•		68/52/6
DelordNbr	•	<		Matches(DLSS.DIC,/P2(ED) P1(0Y1/)	CurrentCard	2	4		68/52/6
DelordNbr	7	<		DLSS.DIC = "XEL"	CurrentCard	2	4		68/52/6
Delouant	_	<		DLSS.18PETS	CurrentCard	9 7	7		1/05/90
Deliguent	7	<		DLSS.18SCAP	CurrentCard	84	•		1/05/90
DelStop	_	<		DLSS.18STAMP	CurrentCard	63	-		2/12/90
DelSuffix	-	⋖		Matches(DLSS.DIC,/P1[0Y]/)	CurrentCard	2	~		9/25/89
DelSuffix	7	<		DLSS.18PETS	CurrentCard	50	~		9/25/89
DelayReason1	-	<		DLSS.18SCAP	CurrentCard	22	-		1/05/90
DelayReason2	_	<		DLSS.18SCAP	CurrentCard	ĸ	-		1/05/90
DelayReason3	-	<		DLSS.18SCAP	CurrentCard	72	-		1/05/90
Delivsrc	-	<		DLSS.18811LS	CurrentCard	82	~		11/08/90
Del iveryDate	-	۵		DLSS.isDate4 and DLSS.NSNDate <> ""	CurrentCard	4	m	DOD ZDAT (Value, DLSS. NSNDat	9/25/89
								•	
DemandCode	-	<		Matches(RP(CC(),44,1),/[INOPRS2]/)	CurrentCard	3	-		10/17/*0
Demandbate	-	٥		DLSS.1sSTRAP	CurrentCard	67	\$	YYDDD2DAT(Value)	0/54/90
Demilitar	-	<		Matches(DLSS.DIC,/[DE]7J/) or DLSS.1sDRO	CurrentCard	65	-		9/19/90
Demilitar	~	<		Matches(DLSS.SourceDIC,/[DE]28/)	CurrentCard	53	-		9/56/90
Demilitar	m	<		DLSS.18STRIP	CurrentCard	22	7		2/14/91

DenialMgmt Description Description DisbAmt DisbOff Disc Disc	<		֡	1	1		
Description Description DisbAmt DisbOff Disc2 DiscCode		OLSS.18STRIP	CurrentCard	2			10/22/90
Descritpion DisbAmt DisbOff Disc1 Disc2	<	DLSS.18510	CurrentCard	7	ສ		11/08/90
DisbOff DisbOff Disc3 Disc2 Disc2ode	<	DLSS.18SCAP	CurrentCard	85	₽		1/05/90
Disboff Disc1 Disc2 DiscCode	<	DLSS.18SCAP	CurrentCard	69	=		2/05/90
Disc1 Disc2 DiscCode	<	DLSS.18SCAP	CurrentCard	*	•		2/05/90
Disc2 Discode	<	PB and ISMUMERIC(RP(PB, 23,4))	8	z,	4		1/05/90
Discoole	<	PB and ISMUMERIC(RP(PB, 29,4))	84	&	4		1/05/90
	<	DLSS.1sSCAP	CurrentCard	2	-	EDIValue("DISC", Value)	1/54/90
Disconysi	<	PB and ISMMERIC(RP(PB,27,2))	P8	27	7		1/05/90
Discoays2	<	PB and ISNUMERIC(RP(PB,33,2))	8	33	7		1/05/90
Disposal Auth	<	DLSS.18STRAP or DLSS.18STRIP	CurrentCard	ઢ	-		06/52/6
Distribution	<	DLSS.18533	CurrentCard	25	m		9/19/90
Distribution	⋖	DLSS.18STRAP or DLSS.18STRIP or	CurrentCard	25	-		9/56/90
		DLSS.18PETS					
DODAAC	<	DLSS.1681LLS	CurrentCard	30	•		2/05/91
DoDAAC21	<	DLSS. 1 & SCAP	CurrentCard	2	•		1/05/90
DoDAAC23	⋖	DLSS.18PETS of DLSS.18SCAP	CurrentCard	ĸ	•		2/05/91
DoDAAC25	⋖	DLSS.18SCAP	CurrentCard	ĸ	•		1/05/90
DoDAAC27	<	DLSS.18SCAP	CurrentCard	22	•		1/05/90
DoDAAC29	<	DLSS.18SCAP	CurrentCard	&	•		1/05/90
DoDAAC30	<	DLSS.1881LLS or DLSS.18SCAP or	CurrentCard	8	•		9/20/90
		DLSS.18STRIP					
DoDAAC31	<	DLSS.18SCAP	CurrentCard	3	9		1/05/90
DoDAAC33	<	DLSS.18SCAP	CurrentCard	æ	•		1/05/90
DoDAAC35	<	DLSS.18SCAP	CurrentCard	32	•		1/05/90
DoDAAC37	⋖	DLSS. I & SCAP	CurrentCard	37	•		1/05/90
DoDAAC40	⋖	DLSS.18SCAP	CurrentCard	9	•		2/06/90
DoDAAC45	⋖		CurrentCard	57	•		2/21/91
DoDAAC47	⋖	DLSS.18STAMP	CurrentCard	25	•		2/13/90
DoDAAC53	≪	DLSS.1881LLS	CurrentCard	ß	•		9/20/90
DoDAACSS	⋖	&	&	22	•		1/05/90
DoDAAC60	<	DLSS. I & STAMP	CurrentCard	3	•		2/13/90
DoDAAC66	< -	DLSS.1sSCAP	CurrentCard	8	•		1/05/90

Field	Order Type	e Default	Condition	CardNo	Start L	Length	Transformation	Date
DoDAAC7	V		DLSS.185TRIP	CurrentCard		•		10/25/90
DoDAAC74	< -		DLSS.1981LLS or DLSS.18STAMP	CurrentCard	2	•		9/20/90
DoDAAC75	< -		DLSS.18STRIP	CurrentCard	ĸ	•		10/18/90
DODAAC75	2 A		T. T.	£	ĸ	9		6/13/90
DoDAAC75	¥ 10		PE	x	ĸ	•		1/05/90
DoDAAC75	4		PC	5	ĸ	9		2/29/90
DODAAC9	∀		DLSS.18STAMP	CurrentCard	٥	•		2/13/90
Da01C	< -		DLSS.IBSTAMP	CurrentCard	29	4		2/21/90
Doctete	-		Matches(DLSS.SourceDIC,/[DE]Z[LMNP]/)	CurrentCard	15	4	Yddd2Dat(Value)	9/27/90
Doctote	2 0		ishumeric(RP(CC(),36,4)) and	CurrentCard	አ	4	Yddd2Dat(Value)	9/11/90
Dacko	-		DISC DIT = 10541	CurrentCand	•	71		0/25/80
Doctio	. ~			CurrentCard	20	*		1/05/90
DocNo	<			CurrentCard	3	2		1/05/90
DocNo	4 4			CurrentCard	30	7.		11/07/88
DocNo60	«		DLSS.18SCAP	CurrentCard	8	7		1/05/90
DocNoSuffix	< -		DLSS.DIC = "P53"	CurrentCard	22	***		11/07/88
DocNoSuffix	2 A		DLSS.DIC # MPJ8"	CurrentCard	ĸ	-		1/05/90
DocNoSuffix	N N		DLSS,DIC = MPJJM	CurrentCard	92	•		1/05/90
DocNoSuffix	4		Matches(RP(CC(),44,1),/['INOPRSZ]/) or	CurrentCard	7	-		9/16/90
			DLSS.18PETS					
DocNoSvc	4		DLSS.18BILLS or DLSS.18STRIP	CurrentCard	30	-		2/05/91
DueInDate	-		Matches(DLSS.DIC,/[DE]TC/)	CurrentCard	8	m	YMM2DAT(Value)	9/11/90
DueInDate	2 0		DLSS.1sDate74	CurrentCard	ĸ	4	YDDD2DAT(Value)	9/11/90
DupAmount	~		DLSS.IsBILLS	CurrentCard	65	•		9/20/60
DupBillDate	-		DLSS.1881LLS	CurrentCard	91	m	YMM2Dat(Value)	9/20/90
Dup8111Mbr	∀		DLSS. Islevel	CurrentCard	11	8		9/20/90
DupBillNbr	2 A		Matches(DLSS.DIC,/[FH][AJ][EFC]/) and	CurrentCard	24	ν.		9/20/90
			DLSS.BillAdvice = "11"					
ETACode	-		Matches(RP(CurrentCard,63,1),/[0-9A-NJ-NP-21/) and DLSS DateCode = **050505**	CurrentCard	ន	-	CAT("0505", EDIValue("ETA", Value))	5/22/90
ETACode	2 0		_	CurrentCard	83	-	CAT("0707", EDIValue("ETA", Value))	5/22/90

Field	Order	3	Default	Condition	Cardio	Start	Length	Transformetion	Date
ETACode	m	6		Matches(RP(CurrentCard,63,1),/[0-9A-HJ-NP-2]/) and DLSS.DateCode = "090909"	CurrentCard	63	-	CAT("0909", EDIValue("ETA", Value))	5/22/90
ETACode	•	٥		Matches(RP(CurrentCard,63,1),/[0-9A-NJ-NP-2]/) and DLSS.DateCode <> MM	CurrentCard	£9	-	Addbays(EDIValue("ETA", Value), DLSS. DateCode)	5/18/90
EarliestDO	-	٥		DLSS.RDOFlag = "S"	CurrentCard			AddMonths(DLSS.DocDate,DLSS.RDDMonths,Lest)	9/18/90
EffectDate	-	٥		Matches(DLSS.SourceDIC,/(DE)(B9E)(EF) (DE CurrentCard)LA/) and DLSS.DocDate <> ***	CurrentCard	3	m	DDD2DAT(VALUE,DLSS.DocDat e)	9/18/90
EffectDate	~	٥		<pre>laWumeric(RP(CC(),70,1)) and DLSS.isDate71</pre>	CurrentCard	2	•	YDDD2DAT(VALUE)	06/92/6
EndDate	-	0		DLSS.18STRAP	CurrentCard	3	2	YYDDD2DAT(Velue)	06/72/6
EnditemID	-	<		DLSS.1sSTRIP	CurrentCard	Σ.	9		10/24/90
Endition	-	<		DLSS.18STRAP	CurrentCard	33	13		6/54/90
Eqilor	-	<		DLSS.1sTCPOHdr	CurrentCard	4	'n		1/12/90
Equibr	~	<		Eles.1sVanTrlr	CurrentCard	28	€0		1/12/90
Errclasscode	-	<		DLSS.18STRAP	CurrentCard	53	m		9/54/90
ErrorCode	-	<		DLSS.1eSTRAP	CurrentCard	ĸ	m		9/28/90
EssentCode	-	<		DLSS.18STRAP	CurrentCard	25	-		6/54/90
EstShipDete	-	٥		(DLSS.DIC = "FTL" or DLSS.1&DRC or	CurrentCard	27	m	DDD2DAT(Value, DLSS.DocDat	10/23/90
				DLSS.1sDRD or DLSS.1sMRC or DLSS.1sRCR)				•	
				and DLSS.IsDate57 and DLSS.DocDate <> ***		•			
EstShipDate	7	٥		Matches(DLSS.DIC,/[AU]N[1-5]/) and DLSS.IsDate62 and DLSS.DocDate <> ""	CurrentCard	62	M	DDD2DAT(Value,DLSS.DocDat 10/25/90 e)	10/25/90
EstShipDate	m	۵		Matches(DLSS.DIC,/[AU]Ea/) and IsNumeric(RP(CC(),70,1)) and	CurrentCard	2	4	YDDD2Dat(Value)	10/22/90
EstShipDate	4	۵		Matches(DLSS.DIC,/[AU]8a/) and IsNumeric(RP(CC(),77,1)) and DLSS.IsDate78	CurrentCard	F	•	Y00020at(Value)	10/22/90
ExcessStatus	-	⋖		DLSS.1sB1LLS	CurrentCard	65	~		9/50/90
ExpCredit	-	=		1sNumeric(RP(CC(),72,9))	CurrentCard	2	•		10/23/90
ExpRplyDate	-	_		lsNumeric(RP(CC(),70,1)) and	CurrentCard	ደ	•	YDDDZDat(Value)	10/23/90
				UL33:1808147.					

Field	Order	7		CardNo	Start	Length	Transformstion	Date
Expleight		: =	DLSS.18STAMP	CurrentCard	٥	•		8/01/90
Explanation	-	<	Matches(DLSS.DIC,/PK[NP]/)	CurrentCard	92	-		1/05/89
ExtOpt	-	=	DLSS. ISSTRAP	CurrentCard	65	-		9/54/90
FMSCase	-	<	DLSS.18STRIP	CurrentCard	87	m		10/17/90
FMSDel ivery		⋖	DLSS, IESTRIP	CurrentCard	Å	-		10/17/90
FMSFrtFudr	_	<	DLSS.IsCanada and RP(CC(),46,1) <> "X"	CurrentCard	9	7		10/17/90
FMSFrtFudr	~	<		CurrentCard	1.7	-		10/17/90
			DLSS.isCanada					
FMSInd	-	⋖	Ad	¥	ĸ	-		1/05/90
FMSNoticeMbr		<	DLSS.1eSTRIP	CurrentCord	20	12		10/24/90
FMSOfferRel	_	⋖	RP(CC(),46,1) <> "X" and Not	CurrentCard	3	_		10/17/90
			DLSS. IsCanada					
FMSOfferRel	7	<	RP(CC(), 46,1) = "X" and Not DLSS.isCanada CurrentCard	• CurrentCard	3	~		10/17/90
FMSProgSup	_	<	DLSS, ISSTRIP	CurrentCard	2	-		10/17/90
FESSET	_	<	DLSS.18STRIP	CurrentCard	45	-		10/17/90
FMSSubCase	-	<	DLSS. ISSTRIP	CurrentCard	55	8		10/17/90
FOBSite	-	<	PF and Matches(RP(PF,74,1),/[DOS]/)	4	2	-	EDIValue("FOB", Value)	1/05/90
FORSite	~	<	DLSS.DIC = "P6A"	CurrentCard	29	-		9/52/89
FSC	-	<	Matches(DLSS.DIC,/[TR]@1/) and RP	CurrentCard	5	4		1/12/90
			(CurrentCard, 4, 1) = " "					
FSC	7	<	DLSS.ISSTAMP or DLSS.ISSTRAP	CurrentCard	••	4		8/07/89
FSCGroup	_	<	DLSS.ISSTRAP or DLSS.ISSTRIP	CurrentCard	•••	~		10/03/90
Facility		<	Vd	A	3	9		1/05/90
FedSchedNbr	_	<	DLSS.14STRIP	CurrentCard	2	S		10/18/90
Following	_	<	DLSS. 18STRAP	CurrentCard	7	-		9/18/90
ForecastDate	•	0	DLSS.18SCAP	CurrentCard	53	7	YYMMDD2DAT(Value)	1/05/90
Freezedate	-	۵	IsNumeric(RP(CurrentCard,74,2)) and	CurrentCard	72	S.	YYDOD2Dat(Value)	9/56/90
			ULSS, 18081670		•	•		90, 60, 0
FromRIC	-	<	Matches(DLSS.DIC,/IAU)E("6J] IAU) [BN] B IA UJD[1-4R] FT [RQD6Z] [AUJU[1-578] IAU] S[1-	A CurrentCard	•	•		04/13/4
	r	•	SOCI [UCI [WCK] #/) Matches(DISS.SourceDIC./(DE) I (ABCD)/) or	CurrentCard	27	M		9/17/90
	.	c	DLSS. 18BILLS					

Field	Order	30	Default	Condition	Cardio	Start	Length	Transformation	Date
FromR1C	n	~		Matches(DLSS.DIC,/[DE]2F/)	CurrentCard	3.	m		9/26/90
FromRIC	4	<		Metches(DLSS.DIC,/IAU)C(67J) IAU) (EFGK)	CurrentCard	67	m		10/22/90
FromR1C	•	~		Metches(DLSS.DIC,/FT[ACEFG] [DE] [YZ] [ABCD CurrentCard GNJK] [DE] Y [LM] [DE] [JL] [AB] [DE] KA/)	CurrentCard	29	m		9/25/90
FromRIC	•	<		Matches(DLSS.DIC,/[AU][234]@ [DE]Ma/)	CurrentCard	2	m		9/56/90
FromRIC	7	<		Matches(DLSS.DIC,/[DE]F9/)	CurrentCard	2	m		10/15/90
FromRIC	•••	<		Matches(DLSS.DIC, / [AU] C [MP] [AU] [RU] [0AB]	CurrentCard	82	m		10/23/90
				[AU]M[FP]/)					
FromRIC	•	<		Matches(DLSS.DIC,/ (DEJL (STUVX]/)	CurrentCard	5	m		9/22/60
FromRIC	9	<		Matches(DLSS.DIC,/IDEJLW/)	CurrentCard	2	m		9/22/90
FromRIC	Ξ	<		Matches(DLSS.DIC,/[DE]Z[LMNP]/)	CurrentCard	5	m		9/22/60
FromR1C	12	<		Matches(DLSS.DIC,/[DE][DU]9/)	CurrentCard	2	m		10/15/90
FundCode	-	<		DLSS.islevel and	CurrentCard	2	7		9/20/90
				Matches(DLSS.BillAdvice, /4[34]/)					
FundCode	2	<			CurrentCard	25	7		9/20/90
GBLNbr	-	<		DLSS.18STAMP	CurrentCard	4	•••		1/12/90
GBL POE	-	<		DLSS.18STAMP	CurrentCard	3	m		3/02/90
GFMContract	-	<		DLSS.1857RIP	CurrentCard	ĸ	•		10/17/90
GFMMgtCode	-	<		DLSS.ISSTRAP or DLSS.ISSTRIP	CurrentCard	22	-		9/17/90
MI9	-	<		DLSS.18STRAP	CurrentCard	11	m		9/17/90
GL 1nd	-	<		DLSS.1sPETS	CurrentCard	2	_		6/52/6
GainingRIC	-	<		DLSS.18STRAP	CurrentCard	45	m		9/18/90
GenericSub	-	<		OLSS. ISSTRAP	CurrentCard	92	-		9/17/90
GradeCode	-	<		DLSS.18STAMP	CurrentCard	69	2		2/13/90
GrossAmt	-	<		Found :*	Found	22	2		2/02/90
				FindCard(/PV2/, Forward, CurrentCard, 1,3)					
Hazbet	-	<		DLSS.18STAMP	CurrentCard	24	8		2/13/90
HazMetCless	-	<		Diss.isT_6	CurrentCard	π	7		1/12/90
HezMetId	-	<		Diss.isT_6	CurrentCard	*	•		1/12/90
HazMatOther	-	<		Diss.isT_6	CurrentCard	8	_		1/12/90
Height	-	=		Diss.isT_5	CurrentCard	Z	m		1/12/90
H i Amt B	-	=		P82	P82	94	•		5/23/90

Field	Order	ype	Default	Condition	CardNo	Start	Length	Transformation	Date
HIAMED	-	*		P02	702	94	•		2/54/90
HIAMLE	-	=		PE2	PE2	8	•		5/24/90
HÍAMTH	-	=		PH2	PH2	8	•		2/54/90
HIAMLK	-	=		PK2	PK2	*	7		2/29/90
Micoll	-	z		PVA2	PVA2	29	٥	•	5/29/90
H I Ded1	-	*		PV32	PV32	\$	•		5/25/90
N i Dect2	-	=		PV32	PV32	58	•		2/22/90
Hibed3	-	=		PV32	PV32	2	•		2/22/90
HIDISP	-	=		PVA2	PVA2	2	2		2/29/90
H1Gross	-	=		PV2	PV2	8	•		2/22/90
Hilten	-	=		PV52	PV52	2	•		8/52/8
Hinet	-	*		PV2	PV2	2	•		2/22/90
Hivari	-	*		PV42	PV42	25	•		2/22/90
HIVar2	-	=		PV42	PV42	2	•		5/25/90
HoldCode	-	<		DLSS. IsSTRIP	CurrentCard	2	-		10/18/90
HourCode	-	<		Matches(RP(CurrentCard, 60, 1), / [A-NJ-NP-	CurrentCard	8	-	EDIValue("HOUR", Value)	5/18/90
				21/2					
10Code	-	<		Matches(RP(CC(), 70, 1), / [A-E]/)	CurrentCard	2	-		10/17/90
IDNumber	-	<		DLSS.1eSTRIP	CurrentCard	2	2		10/17/90
101ype	-	<		RP(CC(),66,1) = "8"				"8"	10/22/90
10Type	7	<		RP(CC(),66,1) = "C"				- KM-	10/22/90
10Type	M	<		RP(CC(),66,1) = "I"				udlu	10/22/90
101ype	4	<		RP(CC(),66,1) = "R"				n6dn	10/22/90
10Type	5	<		RP(CC(),66,1) = "E"				HZZH	10/22/90
0271	-	<		Matches(RP(CC(),30,1),/[B0KP1]/)	CurrentCard	2	-		10/25/90
ILPL Inel tem	-	<		DLSS.1sSTRIP	CurrentCard	27	4		10/17/90
ILPYear	-	<		DLSS. I STRIP	CurrentCard	45	~		10/17/90
InfloatDate	-	٥		DLSS.1sDate36	CurrentCard	32	•	YDDDZDAT (VALUE)	9/28/90
InfoIndic	-	<		DLSS.1881LLS	CurrentCard	3	_		11/08/90
InvCategory	-	<		Matches(DLSS.SourceD1C,/[DE1KA/)	CurrentCard	£ 3	-		9/28/90
InvCategory	~	<		DLSS.18STRAP	CurrentCard	2	-		9/27/90
InvCode	-	<		DLSS.1sSTRAP	CurrentCard	25	-		9/56/90
InvitemCode	-	<		DLSS.185TRAP	CurrentCard	2	-		9/27/90

Field	Order	Type	Default	Condition	CardNo	Start	Length	Transformation	Date
InvType	-	*		STRAP 0	CurrentCard	7	-		9/18/90
1 84 5Sig	-	ـ ـ		DLSS.BillToDoDAAC <> "" and Not DLSS.ShipToDoDAAC <> "" and Not DLSS fabyk	CurrentCard	12	-	Matches(Value,/[BJ-M]/)	3/04/91
1845519	~	_		DLSS.BillToDoDAAC <> *** and *** DLSS chiptopage = #** and *** DLSS chiptopage = #** and *** DLSS chiptopage = #** and **** DLSS chiptopage = #*** and **** DLSS chiptopage = #***********************************	CurrentCard	51	-	Matches(Value,/[BK]/)	3/04/91
1845519	r	۔۔			CurrentCard	51	-	Matches(Value,/[J-M]/)	3/04/91
,				DLSS.ShipToDoDAAC <> "" and Not DLSS.IsDZK					
1845519	•	ب		Not DLSS.1sDZK	CurrentCard	^	-	Matches(Value,/[45DEFGHMN Pouvz]/)	3/04/91
18509	-	_			CurrentCard	-	m	Matches(Value,/[FH][ADJ][CEFRS] [[FH]T [BP] 081/)	2/13/91
18510	-	_			CurrentCard	-	M	Matches(Value, / [FH] [A-	2/13/91
								UTG3(MOGRSOVW) [12] [FRIE] [34] /)	
18533	-	J			CurrentCard			Matches(DLSS.DIC,/[DE] [89	۵،54/60
1842	~	٠.			CurrentCard			Matches(DLSS.DIC,/(AUJ2[1 10/24/90 2457ABDE]/)	10/24/90
18A3	-	ب			CurrentCard			Matches(DLSS.DIC,/[AU]3[1 10/24/90 2457ABDE]/)	10/24/90
1884	-	_			CurrentCard			Matches(DLSS.DIC,/[AU]4[1 10/24/90 2457ABDE]/)	10/24/90
I sABE	-	_			CurrentCard			Matches(DLSS.DIC,/[AU][BE 10/22/90]]a/)	10/22/90
IsAE	-	_			CurrentCard			Matches(DLSS.DIC,/[AU]Ea/ 10/22/90	10/22/90
ISASFOL LONUP	••	ب			CurrentCard			Matches(DLSS.DIC,/[AU]FT/ 10/18/90)	10/18/90
IsAir IsBILLS IsCenede					CurrentCard	20	-	Matches(Value,/[ACD2]/) DLSS.Is509 or DLSS.Is510 DLSS.CountryCode = "CN"	2/20/90 2/13/91 10/17/90

Field	Order	178	Default	Condition	Cardito	Start	Length	Transformation	Date
ISOR	-				CurrentCard			Metches(DLSS.SourceDIC,/[10/23/90 AUJR[JKL] [AUJ [ĠE] J] [AUJ [SFCKG] J/)	10/23/90
1 sDRC	-				CurrentCard			Metches(DLSS.SourceDIC,/[10/23/90 AU]R[JKL] [[AU]EJ/)	10/23/90
1 sORD	-	_			CurrentCard	·		Matches(DLSS.SourceDIC,/[10/23/90 AU]6J/)	10/23/90
1 sDRO	-	_			CurrentCard			Matches(DLSS.SourceDIC,/[10/23/90 AU] [SFCKG] J/)	10/23/90
1 a 0 2 9	-	_			CurrentCard	-	m	Matches(Value,/[DE]29/)	9/11/90
1,0026	-	_			CurrentCard			Matches(RP(CurrentCard,1, 3),/IDE1ZG/)	2/05/91
1 s 02K	~	ب.			CurrentCard			Matches(RP(CurrentCard,1, 3),/DE)2K/)	2/05/91
1s0ate24	-			IsNumeric(RP(CC(),24,3))	CurrentCard			InRange(MumVal(RP(Current Card, 24, 3)), 1,366)	2/08/91
1sDate26	-	س		IsNumeric(RP(CC(),26,3))	CurrentCard			InRange(NumVal(RP(Current Card, 26,3)), 1,366)	2/08/91
1sDate27	-	_		IsNumeric(RP(CC(),27,3))	CurrentCard			InRange(Numbal (RP(Current Card, 27, 3)), 1,366)	8/08/80
1sDate35	-	٠.		IsNumeric(RP(CC(),35,3))	CurrentCard			InRange(NumVal(RP(Current Card,35,3)),1,366)	8/08/89
1sDate36	-	ب		IsNumeric(RP(CC(),36,3))	CurrentCard			InRange(NumVal(RP(Current Card, 26,3)), 1,366)	2/08/91
1sDate37	-	_		IsNumeric(RP(CC(),37,3))	CurrentCard			InRange(Numbal (RP(Current Card, 37, 3)), 1, 366)	2/08/91
1sDate38	-	_		IsNumeric(RP(CC(),38,3))	CurrentCard			InRange(NumVal(RP(Current Card,38,3)),1,366)	2/08/91
IsDate4	-	ب.		IsNumeric(RP(CC(),4,3))	CurrentCard			InRange(Numbal(RP(Current Card, 4,3)), 1,366)	3/27/89
1sDate42	-	_		IsNumeric(RP(CC(),42,3))	CurrentCard			InRange(NumVal(RP(Current Card,42,3)),1,366)	2/08/91
IsDate47	-	_		1sNumeric(RP(CC(),47,3))	CurrentCard			InRange(NumVal(RP(Current Card,47,3)),1,366)	2/08/91

Page 17

Field	Order	Type	Defaul t	Condition	CardNo	Start	Length	Transformation	Date
Isbate54	-			IsNumeric(RP(CC(),54,3))	CurrentCard			InRange(NumVal (RP(Current Card 54.31). 1.366)	2/08/91
IsDate57	***			IsNumeric(RP(CC(),57,3))	CurrentCard			InRange(NumVal(RP(Current Card, 57,3)), 1,366)	2/08/91
IsOste60	~	۔		IsNumeric(RP(CC(),60,3))	CurrentCard			InRange(NumVal(RP(Current Card 60.3)) 1 366)	2/08/91
IsDate61	-	~		IsNumeric(RP(CC(),61,3))	CurrentCard			InRange(NumVal (RP(Current Card 61.3)). 1.366)	8/08/89
IsDate62	~~			IsNumeric(RP(CC(),62,3))	CurrentCard			InRange(NumVal(RP(Current Card.62.3)).1.366)	2/08/91
IsDate66	-	_		IsNumeric(RP(CC(),66,3))	CurrentCard			InRange(NumVal(RP(Current Card 66.3)) 1.366)	2/05/91
IsDate67	-	ب.		IsNumeric(RP(CC(),67,3))	CurrentCard			InRenge(NumVal(RP(Current Card 67 %) 1 366)	2/08/91
isoate69	•	ب.		laNumeric(RP(CC(),69,3))	CurrentCard			Inkange(NumVal(RP(Current Card:69:3)):1:366)	8/08/89
is0ste71	-	۔		IsNumeric(RP(CC(),71,3))	CurrentCard			Inkange(NumVal(RP(Current Card 71 3)) 1 366)	2/08/91
IsOate73	-			IsNumeric(RP(CC(),73,3))	CurrentCard			Inkange(NumVal(RP(Current Card 73 3)) 1 366)	2/08/91
1808te74	-	~		1sNumeric(RP(CC(),74,3))	CurrentCard			Inkange(NumVal(RP(Current Card 74 31) 1 366)	2/08/91
1s0ate75	-	۔		Iskumeric(RP(CC(),75,3))	CurrentCard			Inkange(NumVal(RP(Current Card 75 3)) 1 366)	2/08/91
is0ate76	-	~		IsNumeric(RP(CC(),76,3))	CurrentCard			Inkange(Numbal (RP(Current Card 76 3)) 1 366)	2/08/91
IsDate77	-	J		IsNumeric(RP(CC(),77,3))	CurrentCard			Interpretation (RP(Current Card, 77,3)), 1,366)	2/08/91
IsOate78	-			lsNumeric(RP(CC(),78,3))	CurrentCard			Inkange(Num/al(RP(Current Card, 78,3)), 1,366)	2/08/91
sDisposat		ب ب			CurrentCard	-	m	DLSS.TORIC = "S9D" Matches(Value,/IFH][ABC][12]/)	10/17/90 2/05/91

EVALDLSS TABLE REPORT

Field	Order	170	Defaul t	Condition	CardNo	Start	Length	Transformation	Date
14. 18.	-	_			CurrentCard	-	m	Matches(Value,/[FH]F[12]/	2/05/91
1sfJ	-	_			CurrentCard	-	M	/ Matches(Value,/[FH]J[12]/	2/05/91
Isfl	-	_			CurrentCard	-	M	Matches(Value,/[FH]L[12]/	2/05/91
ISFMS	-	ب		DLSS.18811LS	CurrentCard	2	~) Not IsNumeric(Value)	2/05/91
IsFMS	2	_		DLSS.1881LLS	CurrentCard			Matches	2/05/91
								(DLSS.DocNoSvc,/[BDKP1]/) and Not DLSS.18ServInfo	
IsFMS	m	_		Matches(RP(CC(),30,1),/[BDKP1]/) or Matches(RP(CC(),45,1),/[BDKP1]/)	CurrentCard	33	-	Matches(Value,/[3- &FUVZ]/)	10/17/90
ISFP	-				CurrentCard	-	m	Matches(Value,/[FN]P[12]/ 2/05/91	2/05/91
1sFGorFW	~~				CurrentCard	-	M) Matches(Value,/[FH] [QM] [1 21/)	2/05/91
IsfS	-	٠.		DLSS.1eB1LLS	CurrentCard	-	m	Matches(Value,/[FHG]S[12] 11/08/90	11/08/90
ISFV	-	_		DLSS.1681LLS	CurrentCard	-	M	Matches(Value,/[FH]V[12]/	2/05/91
Isfuel	-	_		DLSS.1e81LLS	CurrentCard	-	m) Matches(Value,/[FH]J[CEFR 81/)	2/05/91
I sGFMV1	-	ب		DLSS.18STRIP	CurrentCard	30	-	Matches(Value,/[BOKPT]/)	2/01/91
IshazMat	-	_		DLSS.18STAMP				Matches	2/21/90
istevel	-	ب.		DLSS.18811LS	CurrentCard	-	m	(ULSS.DIC,/LIKITES)7// Matches(Value,/[FH]D[CEFR S1/)	9/20/60
1 SMAP	-	_		Matches(DLSS.DocNoSvc,/(BDKPT)/) and	CurrentCard	35	-	Matches(Value,/[1CDHK- NPRS1/)	10/17/90
i s/R	-	_		DLSS.18STRIP	CurrentCard			Matches(DLSS.SourceDIC, / [10/23/90	10/23/90
ISPRC	-	_		DLSS.ISSTRIP	CurrentCard			AUX (UMB) JAU) 1301 12437A BDE] [AU] F6/) Matches(DLSS.SourceDIC,/[10/23/90	10/23/90
								AUJR [0A8] /)	

Field	Order	34	Default	Condition	CardNo	Start	Length	Transformation	Date
I SARD	-			OLSS.18STR1P	CurrentCard			Matches(DLSS.SourceDIC,/[10/23/90 AU16(12457ABDE1/)	10/23/90
I san	-	د		DLSS.18STRIP	CurrentCard			Matches(DLSS.SourceDIC,/[10/23/90 au15/12457480E1 rail F6/)	10/23/90
IsMatRet	-			DLSS.1881LLS	CurrentCard	-	M	Matches(Value,/[FH]T[BP]/	9/20/60
IsMisc	-	ـ ــ		DLSS.18STAMP				Not (DLSS.18Stop or DLSS.18PProp or	2/21/90
IsMonfuel	-			DLSS.16811LS	CurrentCard	-	m	DLSS.isnaznat of Matches(Value,/[FH]A[CEFR	2/05/91
ISPETS	-	۔			CurrentCard	-	M	9177 Matches(Value,/P[1234569] 91ve: Ipa773	2/13/91
18P11N 18POV		۔ ۔		DLSS.18STRAP DLSS.18STAMP	CurrentCard	£7	-	Value = " " Matches(DLSS.DIC,/[TR]Pa/	9/17/90 1/12/90
IsPProp	-	_		DLSS.18STAMP) Matches(DLSS.DIC,/[TR][BF	2/21/90
ISRCR	-	ب.		DLSS.1eSTRIP				HPJ9/) Matches(DLSS.SourceDIC,/[10/23/90 allylingabl/)	10/23/90
Isroro Isreply				DLSS.18STAMP DLSS.18B1LLS	CurrentCard	28	~ ~	Value = "RT" Matches(Value,/[FH][AJD][2/14/90 9/20/90
IsRequest	- -			DLSS.18811LS	CurrentCard	-	m	RS]/) Matches(Value,/[FH][AJD][
Isscap	-	_			CurrentCard	-	m	LETJ.) Matches(Value,/P[ABE][1A- H][P[EF]K[PJ[ABJR][PK[5NP 0x71[by[A1-51])	3/20/90
ISSTAMP	-	_			CurrentCard	-	m	Matches (Value, / GBL [TR] [^ K1 [0-91/)	2/13/91
ISTRAP	-	_						Matches(DLSS.SourceDIC,/{DE1@a/)	9/54/90
ISSTRIP	-	 .		RP(CC(),1,3) <> "DZK"	CurrentCard	-	м	Matches(Value,/LAU)[02345 2/08/91 68-GKMNP-VX]@ FT[A- GLMPGRT2]/)	2/08/91

Field	Order	7 8	Type Default	Condition	CardNo	Start	Length	Transformation	Date
ISSTRIP	~	ب		,3) = "D2K"		24	m	Matches (Value, / [AU] [56]a [AU] (CEFGKR] J [AU] F6 [AU]	2/08/91
Isservinfo	-				CurrentCard			RP(CurrentCard,45,1) = HYN	2/05/91
IsSig	-	_		DLSS.ServCode <> ***				EDIVatue(DLSS.ServCode,DL 10/17/90	10/17/90
IsSrcCancel	-	_			CurrentCard			Matches(DLSS.DIC,/[AUJCDM 10/24/90	10/24/90
Isstop	-	_		DLSS.18STAMP				RP(CurrentCard,54,4) = "STOP" and	2/21/90
ISTONOHOL	-	_		DLSS.1eSTAMP				<pre>isAlpha(RP(CurrentCard,80 Matches (DLSS.DIC,</pre>	1/12/90
	•							/[TR18[0-4]/)	00/01/1
18. 18.	-	_		DLSS. ISSTAMP				Matches (DLSS.DIC, /[TR][^C] [TR]=0/)	04/21/1
187_2	-	_		DLSS.1eSTAMP				Matches (DLSS.DIC, /[TR]@2/)	1/12/90
ist_3	-	ر		DLSS.1eSTAMP		•		Matches (DLSS.DIC,	1/12/90
18T_4	-			DLSS.18STAMP				Matches (DLSS.DIC,	1/12/90
187_5	•	_		DLSS.18STAMP				Matches (DLSS.DIC,	1/12/90
187_6	-	ب		DLSS.18STAMP				Matches (DLSS.DIC, /[TR]26/)	1/12/90
1s1 7	-			DLSS.18STAMP				Matches (DLSS.DIC, /[TR]@7/)	1/12/90
1sT_8		_		OLSS.18STAMP				Matches (DLSS.DIC, / [TR] 28/)	1/12/90
181_9	-	_		DLSS.18STAMP				Matches (DLSS.DIC, / [TR]29/)	1/12/90
Isvan	-	_		DLSS.1eSTAMP				RP(CurrentCard,40,1) = "V"	1/12/90

Field	Order	1ype	Defaul t	Condition	CardNo	Start	Length	Trensformation	Date
Isvanīrir	-	ب.		DLSS.16T_9				RP(CurrentCard,54,2) = "VVN"	1/12/90
IssueCode	-	<		DLSS.18811LS	CurrentCard	7	-		11/08/90
IssuedBy	-	<		DLSS.18SCAP	CurrentCard	67	9		1/05/90
I temAnt	-	<		DLSS.1sSCAP	CurrentCard	69	5		2/06/90
Itembate	-	٥		DLSS.1881LLS	CurrentCard	62	M	DDD2DAT(Value)	11/08/90
LatestDD	-	٥		DLSS.RDDflag * "X"	CurrentCard			Addionths (DLSS.DocDate, DL	9/18/90
l and les	-	2		() at (38) / 310 83 6/24/347	P. 40 40 40 10 10	*	~	Clear and Choron co	0/17/00
Lead inc	- ~			Matches(DISS.ScurceDIC / IDE11S/)	CurrentCard	2 %) M		0/3//6
LeadTime	m	: =		DLSS_1857RAP	CurrentCard	. 29	m		9/17/90
Length	-	=		DLSS.18T_5	CurrentCard	25	'		1/12/90
Line!temibr	-	<		Matches(DLSS.SourceDIC,/[DE][4DV]3 [DE]X[CurrentCard	[CurrentCard	45	•		9/11/90
				ACI (DEIL (CDEF)/)					
Linel temibr	7	<		Matches(DLSS.DIC,/IDE)LW/)	CurrentCard	3	9		9/52/6
Linel temathr	m	<		DLSS. ISSTRIP	CurrentCard	ક	•		10/24/90
LineStatus	-	⋖		DLSS. I & SCAP	CurrentCard	54	_		2/06/90
Loadbate	-	۵		DLSS.IsPETS and DLSS.DocDate <> ""	CurrentCard	52	m	DDD2DAT(Value, DLSS.DocDat	9/25/89
								•	
LosingRIC	-	<		DLSS.18STRAP	CurrentCard	45	m		10/03/90
LotMbr	-	<		DLSS.18T_7	CurrentCard	24	14		1/12/90
LotSegNbr	-	<		Matches(DLSS.SourceDIC,/IDE)ZH IDE1KA/)	CurrentCard	77	m		9/27/90
LotSegNbr	7	<		DLSS.18STRIP or DLSS.18STRAP	CurrentCard	27	M		9/18/90
NON	-	⋖		((RP(CC(), 30,1) = "S" and RP(CC(),45,1)	CurrentCard	25	M		10/15/90
				= "U") or RP(CC(),30,1) = "U") end					
# t b	-	<		DLSS.1afP	CurrentCard	77	_		11/08/90
MFP	7	<		Matches(DLSS.DIC,/P2[AB]/)	CurrentCard	ĸ	-		9/25/89
MOIdentifier	-	<		DLSS. IBSTRAP	CurrentCard	75	-		9/27/90
ManagerRIC	-	<		DLSS.18STRAP	CurrentCard	26	m		11/08/90
MatiRcvOate	-	٥		IsvalidWM(RP(CurrentCard, 56,3)) and	CurrentCard	75	•	YYMMIZDAT(Value)	9/20/60
MatiRcvDate	2	٥		(DLSS.DIC = MFT2" or DLSS.Isbate62) and	CurrentCard	62	m	DDD2Dat(Value,DLSS.DocDat	2/05/91
				DLSS.DocDate <> ""				(9)	

Field	Order	35	Defaul t	Condition	CardNo	Start	Length	Transformation	Date
MediaStatus	-	<			CurrentCard	7	-		9/20/90
MediaType	-	<		Matches(DLSS.SourceDIC,/[DE]Z[LMNP]/)	CurrentCard	21	-		9/21/90
MediaType	7	<		DLSS.18STRAP	CurrentCard	3	_		9/56/90
Medium	-	<		DLSS.DIC <> "XEL"	CurrentCard	~	-	EDIVALUE ("MEDIUM", Value)	9/25/89
Medium	7	<		DLSS.DIC = "XEL"	CurrentCard	11	-	EDIVALUE ("MEDIUM", Value)	9/25/89
Metal Ind	-	<		DLSS.ISSTRAP or DLSS.ISSTRIP	CurrentCard	3	-		9/19/90
MiletempRD0	-	٥		RP(CurrentCard, 54,3) = *555*	CurrentCard			"050505"	5/18/90
MiletampRD0	7	٥		RP(CurrentCand, 54,3) = "777"	CurrentCard			"070707"	5/18/90
MilstampRDD	m	٥		RP(CurrentCard, 54, 3) = "999"	CurrentCard			#606060#	5/18/90
MilatempRDD	*	٥		IsHumeric(RP(CC(),54,3)) and	CurrentCard	25	m	DDD2DAT(Value)	5/18/90
				InRange(NumVal(RP(CurrentCard,54,3)),1,36	•				
				(9					
Minorder	-	*		DLSS.IsSTRIP	CurrentCard	2	5		10/22/90
MiscT_9Info	-	<		DLSS.1sSTAMP	CurrentCard	24	8		1/12/90
Mission	_	<		DLSS.1881LLS	CurrentCard	72	M		11/08/90
Mngtind	-	<		Matches(DLSS.DIC,/P1[02388CHY] P2[DE]/)	CurrentCard	77	_		9/25/89
Mingtind	7	<		DLSS.DIC = "P6F"	CurrentCard	45	-		9/25/89
MngtInd	m	<		DLSS.DIC = "P53"	CurrentCard	*8	-		9/25/89
MngtInd	4	<		DLSS.DIC = 4P514	CurrentCard	ĸ	-		9/25/89
Mingtind	1	<		Matches(DLSS.DIC,/P2[012389] P3[0123901]	CurrentCard	2	-		9/25/89
				P4 [123] P9 [8CDE] P6 [AC] /)					
MngtInd	9	<		DLSS.DIC = "P60"	CurrentCard	ĸ	-		9/52/89
ModAuth	-	<		DLSS.1sSCAP	CurrentCard	30	£		1/05/90
ModDate	-	٥		DLSS.1sSCAP	CurrentCard	23	7	YYMMD020AT(Value)	1/05/90
ModType	-	<		DLSS.18SCAP	CurrentCard	19	•		1/05/90
ModeMethCode	-	<		DLSS.BillAdvice = "35"	CurrentCard	2	-	EDIValue("MODE", Value)	9/50/90
ModeMethCode	7	<		DLSS.1881LLS	CurrentCard	26	-		11/08/90
ModeMethod	-	<		DLSS.DIC = "GBL"	CurrentCard			nZZn	5/03/90
ModeMethod	7	<		DLSS.DIC = "TC1"	CurrentCard			"AR"	5/18/90
ModeMethod	m	<		Not Matches(RP(CurrentCard, 27, 1), / [01]/)) CurrentCard	22	***	EDIValue("MODE", Value)	5/03/90
Modellethod	4	<		Matches(DLSS.DIC,/TB[23]/) and RP(CurrentCard.27.1) = " "	CurrentCard			ulpu	5/18/90
Model	-	~		DLSS.181_5	CurrentCard	•	=		1/12/90

Field	Order	Type	Defaul t	Condition	CardNo	Start	Length	Trensformation	Date
X. IX	-	*		DLSS.1857RAP	CurrentCard	12	٥)	9/11/90
NSN	-	*		01.55.187_6	CurrentCard	24	£		2/13/90
NSM	~	<		DLSS.DIC = "PK5"	CurrentCard	27	ħ		1/05/90
NSM	m	<		DLSS.DIC = "PJJ" and	CurrentCard	39	13		1/05/90
				RP(CurrentCard, 75,2) = " "					
NSM	•	<		DLSS.DIC = "PJA"	CurrentCard	8	Ð		1/05/90
MSM	.	<		DLSS.18SCAP or DLSS.18STAMP or	CurrentCard	e 0	13		1/05/89
				DLSS.1sPETS or Matches(DLSS.DIC,/[DE]L[S-					
				X1/)					
NSN	•	<		DLSS.18STRAP or DLSS.18STRIP	CurrentCard	•••	5		
NSNDate	-	۵		DLSS.1sPETS	CurrentCard	•	4	YDDD2DAT(Value)	1/05/89
NSNFrom	_	<		DLSS.1sPETS	CurrentCard	5	13		68/52/6
Marrativel	-	<		DLSS. IsPETS	CurrentCard	93	ສ		69/52/6
Narrative2	-	<		DLSS.1ePETS	CurrentCard	23	17		68/52/6
Narrative3	_	<		DLSS.1sPETS	CurrentCard	7	5		64/52/6
Marrative	-	⋖		DLSS.IsPETS	CurrentCard	55	92		68/52/6
Narrative5	-	<		DLSS.1sPETS	CurrentCard	25	27		9/25/89
Mbr Indatch	-	*		DLSS.1sSTRIP	CurrentCard	=	m		10/25/90
Mbri ineltems	-	*		Inflange(NumVal(RP(CC(),7,4)),1,9999)	CurrentCard	7	4		10/24/90
Mbr Shipments	-	<		DLSS.18PETS	CurrentCard	7	~		61/52/6
NbrTCNs	_	=		DLSS.18STAMP	CurrentCard	17	m		3/02/90
WorTrans	-	<		Matches(DLSS.DIC,/[DE]M[A-E]/)	CurrentCard	2	7		9/56/90
MbrTrans	~	<		DLSS.18STRAP	CurrentCard	2	~		9/56/90
Nbrunits	-	=		DLSS.18STAMP	CurrentCard	28	7		2/12/90
NetAmt	~	~		Found :=	Found	69	5		2/02/90
				FindCard(/PV2/, Forward, CurrentCard, 1, 3)					
WetDays	-	<		PB and ISNUMERIC(RP(PB, 35, 2))	8	35	2		1/05/89
HENNISH	-	<		DLSS.18STRAP	CurrentCard	23	13		9/56/90
NewPartMbr	-	<		Matches(DLSS.DIC,/[DE]SB/)	CurrentCard	23	\$		9/28/90
HewPartNbr	7	<		Matches(DLSS.DIC,/IDE)SA/)	CurrentCard	75	\$		9/28/90
MewSerialNbr	-	•		DLSS. IsSTRAP	CurrentCard	65	=		9/28/90
Newt001	-	•		DLSS. isSTRAP	CurrentCard	77	7		9/56/90
Notification	-	<		DLSS.1sPETS	CurrentCard	2	~		61/52/8

16/12/7

Field	Order		Default	Condition	Cardillo	Start	Length	Transformation	Date
Noun	-	~		44	Ą	&	=		1/05/89
OfferDate	-	۵		Matches(DLSS.DIC,/PK(NP)/) and IsMumeric(RP(CurrentCard,73,2)) and IsMumeric(RP(CurrentCard,73,2))	CurrentCard	ĸ	~	YYMMOOZDAT(value)	1/05/90
Orderbate	-	۵		AA	PA	23	^	YYMMDD2DAT(Value)	1/05/90
OrigAmount	-	=		DLSS.1881LLS	CurrentCard	*	•		9/20/90
OrigeillDate	-	۵		DISS.IsBILLS	CurrentCard	33	M	YMM2DAT(Value)	9/20/90
Origeilimbr	-	<		DLSS.islevel and DLSS.BillAdvice <> "42"	CurrentCard	ĸ	1		9/20/90
Origalitabe	7	<		DISS.Islevel and DISS.BillAdvice = "42"	CurrentCard	=	5		9/20/90
Origalilabr	M	<		Matches(DLSS.DIC,/FH)[AJ][EFC]/) and	CurrentCard	72	'n		06/02/6
	7	•		Matchae(Dice DIC / FEW Fe I] FEEDES /) and	prestores	75	ď		06/02/00
	•	ς .		Not Matches(DLSS.BillAdvice,/11 34 35/)			•		
Origefilkbr	•	<		DLSS.D1C = "Q81"	CurrentCard	9	ĸ		06/02/6
Origillabr	9	<		Matches(DLSS.DIC,/[FH]TB/)	CurrentCard	2	'n		9/20/90
Origiocilo	-	<		OLSS.18PETS	CurrentCard	6	7		68/52/6
Origiancher	-	<		Found :=	Found	25	•		2/02/90
				FindCard(/PV2/,forward,CurrentCard,1,3)					
Originalc	-	<		DLSS.1eSTRAP	CurrentCard	ፔ	m		9/17/90
Overage	-	=		14	4	ĸ	7	Edivalue("PERCENT", Value)	4/16/90
Overflow	-	<		DLSS.18STRAP	CurrentCard	^	-		9/27/90
Ouncode	-	<		DLSS.IsT_9	CurrentCard	72	4		1/12/90
Ouncode	2	⋖		0155.187_2	CurrentCard	٥	4		2/13/90
Owice	-	⋖		Matches(DLSS.DIC,/[AU]E[1-	CurrentCard	4	m		10/22/90
				589ABDE1 (AU) (SU) 2/)					
Ownice	2	<		OLSS. ISSTRIP	CurrentCard	8	m		10/18/90
OwnerCode	_	<		DLSS.18STRAP or DLSS.18STRIP	CurrentCard	2	-		9/11/90
Owneritane	-	<		DLSS.1sT_8	CurrentCard	25	5		1/12/90
PEC1	-	<		DLSS.18STRAP	CurrentCard	21	4		9/26/90
PEC2	-	<		DLSS.18STRAP	CurrentCard	9	4		9/26/90
× 1.2	-	<		DLSS.18510	CurrentCard	•••	Ξ		11/08/90
MIIA	2	<		DLSS.18SCAP and	CurrentCard	•	13	UnPunch(Value, 7)	8/08/89
				Matches(DLSS.DIC,/PJ[JR] PK[NP9X2]/) and					
				IsPunch(CurrentCard, 10)					

Field	Order	170	Default	Condition	Cardilo	Start	Length	Transformation	Date
*	n	«		Matches(DLSS.DIC,/[DE][694ADUZ]@ [DE]X[AC CurrentCard]/)	CurrentCard	30	5 1		10/03/90
# I I d	4	<		DLSS.18SCAP	CurrentCard	4	13		8/08/89
#11d	~	<		Matches(DLSS.DIC,/(DE]LW/)	CurrentCard	\$2	13		4/11/91
NIId	•	<		DLSS.1881LLS	CurrentCard	8	13		8/08/89
8	_	<		DLSS.18STAMP	CurrentCard	5	m		1/12/90
306	-	<		DLSS.18MRC of DLSS.18RCR	CurrentCard	25	M		10/23/90
306	~	<		DLSS.1sTCHDHdr	CurrentCard	21	m		1/12/90
302	m	<		Matches(DLSS.DIC,/FF[12]/)	CurrentCard	20	M		11/08/90
302	4	<		DLSS.IsBILLS or DLSS.IsSTAMP or	CurrentCard	22	m		2/05/91
				DLSS.1sSTR1P					
POVColor	-	<		DLSS. isPov	CurrentCard	20	M		1/12/90
POVIG	-	⋖		DLSS.18Pov	CurrentCard	~	7		1/12/90
POVMake	-	⋖		DLSS.18Pov	CurrentCard	•	•		1/12/90
PPAddress	-	<		DLSS.18STAMP	CurrentCard	25	92		2/13/90
POASite	-	<		DLSS.DIC = "PK5" and	CurrentCard	1	-	EDIValue("PQA", Value)	1/05/90
				Matches(RP(CurrentCard, 77, 1), / [DS]/)					
POASITE	~	<		PF and Matches(RP(PF,72,1),/1051/)	PF	2	-	EDIValue("PQA", Value)	1/05/90
MAY W	-	<		DLSS.18STRIP	CurrentCard	2	7		10/24/90
PSW	-	<		DLSS.18STRAP	CurrentCard	≂	M		9/52/60
PSN2	-	<		R2	R2	≂	m		9/52/60
PS#3	-	<		R3	R3	~	m		9/25/90
PSN4		<		77	R4	≂	M		4/11/91
PackType	-	<		DLSS.isTCMDHdr	CurrentCard	88	2		1/12/90
Pertind	-	<		DLSS.18STRAP	CurrentCard	%	-		9/11/90
Partitome	-	<		DLSS.IsSTRIP	CurrentCard	2	우		10/24/90
PertNbr	-	<		Matches(DLSS.DIC,/{DE]SB/)	CurrentCard	2	15		8/07/89
PartNbr	2	<		Metches(DLSS.DIC,/[DE]SA/)	CurrentCard	75	15		8/07/89
PertMbr	m	<			F.	9	32		1/05/90
Pertubr	•	<		DLSS.18SCAP or DLSS.18BillS or	CurrentCard	€0	15		8/08/89
				DLSS.IsSTRAP					
PartialAb	•	<		A	ΡΑ	2	-		1/05/90
PayOffice	-	<		82	98	82	•		1/05/90

Page 26

Field	Order	<u>8</u>	Default	Condition	Cardillo	Start	Length	Transformation	Date
PayType	-	<		RP(CurrentCard, 49,1) <> " "	CurrentCard	67	-	FOLVALIA (MDAYTYDEN VALLA) 2/05/00/	2/06/00
PgmOCode	-	<		Matches(RP(CC(),30,1),/[BDKP1]/)	CurrentCard	_	-	(A)	10/25/90
Pieces	-	*		Matches(DLSS.DIC,/[TR]9[0-57]/) and	CurrentCard	. 28	•		2/03/30
	•			isNumeric(RP(CurrentCard,68,1))					
Pieces	2	<		Matches(DLSS.DIC,/[TR]B[0-57]/) and	CurrentCard	69	M	CAT (EDIValue ("EXCESS", RP (2/06/60
				(Matches(RP(CurrentCard, 68, 1), /[A-R&]/) or RP(CurrentCard, 68, 1); m == m				CurrentCard, 68, 1)), Value)	
Pieces	m	*		DLSS TESTAMP OF DESS TESTATE	Proposition of	7	•		
Preparedbate	_	۵		Ishimeric/BP/Cucrentford 77 133 and		1 9	• •		5/30/86
				DLSS.18Date78		2	•	TUDO ZDAT (VALUE)	06/92/6
PriceCode	-	<			8	17	•		90,
Priority		<		(Matches(DLSS.DIC./[AU]M[FP]/) or	CurrentCard	3 K	- ^		06/20/1
				DLSS.1sSrcCancel) and RP(CC(), 73.2) <>		?	J		04/57/01
				SPACES(2)					
Priority	2	<		DLSS.DIC = "PAG"	CurrentCard	000	•		1,06,000
Priority	m	<		Matches(DLSS,D1C,/P[23][13]/)	Currentfard	: 3	٠ ،		0,36,90
Priority	•	<		DLSS. farcioned		3 2	.		A9/C7/A
briontec		: •			Currentuard	20	-		2/22/90
	•	ς .		Matches(RF(LL(),OU,Z),/U[1-9] 1[U-5]/) and Not DLSS.isSTAMP	CurrentCard	3	~		2/14/91
Priority	•	<		(Matches(DLSS.DIC,/[AU]M[FP]/) or	-			#UO#	10/2//00
				DLSS.IsSrcCancel) and RP(CC(),73,2) =					0/24/30
				SPACES(2) and RP(CC(), 70,1) = "9"					
Priority	^	⋖		(Matches(DLSS.DIC,/[AU]M[FP]/) or					10/26/00
				DLSS.isSrcCance() and RP(CC(),73,2) =					
				SPACES(2)					
Priority	•	<		RP(CC(), 60,2) = SPACES(2) and				н03н	0/18/00
				RP(CC(), 62,3) = "999"				}	2 /2 /2
Priority	•	<		RP(CC(), 60,2) = SPACES(2) and				₩£0₩	0/18/00
				RP(CC(),57,1) = "9"					
Priority	2	⋖		RP(CC(),60,2) = SPACES(2) and				#80 #	9/18/90
				$(RP(CC(),62,3) = n777^n \text{ or}$					
	•			Matches(RP(CC(),62,1),/[NE]/))					
Priority	=	⋖		RP(CC(),60,2) = SPACES(2) and				"15"	9/18/90
				Matches(RP(CC(),62,1),/[ASX]/)					

Field	Order	Type	Default	Condition	CardNo	Start Le	Length	Transformation	Date
Priority	72	«		RP(CC(),60,2) = SPACES(2) or DLSS.18STRAP				#15#	9/18/90
Project	-	<		Matches(DLSS.DIC,/[AU]M[FP]/) or DLSS.lsSrcCencel	CurrentCard	٤	m		10/24/90
Project	~	<			CurrentCard	52	٣	•	9/20/90
Provision	-	<		DLSS.18SCAP	CurrentCard	22	-		1/05/90
PurchaseUnit	-	⋖		Netches(DLSS.DIC,/PK[NP5]/)	CurrentCard	55	~		1/05/90
PurchaseUnit	~	⋖		DLSS.DIC = "PAE"	CurrentCard	25	~		2/08/90
PurchaseUnit	M	⋖		DLSS.DIC = "PJA"	CurrentCard	ĸ	~		3/30/90
PurchaseUnit	•	<		DLSS.16SCAP	CurrentCard	52	~		1/05/90
Purpose	-	<			CurrentCard	٤	-		9/20/90
9538	-	=		DLSS.1sSTRAP and IsNumeric(RP(CC(), 23,8))	CurrentCard	ສ	€		11/14/90
9559	-	=		DLSS.1sSTRAP and IsNumeric(RP(CC(), 24,9))	CurrentCard	5 2	0		11/14/90
02510	-	*		DLSS.18STRAP and	CurrentCarid	52	2		11/14/90
				IsNumeric(RP(CC(), 25, 10))					
9520	-	*		DLSS.1sSTRAP and 1sNumeric(RP(CC(), 25,6))	CurrentCard	\$2	•		11/14/90
0316	-	*		DLSS.1aSTRAP and 1sNumeric(RP(CC(),31,6))	CurrentCard	3	9		11/14/90
9318	-	=		DLSS.1sSTRAP and IsNumeric(RP(CC(),31,8))	CurrentCard	31	•		11/14/90
03210	-	=		DLSS.18STRAP and	CurrentCard	32	2		11/14/90
				1sNumeric(RP(CC(), 32, 10))					
9329	-	=		DLSS.1sSTRAP and 1sNumeric(RP(CC(), 32,9))	CurrentCard	32	•		11/14/90
0335	-	*		DLSS.1sSTRAP and IsNumeric(RP(CC(), 33,5))	CurrentCard	33	Ŋ		11/14/90
6375	-	=		DLSS.isSTRAP and isNumeric(RP(CC(),37,5))	CurrentCard	37	~		11/14/90
0389	-	*		DLSS.1sSTRAP and IsNumeric(RP(CC(), 38,9))	CurrentCard	82	•		11/14/90
0398	-	*		DLSS.IsSTRAP and IsNumeric(RP(CC(),39,8))	CurrentCard	36	•••		11/14/90
6,16	-	=		DLSS.18STRAP and 18Numeric(RP(CC(),41,6))	CurrentCard	7	•		11/14/90
94.19	-	*		DLSS.isSTRAP and isNumeric(RP(CC(),41,9))	CurrentCard	7	0		11/14/90
9770	-	×		DLSS.1sSTRAP and 1sNumeric(RP(CC(),44,6))	CurrentCard	3	•		9/11/90
94 710	-	=		DLSS.185TRAP and	CurrentCard	47	읃		11/14/90
				IsNumeric(RP(CC(),47,10))					
83	-	*		DLSS.18STRAP and 18Numeric(RP(CC(),47,5))	CurrentCard	25	5		11/14/90
67.8	-	=		DLSS.IsSTRAP and IsNumeric(RP(CC(),47,6))	CurrentCard	25	•		11/14/90
873	-	*		DLSS.IsSTRAP and IsNumeric(RP(CC(),47,8))	CurrentCard	25	•0		11/14/90
4504	-	*		DLSS.1sSTRAP and IsNumeric(RP(CC(),50,4))	CurrentCard	20	4		9/11/90

Field	Order	age :	Default	Condition	Cardillo	Start	Length	Transformation	Date
9505	-	=		DLSS.1eSTRAP and 1sNumeric(RP(CC(),50,5))	CurrentCard	20			9/17/90
9206	-	=		DLSS.1sSTRAP and 1sNumeric(RP(CC(),50,6))	CurrentCard	22	•		9/17/90
9050	-	=		DLSS.IsSTRAP and IsNumeric(RP(CC(),50,9))) CurrentCard	5	•		11/14/90
0539	-	*		DLSS.1sSTRAP and IsNumeric(RP(CC(),53,9))) CurrentCard	53	•		11/14/90
0544	-	=		DLSS.1sSTRAP and IsNumeric(RP(CC(),54,4))	CurrentCard	24	4		9/17/90
0555	-	*		DLSS.1sSTRAP and IsNumeric(RP(CC(),55,5))	CurrentCard	55	'n		9/18/90
0557	-	*		DLSS.IsSTRAP and IsNumeric(RP(CC(),55,7))	CurrentCand	55	_		9/18/90
0558	-	=		DLSS.IsSTRAP and IsNumeric(RP(CC(),55,8))) CurrentCard	55	•••		11/14/90
0559	_	=		DLSS.IsSTRAP and IsNumeric(RP(CC(),55,9))	CurrentCard	55	٥		9/18/90
0566	-	*		DLSS.IsSTRAP and IsNumeric(RP(CC(),56,6))	CurrentCard	%	•		9/11/90
9284	-	=		DLSS.1sSTRAP and IsNumeric(RP(CC(),58,4))	CurrentCard	\$	4		9/17/90
05911	-	*		R2 and isNumeric(RP(R2,59,11))	R2	26	11		4/11/91
05911	7	*		DLSS.isSTRAP and	CurrentCard	26	=		4/11/91
				1sNumeric(RP(CC(),59,11))					
06210	-	=		DLSS. IsSTRAP and	CurrentCard	3	5		9,17/90
				1sWumeric(RP(CC(),62,10))					
97790	-	=		DLSS.isSTRAP and isNumeric(RP(CC(),62,4))	CurrentCard	3	4		9/17/90
8625	-	*		DLSS.isSTRAP and isNumeric(RP(CC(),62,5))) CurrentCard	3	•		9/11/6
9290	-	*		DLSS.1sSTRAP and IsNumeric(RP(CC(),62,6))	CurrentCard	9	•		9/11/90
9638	-	=		DLSS.1sSTRAP and IsNumeric(RP(CC(),63,8))) CurrentCard	63	••		11/14/90
6790	-	*		DLSS.IsSTRAP and IsNumeric(RP(CC(),64,9))	CurrentCard	Š	•		11/14/90
9590	-	=		DLSS.1sSTRAP and IsNumeric(RP(CC(),65,6))) CurrentCard	65	•		11/14/90
6230	-	=		DLSS.18STRAP and ISNumeric(RP(CC(),67,9))) CurrentCard	29	٥		11/14/90
999	-	=		DLSS.isSTRAP and isNumeric(RP(CC(),68,5))) CurrentCard	3	.		9/17/90
0716	_	=		DLSS.18STRAP and 18Numeric(RP(CC(),71,6))) CurrentCard	~	•		11/14/90
72.0	-	=		DLSS.1eSTRAP and IsNumeric(RP(CC(),72,4))) CurrentCard	2	4		9/11/90
9738	-	*		DLSS.IsSTRAP and IsNumeric(RP(CC(), 73,8))	CurrentCard	ĸ	•0		11/14/90
9765	_	*		(DLSS.IsSTRAP or DLSS.IsSTRIP) and	CurrentCard	2	~		11/14/90
				1sNumeric(RP(CC(),76,5))					
00nHand	-	=		Matches(DLSS.01C,/(DE1LS/)	CurrentCard	8	2		9/54/60
00nHand	~	=		Matches(DLSS.DIC,/[DE]L[UV]/)	CurrentCard	32	2		9/54/60
QuentRet	-	=		DLSS.1sDRC or DLSS.1sDRD	CurrentCard	53	7		10/23/90
QuentRet	7	=		DLSS.18DRO	CurrentCard	55	7		10/23/90

Page 29

Field	Order	Type	Default	Condition	Cardilo	Start	Length	Transformation	Date
QuantRet	F	=		Matches(DLSS.DIC,/[DF]2(CD]/)	CurrentCard	92	5	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9/18/90
Quentity	-	*		<pre>IsNumeric(RP(CC(),25,4)) and RP(CC(),29.1) = "M"</pre>	CurrentCard	8	◀	CAT(Value, "000")	9/11/90
Quent i ty	~	*		1sPunch(CC(),25) and	CurrentCard	\$2	4	CAT(CAT("-	2/13/91
				IsNumeric(RP(CC(), 26,3)) and				", UnPunch(Value, 1)), "000"	
Quentity	m	=			CurrentCard	52	*	CAT("-", UnPunch(Value, 1)) 11/15/90	11/15/90
•				IsNumeric(RP(CC(), 26,4))					
Quantity	•	=		IsNumeric(RP(CC(),25,5))	CurrentCard	1 2	*		11/15/90
Quantity	•	=		Matches(DLSS.DIC,/IDE1ZH IDE1KA/) and	CurrentCard	ĸ	2		8/07/89
				IsNumeric(RP(CurrentCard, 25, 10))					
Quantity	9	×		**	CurrentCard	\$	•••		1/05/90
Quentity2	-	×		DLSS.1sB1LLS	CurrentCard	23	~		06/02/6
Quentity30		*		DLSS.IsPETS or DLSS.IsSCAP	CurrentCard	8	•		7/12/90
Quantity40	-	*		DLSS.18SCAP	CurrentCard	07	•		2/13/91
Quent I ty44	-	*		DLSS.1sPETS	CurrentCard	3	•		7/12/90
Quantity46	-	=		DLSS.DIC = "PJJ"	CurrentCard	3	•		1/05/90
Quantity47	-	×		DLSS.18SCAP	CurrentCard	17	•••		1/05/90
Quantity55	-	=		DLSS.I.SCAP	CurrentCard	55	••		2/06/90
Quantity57	-	=		Matches(DLSS.DIC,/PK[NP]/)	CurrentCard	27	•		1/05/90
Quantity58	_	*		DLSS.18PETS	CurrentCard	5 8	•••		7/12/90
Quantity72	•	*		DLSS.18PETS	CurrentCard	22	•0		7/12/90
QuantityInv	-	⋖		DLSS.18PETS	CurrentCard	21	٥		2/27/89
Quantity Inv8	-	⋖		DLSS.18PETS ,	CurrentCard	28	•		2/27/89
QuantityN2	-	<		DLSS. I &PETS	CurrentCard	23	7		2/27/89
RAD	-	۵		DLSS.IsSTRIP and DLSS.DocDate <> ""	CurrentCard	24	m	DDD2DAT(Value, DLSS.DocDat	10/24/90
								•	
1 00	-	٥		DLSS.IsDate62 and DLSS.DocDate <> ***	CurrentCard	3	m	DDD2DAT(Value, DLSS. DocDat	9/18/90
								•	
200	7	٥		DLSS.DIC = "P10" and DLSS.IsDate67	CurrentCard	29	4	YDDD2DAT(Value)	7/03/90
RDO	m	٥		1sNumeric(RP(CC(),63,2)) and	CurrentCard	છ	2	ADDDAYS(Value, DLSS. DocDat	2/20/91
				Matches(DLSS.RDDFlag,/[EFNR]/) and				•	
				DLSS.DocDate <> ""					

Field	Order	Type De	Defaul t	Condition	CardNo	Start	Length	Transformation	Date
ROO	•			IsNumeric(RP(CC(),63,2)) and DLSS.RDDFlag = "A" and DLSS.DocDate <> ""	CurrentCard	ક	~	ADDWONTHS(DLSS.DocDate,Va	3/05/91
RDDCode	-	«		DLSS. ISSTRAP or DLSS. ISSTRIP	CurrentCard	8	m		9/18/90
ROOFLag	-	<		Matches(RP(CC(),62,1),/[AB-HJ-NPR-X]/)	CurrentCard	3	-		9/18/90
RDDMonths	-	«		DLSS.18STRAP or DLSS.18STRIP	CurrentCard	8	~		9/18/90
RIC	-	<			CurrentCard	29	m		8/07/89
RIC41	-	<		DLSS.IsSTRAP	CurrentCard	17	M		9/25/90
RIC42	-	«		OLSS.1eSTRAP	CurrentCard	75	m		06/52/6
RICS7	-	<		DLSS.1eSTRAP	CurrentCard	27	M		06/52/6
RICS9	-	*		DLSS. I SSTRAP	CurrentCard	26	m		9/25/90
RIC72	-	~		DLSS.18STRAP	CurrentCard	2	m		06/52/6
RP212	-	<		RP(CC(),21,2) <> SPACES(2)	CurrentCard	2	~		3/01/91
RP214	-	<		RP(CC(),21,4) <> SPACES(4)	CurrentCard	2	4		3/01/91
RP226	_	<		RP(CC(), 22,6) <> SPACES(6)	CurrentCard	22	9		3/01/91
RP237	-	<		RP(CC(), 23,7) <> SPACES(7)	CurrentCard	z	7		3/01/91
RP243	-	<		RP(CC(), 24,3) <> SPACES(3)	CurrentCard	%	M		3/01/91
RP256	-	~		RP(CC(), 25,6) <> SPACES(6)	CurrentCard	\$2	•		3/01/91
RP351	-	<		RP(CC(), 35,1) <> SPACES(1)	CurrentCard	35	-		3/01/91
RP362	_	<		RP(CC(), 36,2) <> SPACES(2)	CurrentCard	×	~		3/01/91
RP391	_	⋖		RP(CC(), 39,1) <> SPACES(1)	CurrentCard	39	-		3/01/91
RP4014	_	<		RP(CC(),40,14) <> SPACES(14)	CurrentCard	9	7		3/01/91
RP41	_	⋖		RP(CC(),4,1) <> SPACES(1)	CurrentCard	4	-		3/01/91
RP4225	•	<		RP(CC(),42,25) <> SPACES(25)	CurrentCard	75	\$2		3/01/91
RP453	-	<		RP(CC(),45,3) <> SPACES(3)	CurrentCard	45	m		3/01/91
RP456	-	<		RP(CC(),45,6) <> SPACES(6)	CurrentCard	45	•		3/01/91
RP459	-	~		RP(CC(),45,9) <> SPACES(9)	CurrentCard	\$3	Φ.		3/01/91
RP483	-	~		RP(CC(),48,3) <> SPACES(3)	CurrentCard	84	m		3/01/91
RP513	-	~		AP(CC(),51,3) <> SPACES(3)	CurrentCard	51	M		3/01/91
RP516		~		P(CC(),51,6) <> SPACES(6)	CurrentCard	5	•		3/01/91
RP522	_	<		AP(CC(),52,2) <> SPACES(2)	CurrentCard	25	7		3/01/91
RP532	-	<		RP(CC(),53,2) <> SPACES(2)	CurrentCard	53	7		3/01/91
RP542	-	<		RP(CC(),54,2) <> SPACES(2)	CurrentCard	25	~		3/01/91
RP552	-	~		RP(CC(),55,2) <> SPACES(2)	CurrentCard	25	8		3/01/91

Field	Order	778	Default	Condition	CardNo	Start	Length	Transformetion	Date
RP573	-	<		RP(CC(),57,5) <> SPACES(5)	CurrentCard	57	2		3/01/91
RP603	-	<		RP(CC(),60,3) <> SPACES(3)	CurrentCard	8	m		3/01/91
RP607	-	<		RP(CC(),60,7) <> SPACES(7)	CurrentCard	3	7		3/01/91
RP622	-	<		RP(CC(), 62,2) <> SPACES(2)	CurrentCard	62	~		3/01/91
RP6318	-	<		RP(CC(),63,18) <> SPACES(18)	CurrentCard	છ	18		3/01/91
RP632	-	<		RP(CC(),63,2) <> SPACES(2)	CurrentCard	89	8		3/01/91
RP633	-	<		RP(CC(),63,3) <> SPACES(3)	CurrentCard	8	m		3/01/91
RP634	-	<		RP(CC(),63,4) <> SPACES(4)	CurrentCard	29	•		3/01/91
RP652	-	<		RP(CC(),65,2) <> SPACES(2)	CurrentCard	65	~		3/01/91
RP661	-	<		RP(CC(),66,1) <> SPACES(1)	CurrentCard	8	-		3/01/91
RP673	-	<		RP(CC(),67,3) <> SPACES(3)	CurrentCard	29	m		3/01/91
RP 701	-	<		RP(CC(), 70,1) <> SPACES(1)	CurrentCard	2	-		3/01/91
RP 7011	-	<		RP(CC(), 70,11) <> SPACES(11)	CurrentCard	2	Ξ		3/01/91
RP 702	-	<		RP(CC(), 70,2) <> SPACES(2)	CurrentCard	2	7		3/01/91
RP 704	•	<		RP(CC(), 70,4) <> SPACES(4)	CurrentCard	2	4		3/01/91
RP71	-	<		RP(CC(),7,1) <> SPACES(1)	CurrentCard	7	_		3/01/91
RP712	-	<		RP(CC(),71,2) <> SPACES(2)	CurrentCard	2	7		3/01/91
RP721	-	<		RP(CC(), 72,1) <> SPACES(1)	CurrentCard	2	-		3/01/91
RP 722	-	<		RP(CC(), 72,2) <> SPACES(2)	CurrentCard	22	7		3/01/91
RP724	-	<		RP(CC(), 72,4) <> SPACES(4)	CurrentCard	22	4		3/01/91
RP731	-	<		RP(CC(), 73,1) <> SPACES(1)	CurrentCard	ĸ	-		3/01/91
RP733	-	<		RP(CC(), 73,3) <> SPACES(3)	CurrentCard	ĸ	m		3/01/91
RP736	-	<		RP(CC(), 73,6) <> SPACES(6)	CurrentCard	ĸ	•		3/01/91
RP 738	-	<		RP(CC(), 73,8) <> SPACES(8)	CurrentCard	ĸ	•••		3/01/91
RP745	-	<		RP(CC(), 74,5) <> SPACES(5)	CurrentCard	2	₩		3/01/91
RP747	-	«		RP(CC(),74,7) <> SPACES(7)	CurrentCard	*	~		3/01/91
RP761	-	<		RP(CC(), 76,1) <> SPACES(1)	CurrentCard	26	-		3/01/91
RP763	-	<		RP(CC(), 76,3) <> SPACES(3)	CurrentCard	26	m		3/01/91
RP764	-	<		RP(CC(), 76,4) <> SPACES(4)	CurrentCard	92	*		3/01/91
RP765	-	<		RP(CC(), 76,5) <> SPACES(5)	CurrentCard	2	•		3/01/91
RP774	-	<		RP(CC(), 77,4) <> SPACES(4)	CurrentCard	1	4		3/01/91
RP 792	-	<		RP(CC(), 79,2) <> SPACES(2)	CurrentCard	2	7		3/01/91
RP801	-	«		RP(CC(),80,1) <> SPACES(1)	CurrentCard	8	-		3/01/91

Field	Order	Type	Defaul t	Condition	CardNo	Start	Length	Transformation	Date
Recont	-	=		DLSS.DIC = "PVA"	CurrentCard	12	•		2/08/90
Recont	~	=		DLSS.ImSCAP or DLSS.ImBILLS	CurrentCard	70	m		3/09/90
RecSerNum	~	<		DLSS.18B11LS	CurrentCard	72	m		11/08/90
ReceiptOate	-	۵		Matches(DLSS.DIC,/[AU]N[92] [AU]P[9X]/) and IsNumeric(RP(CC(),41,1)) and D) Ss. IsDatek?	CurrentCard	17	4	YDDDZDat(Value)	10/25/90
ReceiptDate	2	٥		Matches(DLSS.DIC,/P3[0123901] P9[CD]/) and DLSS.DocDate <> ""	CurrentCard	ĸ	m	DDD2DAT(Value,DLSS.DocDat 9/25/89 e)	9/52/6
ReceiptDate	m	۵		Natches(DLSS.DIC,/P6C P9B/) and DLSS.DocDate <> ""	CurrentCand	22	M	DDDZDAT(Value,DLSS.DocDate)	68/52/6
ReceiptDate	4	٥		DLSS.IsDate67 and DLSS.Do-Date <> ***	CurrentCard	4	m	DDD2Dat(Value,DLSS.DocDate)	5/26/89
Rectametion	_	<		DLSS.1851RAP or DLSS.1851RIP	CurrentCard	8	-		9/19/90
RecordDate	_	۵		IsNumeric(RP(CurrentCard,61,1)) and	CurrentCard	•	4	YDDDZDAT(Value)	9/56/90
Reimb	-	<		PO	2	23	Ξ		1/05/90
RejectAdvice	_	<		DLSS.18STRAP	CurrentCard	2	2		9/17/90
RejectCode	-	<		Matches(DLSS.DIC,/IDE)SA/> und Matches(RP(CurrentCard.76.2),/015-9]/>	CurrentCard	92	~		06/82/6
RejectCode	~	<		Matches(DLSS.DIC,/[DE]S[CFR]/)	CurrentCard	23	2		9/28/90
RejectDate	-	٥		Matches(DLSS.DIC,/[DEJSA/)	CurrentCard	22	m	DDD2DAT(Value)	9/28/90
RejectDate	~	۵		Matches(DLSS.DIC,/[DE]SB/)	CurrentCard	33	.	YYDDD2DAT(Value)	9/28/90
RejectDate	m	٥		Matches(DLSS.DIC,/[DE]S[CFR]/)	CurrentCard	£	•	YYDDD2DAT(Value)	9/28/90
RejectDate	•	٥		Matches(DLSS.DIC,/[DE]S[DM]/)	CurrentCard	2	•	YYDD020AT(Value)	9/28/90
Rejectind	-	<		DLSS.18PETS	CurrentCard	5	2		3/27/89
RejectedDIC	_	<		DLSS.16STRAP	CurrentCard	27	₩		9/17/90
ReleaseCode	_	<		DLSS.18STR1P	CurrentCard	3	-		10/24/90
ReleaseDate	-	٥		DLSS.DIC = "GBL"	CurrentCard	22	4	YDDD2DAT(Value)	5/03/90
ReleaseDate	2	٥		DLSS.isBillS	CurrentCard	28	m	YMM2DAT(Value)	9/20/90
ReleaseDate	m	٥		DLSS.IsDate57 and DLSS.DocDate <> ""	CurrentCard	27	m	DDDZDAT(Value, DLSS.DocDat	10/18/90
						!		€	
ReplyDate	-	٥		Matches(DLSS.DIC,/[DE]T(BC]/) and DLSS.IsDate77	CurrentCard	k	4	YDDDZDat(Value)	9/11/90

Field	Order	Type	Default	Condition	CardNo	Start	Length	Transformation	Date
ReplyDate	~	_		DLSS.isDate75 and DLSS.DocDate <> ""	CurrentCard	ĸ	m	DDDZDAT(Value, DLSS.DocDat 10/25/90	10/25/90
ReportCode	-	<		DLSS.1eSTRAP	CurrentCard	7	-		9/56/90
ReportDate	-	٥		Matches(DLSS.SourceD1C,/[DE]ZE/) and	CurrentCard	23	4	YDDD2DAT(Value)	06/92/6
				<pre>isNumeric(RP(CurrentCard, 23, 1)) and DLSS.isDate24</pre>					
ReportDate	~	٥		Matches(DLSS.SourceDIC,/(DE)ZF;) and	CurrentCard	37	4	YDDD2DAT(Value)	06/92/6
				IsNumeric(RP(CurrentCard, 37, 1)) and					
•	•			DLSS.18DateS6	•	ì	•		
ReportDate	•	_		Ishumeric(RP(CurrentCard, 74,1)) and	CurrentCard	2	n	YMM.ZDAT (Value)	06/90/11
				I MANUAL MENTAL CHARLES CONTROLLED TO THE CONTRO					
ReportR1C	-	<		DLSS.IsPETS	CurrentCard	E	m		68/52/6
ReportRIC	-	<		DLSS.ISSTRIP of DLSS.ISSTRAP	CurrentCard	24	m		9/27/90
ReportToRIC	-	<		DLSS. I SSTRAP	CurrentCard	4	m		10/15/90
Reportuic	-	<		Matches(DLSS.D1C,/[DE]SA/)	CurrentCard	77	•		9/28/90
Reportuic	2	<		Matches(DLSS.DIC,/[DE]S[BCDMFR]/)	CurrentCard	5	•		9/28/90
Requonac	-	<		DLSS.18STRAP	CurrentCard	8	•		9/19/90
Reqibcode	-	⋖		OLSS.18STRIP	CurrentCard	9	-		10/17/90
Requirer	-	*		DLSS.18PETS	CurrentCard	ድ	2		9/25/89
RequestCode	-	<		DLSS.18STRAP	CurrentCard	7	-		9/11/90
RequestDate	-	٥		DLSS.BillAdvice # "35"	CurrentCard	22	₩	00020AT(Value)	9/50/90
RequestDate	~	۵		DLSS.18BILLS	CurrentCard	3	m	DDD2DAT(Value)	9/20/60
Responsedate	-	٥		IsNumeric(RP(CC(),46,1)) and	CurrentCard	9,	4	YDDD2Dat(Value)	10/25/90
				DLSS.18Date47					
RevAgent	-	<		DLSS.18SCAP	CurrentCard	87	-		1/05/90
RevReason	-	<		DLSS.18SCAP	CurrentCard	67	7		1/05/90
ReviewInd	_	=		Matches(DLSS.SourceDIC,/[DE]LS/) and	CurrentCard	7	-		06/72/6
				Matches(RP(CurrentCard,7,1),/[12]/)					
Reviewind	~	=		Matches(DLSS.SourceDIC,/[DE]L[TUVX]/)	CurrentCard	^	-		06/52/6
Reviewind	m	2		Matches(DLSS.SourceDIC,/ [DE]LW/) and Matches(RP(CurrentCard,7,1),/[1-4]/)	CurrentCard	^	-		06/57/6

Field	Order 1	Type	Default	Condition	CardNo	Start	Length	Transformation	Date
	-		•	DISS. Dail 6	CurrentCard	٥	•		1/12/90
Record	- •	٠.		OLCO TOTAL	CurrentCard	57	m		9/11/90
Koutinguic	- •	.			CurrentCard	4	4		1/12/90
SCAC		< <		Marchae(D) SS D1C / (DF1 FR (AU) F (TY) /)	CurrentCard	8	17		9/27/90
216	- ^	٠.		Matches/DISC SQUEENIC / (DE159/)	CurrentCard	3	~		06/22/6
SID		< <		DICK Textbad	CurrentCard	20	1 0		06/52/6
SAKLOGE		< <		DISS. ISSCAP	CurrentCerd	17	•		1/05/90
2011A		∶ ◀		Matches(DLS,DIC,/(DEJLW/)	CurrentCard	22	•		06/52/6
SPECTATION		. •		DLSS. I STRAP	CurrentCard	65	~		9/11/90
Srkstette en periode		. <		0155.1481145	CurrentCard	^	-		11/08/90
Salescood		٠ -		DI SS. I STARP	CurrentCard	8	€0		2/13/90
Seether		(3		DISS. IsT 9	CurrentCard	8	-		2/13/90
Section	-	: •		DISC. IMPETS	CurrentCard	11	4		68/52/6
Sequencembr				Matches(D) SS.D1C. / IDE1SA/)	CurrentCard	31	Ξ		06/92/6
SerialMor	- ~	٠ -		Matches(DISS, DIC. / IDE) S (CDMFR) /)	CurrentCard	57	=		06/92/6
SerialMor	.	< 4		Matches(D) SS_D)C_/[TR]VS/)	CurrentCard	3	£.		2/13/90
SerialMon		۲ <		Matches(BPCCC), 30, 1), (A-HJ-NP-WZ)/)	CurrentCard	8	-		11/14/90
Service		c		Matches (80/00/) 30.27.7172-	CurrentCard	S	~		10/17/90
Servicos	J	<		6891 20 33 47 69 7 253 189 9 693 14 9 6x1 7					;
	-	•		PLAS INSTAIN	CurrentCard	45	-		10/24/90
Service		· -		Ishumeric(RP(CurrentCard, 58, 2)) and	CurrentCard	58	7	YYMBBD02DAT(Value)	1/05/90
3614156386	•	•		Ishumeric(RP(CurrentCard, 63, 2))					
chelfilte	-	•		Matches(DLSS.SourceDIC,/IDE12H IDE1KA/)	CurrentCard	9	_		06/32/6
Shell ite	٠ ^	: •		DLSS.18STRAP	CurrentCard	2	-		9/26/90
Shipadrice	-	. •		Matches(RP(CurrentCard, 61, 1), / [A-HZ]/)	CurrentCard	9	_	EDIVALUE("ADVICE", Value)	06/02/7
Shirbate	-			DLSS.DIC = "PK5" end	CurrentCard	2	_	YYMMDD2DAT (UnPunch(Value	06/50/1
		1		IsPunch (Current Card, 70)				,1))	
Shipbate	8	٥		DLSS,DIC = "PK5" and Not	CurrentCard	2	_	YYMPPDDZDAT(Value)	8/S/L
				IsPunch(CurrentCard, 70)		1	•		106,307
ShipDete	m	٥		Matches(DLSS.DIC,/PJ[JR]/) and	CurrentCard	S		TYMHDOZDAI (UNPURCHIVALUE	04/00/1
•				IsPunch(CurrentCard, 39)	•	,	•		1,05,000
ShinDate	4	٥		Matches(DLSS.DIC,/PJ[JR]/)	CurrentCard	es i	•	THEMOSOAICE	06/60/-
Shipbate	•	٥		Matches(DLSS.D1C,/[AU][CFK][1-	CurrentCard	٤	•	YDDDZDAT (Value)	04/01/01
				5] [AU]FC/) and DLSS.1sDate71 and					
				IsNumeric(RP(CC(),70,1))					

Field	Order	Type	Default	Condition	CardNo	Start	Length	Transformetion	Date
Shipfrom	-	~		Matches(DLSS.SignalCode,/[A-DV]/)	CurrentCard	30	9		11/20/90
Shipfrom	7	<		Matches(DLSS.SignalCode,/[J-HX]/)	CurrentCard	45	•		11/20/90
ShipQuent	-	*		DLSS. IsPETS	CurrentCard	52	~		9/25/89
Sh ip To Code	-	<		Matches(DLSS.SignalCode,/[A-D]/)				mS1m	11/08/90
ShipToCode	7	<		Matches(DLSS.SignalCode,/[J-M]/)				#25#	11/08/90
ShipToDoDAAC	-	⋖		Matches(DLSS.SignalCode,/IA-DVJ)/) and	CurrentCard	30	•		9/19/90
ShipTobooAAC	~	⋖		Natches(DLSS.SignalCode,/[J-NX]/) and	CurrentCard	45	•		11/08/90
				RP(CurrentCard,45,1) <> "Y" and Matches(RP(CC(),45,6),/accord()					
ShipTobobAAC	M	<		Matches(DLSS.D1C,/P3102)/)	CurrentCard	45	•		7/12/90
ShipUnitMbr	-	<		DISS.1081LLS	CurrentCard	29	15		9/20/90
Shipthni tubr	~	⋖		DLSS. 1857RIP	CurrentCard	3	17		10/22/90
ShipmentDate	-	٥		DLSS.DIC <> "P51" and DLSS.DocDate <> ""	CurrentCard	ĸ	m	DDD2DAT(Value, DLSS. DocDat	1/05/89
	į							•	
ShipmentDate	2	٥		DISS.IAPETS and DISS.NSMDate <> ***	CurrentCard	R	m	DDDZDAT(Value,DLSS.NSNDat e)	68/52/6
Shipmentind	-	<		DLSS.16PETS	CurrentCard	2	-		9/25/89
Sh i pment Mode	-	<		Matches(DLSS.DIC,/P5[13]/)	CurrentCard	3	-		68/52/6
Shipment Mode	~	<		Matches(DLSS.DIC,/P1[283C8H] P2[012369] P CurrentCard	CurrentCard	92	-	EDIVALUE("MODE", Value)	6/52/6
ShipmentMode	8-7	<		MLCAM DIG. SS.JO	CurrentCard	5	•	Editorial and members verified	2/08/00
Sh i pment Mode	*	<		DLSS.18SCAP or DLSS.18PETS or	CurrentCard	4	-		1/05/80
				DLSS.isSTRIP		•	•		
Sh i pment Nbr	-	<		DLSS.DIC = "P30"	CurrentCard	55	7		7/12/90
ShipmentMbr	-	⋖		DLSS.18510	CurrentCard	79	m		11/08/90
ShipmentNbr	~	⋖		Matches(DLSS.DIC,/PK(NP5]/)	CurrentCard	33	•		1/05/89
ShipmentNbr	m	<		Matches(DLSS.SourceDIC,/[DE]49 [DE]X[AC]/	CurrentCard	8	7		10/15/90
				•					
Sh i pmentilibr	•	<		DLSS.DIC = "PJJ"	CurrentCard	25	•0		1/05/89
ShipmentMbr	~	⋖		DLSS.DIC = MPJR"	CurrentCard	25	7		1/05/89
ShipmentNbr	•	<		DLSS.DIC = "PV5"	CurrentCard	8	€0		2/08/90
ShipmentNbr	^	<		DLSS.ISSCAP or DLSS.ISBILLS or	CurrentCard	45	^		9/25/89
				DLSS.18PETS					

Field	Order	<u>x</u>	Default	Condition	CardNo	Start	Length	Transformstion	Date
Shipper	-	~		DLSS.18STAMP	CurrentCard	02	•		3/05/90
Shortege	-	*		¥.	PF	11	~	Edivalue("PERCENT", Value)	1/05/90
SignDate1	-	٥		Matches(DLSS.DIC,/P[BE]1/)	CurrentCard	2	~	YYMMD02DAT(Value)	1/05/90
SignDate2	-	۵		84	8	22	7	YYMMMDD2DAT(Value)	1/05/90
SignalCode	-	<		Matches(DLSS.DIC,/[AU]M[FP]/)	CurrentCard	4	-		10/16/90
SignalCode	8	<			CurrentCard	5	-		11/21/90
Source01C	-	<		DLSS.18DZK	CurrentCard	25	M		9/16/90
SourceDIC	2	<		DLSS.IsDZG or DLSS.IsDZ9	CurrentCard	25	m		9/16/90
Source01C	m	<			CurrentCard	-	m		9/16/90
SourceDate	-	۵		DLSS.ISSTRAP or DLSS.ISSTRIP	CurrentCard	ĸ	•	YDD02DAT(Value)	9/18/90
Specked	-	<		Matches(RP(CC(),62,3),/999 777 555/)	CurrentCard	3	m		10/17/90
Specked	~	<		Matchea(RP(CC(),62,3),/[AFRNE] [0-9] [0-9] [0-9] [0-	CurrentCard	3	-		2/20/91
Special	-	<		PB and RP(PB, 75,5) <> SPACES(5)	2	ĸ	•		1/05/90
Special	~	<		DLSS.18SCAP or DLSS.1881LLS	CurrentCard	3	m		3/13/90
StatDoDAAC	-	<		Matches(DLSS.MediaStatus,/[23]/)	CurrentCard	R	•		10/23/90
StatbobAAC	~	<		Matches(DLSS.MediaStatus,/[45]/)	CurrentCard	5	•		10/23/90
StatDoDAAC	m	<		DLSS.MediaStatus = "9"	CurrentCard	25	-		10/23/90
Status	-	<		DLSS.1eSTRAP	CurrentCard	æ	~		9/17/90
StockCode	-	<		DLSS.1881LLS	CurrentCard	8	-		11/08/90
StockWbr	-	⋖		74	CurrentCard	&	15		1/05/90
StockWbr	2	<		DLSS.18SCAP or DLSS.1881LLS	CurrentCard	•••	15		3/12/90
Stop1	-	<		DLSS.18STAMP	CurrentCard	28	8		4/11/90
Stop2	-	<		DLSS.18STAMP	CurrentCard	2	~		4/11/90
StorageRIC	-	<		DLSS. I STRAP	CurrentCard	ጟ	m		06/92/6
Subbate	-	۵		Matches(DLSS.DIC,/[DE]LW/) and	CurrentCard	ૹ	.	YYDDD2DAT(Value)	4/11/91
				1sNumeric(RP(CC(),63,5))					
Subbate	~	۵		Not Matches(DLSS.DIC,/[DE]LW/) and	CurrentCard	22	.	YYDDDZDAT(Value)	4/11/91
				DLSS.ISSTRAP and ISNumeric(RP(CC(),27,5))					
SublineNbr	-	<		Matches(DLSS.DIC, / IDE] [40U]a IDE) x [AC] /)	CurrentCard	2	•		10/15/90
Sub! IneMbr	7	⋖		Matches(DLSS.SourceDIC,/[DE][40U]a [DE]X[CurrentCard	CurrentCard	2	~		10/15/90
- 100 - 100 - 0	•	•		AC1/)		2	,		0,17,0
SublineMbr	7	<		Matches(DLSS.DIC,/[DE]L(CDEF]/)	Currentcard	<u>-</u>	•		R/\(\)

Field	Order	1	Default	Condition	CardNo	Start	Length	Transformation	Date
Sub! (nettbr	4			Matches(DLSS, SourceDIC, / (DE) L (CDEF) /)	CurrentCard	51	m		9/17/90
SubeletPack	-	: <		DLSS, FSCGroup # "89" and	CurrentCard	21	-		9/17/90
				IsNumeric(RP(CurrentCrd, 21, 1))			,		•
SubsistPack	7	<		DLSS.FSCGroup * *89" and	CurrentCard	2	-		9/27/90
				1sHumeric(RP(CurrentCrd, 79, 1))					;
Suffix74	-	<		DLSS.18SCAP	CurrentCard	2	-		1/05/90
Sumbuent	-	<		DLSS.18PETS	CurrentCard	2	0		69/52/6
SupAcctDate	-	<		DLSS.18SCAP	CurrentCard	39	×		1/05/90
SunAddress	-	<		Not DLSS.18Servinfo	CurrentCard	45	•		9/17/90
Supcondi	_	< <		DLSS.18STRAP	CurrentCard	\$			06/92/6
Supcond2	_	< <		DLSS.1eSTRAP	CurrentCard	\$	-		06/92/6
SupcondCode	-	<			CurrentCard	۲	-		06/02/6
SurStatus	-	: <		DISS.18STRAP or DLSS.18STRIP	CurrentCard	65	~		9/18/90
SupTransDate	-	۵ :		DLSS.DIC = "P9F" and DLSS.DocDate <> ""	CurrentCard	2	M	DDD2DAT(Value, DLSS. DocDat	68/52/6
	•	,						•	
SupTransDate	~	۵		DLSS.DIC = "P68" and DLSS.DocDate <> ""	CurrentCard	ĸ	m	DDDZDAT (Value, DLSS. DocDat	68/52/6
•								•	
SupTransDate	m	٥		DLSS.DIC = "P6F" and DLSS.DocDate <> ""	CurrentCard	20	M	DDD2DAT(Value, DLSS.DocDat	69/52/6
								. 🍣	
140	-	•		DLSS_1eSTAMP	CurrentCard	ঠ	4		1/12/90
101	_	: <		DLSS.18STAMP	CurrentCard	20	17		1/12/90
TOPESION	_	: ◀		DLSS.18PETS	CurrentCard	2	=		68/52/6
TDRStatus	-	: <		DLSS.18PETS	CurrentCard	25	-		68/52/6
THStartDate	-	۵		IsNumeric(RP(CurrentCard, 25, 1)) and	CurrentCard	æ	4	YDDD2DAT(Value)	06/92/6
				DLSS.18Date26	•	8	•	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	00/76/0
THStopDate	-	۵		IsNumeric(RP(CurrentCard,ZY,S))	CurrentCard	3	•	Value)	04/69/4
Total	-	•		DISS. 18STRIP	CurrentCard	2	t		10/24/90
Techillers		: «		DLSS.18STRIP	CurrentCard	F	9		10/24/90
Temperature	_	: ◀		Diss. IsVanTrir	CurrentCard	15	2		1/12/90
Text	. —	< <		DLSS.18SCAP	CurrentCard	&	52		1/22/90
ToAddress	-	: ∢		DLSS.MediaStatus = "2" or DLSS.DIC =	CurrentCard	30	•		06/02/6
				Q81					

Field	Order	77.	Default	Condition	Carcho	Start	Length	Transformation	Date
ToAddress	~	<		DLSS.MediaStatus = "4"	CurrentCard	45	•		9/20/60
ToAddress	m	<		DLSS.MediaStatus = "9"	CurrentCard	25	-		9/20/90
ToOunerCode	-	<		DLSS.1sSTRAP	CurrentCard	65	-		9/54/90
ToPurpose	-	<		DLSS.IsSTRAP	CurrentCard	65	-		9/54/90
TORIC	-	<		Matches(DLSS.DIC,/FT2 [DE] [UM] a [DE] X [AB]	CurrentCard	29	M		10/15/90
				~					
TORIC	~	<			CurrentCard	4	m		2/10/89
ToSupCode	-	<		DLSS.1sSTRAP	CurrentCard	8	-		06/57/6
TotAmount	-	<		*	*	65	2		4/54/90
TotAmount	7	<		=	Ŧ	65	2		4/54/90
TransBillCod	-	<		DLSS.1eSTRIP	CurrentCard	7	-		10/18/90
TransCode	_	<		DLSS.1eSTRAP	CurrentCard	7	-		9/28/90
TransDate	-	٥		DLSS.DIC = "PJJ"	CurrentCard	#	m	DDD2DAT(Value)	1/05/90
TransDate	7	٥		Matches(DLSS.DIC,/[AUJP[1-5R]/) and	CurrentCard	7	m	DDD2DAT(Velue, DLSS.DocDat	10/25/90
				DLSS.1sDate71 and DLSS.DocDate <> ***				•	
Transbate	M	٥		Matches(DLSS.DIC,/P[EF]K/)	CurrentCard	S	ľ	MMMDD2DAT(Value, M904)	1/05/90
Transbate	4	٥		Matches(DLSS.DIC,/[DE]2B/) and	CurrentCard	26	4	YDDD2DAT(Value)	9/56/90
				1sNumeric(RP(CC(),59,1)) and					
				DLSS.IsDate60					
TransDate	•	٥		Matches(DLSS.DIC,/PJ[A8] PKX/)	CurrentCard	ĸ	S	MMMDDZDAT(Value, M90M)	1/05/90
TransDate	•	۵		Matches(DLSS.DIC,/[DE]28/) and	CurrentCard	8	m	DD020AT(Velue)	9/56/90
				DLSS.1sDZG and DLSS.1sDate60					
Transbate	7	٥		Matches(0LSS.DIC,/[DE]Z[CD]/) and	CurrentCard	2	•	YDD02Dat(Value)	9/18/90
				IsNumeric(RP(CC(),61,1)) and					
	•	•		Management of the second of th		7	7	Variable of Colors	00/36/00
	9	3		Table and Control (Control of the Control of the Co		2	•		201021
				DLSS. Isbate74					
TransDate	•	٥		Natches(DLSS.DIC,/DEJS[CDFMR]/) and	CurrentCard	2	50	YYDDD2DAT(Value)	9/28/90
				DLSS.isDate78					
TransDate	2	٥		Matches(DLSS.SourceDIC,/[DE][67896]a [DE] CurrentCard	CurrentCard	ĸ	m	DDDZDAT(Value, DLSS.DocDat	9/17/90
				ETEF1 DE1ATOS1 DE1HA DE1YTOGHK1/)				•	
				and DLSS.1sDate73 and DLSS.DocDate <> ""					

Field	Order	Type	Default	Condition	Cardio	Start	Length	Transformation	Date
TransDate	=	٥		Matches(DLSS.DIC,/(DE)RF/) and	CurrentCard	75		200004 23 IN action 120000	
				DLSS.IsDate54 and DLSS.DocDate <> ***			•	cotton (value, or so . Dotton	PA/17/A
Transbate	42	0		Matches(DLSS.DIC,/IDE)S(CDFMR)/)	CurrentCand	2	•	YYDOGSDAT/Velim	00,000
Transbate	T	٥		Matches(DLSS.DIC,/[AU]SH/) and	CurrentCard	2	, p	MAN DATAMENT OF STREET	06/57/6
				DLSS.DocDate <> ***		•	•	**************************************	10/22/20
Transbate	*	۵		Matches(DLSS.DIC./[AU]gR/)	CurrentCand	٤	7	VDDDSDATZVALISMS	00, 30, 00
TremsDate	5	٥		Not Matches(DLSS,DIC,/LAUJP[1-58]/) and	CurrentCard	: 3	•	DD020AT(value ples peopse)	10/23/70
				DLSS.isDate62 and DLSS.DocDate <> ""		ţ	•	00000000000000000000000000000000000000	04/01/01
TremsHode	-	<		DLSS.1sSTRIP	CurrentCard	23	-		00/76/01
Transcertor	-	<		DLSS. 1 sSTRAP	CurrentCard	^	٠.		10/24/90
TransStatus	-	<		RP(CurrentCord, 80.1) <> " "	Distraction of	٠ ﴿	٠.		06/07/6
TypeChange	-	<				3 :	- •	EDIVALUE ("KEASUM", VALUE)	B/69/
Type0fPeck	-	<		01.55.1857.00		: ?	- (68/52/6
UlCorrect	-	•		Dies serate	כמו בוורפו מ	\$ 1	v (10/54/90
7	• •				currentcard	R	~		10/22/90
Unit control of	-	-		DLSS.DIC = "P30" and DLSS.DocDate <> ""	CurrentCard	5	m	DDD2DAT(Value,DLSS.DocDat	68/52/6
in conflore	r	•						•	
	7	-		DLSS.DIC = "P3T" and DLSS.DocDate <> ""	CurrentCard	Z	m	DDD2DAT(Value, DLSS.DocDat	9/25/89
4.6.6	•								
out refine	_	<		DLSS.I&STRAP	CurrentCard	35	^		06/76/60
Unitofissue	-	<		Matches(DLSS.DIC,/[DE]28/)	CurrentCard	8	~		0/34/00
Unit of Issue	~	<		Matches(DLSS.DIC,/[DE]T[8C]/)	CurrentCard	2	^		0/12/00
Unit of Issue	m	<		Metches(DLSS.DIC./[DE]LW/)	CurrentCard	5			9.37.790
Unitoflasue	4	•			Currentford	2 %			04/67/4
Uniterice	-	-		Matches (C. O.C. / Drage 18 /)		3 2	,		04//1/4
in the free		: 1		Material Control Contr	רטו רפוזניפוס	å i	=		1/05/90
	•	2		Matches(ULSS.DIL,/IDE]E[EF]/) and Disc imps	CurrentCard	2	I		06/52/6
Uniterice	•	•		Matchael St of C (BELLE)		•	;		
- Integrates	١ ٧	: :		7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	CULTENTIAL	7	2		9/25/90
	•			Matches(DLSS.DIC,/[AU]F[TY] [AU]S3/) and	CurrentCard	3	~	_	10/18/90
•	,			IsNumeric(RP(CC(),62,7))					•
UnitPrice	•	=		Matches(DLSS.DIC,/[AU]Ea/) and Not	CurrentCard	2	~		10/22/90
				Matches(DLSS.SupStatus,/CB DA/) and				•	
				IsNumeric(RP(CC(),74,7))					
Unithrice	•	*		Not Matches(DLSS.DIC,/[AU]F[TY]/) and	CurrentCard	2	~		06/76/0
				IsNumeric(RP(CC(),74,7))					1/ 54/ 10

Field	Order	Type	Default	Condition	Cardillo	Start	Length	Transformation	Date
UnitPrice2	-	•		DLSS.1sBILLS	CurrentCard	1	*		11/06/90
Unitivelght	_	<		DLSS. IsSTRAP	CurrentCard	36	*		06/52/6
Validaca		<		DLSS. IsSTRIP	CurrentCard	2	m		10/18/90
VarCube	-	=		DLSS.1sT_2 and Dlss.1sVen	CurrentCard	ઢ	4		1/12/90
VanLength	-	<		DLSS.1sT_2 and Diss.1sVan	CurrentCard	£	~		1/12/90
Varilength	2	<		DLSS.18T_9 and RP (CurrentCard, 27,1) =	CurrentCard	8 2	~		1/12/90

VerWor	-	<		DLSS.1sSTAMP	CurrentCard	%	•0		1/12/90
VarAmount1	-	<		DLSS. IsSCAP	CurrentCard	5	2		2/06/90
Ver Amount 2	-	⋖		DLSS. isSCAP	CurrentCard	\$	2		2/06/90
VarCode1	-	<		#P(CurrentCard,50,1) <> " "	CurrentCand	20	-	EDIValue("VARCODE", Value)	2/06/90
VarCode2	-	⋖		RP(CurrentCard,68,1) <> " "	CurrentCard	3	-	EDIValue("VARCODE", Value)	2/06/90
VerSigni	-	<		DLSS. I &SCAP	CurrentCard	5	-		2/06/90
VerSign2	-	<		DLSS. 18SCAP	CurrentCard	æ	-		2/06/90
Voucherbate	-	0		Found :=	Found	7	~	YYIBBOOZOAT (Value)	2/05/90
				FindCard(/PV2/, Forward, CurrentCard, 1, 3)					
VoucherMbr	-	<		DLSS.DIC * "PK9"	CurrentCard	2	•		1/05/90
VoucherMbr	~	⋖		DLSS.DIC = "PV1"	CurrentCard	ສ	•		1/05/90
VeterCode	-	⋖		DLSS.18STRIP	CurrentCard	=	'n		10/24/90
Veight	-	=		Matches(DLSS.DIC,/[TR]8[0-57]/) and	CurrentCard	2	1 0		2/06/60
				IsNumeric(RP(CurrentCard,72,1))					
Feight	~	<		Matches(DLSS.DIC,/[TR]8[0-57]/) and	CurrentCard	ĸ	*	CAT(EDIValue("EXCESS", RP(2/06/60
				(Matches(RP(CurrentCard, 72, 1), / [A-R&] /)				CurrentCard, 72,1)), Value)	
				or RP(CurrentCard,72,1) = "-")					
Seight.	m	*		Matches(DLSS.DIC,/[AU]D[135R]/)	CurrentCard	8	•		5/30/89
Width	-	*		DLSS.1sT_S	CurrentCard	8	M		1/12/90
718462		٥		OLSS. ISSTRAP	CurrentCard	3	m	YMM2DAT(Value)	9/11/90
YMM73	-	٥		DLSS.18STRAP	CurrentCard	r	m	YMM2DAT(Velue)	10/15/90
Zerobate	-	٥		DLSS.18STRAP	CurrentCard	%	m	YMM2DAT(Value)	9/11/90
Zipcode	-	<		DLSS.1sT_9 and RP (CurrentCard,9,1) = "X" CurrentCard	CurrentCard	2	50		1/12/90

Date	9/21/90	9/21/90	9/21/90	9/21/90	9/21/90	9/21/90	9/21/90	9/21/90	DK/13/6	06/12/6	9/21/90	9/12/6	9/21/90	9/21/90		06/12/6	06/42/6	06/57/6	06/72/6	06/52/6	06/76/0		06/47/6	06/57/6		06/52/6	9/54/90	
Transformetion				Substr(EDI.AdjBillDate,2,3)	Substr(EDI.OrigBillDate,2,3)					Substr(YYMMDD2J(EDI.RequestDate),2,3)		Lzero(EDI.DupAmount,9)		Substr(EDI.OrigBillDate, 2, 3)		Lzero(EDI.Amount,9)			Lzero(ED1.Amount,9)		2	רלבן מלכח יתוו ניון ירפ"י /	YYMODZJ(EDI.OrigBillDate)					
Field	FundCode	BillToDoDAAC	Origailinbr			Project	BillAdvice	BillStatus	Priority		ShipUnitMbr		Excessitatus				Type	Supcondcode		Dup8111Mbr				BILLTODODAAC		Orige!!!Nbr	NodeMethod	
Condition	ED1.FundCode<>***	Matches(ED1.D1C,/[FH]D[CEF]/) and Finduse(120,0,1,/B1/)	Matches(EDI.DIC,/[FH](AJ](EFCRS]/) and EDI.BillAdvice <> "35"	Matches(EDI.DIC,/[FH]D[RS]/) and EDI.Adjsil(Date<>!"	EDI.BillAdvice = "35" and EDI.OrigBillDate <>	Matches(ED1.D1C,/[FH]T[8P]/)	Matches(EDI.DIC,/[FN] (ADJ] [CEF]/)	Matches(EDI.DIC,/[FH] (ADJ) (RS)/)	Matches(ED1.DIC,/[FH]T[BP]/)	EDI.BillAdvice <> "35" and EDI.RequestDate<>""	EDI.BillAdvice = "35" and EDI.ShipUnitNbr<>##	Matches(EDI.DIC,/[FN]D[CEFRS]/)	Matches(EDI.DIC,/(FN]T(BP]/)	Matches(EDI.BillStatus,/AI DO/) and	EDI.Orig8!!lbate <> ""	EDI.DIC <> "Q81"	ED1.01C = "061"	Matches(EDI.DIC,/[FN]TP/)	Matches(EDI.DIC,/[FN]TP/)	Matches(EDI.DIC,/[FH][AJ][CEF]/) and	EDI.BillAdvice = "11"	EDI.UnitPrice<>***	Matches(EDI.8illAdvice,/17 21 23 24 26/) and EDI Ories(Illase<>***	Matches(EDI.BillAdvice,/51 52/) and	FindUse(120,0,1,/BT/)	Matches(EDI.DIC,/[FH]TB/) and	EDI.OrigBillNbr<>"" FDI.BillAdvice = "35" and EDI.ModeMethod<>""	
St Ord Len CardNo	2 CurrentCard		5 CurrentCard	3 CurrentCard	3 CurrentCard	3 CurrentCard	2 CurrentCard	2 CurrentCard	2 CurrentCard	3 CurrentCard	15 CurrentCard		2 CurrentCard	3 CurrentCard		9 CurrentCard	1 CurrentCard	1 CurrentCard	9 CurrentCard	5 CurrentCard		7 CurrentCard	4 CurrentCard	6 CurrentCard		5 CurrentCard	brant transcript.	
י פע	-	_	_	-	~	-	-	~	m	_	2	_	~	m		•	_	-	_	-		~	m	4		,-		-
St (. 25	53	ž	%	2	27	8	8	8	3	3	\$	\$	\$		\$	2	7	2	7		*	2	*		2	1	2
Sect 11d	-	-	-	-	-	-	-	-	-	-	-	_	-	-		-	-	-	-	_		_	-	-	•	-	•	-
Sec 16d 11d	§	\$3	202	8	200	%	\$9	208	8	200	88	8	8	208		8	88	200	80	§		38	200	8		\$08	8	<u>\$</u>

	Date	9/24/90	11/08/90	11/08/90	11/08/90	11/08/90	11/08/90	11/08/90	11/08/90	11/08/90	11/06/90	11/08/90	11/08/90	11/08/90	11/08/90	11/08/90	11/08/90		•	11/08/90	11/08/90	11/08/90	11/08/90	11 8/80	1/10/91	1/10/91	11/08/90	11/08/90	11/08/90	11/08/90	11/08/90	11/08/90	1/10/91	16/01/1
	Transformation	Substr(YYMMD02J(EDI.RequestDate),2,3)	FS := CurrentCard			LZero(ED1.RecCt,3)						Substr(EDI.BillDate, 2,3)						LZero(EDI.Amount,9)	Substr(YYMMDD2J(ED1.ReportDate),2,3)										LZero(EDI.Quantity,5)					
	Field	1 1 1 1 1 1 1 1 1 1		010	Interni		AcctToCredit	BILLFIRIC	Intern2	CountryCode	BILLToDoDAAC		InfoIndic	BILIND	BILLFIDODAAC	FundCode	AcctToCharge			Billind	210	BILLFIRIC	Salescode	IssueCode	Description	ServUse1	StockNum	UnitOf Issue		DocNo	MFP	DocNoSuffix	BILLTODODAAC	ShiptoDoDAAC
	Condition	EDI.BillAdvice = "35" and EDI.RequestDate<>""				EDI.Recct <> ""						EDI.BillCate <> ""							EDI.ReportDate <> ""				Matches(EDI.DIC,/[FH][A-DFJ][12] [FH]E [34]/)	Matches(ED1.DIC,/[fM]P[12]/)	Matches(EDI.DIC,/[FH]Q[12]/)	Matches(ED1.DIC,/[FH]U[12]/)	Matches(EDI.DIC,/[FH][A-DGJ][12] [FH]E[34]/)	Matches(EDI.DIC,/[FH][A-DFG][12] [FH]E[34]/)	Matches(EDI.DIC,/[FH][A-DFG][12] [FH]E[34]/)		Matches(ED1.D1C,/[FH]P[12]/)		Matches(EDI.SignalCode,/[BK]/)	Masches/EDI Cispal/ords / [IV] M] /)
	St Ord Len CardNo	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCand	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCand	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	Par Janes
	ا احما	. m	0	E	-	m _	=	~	9	1 2	9	M _	_	2	9	1 2	=	•		-	m	M -	_	~	3 23	22 7	1 15	1 2	~	7 7	_	- 2	9	7
	St O	. P	-	-	4	'n	•	2	22	28	30	28	32	9	53	52	25	\$	2	28	-	4	~	~	~	~	•	n	χ.	30	3	3	53	37
							_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	0	0	0				_	_	0	_
Sect	P	: -	_	-	-	-	•	_	•	-	-	٠	•		•		•		-	•	8	8	8	8	8	8	8	8	5	8	ᅙ	8	5	5

Matches(EDI.DIC,/[FH][ABC][12]/) and EDI.StockCode <> ""
Matches(EDI.DIC,/[FH][WGRVM]/) EDI.DoDAAC <> "" EDI.BillDate <> "" Matches(EDI.DIC,/[FH][LV][12]/) Matches(EDI.DIC,/[FH]V[12]/)

St Ord Len CardNo	Condition	Field	Transformation	Date
CurrentCard	Matches(ED1.DIC,/[AU]X1/)	FromRIC		11/01/90
CurrentCard		TORIC		11/01/90
CurrentCard		MediaStatus		11/16/90
CurrentCard		MSM		11/01/90
CurrentCard		UnitOf1ssue		11/01/90
CurrentCard	IsNumeric(EDI.Quantity) and		LZERO(ED1.Quentity,5)	11/01/90
	GT(6, Len(ED1.Quentity))			
CurrentCard	IsNumeric(EDI.Quantity) and		LZero(CAT(Substr(EDI.Quantity,1,(Len(EDI.Q 11/30/90	.a 11/30/90
CurrentCard		DocNo		11/01/90
CurrentCard	EDI.DemendCode <> ***	DemandCode		11/01/90
CurrentCard		DocNoSuffix		11/01/90
CurrentCard	EDI.ShipToDoDAAC <> ## and	ShipToDoDAAC		11/01/90
	Matches(EDI.SignalCode,/[J-MX]/)			
CurrentCard		BILITODODAAC		11/16/90
	Matches(ED1.SignalCode,/[BK]/)			
CurrentCard	EDI.StatToDoDAAC <> "" and	StatTobobAc		11/01/90
	Matches(EDI.MediaStatus,/[450EfGMMNPGJVZ]/)			
CurrentCard	EDI.Servuse2 <> ""	Serv0se2		11/01/90
CurrentCard		FMSServ		11/01/90
CurrentCard		ILPYear		11/01/90
CurrentCard	Matches(EDI.FMSFrtfwdr,/39))	FMSFrtFwdr		11/01/90
CurrentCard	Matches(ED].FMSOfferRel,/39/)	FMSOfferRel		11/01/90
SurrentCard	Matches(EDI.FMSOfferRel,/8/)	FMSOfferRel		11/01/90
CurrentCard	Matches(EDI.FMSFrtfwdr,/8/)	FMSFrtFwdr		11/01/90
CurrentCard		ILPL ineitem		11/01/90
CurrentCard		FMSCase		11/01/90
CurrentCard		SignalCode		11/01/90
CurrentCard		FundCode		11/01/90
CurrentCard	EDI.Distribution <> ""	Distribution		11/01/90
CurrentCard	EDI.MDN <> ""	NQ		11/02/90
CurrentCard		Serv0se3		11/01/90
		Droient		11/02/00

3	Sect 71d		ě	D Le	St Ord Len CardNo	<u>•</u>	Condition	Field	Transformation	Date
:	:	:	:	:						
511	-	8	_	7		CurrentCard		Priority		11/02/90
511	_	3	_	m	Curre	CurrentCard	EDI.RDD <> "" and Not		Substr(YYMMD02J(EDI.RDD),2,3)	3/07/91
							Matches(ED1.Spec,/[AEFNRXS]/)			
511	-	3	7	_	רכעריב	CurrentCard	Matches(EDI.Spec,/[AEFNRXS]/)	Spec		3/07/91
511	-	3	m	m		CurrentCard	E01.Spec <> ""	Spec		11/02/90
511	-	3	4	M		CurrentCard	Matches(EDI.DIC,/LAUJX[12]/) and		Substr(YYMMD02J(E01.TransDate),2,3)	11/02/90
							ED1.TransDate <> ***			
511	-	3	'n	M		CurrentCard		Ownice		11/02/90
511	-	3	_	~		CurrentCard	EDI.LatestDD <> ""	•	DiffMonths(EDI.LatestDD,DocNo2Dat(EDI.DocN	11/15/90
									(6	
511	_	3	~	7		CurrentCard	EDI.EarliestDD <> mm		DiffMonths(EDI.EarliestDO,DocNo2Dat(EDI.Do 11/15/90	11/15/90
									CNO))	
511	_	3	M	~	Curre	CurrentCard	EDI.Spec = "A"		DiffMonths(EDI.RDD,DocNo2Dat(EDI.DocNo))	3/07/91
511	_	3	*	~	Curre	CurrentCard	Matches(EDI.Spec,/[EFNR]/)		DiffDays(EDI.RDD,DocNoZDat(EDI.DocNo),2)	3/07/91
511	•	65	,-	~	Curre	CurrentCard		AdviceCode		11/02/90
511	-	67	-	*	Curre	CurrentCard	ED1.1081C = "S90" and ED1.D11D <> ""	DTID		11/02/90
511	_	28	_	_	Curre	CurrentCard		1DCode		11/02/90
511	-	\$	_	4	Curre	CurrentCard	EDI.Callorder <> ***	Callorder		11/02/90
511	-	\$	~	_	Curre	CurrentCard		Supcondcode		11/02/90
511	•	R	_	-	Curre	CurrentCard		10Code		11/02/90
112	-	2	~	7	Curre	CurrentCard	Matches(RP(CC(),30,1),/[B0KPT]/)	Servuseé		2/14/91
511	-	2	m	Ξ	CULTE	CurrentCard		Servise		2/14/91
511	-	Z	_	-	Curre	CurrentCard	EDI.TORIC = "S90" and EDI.CondCode <> ""	CondCode		11/02/90
511	-	7	~	2		CurrentCard		DrawSpeckbr		11/02/90
511	-	7	M	10		CurrentCard		EnditemID		11/02/90
511	_	7	4	5	_	CurrentCard		NounDescript		11/02/90
511	-	7	N	2		CurrentCard		TOTM		11/02/90
511	-	2	-	-	Curre	CurrentCard		FMSProgSup		11/02/90
511	-	R	-	**	Curre	CurrentCard	EDI.GFMContract <> ""	GFMContract		11/02/90
511	-	7	_	m	Curre	CurrentCard		MCARIC		11/02/90
512	-	_	_	M	Curre	CurrentCard		010		11/02/90
512	-	4	-	M	Curre	CurrentCard		ToRIC		11/02/90
512	-	7	-	-	Curre	CurrentCard		MediaStatus		11/16/90

	Cate	11/02/90	11/02/90	11/02/90		.a 11/30/90		11/02/90	11/02/90	11/02/90		11/02/90		11/16/90		11/02/90	11/02/90	11/02/90	11/02/90	11/02/90	11/02/90	11/02/90	11/02/90	11/02/90	11/02/90	11/16/90	11/02/90	11/02/90	11/02/90	11/02/90	11/02/90	11/02/90	11/02/90	11/02/90
•	Trensformation			LZERO(ED1.Quentity,5)		LZero(CAT(Substr(EDI.Quantity,1,(Len(EDI.9 11/30/90	uantity)-3)),"M"),5)																									Substr(yymmdd2](ED1.ReleaseDate),2,3)		
•	Field	NSM	UnitOfissue					DocNo	DocNoSuffix	ShiptobooAc		StatToDoDAAC		BILLTOOOAC		Serv0se2	FMSServCode	ILPYear	FNSOfferRel	FMSFrtFwdr	FMSOfferRel	FMSFrtfwdr	1LPL inel tem	FMSCase	HoldCode	Signalcode	FundCode	Distribution	XQ.	FMSSubcase	SerWse3		Project	SID
	Condition			IsNumeric(EDI.Quentity) and	GT(6, Len(ED1. Quantity))	1sNumeric(EDI.Quentity) and	GT(Len(EDI.Quentity),5)			EDI.ShipToDoDAAC <> "" and	Matches(EDI.SignalCode,/[J-MX]/)	EDI.StatToDoDAAC <> "" and	Matches(EDI.MediaStatus,/[45DEfGHMMPQUV2]/)	EDI.BillToDoDAAC <> "" and	Matches(EDI.SignalCode,/[BK]/)				Matches(EDI.FMSOfferRel,/89/)	Matches(EDI.FMSFrtfwdr,/88/)	Matches(EDI.FMSOfferRel,/8/)	Matches(EDI.FMSFrtFwdr,/9/)			Matches(ED1.D1C,/ [AU] F [TY]/)			ED1.HDN = ##				EDI.ReleaseDate <> ""		Matches(EDI.DIC,/[AU] F[TY]/)
	St Ord Len CardNo	CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	pue Danse Ling	CurrentCard
	٠ ا	5	~	~		2 5		7	~	9		2 6		3 6		9	-	2	~	2	_	_	4	m	_	-	~	_	M		. ~			1 7
	نير	60	23	X		X		30	3	53		55		45		53		45	3	3	3	14	. 29	3		25	22	35	25			1 6	: :	3
		-	-	-		.,		- 1		-		-		-		-	_	_	-	_	_	_	_	_	_	_	-	-	-					
Š	25 T 25 T 25	512	512	512		512		512	512	512		512		512		512	215	512	512	512	512	215	512	512	512	512	512	512	512	: 2	: :	: :		512
	- •	•	~	~		~		•	~	•		-		•		•	•	•	•	**	•	•	-	-	-	-				. •	. •			, •

	Sect Tid		0	ı Le	St Ord Len CardNo	Condition	Field	Transformation	Date
512	: -	: 8	. ~	. ~	CurrentCard		Priority		11/02/90
512	-	3		~		Matches(EDI.DIC,/[AU]F[TY]/) and		LZero(EDI.UnitPrice,7)	11/02/90
						EDI.UnitPrice <> ""			
512	-	3	~	M	CurrentCard	EDI.TransDate <> ***		Substr(YYMMD02J(EDI.TransDate),2,3)	11/02/90
512	-	\$	-	~	CurrentCard		Status		11/02/90
512	-	67	-	m	CurrentCard		LestRIC		11/02/90
512	-	2	-	4	CurrentCard	EDI.EstShipOate <> ""		YYMDD2J(ED1.EstShipDate)	11/02/90
512	-	2	,	-	CurrentCard	Matches(EDI.DIC,/[AU]F[1-5C]/)	DenialCode		11/02/90
512	-	7	-	-	CurrentCard		Supcondcode		11/02/90
512	-	7,	N	7	CurrentCard	Matches(EDI.DIC,/LAUJF[1-5C]/) and	•	LZero(EDI.UnitPrice,7)	11/02/90
						EDI.UnitPrice <> ""			
512	-	26	-	50	CurrentCard	Matches(EDI.DIC,/LAUJF[1-5C]/) and		LZero(ED1.Quantity2,5)	11/02/90
						EDI. Quentity2 <> ***			
512	-	2	~	~	CurrentCard	Matches(EDI.DIC,/[AU]F[1-5C]/) and	FedSchedilbr		11/02/90
						EDI.FedSchedNbr <> ""			
512	-	1	-	-	CurrentCard	Matches(ED1.D1C,/LAU)f(TY1/)	Transcode		11/02/90
\$12	-	2	-	m	CurrentCard	Matches(ED1.DIC,/[AU]F[TY]/)	Locid		11/02/90
512	-	R	-	~	CurrentCard	Matches(ED1.DIC,/CAUJF[1-5C]/) and	UnitOf1ssue2		11/02/90
						EDI.UnitOfissue2 <> ""			
513	-	-	_	m	CurrentCard		010		11/05/90
513	-	4	-	M	CurrentCard		TORIC		11/05/90
513	-	7	-	_	CurrentCard		MediaStatus		11/16/90
513	-	•	-	\$	CurrentCard		NSM		11/05/90
513	-	2	-	~	CurrentCard		Unitofissue		11/05/90
513	-	X	-	1	CurrentCard	isNumeric(EDI.Quentity)		LZERO(ED1.Quentity,5)	11/05/90
513	-	ĸ	~	5	CurrentCard		Quantity		11/05/90
513	-	8	-	7	CurrentCard		DocNo		11/05/90
513	-	3	-	-	CurrentCard	EDI.DocNoSuffix <> ""	DocNoSuffix		11/05/90
513	-	7	~	-	CurrentCard	ED1.DemandCode <> ***	DemandCode		11/05/90
513	-	45	-	-	CurrentCard		FMSServCode		11/05/90
513	-	45	~	~	CurrentCard		ILPYear		11/05/90
513	-	45	M	•	CurrentCard		Serv0se2		11/05/90
513	_	45	•	•	CurrentCard	EDI.ShipToDoDAAC <> "" and	Shiptobobac		11/05/90
						Matches(EDI.SignelCode,/[J-MX]/)			

S	Sect								
18 :	달 :	# :	P :	£ :	St Ord Len Cardio	Condition	Field	Trensformation	Date
513	-	\$3	~	•	CurrentCard	obobAAC <> *** and	BILITODOMC		11/16/90
						Matches(EDI.SignalCode,/[BK]/)			
513	-	4 2	•	•	CurrentCard	EDI.StatTcDcOAAC <> "" and EDI.MediaStatus <> "8"	StatToDoDAAC		11/05/90
513	-	3	-	~	CurrentCard	Matches(EDI.FMSOfferRel,/89/)	FMSOfferRel		11/05/90
513	-	3	~	-	CurrentCard	Matches(ED1.FHSOfferRel,/9/)	FMSOfferRel		11/05/90
513	-	3	m	~	CurrentCard	Matches(EDI.FMSFrtFwdr,/99/)	FMSFrtFwdr		11/05/90
513	-	11	-	-	CurrentCard	Matches(EDI.FMSFrtFwdr,/8/)	FMSFrtFwdr		11/05/90
513	-	14	7	4	CurrentCard		11PL ineitem		11/05/90
513	-	3	_	m	CurrentCard		FMSCase		11/05/90
513	-	2	-	-	CurrentCard		Signaticode		11/16/90
513	-	25	-	7	CurrentCard		FundCode		11/05/90
513	-	%	, _	m	CurrentCard	ED1.MDN ↔ **	NQI		11/05/90
513	-	7	~	_	CurrentCard	ED1.MDN = ""	Distribution		11/05/90
513	-	\$	-	~	CurrentCard		FMSSubcase		11/05/90
513	-	55	~	~	CurrentCard		Servise3		11/05/90
513	-	23	-	m	CurrentCard		Project		11/05/90
513	-	8	_	~	CurrentCard		Priority		11/05/90
513	-	૪	-	m	CurrentCard	EDI.TransDate <> ***		Substr(yymmdd2](EDI.TranaDate),2,3)	11/05/90
513	-	65	_	~	CurrentCard		AdviceCode		11/05/90
513	-	65	7	~	CurrentCard		Status		11/05/90
513	-	29	-	m	CurrentCard		PassingRIC		11/05/90
513	-	2	-	4	CurrentCard	EDI.EstShipDate <> ""		YYMDD2J(EDI.EstShipDate)	11/05/90
513	-	2	-	_	CurrentCard		FMSProgCode		11/05/90
513	-	ĸ	_	•	CurrentCard		GFMContract		11/05/90
513	-	2	-	~	CurrentCard	EDI.UnitPrice <> ""		LZero(EDI.UnitPrice,7)	11/05/90
514	-	-	-	m	CurrentCard		010		11/05/90
514	-	~ 7	-	m	CurrentCard	Matches(ED1.D1C,/[AU]E6 [AU]SH/)	TORIC		11/05/90
514	-	4	2	m	CurrentCard	Matches(ED1.D1C,/[AU]E[^6] [AU]B9/)	Fronkic		11/05/90
514	_	4	m	m	CurrentCard	Matches(ED1.D1C,/[AU][SU]9/)	Ownice		11/05/90
514	_	~	-	_	CurrentCard		Billode		11/05/90
514	-	~	~	_	CurrentCard		MediaStatus		11/16/90
514	-	•	-	5	CurrentCard		NSM		11/05/90
		,							

2 CurrentGard Islumaric(EDI.Ouantity) and CurrentGard Islumaric(EDI.Ouantity) CurrentGard Islumaric(EDI.Ouantity) CurrentGard Islumaric(EDI.Ouantity) CurrentGard Islumaric(EDI.Ouantity) CurrentGard Cit(Len(EDI.Ouantity) CurrentGard Curren	Sect 16d 71d S	ر د د	ظ د د	₹ :	St Ord Len Cardio	_	Field	Transformation	Date
5 CurrentCard Intimari (ctCi) Duant(ty) and IZEno(CM(Subart(ty,5)	: 22	•	; " ! _		urrentCard		UnitOfissue		11/05/90
2 SourcentCard GitLen(EDI.Quantity), and Litero(CMIStabert(EDI.Quantity), i.l.en(EDI.Quantity), i.l.en(EDI.Qua	X		-		urrentCard	<pre>laMumeric(ED1.Quantity) and GT(6,len(ED1.Quantity))</pre>		LZERO(EDI. Quantity, 5)	11/05/90
1 CurrentCard Bil.ShipToDoDAC + "" ard DocNosUffx 1 CurrentCard Ratches(EDI.SignalCode,/14-M3/) 2 CurrentCard Ratches(EDI.SignalCode,/14-M3/) 3 CurrentCard Ratches(EDI.SignalCode,/14-M3/) 4 CurrentCard Ratches(EDI.MediaStatus,/(650EGNMPGUZ]/) 5 CurrentCard EDI.RecLoc + "" ard Ratches(EDI.MediaStatus,/(650EGNMPGUZ]/) 6 CurrentCard EDI.RecLoc + "" ard Ratches(EDI.MediaStatus,/(650EGNMPGUZ]/) 7 CurrentCard Ratches(EDI.DIC,/UMJSH/) ard EDI.TransBate Project Subatr(yymmddZ)(EDI.TransBate) 8 CurrentCard Ratches(EDI.DIC,/UMJSH/) ard EDI.TransBate Project Subatr(yymmddZ)(EDI.TransBate) 9 CurrentCard Ratches(EDI.DIC,/UMJSH/) ard EDI.TransBate Project Subatr(yymmddZ)(EDI.TransBate) 1 CurrentCard Ratches(EDI.DIC,/UMJSH/) ard EDI.TransBate Project Subatr(yymmddZ)(EDI.TransBate) 1 CurrentCard Ratches(EDI.DIC,/UMJSH/) ard EDI.TransBate Project Subatr(yymmddZ)(EDI.TransBate) 1 CurrentCard Ratches(EDI.DIC,/UMJSH/) ard EDI.TransBate EDI.TransBate EDI.MitPrice, 7) 2 CurrentCard Ratches(EDI.DIC,/UMJSH/) ard EDI.TransBate EDI.TransBate EDI.TransBate EDI.MitPrice, 7) 3 CurrentCard Ratches(EDI.DIC,/UMJSH/) ard EDI.TransBate EDI.TransBate EDI.MitPrice, 7) 4 CurrentCard Ratches(EDI.DIC,/UMJSH/) ard EDI.MitPrice, 7) ED	X				urrentCard	<pre>laNumeric(EDI.Quantity) and GT(Len(EDI.Quantity),5)</pre>		LZero(CAT(Substr(EDI.Quantity,1,(Len(EDI.) uantity)-3)),"M"),5)	o 11/30/90
CurrentCard EDI.ShipTodoDAIC -= and ShipTodoDAIC ShipTodoD	욹	-	7		urrentCard		Doctio		11/05/90
6 CurrentCard RothState (BD1.ShipTodoAAC chilled and ShipTodoAAC 6 CurrentCard RothState (BD1.SignalCode, /Li-M31/) 6 CurrentCard RothState (BD1.SignalCode, /Li-M31/) 6 CurrentCard RothState (BD1.StateCode, /Li-M31/) 6 CurrentCard RothState (BD1.StateCode, /Li-M31/) 7 CurrentCard RothState (BD1.ShipTodoAAC chilled and BD1.TransDate chilled chilled and BD1.TransDate chilled chilled and BD1.TransDate chilled ch	4	•	_	ರ -	urrentCard		DocNoSuffix		11/05/90
6 CurrentCard EDI.StatioCookAC chair and Ratches(EDI.StgratCook, (EKT)) 6 CurrentCard Ratches(EDI.StgratCook, (EKT)) 7 CurrentCard EDI.RecLoc chair and Ratches(EDI.DIC,/LAU)SM/) and EDI.Tranabate StatioCookac CurrentCard C	10	•	_	ರ •	urrentCard	EDI.ShipToDoDAAC <> "" and Matches(EDI.SignalCode,/[J-MX]/)	Shiptobobac		11/05/90
6 CurrentCard 6 CurrentCard 7 CurrentCard 7 CurrentCard 8 CurrentCard 8 CurrentCard 9	\$. •			urrentCard	EDI.BillToDoDAAC <> "" and Matchae(EDI Cimplings / HHT)	BILITODODAAC		11/16/90
6 CurrentCard 1 CurrentCard 2 CurrentCard 3 CurrentCard 3 CurrentCard 4 CurrentCard 5 CurrentCard 5 CurrentCard 6 CurrentCard 7 CurrentCard 7 CurrentCard 8 CurrentCard 9	\$				urrentCard	EDI.StatToDoDAAC <> "" and Matches(EDI.MediaStatus,/[450EFGH#HPGUV2]/)	StatToDoDAAC		11/05/90
5 6 CurrentCard NotdCode 2 1 CurrentCard FundCode 3 1 CurrentCard FundCode 4 2 CurrentCard Profest 5 3 CurrentCard ServUse3 6 3 CurrentCard ServUse3 7 CurrentCard Project 8 CurrentCard Subatr(tyymmdd2)(EDI.TransDate),2,3) 9 CurrentCard Subatr(tyymmdd2)(EDI.TransDate),2,3) 1 3 CurrentCard Subatr(tyymmdd2)(EDI.TransDate),2,3) 2 2 CurrentCard Matches(EDI.DIC,/LWJ)EB/) and EDI.TransDate 2 3 CurrentCard Matches(EDI.DIC,/LWJ)EB/) and EDI.UnitPrice 2 4 CurrentCard Matches(EDI.DIC,/LWJ)S3/) and EDI.UnitPrice 2 CurrentCard Annexthes(EDI.DIC,/LWJ)S3/) and EDI.UnitPrice 2 CurrentCard Annexthes(EDI.DIC,/LWJ)S3/) and EDI.UnitPrice LZero(EDI.UnitPrice,7) SupStatus	8	•			urrentCard	EDI.Rectoc <> ""	Recloc		2/20/91
1 CurrentCard Signal Code Signal Code Signal Code 2 CurrentCard FundCode Distribution Dis	8		4		urrentCerd		Serv0se2		11/05/90
2 CurrentCard 1 CurrentCard 2 CurrentCard 3 CurrentCard 4 CurrentCard 5 SerVise3 5 CurrentCard 6 Matches(EDI.DIC,/LWJSH/) and EDI.TransDate 7 CurrentCard 8 Active Watches(EDI.DIC,/LWJES/) and EDI.TransDate 7 CurrentCard 8 Active Watches(EDI.DIC,/LWJS3/) and EDI.UnitPrice 8 Active Watches(EDI.DIC,/LWJS3/) and EDI.UnitPrice 9 Active Watches(EDI.DIC,/LWJS3/) and EDI.UnitPrice	_	-	_	ರ –	urrentCard		HoldCode		11/05/90
2 CurrentCard 3 CurrentCard 4 CurrentCard 5 CurrentCard 5 CurrentCard 6 CurrentCard 7 CurrentCard 8 CurrentCard 9	2	•	~	ರ -	urrentCard		SignelCode		11/16/90
1 CurrentGard 2 CurrentGard 3 CurrentGard 3 CurrentGard 4 Matches(EDI.DIC,/LAUJSN/) and EDI.TransDate 5 CurrentGard 5 CurrentGard 6 CurrentGard 7 CurrentGard 8 Matches(EDI.DIC,/LAUJS3/) and EDI.UnitPrice 8 CurrentGard 9 Matches(EDI.DIC,/LAUJS3/) and EDI.UnitPrice 9 CurrentGard 9 Cu	~		.,	ರ ~	urrentCard		FundCode		11/05/90
3 CurrentCard 2 CurrentCard 3 CurrentCard 3 CurrentCard 5 CurrentCard 5 CurrentCard 7 CurrentCard 8 CurrentCard 9 CurrentCard 7 CurrentCard 7 CurrentCard 8 CurrentCard 9 CurrentCard 7 CurrentCard 9 CurrentCard 7 CurrentCard 9 CurrentCard 7 CurrentCard 9 CurrentCard 9 CurrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 10 CurrentCard 10 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CarrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 10 CarrentCard 10 CarrentCard 10 CarrentCard 10 CarrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CarrentCard 15 CurrentCard 16 CarrentCard 17 CurrentCard 18 CarrentCard 19 CarrentCard 10 CarrentCard 11 CarrentCard 12 CarrentCard 13 CarrentCard 14 CarrentCard 15 CarrentCard 16 CarrentCard 17 CarrentCard 18 CarrentCard 19 CarrentCard 10 CarrentCard 10 CarrentCard 10 CarrentCard 10 CarrentCard 11 CarrentCard 11 CarrentCard 12 CarrentCard 13 CarrentCard 14 CarrentCard 15 CarrentCard 16 CarrentCard 17 CarrentCard 18 CarrentCard 19 CarrentCard 10 CarrentCard 17 CarrentCard 18 CarrentCard 18 CarrentCard 18 CarrentCard 19 CarrentCard 19 CarrentCard 19 CarrentCard 17 CarrentCard 17 CarrentCard 18 CarrentCard 18 CarrentCard 19 CarrentCard 10 CarrentCard 10 CarrentCard 17 CarrentCard 17 C	4		_	ٽ -	urrentCard		Distribution		11/05/90
2 CurrentCard 3 CurrentCard 4 CourrentCard 5 CurrentCard 5 CurrentCard 7 CurrentCard 8 CurrentCard 9 Project 9 Substr(YYMMD02J(EDI.ReleaseDate), 2, 3) 9 Project 9	•	••	6 1	ر م	urrentCard		NON		11/05/90
3 CurrentCard Aatches(EDI.DIC,/LAU)SM/) and EDI.TraneDate Substr(yymmdd2j(EDI.TraneDate),2,3) 3 CurrentCard EDI.ReleaseDate <> "" Substr(YYMMDD2J(EDI.ReleaseDate),2,3) 13 CurrentCard CurrentCard Hatches(EDI.DIC,/LAU)E9/) and EDI.TraneDate Substr(yymmdd2j(EDI.TraneDate), 2, 3) 2 CurrentCard Hatches(EDI.DIC,/LAU)S3/) and EDI.UnitPrice LZero(EDI.UnitPrice,7) 3 CurrentCard Hatches(EDI.DIC,/LAU)S3/) and EDI.UnitPrice LZero(EDI.UnitPrice,7) 4 CurrentCard SupStatus SupStatus	5		_	ರ ~	urrentCard		Servise3		11/05/90
3 CurrentCard 5 CurrentCard 7 CurrentCard 8	57	-	_	ರ m	urrentCard	Matches(EDI.DIC,/[AU]SN/) and EDI.Tranabate		Substr(yymmdd2](EDI.TraneDate),2,3)	11/05/90
3 CurrentCard 13 CurrentCard 2 CurrentCard 14 CurrentCard 3 CurrentCard 5 CurrentCard 5 CurrentCard 6 Matches(EDI.DIC,/[AU]E9/) and EDI.TransDate 7 CurrentCard 7 CurrentCard 7 CurrentCard 8 CurrentCard 6 Matches(EDI.DIC,/[AU]S3/) and EDI.UnitPrice 7 CurrentCard 7 CurrentCard 7 CurrentCard 8 CurrentCard 7 CurrentCard 8 CurrentCard 9 Priority 8 Substr(yymmdd2j(EDI.TransDate), 2, 3) 8 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 Priority 8 CurrentCard 19 Priority 8 CurrentCard 10 CurrentCard 10 CurrentCard 10 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 Priority 8 CurrentCard 19 Priority 8 CurrentCard 10 CurrentCard 10 CurrentCard 10 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 Priority 10 CurrentCard 19 Priority 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 19 CurrentCard 10 CurrentCard 17 CurrentCard 18 CurrentCard 18 CurrentCard 19 CurrentCard 19 CurrentCard 10 CurrentCard 17 CurrentCard 18 Cur	57	-4	W1	ರ ಕ	urrentCard		Project		11/05/90
13 CurrentCard 2 CurrentCard 3 CurrentCard 3 CurrentCard 4> and EDI.TransDate ShipUnitMbr 4> and EDI.TransDate Substr(yymmddZj(EDI.TransDate), 2, 3) 7 CurrentCard Matches(EDI.DIC,/[AU]S3/) and EDI.UnitPrice LZero(EDI.UnitPrice,7) 2 CurrentCard SupStatus SupStatus	57	1		ರ ಕ	urrentCerd	EDI.ReleaseDate <> ***		Substr(YYMMDD2J(EDI.ReleaseDate),2,3)	11/05/90
2 CurrentCard 17 CurrentCard 3 CurrentCard 4> and EDI.TransDate Substr(yymmdd2j(EDI.TransDate), 2, 3) 4 correntCard Matches(EDI.DIC,/[AU]S3/) and EDI.UnitPrice LZero(EDI.UnitPrice,7) 4> and EDI.UnitPrice LZero(EDI.UnitPrice,7) 4> and EDI.UnitPrice SupStatus 5 CurrentCard SupStatus	3	_	=		urrentCard		PIIM		11/05/90
ShipUnitWbr Substr(yymmdd2j(EDI.TransDate), 2, 3) CurrentCard Matches(EDI.DIC,/[AU]S3/) and EDI.UnitPrice LZero(EDI.UnitPrice,7) CurrentCard Anatches(EDI.DIC,/[AU]S3/) and EDI.UnitPrice LZero(EDI.UnitPrice,7) CurrentCard SupStatus	8	. •	.,	_	urrentCard		Priority		11/05/90
3 CurrentCard Matches(EDI.DIC,/[AU]EB/) and EDI.TranaDate Substr(yymmddZj(EDI.TranaDate), 2, 3) 7 CurrentCard Matches(EDI.DIC,/[AU]S3/) and EDI.UnitPrice LZero(EDI.UnitPrice,7) 2 CurrentCard SupStatus	8	-,	7	7	urrentCard		ShipUnitMbr		11/05/90
7 CurrentCard Matches(EDI.DIC,/LAUJS3/) and EDI.UnitPrice LZero(EDI.UnitPrice,7) 4> MM 5 CurrentCard SupStatus	3	-	_	ರ ೯	urrentCard	Matches(EDI.DIC,/[AU]E9/) and EDI.Tranabate		Substr(yymmdd2j(EDI.TraneDate), 2, 3)	11/05/90
1 2 CurrentCard SupStatus	3	••			urrentCard	Matches(EDI.DIC,/[AU]S3/) and EDI.UnitPrice		LZero(EDI.UnitPrice,7)	11/05/90
	\$				ırrentCerd		SupStatus		11/05/90

	Date	11/05/90	11/05/90	11/05/90		11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90		11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/16/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90		3/29/91	3/29/91	11/05/90
	Trensformation			yymmdd2j(EDI.EstShipDate)				Lzero(ED1.UnitPrice,7)			LZERO(ED1.Minorder,5)		yymmdd2j(EDI.EstShipDete)											LZERO(ED1.Quentity,5)								
	Field		LastRIC			Denial Mamt	Callorder		Supcondicode	ShippooMc		FedSchedNbr			Shipment Mode	20	UlCorrect	010	TORIC	FromRIC	MediaStatus	NSN	Unit Of Issue		Quentity	DocNo	DocNoSuffix	StatToDoDAAC		Shipfrom	CreditTo	Servuse2
	Condition	Matches(ED1.DIC,/[AU]E6 [AU]SH/)	Matches(EDI.DIC,/[AU]E[^6]/)	EDI.EstShipDate<>*** and	Matches(EDI.DIC,/[AU]E9/)			EDI.UnitPrice <> ""		Matches(EDI.DIC,/LAUJSY/)	EDI.Minorder<>""		EDI.EstShipDate<>*** and	Matches(EDI.DIC,/[AU]Ba/)					Matches(EDI.DIC,/FT[ACEFGLMT]/)	Matches(EDI.DIC,/FT[60RQ2]/)				1sNumeric(EDI.Quentity)				EDI.StatToDoDAAC <> "" end	Matches(EDI.MediaStatus,/[45]/)	EDI.Shipfrom <> "" and Matches(EDI.SignalCode, /[J-MX]/)	EDI.Creditto <> "" and	Matches(EDI.SignalCode,/[BKJ/)
	St Ord Len CardNo	CurrentCard	CurrentCard	CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard	CurrentCard	CurrentCard
	P	m	m	4		_	*	_	-	9	2	5	4		-	m	~	m	m	m	-	_ *	~	~	S	*	_	•		•	•	•
	9 :	67	5 29	٦ ا		2	۲2 ا	7	74 2	K	76 1	76 2	1 2		7	120	2	-	•	7	_	•	2	23	22	38	2	Ň		45 2	45 3	45 4
Ç		•	•	1		1	1	1	1 7	1	1 7	1	1		1 7	1 7	1	_	_	_	_	_	1 2	1 2	1 2	1	4	1		•	-	7
Sect	16d 11d	514	*	*		*	*	*	<u>*</u>	*	*	*	*		*	*	7	2	2	2	2	<u>~</u>	5	<u>~</u>	5	515	₹.	2		∑	5	<u>~</u>
	2	2	514	514		514	514	514	514	514	514	514	514		514	514	514	515	515	515	515	515	515	515	515	2	515	515		\$15	515	515

Date	11/16/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90			11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/05/90	11/16/90	11/05/90	11/05/90	11/05/90	16/52/2
Transformation					Substr(yymmdd2](EDI.ReleaseDate),2,3)	Substr(yywmdd2](ED1.EstShipDate),2,3)			Substr(yymmdd2j(EDI.TransDate),2,3)	Substr(yymmddZj(EDI.MatlRcvOstel),2,3)	Substr(yymmdd2](ED1.MatiRcvOate2),2,3)						yywmdd2j(EDI.ExpRplyOate)			LZero(ED1.ExpCredit,9)		LZero(EDI.UnitPrice,7)										LZERO(ED1.Quentity,5)	Purch/Substr(FDI. Quantity, 2.5), 1)
Field	SignalCode	FundCode	ReceiveRic	Project			Priority	ShipUnitNbr				AdviceCode	SupStatus	FromRIC	TORIC	LastRic		Servise3	Supcondcode		Demiliter		ShipmentMode	010	TORIC	FromRIC	InvType	Billcode	MediaStatus	NSM	UnitOf1ssue		
Condition					EDI.ReleaseDate <> ""	ED].EstShipDate <> ""			EDI.TranaDate <> ""	EDI.MatiRcvDate1 <> ""	EDI.MatiRcvDate2 <> ""			Matches(EDI.DIC,/FT (ACEFG)/)	Metches(EDI.DIC,/FTZ/)	Matches(EDI.DIC,/FT[OR]/)	EDI.ExpRplyDate <> ""			EDI.ExpCredit <> ""		EDI.UnitPrice <> ""				Matches(ED1.DIC,/FRH/)						IsHumeric(EDI.Quentity)	
St Ord Len CardNo	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	3 CurrentCard	3 CurrentCard	CurrentCard	6 CurrentCard	1 CurrentCard	1 CurrentCard	9 CurrentCend	2 CurrentCard	7 CurrentCard	1 CurrentCard	3 CurrentCard	3 CurrentCard	3 CurrentCard	1 CurrentCard	1 CurrentCard	1 CurrentCard	5 CurrentCard	2 CurrentCard	S CurrentCard	
ط ارم ا	: -	~	m	m	m	m	~	17	m	m	m	17	•••		•	-1	•				-									_			

e ri	Sect								
16d 11d		St	PJO	٤	St Ord Len Cardio		Field		Date
516	-	3	~	m	CurrentCard	EDI.LatestDO <> ""		CAT("X",DiffMonths(EDI.LatestDD,DocNo2Dat(11/05/90	11/05/90
								EDI.DocNo)))	
516	-	જ	m	m	CurrentCard	EDI.EarliestDD <> ""		CAT("S", DiffMonths(EDI.EarliestDD, DocNo2Da 11/05/90	11/05/90
								t(EDI.DocNo)))	
516	_	3	•	m	CurrentCard	ED1.Spec = "A"		CAT("A",DiffHonths(EDI.RDD,DocNo2Dat(EDI.D	3/07/91
								oci(o)))	
516	-	3	~	m	CurrentCard	Matches(ED1.Spec,/[EFNR]/)		CAT(ED1.Spec,DiffDays(ED1.RDD,DocNo2Dat(ED	3/07/91
								1.DocNo),2))	
516	-	3	•	m	CurrentCard	EDI.Spec <> ""	Spec		11/05/90
516	-	3	~	-	CurrentCard		Metalind		11/05/90
516	-	3	•	\$	CurrentCard		0110		11/05/90
516	_	3	_	-	CurrentCard		ADPEId		11/05/90
516	_	\$	_	-	CurrentCard		Disposal Auth		11/05/90
516	_	\$	-	~	CurrentCard		AdviceCode		11/05/90
516	_	\$9	~	-	CurrentCard		Demiliter		11/05/90
516	_	\$	m	~	CurrentCard		SupStatue		11/05/90
516	_	8	-	-	CurrentCard		Reclamation		11/05/90
516	_	29	_	m	CurrentCard	Not Matches(EDI.DIC,/CAU)[RU][0AB] [CAU]RH/)	FromRIC		11/05/90
516	-	2	_	-	CurrentCard	EDI.OwnerCode <> ""	OwnerCode		11/05/90
516	-	2	~	-	CurrentCard	EDI.Purpose <> ""	Purpose		11/05/90
516	-	~	_	-	CurrentCard		Supcondcode		11/05/90
516	-	2	-	-	CurrentCard		GMFMgtCode		11/05/90
516	-	R	-	•	CurrentCard	EDI.SourceDate <> ***		YYMMD02J(EDI.SourceDate)	11/05/90
516	-	ĸ	7	-	CurrentCard	Matches(EDI.ServUse4,/8/)	Servise		11/05/90
516	-	R	*	•0	CurrentCerd		Servuses		11/05/90
516	-	2	_	~	CurrentCard	EDI.UnitPrice <> ""		Lzero(ED1.UnitPrice,7)	11/05/90
516	-	1	_	-	CurrentCard		Sh i pment Mode		11/05/90
516	-	2	_	m	CurrentCard	Matches(EDI.DIC,/[AU][RU][0AB]/) and		Substr(yymmdd2j(ED1.AvlShipDate),2,3)	11/05/90
						EDI.AvishipDate <> ""			
516	-	2	2	m	CurrentCard	Metches(EDI.DIC,/[AU] (RU] [0AB]/)	FromRIC		11/05/90
517	-	-	_	m	CurrentCard		010		11/06/90
517	-	4	-	₩1	CurrentCard		RIC		11/06/90
213	-	^		•	CurrentCard	Matches(EDI.DIC./[AU]P8/)	DoDAAC7		11/06/90
:		•		•					•

2 CurrentGard 3 CurrentGard 4 CurrentGard 5 CurrentGard 5 CurrentGard 5 CurrentGard 6 EDI.MbrinBatch ← "" Unitofisus 7 CurrentGard 7 Curr	Sect 16d 11d S	ا تو	rd L	£ :	St Ord Len CardNo	Condition	Field	Transformation	Date
15 CurrentCard 15 CurrentCard 15 CurrentCard 15 CurrentCard 15 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 19 CurrentCard 10 CurrentCard 10 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 19 CurrentCard 10 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 10 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 10 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 10 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CurrentCard 17 CurrentCard 18 CurrentCard 19 CurrentCard 10 CurrentCard 10 CurrentCard 11 CurrentCard 12 CurrentCard 13 CurrentCard 14 CurrentCard 15 CurrentCard 16 CarrentCard 17 CarrentCard 18 CarrentCard 19 CarrentCard 10 CarrentCard 10 CarrentCard 11 CarrentCard 12 CarrentCard 13 CarrentCard 14 CarrentCard 15 CarrentCard 16 CarrentCard 17 C		, .,	: ~:		urrentCard		ProgramCode		11/06/90
1 CurrentCard EDI. Mbrindatch co === Partible 2 CurrentCard Lakumerlc(EDI. Quantity) CurrentCard 3 CurrentCard Lakumerlc(EDI. Quantity) CurrentCard 4 CurrentCard Lakumerlc(EDI. Quantity) CurrentCard 5 CurrentCard EDI. LatoffOate co === DocHoSuff ix 6 CurrentCard EDI. ShiptoGodALC co === ShiptoGodALC 9 CurrentCard EDI. ShiptoGodALC co === ShiptoGodALC 1 CurrentCard EDI. StantoGodALC co === ShiptoGodALC 2 CurrentCard EDI. StantoGodALC co === ShiptoGodALC 4 CurrentCard EDI. StantoGodALC co === ShiptoGodALC 5 CurrentCard EDI. StantoGodALC co === ShiptoGodALC 6 CurrentCard EDI. StantoGodALC co == ShiptoGodALC 7 CurrentCard EDI. StantoGodALC StantoGodALC 8 CurrentCard EDI. Lorandate co == ShiptoGodALC 9 CurrentCard EDI. Lorandate co == ShiptoGodALC 1 CurrentCard EDI. Lorandate co == ShiptoGodALC 2 CurrentCard EDI. Lorandate co == ShiptoGodALC 3 CurrentCard EDI. Lorandate co == ShiptoGodALC 4 CurrentCard EDI. Lorandate co == ShiptoGodALC 5 CurrentCard EDI. Lorandate co == ShiptoGodALC 6 CurrentCard EDI. Lorandate co == ShiptoGodALC 7 CurrentCard EDI. Lorandate co == ShiptoGodALC 8 CurrentCard EDI. Lorandate co == ShiptoGodALC 9 CurrentCard EDI. Trandate co == ShiptoGodALC 1 CurrentCard EDI. Trandate co == ShiptoGodALC 2 CurrentCard EDI. Trandate co == ShiptoGodALC 3 CurrentCard EDI. Trandate co == ShiptoGodALC 4 CurrentCard EDI. Trandate co == ShiptoGodALC 5 CurrentCard EDI. Trandate co == ShiptoGodALC 6 CurrentCard EDI. Trandate co == ShiptoGodALC 7 CurrentCard EDI. Trandate co == ShiptoGodALC 8 CurrentCard EDI. Trandate co == ShiptoGodALC 9 CurrentCard EDI. Trandate co == ShiptoGodALC 10 CurrentCard EDI. Trandate co == ShiptoGodALC 11 CurrentCard EDI. Trandate co == ShiptoGo	_		,	4	urrentCard		BatchCtlWbr		11/06/90
15 CurrentCard ED1.MbrimBatch + "" Unitofiasue L2ero(ED1.MbrimBatch, 3) 2 CurrentCard L3Mumeric(ED1.Quantity) CurrentCard L3Mumeric(ED1.Quantity) CurrentCard L3Mumeric(ED1.Quantity) CurrentCard L3Mumeric(ED1.Quantity) CurrentCard ED1.SutitoDoDAC + "" and Matches(ED1.SignalCode,/[WX]/) ShiptoDoDAC StattoODAAC ShiptoDoDAC StattoODAAC ShiptoDoDAC L3Mumeric(ED1.SignalCode,/[WX]/) StattoODAAC StattoO	~	•	•	-	urrentCard		MediaStatus		11/16/90
1 2 CurrentCard CED1.Nbr1rNatch ← **** Unitofissue LZERO(ED1.Nbr1rNatch, 3) 2 2 CurrentCard LZERO(ED1.Ouantity, 5) CurrentCard LZERO(ED1.Ouantity, 5) CurrentCard CurrentCard CountCard CountCard CurrentCard CurrentCa	•	٠	_	_	urrentCard		Partitor		11/06/90
2 CurrentCard InNumerIc(EDI.Quantity) Quantity CurrentCard InNumerIc(EDI.Quantity) Quantity CurrentCard CurrentCard EDI.CutoffOate > "" Dockloom TYMMOD2J(EDI.CutOffDate) 1 CurrentCard EDI.StriptCooMAC > "" and StriptCooMAC Matches(EDI.StgratCode, [M2]) StriptCooMAC Matches(EDI.StgratCode, [M2]) StriptCooMAC StriptCooMAC Matches(EDI.StgratCode, [M2]) StriptCooMAC StriptCooMAC StriptCooMAC Matches(EDI.Mac) StriptCooMAC StriptCooMAC Matches(EDI.Mac) StriptCoomac Str	-	-	_	2	urrentCard	EDI.NbrinBatch <> ""		LZero(EDI.NbrinBatch,3)	11/06/90
5 CurrentCard InNumeric(ED1.Quantity) Quantity 14 CurrentCard ED1.CutoffDate -> "" Dockloo 15 CurrentCard ED1.ShipToDoDAC -> "" and ShipToDoDAC 16 CurrentCard ED1.ShipToDOAC -> "" and ShipToDOAC 17 CurrentCard ED1.StrattcDoAC -> "" and ShipToDOAC 18 CurrentCard ED1.StrattcDoAC -> "" and ShipToDOAC 19 CurrentCard ED1.DuaDate -> "" and ShipToDOAC 19 CurrentCard ED1.DuaDate -> "" and ShipToDOAC 19 CurrentCard ED1.DuaDate -> "" and ShipToDOAC 19 CurrentCard ED1.TransDate -> "" and ShipToCode FrontCard ED1.TransDate -> "" and Service Ser	2	•	-	7	urrentCard		Unit of Issue		11/06/90
2 5 CurrentCard 14 CurrentCard 2 6 CurrentCard 3 1 CurrentCard 4 CurrentCard 5 CurrentCard 5 CurrentCard 5 CurrentCard 6 CurrentCard 6 CurrentCard 7 CurrentCard 8 Current	X	-	_	ر د	urrentCard	isNumeric(EDI.Quantity)		LZERO(EDI.Quantity,5)	11/06/90
1 CurrentCard EDI.CutOffDate <> "" YMM0D2J(EDI.CutOffDate) 4 CurrentCard EDI.ReceiptDate <> "" YMM0D2J(EDI.CutOffDate) 5 CurrentCard EDI.ShipiCocOAAC <> "" and Matches(EDI.SignalCocde, /(J+NL)/) 6 CurrentCard EDI.ShipiCocOAAC <> "" and Matches(EDI.SignalCocde, /(J+NL)/) 7 CurrentCard EDI.ShipiCocOAAC Service Service SignalCocde Service SignalCocde Service SignalCocde Service SignalCocde Service SignalCocde Service Se	ĸ	. •	~	2	urrentCard		Quantity		11/06/90
4 CurrentCard EDI.SucoiptDate <> "" YYMBOD2/(EDI.ReceiptDate) 1 CurrentCard EDI.ShipTobODAC <> "" and ShipTobOAAC 1 CurrentCard EDI.ShipTobODAC <> "" and ShipTobOAAC 2 CurrentCard EDI.StartCoobA/(** and Matches(EDI.SignalCode,/[J+MX]/) 3 CurrentCard EDI.StartCoobA/(** and Matches(EDI.NeciEDI.ReceiptDate) 4 CurrentCard EDI.StartCoobA/(** and Matches(EDI.NeciEDI.ReciPodAAC 5 CurrentCard EDI.StartCoobA/(** and Matches(EDI.NeciEDI.ReciPodAAC 6 CurrentCard EDI.StartCoobA/(** and Matches(EDI.NeciEDI.ReciPodAAC 7 CurrentCard EDI.StartCoobA/(** and Matches(EDI.NeciEDI.ReciPodAAC 7 CurrentCard EDI.StartCoobA/(** and Services 8 CurrentCard EDI.StartCoobA/(** and Services 9 CurrentCard EDI.StartCard EDI.StartCardCard EDI.StartCardCard EDI.StartCardCard EDI.StartCardCard EDI.StartCardCard EDI.StartCardCard Services 9 CurrentCard EDI.StartCardCard EDI.StartCardCard Services 9 CurrentCard EDI.StartCardCard EDI.StartCardCard Services 9 CurrentCard EDI.StartCardCardCardCardCardCardCardCardCardCard	R		-	7	urrentCard		DocNo		11/06/90
1 CurrentCard EDI.ShiptObOAAC + "" and bocHoSuffix YMMDD2J(EDI.ReceiptDate) 1 CurrentCard EDI.ShiptObOAAC + "" and BillTobOAAC BillTobOAAC + "" and BillTobO	×	_	_	•	CurrentCard			YYMMOD2J(EDI.CutOffDate)	11/06/90
1 CurrentCard Rether(EDI.StgratCode,/(EMI/)) 2 6 CurrentCard EDI.StlpToDoDAAC -> "" and ShipToDoDAAC Batchee(EDI.StgratCode,/(EMI/)) 3 6 CurrentCard EDI.StartCoDOAAC -> "" and Matchee(EDI.StgratCode,/(EMI/)) 4 6 CurrentCard EDI.DueDate -> "" and Matchee(EDI.DueDate -> "" and SignalCode FundCode 1 1 CurrentCard EDI.DueDate -> "" SignalCode FundCode 1 2 CurrentCard EDI.TransDate -> "" and Batchee(EDI.Dic,/(AMI)QV/) 2 CurrentCard EDI.TransDate -> "" and Batchee(EDI.Dic,/(AMI)QV/) 3 CurrentCard EDI.TransDate -> "" and AdviceCode 1 3 CurrentCard EDI.TransDate -> "" and ServUse3 2 CurrentCard EDI.TransDate -> "" and AdviceCode ServUse4 3 CurrentCard EDI.TransDate -> "" and ServUse3 4 CurrentCard EDI.TransDate -> "" and ServUse3 5 CurrentCard EDI.TransDate -> "" and ServUse3 6 CurrentCard EDI.TransDate -> "" and ServUse3 7 CurrentCard EDI.TransDate -> "" and ServUse3 8 EVAICECOOLE ServUse3 9 CurrentCard EDI.TransDate -> "" and ServUse3 9 Friority Substr(YMMD02J(EDI.TransDate),2,3) 9 AdviceCode ServUse3 9 CurrentCard EDI.TransDate -> "" and ServUse3 9	5		_	4	CurrentCard	EDI.ReceiptDate <> ""		YYMD02J(EDI.ReceiptDate)	11/06/90
1 6 CurrentCard ED1.ShipTobobAC + "" and ShipTobobAC SignalCode,/[U-MX]/) 2 6 CurrentCard Ratches(ED1.SignalCode,/[U-MX]/) 3 6 CurrentCard Ratches(ED1.SignalCode,/[WX]/) 4 6 CurrentCard Ratches(ED1.MediaStatus,/[450EFGHMMPQU/2]/) 5 6 CurrentCard Ratches(ED1.MediaStatus,/[450EFGHMMPQU/2]/) 6 6 CurrentCard Ratches(ED1.MediaStatus,/[450EFGHMMPQU/2]/) 7 1 CurrentCard ED1.DueDate <> "" SignalCode FundCode FundC	3			_	CurrentCard		DocNoSuffix		11/06/90
2 6 CurrentCard EDI.BitLTDODAMC + "" and hatches(EDI.SignalCode,/[81]/) 3 6 CurrentCard EDI.SignalCode,/[81]/) 4 6 CurrentCard EDI.StartGoDAMC + "" and hatches(EDI.NediaStatus,/[450EGNMNIPQU/Z]/) 5 6 CurrentCard EDI.DueDate <> "" SignalCode fundCode fundC	\$		_	9	urrentCard	EDI.ShipToDoDAAC <> "" and	ShiptobooAAC		11/06/90
2 6 CurrentCard EDI.BillTobobAC > "" and BillTobobAC Matches(EDI.SignalCode,/[BK]/) StatTobobAC Matches(EDI.NediaStatus,/[450EfGHMMPQUVZ]/) SerVise2 Matches(EDI.MediaStatus,/[450EfGHMMPQUVZ]/) SerVise2 Matches(EDI.MediaStatus,/[450EfGHMMPQUVZ]/) SerVise2 Matches(EDI.MediaStatus,/[450EfGHMMPQUVZ]/) SerVise2 Matches(EDI.MediaStatus,/[450EfGHMMPQUVZ]/) SerVise2 Matches(EDI.MediaStatus,/[450EfGHMMPQUVZ]/) SerVise2 Matches(EDI.MediaStatus,/[450EfGHMMPQUVZ]/(EDI.MediaStatus,/[450EfGHMMPQUZ]/(EDI.MediaStatus,/[450EfGHMMPQUZ]/(EDI.MediaStatus,/[450EfGHMMPQUZ]/(EDI.MediaStatus,/[450EfGHMMPQUZ]/(EDI.MediaStatus,/[450EfGHMMPQUZ]/(EDI.MediaStatus,/[450EfGHMMPQUZ]/(EDI.MediaStatus,/[450EfGHMMPQUZ]/(EDI.MediaStatus,/[450EfGHMMPQUZ]/(EDI.MediaStatus,/[450EfGHMMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,/[450EfGHMPQUZ]/(EDI.MediaStatus,//[450EfGHMPQUZ]/(EDI.Medi						Matches(EDI.SignalCode,/[J-MX]/)			
Matches(EDI.StarToboDAAC + "" and StarToboDAAC StarToboDAAC BI.StarToboDAAC BI.StarToboDAAC BI.StarToboDAAC BI.StarToboDAAC BI.StarToboDAAC Service2 TourentCard EDI.DueDate + "" and SignalCode FundCode FundCod	53				CurrentCard	EDI.BillTcDcDAAC <> "" and	BILLTODODAAC		11/16/90
3 6 CurrentCard Ratches(EDI.MediaStatus,/[45DEfGHMMPQUVZ]/) 4 6 CurrentCard EDI.DueDate <> "" SignalCode FundCode FundCode Distribution NDM Services						Matches(EDI.SignalCode,/[8K]/)			
4 6 CurrentCard EDI.DueDate <> "" SignalCode FurrentCard EDI.DueDate <> "" SignalCode FurrentCard EDI.DueDate <> "" SignalCode FurrentCard EDI.TransDate <> "" SignalCode FurrentCard EDI.TransDate <> "" SignalCode FurrentCard Project Proje	45				SurrentCard	EDI.StatToDoDAAC <> "" and	StatToDoDAAC		11/06/90
Servise2 YYMMD02J(EDI.DueDate) SignalCode FundCode Distribution NDN Servise3 Project Priority Substr(YYMMD02J(EDI.TransDate),2,3) AdviceCode Servise4 EDI.TransDate <> "" and Servise5						Matches(EDI.MediaStatus,/[450EfGHMNPQUV2]/)			
EDI.DueDate <> "" SignalCode FundCode FundCode Distribution MDN ServUse3 Project Priority Substr(YYMMDD2J(EDI.TransDate),2,3) AdviceCode ServUse4 EDI.TransDate <> "" and ServUse4 EDI.TransDate <> "" and Matches(EDI.DIC,/(AU)qV/) AdviceCode ServUse4 Substr(YYMMDD2J(EDI.TransDate),2,3) AdviceCode ServUse4 EDI.TransDate <> "" and ServUse4 EDI.TransDate <> "" and ServUse4 EDI.TransDate),2,3)	45	-	4	•	CurrentCard		Serv0se2		11/06/90
SignalCode FundCode Distribution MDN ServUse3 Project Project Priority Substr(YYMMDD2J(EDI.TransDate),2,3) AdviceCode ServUse4 EDI.TransDate <> *** and ServUse4 EDI.TransDate <> **** and ServUse4 EDI.TransDate <> **** and ServUse4	3		_	4	CurrentCard			YYMMDD2J(EDI.DueDate)	11/06/90
FundCode Distribution MDN ServUse3 Project Priority Substr(YYMMDD2J(EDI.TransDate),2,3) AdviceCode ServUse4 EDI.TransDate <> *** and *** Substr(YYMMDD2J(EDI.TransDate),2,3) Matches(EDI.DIC,/IAU)qV/) AdviceCode ServUse4 EDI.TransDate <> *** and *** Substr(YYMMDD2J(EDI.TransDate),2,3)	2			-	CurrentCard		Signalcode		11/16/90
1 CurrentCard Distribution Dis	52		_	~	CurrentCard		FundCode		11/06/90
2 3 CurrentCard 1 2 CurrentCard 1 3 CurrentCard 1 3 CurrentCard 2 CurrentCard 3 CurrentCard 4 2 CurrentCard 5 CurrentCard 6 EDI.TransDate <> *** and 7 CurrentCard 7 CurrentCard 8 CurrentCard 9 CurrentCard 1 3 CurrentCard 1 4 CurrentCard 1 5 CurrentCard 1 6 CurrentCard 1 7 CurrentCard 1 7 CurrentCard 1 7 CurrentCard 1 8 CurrentCard 1 8 CurrentCard 1 9 CurrentCard 1 9 CurrentCard 1 1 CurrentCard 1 2 CurrentCard 1 3 CurrentCard 1 3 CurrentCard 1 3 CurrentCard 1 4 CurrentCard 1 5 CurrentCard 1 5 CurrentCard 1 7 CurrentCard 1 8 CurrentCard 1 8 CurrentCard 1 9 CurrentCard 1 9 CurrentCard 1 9 CurrentCard 1 1 CurrentCard 1 2 CurrentCard 1 3 CurrentCard 1 3 CurrentCard 1 3 CurrentCard 1 3 CurrentCard 1 4 CurrentCard 1 5 CurrentCard 1 7 CurrentCard 1	×		_	_	CurrentCard		Distribution		11/06/90
1 2 CurrentCard 1 3 CurrentCard 1 3 CurrentCard 2 CurrentCard 3 CurrentCard 4 EDI.TransDate <> *** and *** AdviceCode *** and *** Servise4 *** and *** Substr(YYM*DD2J(EDI.TransDate),2,3) 1 3 CurrentCard EDI.TransDate <> *** and *** Servise4 *** and *** Substr(YYM*DD2J(EDI.TransDate),2,3)	×	•	2	m	CurrentCard		N.		11/06/90
Project 1	3		-	~	SurrentCand		ServUse3		11/06/90
Priority EDI.frameDate <> "" and Matches(EDI.DIC,/[AU]QV/) AdviceCode Servüse4 EDI.frameDate <> "" and Substr(YYM*DD2J(EDI.TransDate),2,3)	1 5			- M	JurrentCard		Project		11/06/90
1 3 CurrentCard EDI.TransDate <> "" and Matches(EDI.DIC,/[AU]QV/) 1 2 CurrentCard AdviceCode ServUse4 1 3 CurrentCard EDI.TransDate <> "" and Substr(YYM*DD2J(EDI.TransDate),2,3) 1 3 CurrentCard EDI.TransDate <> "" and Substr(YYM*DD2J(EDI.TransDate),2,3)	: 5			. ~	CurrentCard		Priority		11/06/90
1 2 CurrentCard 1 3 CurrentCard 1 3 CurrentCard EDI.TransDate <> *** and 1 3 CurrentCard EDI.TransDate <> *** and 1 3 CurrentCard EDI.TransDate >> *** and 1 3 CurrentCard EDI.TransDate >> *** and	3		_	m	CurrentCard	EDI.framaDate <> "" and Matches(EDI.DIC,/[AU]9V/)		Substr(YYMMD02J(EDI.TremsDate),2,3)	11/06/90
1 3 CurrentCard EDI.TransDate <> *** and ** Substr(YYMEDD2J(EDI.TransDate),2,3) 1 3 CurrentCard EDI.TransDate <> *** and *** Substr(YYMEDD2J(EDI.TransDate),2,3)	2		_	~	CurrentCard	•	AdviceCode		11/06/90
1 3 CurrentCard EDI.TransDate <> *** and Substr(YYM*DD2J(EDI.TransDate),2,3)	\$	_	_	m	CurrentCard		Servise4		11/06/90
	2	_	-	m	SurrentCard	EDI.TrameDate <> *** and *** seches/EDI DIT / TANDON)	٠	Substr(YYMMDD2J(EDI.TransDate),2,3)	11/06/90

-
0
_
Ň
-
4

_	
_	
8	
_	
~	
_	
w	
œ	
ш	
_	
•	
_	
_	
S.	
v.	
۰	
=	
0	
N)	
_	
_	
0	
-	
•	

Page 16

3	St Ord Len Cardillo	Condition	Field	Transformation	Date
Ž	CurrentCard	٠٠ سيه ١٠		Substr(YYMMD02J(EDI.RespOnte),2,3)	11/06/90
Ž	CurrentCard	Matches(EDI.DIC,/LAUJW//) EDI.TransDate <> Mm		Substr(YYMMD02J(EDI.TransDate),2,3)	11/06/90
3	CurrentCard		11 COData		11/04/30
Ž	CurrentCard		010		11/06/90
Š	CurrentCard		FromRIC		11/06/90
3	CurrentCard		ProgramCode		11/06/90
3	CurrentCard		MediaStatus		11/16/90
2	CurrentCard		NSM		11/06/90
3	CurrentCard		Unit of Issue		11/06/90
3	CurrentCard	IsMumeric(EDI.Quentity)		LZero(ED].Quentity,5)	11/06/90
3	CurrentCard		Quentity		11/06/90
3	CurrentCard		Docko		11/06/90
3	CurrentCend		DockoSuffix		11/06/90
3	CurrentCard	EDI.ShipTobobAAC <> "" and	ShipToDoDAAC		11/06/90
		Matches(ED1.SignalCode,/[J-HX]/)			
3	CurrentCard		BILLTODODAAC		11/16/90
		Matches(EDI.SignalCode,/[BK]/)			
3	CurrentCard		Serv0se2		11/06/90
Ž	CurrentCard		SignelCode		11/16/90
2	CurrentCard		FundCode		11/06/90
3	CurrentCard		Distribution		11/06/90
2	CurrentCard		NO		11/06/90
3	CurrentCard		Serv0se3		11/06/90
2	CurrentCard		Project		11/06/90
5	CurrentCard		Priority		11/06/90
į	CurrentCard	EDI.ReiDate <> **		Substr(YYMMD02J(EDI.RelDate),2,3)	11/06/90
3	CurrentCard		Status		11/06/90
ā	CurrentCard	EDI.CutOffDate <> ""		Substr(YYMMDD2J(ED1.CutOffDate),2,3)	11/06/90
Š	CurrentCard	EDI. DueDate <> ***		Subatr(YYMMD02J(EDI.DueDate),2,3)	11/06/90
Ę	CurrentCard		1.cobete		11/06/90
ج	CurrentCard		DIC		11/06/90

;	ord .	<u>.</u>	St Ord Len CardNo	Condition	Field	Transformation	Date
4	-	m	CurrentCard		TORIC		11/07/90
^	_	-	CurrentCard		MediaStatus		11/16/90
€0	_	15	CurrentCard		PartMbr		11/06/90
23	-	7	CurrentCard		UnitOf Issue		11/06/90
ĸ	_	ار	CurrentCard	isNumeric(ED).Quantity)		LZERO(EDI.Quantity,5)	11/06/90
ĸ	~	~	CurrentCard		Quentity		11/06/90
30	-	2	CurrentCard		DocNo		11/06/90
3	-	_	CurrentCard	EDI.DocNoSuffix <> ""	DocNoSuffix		11/06/90
\$	~	-	CurrentCard	EDI.DemandCode <> ""	DemandCode		11/06/90
\$\$	-	_	CurrentCard		FMSServCode		11/06/90
\$	~	7	CurrentCard		llPYear		11/06/90
45	m	•	CurrentCard	EDI.ShiptobobAc <> "" and	ShipToDoDAAC		11/07/90
				Matches(ED1.SignalCode,/[J-MX]/)			
4 5	•	•	CurrentCard	EDI.BillToDoDAAC <> "" and	BILLTODODAAC		11/16/90
				Matches(ED1.SignalCode,/[BK]/)			
\$	~	•	CurrentCard	EDI.StatToboDAAC <> "" and	StatToDoDAAC		11/07/90
				Matches(EDI.MediaStatus,/[450EFGHMNPQUV2]/)			
4 5	•	•	CurrentCard		ServUse2		11/07/90
3	_	7	CurrentCard	Matches(EDI.FMSOfferRel,/89/)	FNSOfferRel		11/06/90
3	~	_	CurrentCard	Matches(ED1.fMSOfferRel,/8/)	FNSOfferRel		11/06/90
3	m	~	CurrentCard	Matches(EDI.FMSFrtFwdr,/89/)	FMSFrtfwdr		11/06/90
47	-	_	CurrentCard	Matches(ED1.FMSFrtFwdr,/8/)	FMSFrtfwdr		11/06/90
14	~	4	CurrentCard		1LPL ineitem		11/06/90
3	_	m	CurrentCard		FMSCase		11/06/90
2	-	_	CurrentCard		SignalCode		11/16/90
25	-	~	CurrentCard		FundCode		11/06/90
25	~	~	CurrentCard	EDI.DatePack7 <> ***		Substr(YYMMDD2YMD(ED1.DatePack7,0),2,2)	11/06/90
25	m	~	CurrentCard	EDI.DatePack8 <> ***		Substr(YYMMDD2YMD(ED1.DatePack8,1),2,2)	11/06/90
7		_	CurrentCard		Distribution		11/06/90
%	~	n	CurrentCard		¥Q		11/02/90
22		~	CurrentCard		FMSSubcase		11/06/90
55	~	7	CurrentCard		ServUse3		11/07/90
23	-	m	CurrentCard		Project		11/06/90
	844888				1 14 CurrentGard 2 1 CurrentGard 3 2 CurrentGard 4 6 CurrentGard 5 6 CurrentGard 6 6 CurrentGard 7 1 CurrentGard 7 2 CurrentGard 8 2 CurrentGard 9 1 CurrentGard 1 2 CurrentGard 1 3 CurrentGard 1 2 CurrentGard 1 2 CurrentGard 2 2 CurrentGard 3 2 CurrentGard 1 1 CurrentGard 2 2 CurrentGard 3 2 CurrentGard 5 2 CurrentGard 6 3 CurrentGard 7 1 CurrentGard 7 2 CurrentGard 7 3 CurrentGard	1 14 CurrentCard EDI.DocNoSuffix <> "" 2 1 CurrentCard EDI.DocNoSuffix <> "" 3 1 CurrentCard EDI.ShipToDoDAAC <> "" and 4 1 CurrentCard EDI.ShipToDoDAAC <> "" and 6 CurrentCard Ratches(EDI.SignalCode,/[J-MX]/) 5 6 CurrentCard EDI.ShipToDoDAAC <> "" and 7 Matches(EDI.SignalCode,/[J-MX]/) 6 CurrentCard Ratches(EDI.SignalCode,/[BK]/) 7 CurrentCard Matches(EDI.FMSOfferRel,/BA/) 7 CurrentCard EDI.DatePack7 <> "" 8 CurrentCard EDI.DatePack7 <> "" 9 CurrentCard EDI.DatePack7 <> "" 9 CurrentCard EDI.DatePack7 <> "" 9 CurrentCard EDI.DatePack8 <> ""	1 14 CurrentCard EDI.DocNoSuffix <> "" DocNoSuffix Signation Code "" "" DocNoSuffix "" "" "" "" "" "" ""

	Field Transformation Date		Substr(YYMM002J(EDI.RDO),2,3) 11/06/90	10/70/1 43/++4C-4-4 AM 143/43/14 47//24		CAT(EDI.Spec,DiffMonths(EDI.RDD,DocNo2Dat(3/07/91	EDI.DocNo)))	CAT("X", DiffMonths(EDI.LatestDD, DocNo2Dat(11/06/90	EDI.DocKo))) CAT("S",DiffMonths(EDI.EarliestDD,DocKo2Ds 11/06/90	No)))	11/06/90	11/06/90		Substr(yymmdd2](E01.ReceiptDate),2,3) 11/06/90	11/06/90	11/06/90	11/06/90	11/06/90	11/06/90	11/07/90	11/06/90	11/07/90	11/07/90	11/07/90	11/07/90	11/16/90	11/07/90	11/07/90	5) 11/07/90	11/07/90	11/07/90	11/07/90
	g	_			- د	: อี	ED I	CATC	EDI.DocNo))) CAT("S",Diff	t(EDI.DocNo)))				Substr (yymmdd2															LZERO(EDI.Quantity,5)			
	Field	Priority									Spec	AdviceCode	Status		BackOrder	OwnerCode	Purpose	Supcondcode1	SupCondCode2	Servise	FMSProgSup	FromRIC	ServUse5	210	RIC.	MediaStatus	HSH	UnitOfissue		Quantity	DocNo	DocNoSuffix
	Condition		EDI.RDO <> "" and Not	Matches(EDI.Spec,/[AFFMRX5]/)		EDI.RDD <> ** and EDI.Spec = "A"		EDI.LatestDD <> HH	EDI.EarliestDD <> mm		EDI.Spec <> ""			EDI.ReceiptDate <> ""		EDI.OwnerCode <> ***	EDI.Purpose <> ***			Matches(ED1.D1C,/UW)[24]9/)			Matches(EDI.DIC,/ [AU] [24]8/)						IsNumeric(ED1.Quentity)			
	St Ord Len CardNo	2 CurrentCard	3 CurrentCard		1	3 CurrentCard		3 CurrentCard	3 CurrentCard		3 CurrentCard	2 CurrentCard	2 CurrentCard	3 CurrentCard	3 CurrentCand	1 CurrentCard	1 CurrentCard	1 CurrentCard	1 CurrentCard	2 CurrentCard	1 CurrentCard	3 CurrentCard	4 CurrentCard	3 CurrentCard	3 CurrentCard	1 CurrentCard	15 CurrentCard	2 CurrentCard	5 CurrentCard	5 CurrentCard	14 CurrentCard	1 CurrentCard
	\$t 0:	8	3	Ş		82		3	3		3	65 1	65 2	67 1	67 2	٦ ا	2	71	71 2	2	2 2	74 1	1	-	*	7 1		2	2	22	30	3
Sect	164 1	-	-	•	•	•		-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,	3 :	518	518		2	518		518	518		518	518	518	518	518	518	518	518	518	518	518	518	518	519	519	519	519	519	519	519	519	519

2	,				Field Iranstormation	Brion	Date
	1.5	,	6 CurrentCard	• • • • • • • • • • • • • • • • • • •	RecDoDAAC		11/07/90
	53	~	6 CurrentCard	EDI.StatToboDAAC <> "" and Matchaeter Madiation //Zenefolument/71/	StatToDoDAAC		11/07/90
	ις.	M	6 CurrentCard		Servuse2		11/07/90
	-	_	1 CurrentCard		HoldCode		11/07/90
	-	~	1 CurrentCard		Signal Code		11/16/90
	. 25	_	2 CurrentCard		FundCode		11/07/90
	4	-	1 CurrentCard		Distribution		11/07/90
	10	_	2 CurrentCard		Servise3		11/07/90
	. 25	_	3 CurrentCard	EDI.ReleaseDate <> ""	Substr(yy	Substr(yymmdd2j(ED1.ReleaseDate),2,3)	11/07/90
	8	_	2 CurrentCard		Priority		11/07/90
	. 59	_	2 CurrentCard		Advice : vde		11/07/90
	_	_	3 CurrentCard		310		11/07/90
	4	_	3 CurrentCard		SIC.		11/07/90
	_	_	4 CurrentCard	EDI.Nbrifneltems <> ""	LZero(EDI	LZero(EDI.MbrLineltems,4)	11/07/90
	~	~	1 CurrentCard		dediaStatus		11/16/90
	_	<u>-</u>	5 CurrentCard		CommCode		11/07/90
	5	_	2 CurrentCard		AirCode		11/07/90
	92	_	1 CurrentCard		AirDimension		11/07/90
	\$	_	2 CurrentCard		Country		11/07/90
	22	_	1 CurrentCard		Sh ipment Hode		11/07/90
	72	_	2 CurrentCard		TypeOfPack		11/07/90
	77	~	2 CurrentCard		933 (8		11/07/90
	92	_	4 CurrentCard	1skumeric(ED1.Pieces)	LZero(ED)	LZero(ED1.Pleces,4)	11/07/90
	28	~	4 CurrentCard		Pieces		11/07/90
	30	_	6 CurrentCard	isNumeric(EDI.Weight)	LZero(EDI	LZero(EDI.Weight,6)	11/07/90
	20	~	6 CurrentCard		Veight		11/07/90
	28	_	4 CurrentCand	isNumeric(EDI.Cube)	LZero(EDI.Cube,4)	.Cube, 4)	11/07/90
	28	~	4 CurrentCard		Cripe		11/07/90
	9	_	5 CurrentCard	Matches(ED1.D1C,/[AU]D5/)	CustTrensNbr		11/07/90
	45	_	1 CurrentCard		Service		11/07/90
	3	_	2 CurrentCord	Matches(EDI.FMSOfferRel,/88/)	FMSOfferRel		11/07/90
	3	•	***************************************	Matchae/Ent EMEntfarBal /8/)	EMENTERED		11,07,00

	Date	11/07/90	11/02/90	11/07/90	11/02/90	11/07/90	11/02/90	11/07/90	11/02/90	11/02/90	11/02/90	11/16/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90		11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/02/90	11/07/90	11/16/90	11/07/90
	Transformation								Substr(yymmdd2](EDI.OfferDate),2,3)						LZERO(ED1.Quantity,5)												Substr(yymmdd2](ED1.RDD),2,3)			Substr(YYMMD02J(ED1.TransDate),2,3)				
	Field	FMSFrtfwdr	FMSFrtFwdr	FMSCase	Priority	Project	ReleaseCode	FMSNot iceMbr		DIC	FromRIC	MediaStatus	PartNbr	Unitofissue		Quentity	Docko	DocNoSuffix	Service	StatToDoDAAC		FMSOfferRel	FMSOfferRel	FMSFrtFwdr	FMSFrtFwdr	FMSCase		Project	Shiplonbr		010	TORIC	MediaStatus	PartNbr
	Condition	Matches(EDI.FMSFrtFwdr,/39/)	Matches(EDI.FMSFrtFwdr,/9/)				Metches(EDI.DIC,/[AUJD5/)		EDI.OfferDate <> ""						1sNumeric(ED1.Quantity)					EDI.StatToDoDAAC <> "" and	Matches(EDI.MediaStatus,/[450EFGHMMPQUV2]/)	Matches(ED1.FMSOfferRel,/89/)	Matches(EDI.FMSOfferRel,/8/)	Matches(ED1.FMSFrtFwdr,/80/)	Matches(EDI.FMSFrtfwdr,/8/)		EDI.RDO<>***			EDI.TransDate <> ***				
<u>ب</u>	d St Ord Len CardNo	1 46 3 2 CurrentCard	1 47 1 1 CurrentCard	1 48 1 3 CurrentCard	1 53 1 1 CurrentCard	1 57 1 3 CurrentCard	1 60 1 1 CurrentCard	1 61 1 17 CurrentCard	1 78 1 3 CurrentCard	0 1 1 3 CurrentCard	0 4 1 3 CurrentCard	0 7 1 1 CurrentCard	0 8 1 15 CurrentCard	0 23 1 2 CurrentCard	0 25 1 5 CurrentCard	0 25 2 5 CurrentCard	0 30 1 14 CurrentCard	0 44 1 1 CurrentCard	0 45 1 1 CurrentCard	0 45 2 6 CurrentCard		0 46 1 2 CurrentCard	0 46 2 1 CurrentCerd	0 46 2 2 CurrentCard	0 47 1 1 CurrentCard	0 48 1 3 CurrentCard		0 57 1 3 CurrentCard	0 61 1 17 CurrentCard	0 78 1 3 CurrentCard	1 1 1 3 CurrentCard	1 4 1 3 CurrentCard	1 7 1 1 CurrentCard	1 8 1 15 CurrentCard
Sect	16d Tid	520	520	520	520	520	520	520	520	520 100	520 100	520 100	520 100	520 100	520 100	520 100	520 100	520 100	520 100	520 100		520 100	520 100	520 100	520 100	520 100	520 100	520 100	520 100	520 100	125	521	521	521 1

	Date	11/02/90	11/02/90	11/02/90	11/07/90	44,07,00	11/0/90		11/16/90	200	11/02/90		11/02/90	11/07/90	11/16/90	11,07,00	11/07/90	11/0//90	11,07,00	11/07/90	11/0//90	11/07/90	11/02/90	11/02/90		11/07/90	•	11/07/90	20200		11/07/90	3/07/91
	Transformetion		LZERO(ED1.Quentity.5)			2	,	•	AC .		MC MC						Subatr(YYMMO)2YMO(FD) DateDack7 () 2 2)	Substr(YYMOD2YMD(ED1.DatePack8.1).2.2)	_	ì				Substr(YYMPD62J(EDI.RD0).2.3)		CAT("X", DiffMonths(EDI.LatestDD, DocNo2Dat(11/07/90	ED1.DocNo)))	CAT("S", Diffwonths(EDI.EarliestDO, DocNo2Da 11/07/90	t(EDI.DocNo))) CAT(MAN DiffMonths/ED) BDD DocNo2000/ED)	ocko)))		CAT(EDI.Spec,DiffDays(EDI.RDD,DocNo2Dat(ED 3/07/91 I.DocNo),2))
	Field	Unitofissue		Quentity	DocNo	Doctoraffix	ShiptobobAC		BILLTODODAAC		StatToDoDAAC		PIIN	P.R.	Signalcode	FundCode			Distribution	Q	Serv0se2	Project	Priority	•							Spec	
	Condition		isNumeric(EDI.Quantity)				EDI.ShipToDoDAAC <> *** and	Matches(ED1.SignalCode,/[J-MX]/)	EDI.BillToDoDAAC <> "" and	Matches(EDI.SignalCode,/[BK]/)	EDI.StatToDoDAAC <> "" and	Matches(EDI.MediaStatus,/[450EFGHMMPQUV2]/)	Matches(EDI.DIC,/[AU]C[MP]/)			Matches(EDI.DIC,/[AU]C[67] [AU] [GK]6/)	EDI.DatePack7 <> ***	EDI.DatePack8 <> ***	Matches(ED1.D1C,/[AU]C[67] [AU] [GK16/)		Matches(ED1.01C,/[AU]C(67] [AU] [GK]6/)	Matches(EDI.DIC,/[AU]C(67) [AU] [GK]6/)	Matches(EDI.DIC,/[AUJC(67] [AUJ [GK]6/)	EDI.RDD <> "" and Not	Matches(EDI.Spec,/[AEFNRXS]/)	EDI.LatestDO <> ""		EDI.EarliestDD <> mm	EDI.Spec # "A"			Matches(EDI.Spec,/[EFNR]/)
	St Ord Len CardNo	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard	,	CurrentCard	CurrentCard		CurrentCard	CurrentCard
	5 :	~ .	^	~	7	_	9		9 7		9	,	<u>~</u>	*	-	~	~	~	_	m	~	m	~	m		m		m	M		*	m
	St 0	20 2	C :	 %	ဓ	3	5 3		\$		53		2	5		22	25	52 3	*	24 2	55 1	57 1	3	3		3		% %	3		3	3 ~
Sect	P :	~ .		_	-	-	-		_	•	_	,	- ·	_	-	-		-		-	-	-	-	-		-	,	-	•		~	~
S	₹ :	521	170	221	521	521	521		521	į	521	į	125	ק	\$21	521	521	125	521	521	521	521	521	125		521		221	521		521	251

	Date	11/07/90	11/02/90	11/02/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/16/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/02/90		11/16/90		11/07/90		04//0/LL	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90	11/07/90
	Transformation												LZERO(EDI.Quantity,5)																					
	Field	LineltemMbr	AdviceCode	FromRIC	Project	Priority	FromRIC	DIC	TORIC	MediaStatus	PartMbr	Unitofissue		Quantity	DocNo	DocNoSufflx	ShipTobobAAC		BilitobobAc		StetToDoDAAC	•	FRSService	ServUse2	FMSOfferRel	FMSOfferRel	FMSFrtFwdr	FMSFrtFwdr	FMSCase	PIIM	XX	LineitemNbr	Project	Priority
	Condition	Matches(EDI.DIC,/[AU]C[MP]/)		Matches(EDI.DIC,/[AU]C[67] [AU] [GK]6/)	Matches(EDI.DIC,/[AU]C[MP]/)	Matches(EDI.DIC,/[AU]C[MP]/)	Matches(EDI.DIC,/[AU]C[MP]/)						iskumeric(EDI.Quentity)				EDI.ShipToDoDAAC <> "" and	Matches(ED].SignalCode,/[J-MX]/)	EDI.BillTobobAc <> "" and	Matches(EDI.SignalCode,/(BK)/)	EDI.StatToDoDAAC <> "" and	Natches(EDI.RediaStatus,/[450EfGHRMPQUV]])			Matches(EDI.FWSOfferRel,/89/)	Matches(EDI.FMSOfferRel,/8/)	Matches(EDI.FMSFrtFwdr,/88/)	Matches(EDI.FMSFrtFwdr,/8/)		EDI.Plin <> ""	EDI.PRN <> ***	EDI.Plin <> ""		
	St Ord Len Cardio	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard		CurrentCerd	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	Currentiard
	rd ten	*	1 2	m -	.	4	m _	٠ ع		-	1 15	1 2	2	2	1 14	-	•		9		9	•	-	9	2		3	-		1 13	2 14	9	۳ ا	٥
	5	3	65	67	0	ĸ	20	-	-	~	•	m	2	ĸ	8	\$	5						~ M	\$	3	9	3	_		_	-	3	2	K
			•	•	-							~	~	~		•	-		•		•		•	•			•	•	•	-	~	•	-	-
Sect		-	-	-	₽ -	1	-	_	_	-	_	1 23	1 2	-	-	-	7		- 45		1 45	,	-	-	-	-	-	1 47	7	£	- 5	-	-	•

Date	06/20/11	0/10/11 00/10/11	11,02,000	10/2/10	04/07/01	10/26/40	06/97/01	04/97/01	08/41/11 08/46/01	00/20/01					10/36/01	10/26/00	10/5/01		11/19/90	•	10/26/90	19/20/\$	1/2/5	19/10/8		ePack7,0) 10/26/90		ePack8,1) 10/26/90		
Transformetion									•		LZERO(EDI. Quentíty.5)	Purch (Substrictor, June 114, 2, 5), 1)					ي		ي							YYMMDD2YMD(ED1.DatePack7,0)		YYMMOD2YMD(ED1.DatePack8,1)	YYMDD2YMD(EDI.Date	YVANDDZYND(EDI.Date
Fleld		Signaticode	FromR1C	010	ReportRIC	TORIC	InvIvne	MediaStatin	MSM	Unit tof Issue			MI Ed		DocNo	DocHoSufffx	BILITODODAC		ShipToDoDAAC		Line I temator	Serv0se2	Serv0se2	Serv0se2					Serv/se2	Servise2 FromRIC
Condition	EDI.PRI <> mm				Matches(ED1.D1C,/[DE][UW]a [DE]X[AB]/)		Matches(EDI.DIC./(DE)2K/)				IsHumeric(EDI.Quentity)	Substr(ED1.Quantity,1,1) = "-"	Not Metches(EDI.DIC,/[DE][6FW]8/) and	EDI.PIIM <> mm	EDI.PIIN = ""	ED1.P11M = mm	EDI.BilitobobAc <> *** and	Matches(EDI.SignalCode,/[BK]/)	EDI.ShipToDoDAAC <> "" and	Natches(EDI.SignalCode,/[J-N]/)	EDI.Lineitemathr <> ***	Matches(ED1.DIC, / DE116FV) (DE1X(A-D1/)	Matches(ED1.SourceDIC,/IDE)[6FV] IDE)X(A-D)/)	Matches(ED1.Rejectedb1C,/DE1(6FV) DE1XCA-	01/)	Matches(EDI.DIC,/[DE]48/) and EDI.DatePack7	Matches(EDI.DIC,/IDE149/) and EDI.DatePackS	= 0	<> *** Matches(EDI.DIC,/(DEJ49/)	<pre><> *** Matches(EDI.DIC,/IDE]4a/) Matches(EDI.DIC,/IDE] [DU] a/)</pre>
St Ord Len Cardio	2 CurrentCard	i CurrentCard	5 CurrentCard	3 CurrentCard	3 CurrentCard	3 CurrentCard	1 CurrentCard	1 CurrentCard	S CurrentCard	2 CurrentCard	5 CurrentCard	5 CurrentCard	3 CurrentCard		4 CurrentCard	1 CurrentCard	6 CurrentCard		6 CurrentCard	,	6 CurrentCard	6 CurrentCard	6 CurrentCard	6 CurrentCard		3 CurrentCard	3 CurrentCard		3 CurrentCard	3 CurrentCard 3 CurrentCard
ord !	-	-	-	_	_	~	-	~	-	-	-	~	-		~	-	-		~	1	m	4	'n	•		-	2		m	m 4
•	: K	-	R	_	_	-	_	_	₩ _	ຄ	X	S.	200		8	3	\$\$		53	!	\$	45	\$	45		2	51		51	2.2
υ TO .	: -	—	_	_	-	_	-	_	-	_	-	_	_		_	-	_		-	•	-	-	-	-		-	-		-	
Sec 764	•																													

•	
9	١
-	١
S	•
4	

EDIZOLSS TABLE REPORT

Page 24

	Date	06/6/01	10/20/90	10/29/90	•	10/29/90		10/29/90	10/29/90	10/29/90	10/29/90	10/29/90	10/52/90		10/29/90		10/29/90	10/29/90		10/29/90	•	10/29/90	11/15/90	10/29/90	10/29/90	10/29/90	10/29/90	10/29/90	10/29/90	10/29/90	10/29/90	1/24/91		10/29/90
	Transformation														LZERO(EDI.UnitPrice,7)			YYMPD02YMD(ED1.DatePack7,0)		YYMDD2YND(ED1.DatePack8,1)												YYMMDD2J(EDI.DocDate)		Subatr(yymmdd2)(EDI.PostDate),2,3)
	Field	CorrectRIC	Source01C			Distribution		ServUse2	Serv(se3	RejectedDIC	LotSegMbr	Project	Sh i pment libr	•			Servise3					Servise	ServUse5	Tolic	FromRIC	Deliverto	OwnerCode1	Owner Code 2	Servise3	Supcondcode	GFMgtCode			
		Matches(ED1.DIC,/(DE)2G/)	Matches(ED1.D1C,/(DE)2K/)	Matches(EDI.DIC,/IDE)[460FUN]H IDE]X[BD]/)	and EDI.MDN <> nm	Metches(EDI.DIC,/IDE)[460FUN]9 IDE]X[80]/)	and EDI.Distribution <> ""	Matches(ED1.D1C, / [DE] [DU] 9/)	Matches(ED1.D1C,/(DE)[46FV]9 (DE)X[8D]/)	Matches(ED1.D1C,/(DE1ZG/)	Matches(ED1.D1C,/IDE)2K/)		Matches(ED1.D1C,/[DE148 DE1XIAC1/) or	Metches(ED1.SourceD1C,/IDE148 IDE1X[AC1/)	Matches(ED1.D1C,/{DEJD8 {DEJX(BD)}/}) and	EDI.UnitPrice <> ***	Metches(ED1.D1C,/(DE1UB/)	Matches(EDI.DIC,/[DE][6FV]B/) and	EDI.DatePack7 <> ""	Matches(EDI.DIC,/DE1[6FV]B/) and	EDI.DatePack8 <> ""	Metches(EDI.DIC,/(DE)(6FV)9 (DE)2(GK)/)		Metches(ED1.01C,/IDE1(MJa IDE1X(AB1/)	Matches(EDI.DIC,/[DE]Z[GK]/)	Metches(ED1.D1C,/(DE1(460F)8)(DE1X(CD1/)	EDI.OwnerCode1 <> nu	EDI.OwnerCode2 <> **	Matches(EDI.DIC,/[DE]D9/)			Matches(EDI.DIC,/[DE]ZK/) and EDI.DocDate <>		EDI.Postbate <> mm
	St Ord Len CardNo	3 CurrentCard	3 CurrentCard	3 CurrentCard		1 CurrentCard		2 CurrentCard	2 CurrentCard	3 CurrentCard	3 CurrentCard	3 CurrentCard	7 CurrentCard		7 CurrentCard		7 CurrentCard	3 CurrentCard		3 CurrentCard		S CurrentCard	6 CurrentCard	S CurrentCard	S CurrentCard	S CurrentCard	CurrentCard	CurrentCard	2 CurrentCard	CurrentCard	CurrentCard	t CurrentCard		currentcard
	ord LC	-	~	m		•		_	~	~·	~	m.	_		7			- 7		S		~ 0	-	-	~	₩	_	~	2	~	_	-		2
	S :	7	25	7		2		22	22	21	27	21	8		8		3	8		8		8	3	. 29	29	29	R	٠٠ ج	<u></u>	 	22	r.		2
Sect	₽:	_	-	_		_		_	_	-	_	_	_		_		_	_		-		_	_	_	_	-	-	-	-	-	-	_		_
Ň	28 :	527	257	\$27		227		257	257	257	227	257	\$27		227		257	\$27		\$27		227	252	\$27	257	257	257	257	527	257	257	527	23	/%

Sec 16d 11d	•	51 0	J.	St Ord Len Cardillo	Irdio	Condition	Field	Transformation	Date
527	; -		-	: : S	CurrentCard	Matches(ED1,D1C,/(DE168/) or	Servuse6		10/29/90
;		?				_			
527	-	2	~	2	CurrentCard	Matches(ED1.D1C, / [DE] [4DU] 8/) or	Servise		06/62/01
						Matches(ED1.RejectedDIC,/IDE1[4DU]8/)			
527	-	92	m	2	CurrentCard	Matches(EDI.DIC,/[DE]Fa/)	FromR1C		06/62/01
527	_	1	_	7	CurrentCard	_	Callorder		10/29/90
\$27	-	1	2	2	CurrentCard	_	Callorder		10/22/90
į		:	ı			-			
\$27	-	2	_		CurrentCard	_	Servuse6		10/59/90
527		2	٠ ٨	7	CurrentCard	Matches(EDI.DIC,/IDE12G/) and	RejectAdvice		10/29/90
į	,		ı			EDI.RejectAdvice <> ""			•
427	-	2	•	2	CurrentCard	Matches (ED1.DIC./(DE12G/) and ED1.Status <> ""	Status		10/29/90
	- •	•	, -	, č	prestanti		010		10/02/90
970			- ,	הי			7197		10/05/90
228	-	4	-	ರ m	CurrentCard		3 5		10/02/90
528	_	•	-	ರ •	CurrentCard	Matches(ED1.DIC,/IDE)29/) and ED1.FSC <> ""	FSC		00/C0/01
528	_	•	2	15 C	CurrentCard		NSN		10/02/20
200		, 5		_	CurrentCard			Substr(ED1.NSN,5,11)	10/05/90
	- •			; c	Currentford		Unitofissue		10/02/90
976	- •	3 ;				Table of Control (Control (Co.))		LZERO(ED1.Quentity,5)	10/02/90
258	-	G		ว์ ^ :	כחנגפענרפגם		Doction		10/02/90
2 28	_	2	_	ರ ≱	CurrentCard		Dook of 68 v		10/02/90
2 28	-	3	_	ರ -	CurrentCard		DOCHOSUTTIA		10/07/01
528	-	45	_	ರ •	CurrentCard		DelAddress		00/07/01
528	-	5	_	ಳ ಕ	CurrentCard	Not Matches(ED1.D1C,/ (DE1ZG/)	Serv/Jse2		10/02/70
	•	: 2			paragent	Matches(ED1,D1C./IDE12G/)		Substr(ED1.ServUse2,1,3)	10/05/90
970	- •	7 2	. -) (Marches(FD1.01C./IDE12G/)	CorrectRIC		10/02/90
970		* 1	- ,	۱		# 100 mm 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Poutingli		10/02/90
2 28	-	27	_	ო	CurrentCard				10/02/00
528	-	27	~	ರ n	CurrentCard	Matches(EDI.DIC,/[DE]2G/)	Rejectedulo		00/00/01
528	-	57	M	ت ۳	CurrentCard		Project		10/06/90
2 2		: \$	-	-	Currentferd		CoastDes		10/02/90
970		3 :	- ,	- 1		Hat thetabasten Dir / METVK/) or		Substr(EDI.SupportDate, 2,3)	10/02/90
528	-	8	-	ŭ n	CurrentCard	HOT (METCHER/EDITORIAL) C.			
			,		,	Matches (Colored Colored Color		LZero(ED1, LeadTime, 3)	10/02/90
2 28	-	3	N	ರ m	CurrentCard	Merches(EDI.DIC,/IDEJIK/) OF			
						Matches(EDI.RejectedDIC,/[DEITK/)			

Date		10/02/90	40,00,000	10/05/70	04/20/01	10/02/90	10/02/90	10/02/90	10/02/90	1/25/91	1/25/91	10/02/90		1/22/91		1/22/1		10/02/90	10/05/90	10/02/90	10/02/90	,	10/02/90	10/02/90	10/02/00	10/02/70	10/02/50	10/05/90	10/02/90	10/02/90	10/02/90	10/02/90	10/05/90	10/07/01	
Transformation												Subatr(yywmdd2j(ED1.PostDate),2,3)		Substr(yymmdd2j(EDI.PostDate),2,3)		Substr(yymmdd2)(ED1.PostDate),2,3)																			
Field		SPRStatue		Advicecode	From	RIC	Purpose	Supcondcode	Originalic	Originalic	Originalic							GenericSub	H	Status	RejectAdvice		StatusCode		100	TORIC	RequestCode	FSC	NSM	MSM	ΥC	Unit tof Issue	Sarvibal	201 401	TOMET
Condition			Matches(EDI.KejectedDIC,/ [DE]TK/)		Not Matches(EDI.DIC,/[DE]29/)	Matches(ED1.D1C./IDE)29/)			Matchas/ED1 D1C / TDF1 Y (AB11M1/)					Natches(EDI.RejectecDIC,/DEJY[CDGHK]/) and	EDI. PoetDate <> ""	Natches(EDI.RoutingDIC,/[DE]Y[CDGHK]/) and	EDI. PostDate <> ""		Matches(ED1.DIC,/IDE)YK/)	Matches(EDI.DIC,/(DE)29/)	Matches(EDI.DIC,/[DE]2G/) and	EDI.RejectAdvice <> ""	Matches(EDI.DIC,/[DE]2G/) and EDI.StatusCode					Metches(EDI.DIC,/[DE]29/) and EDI.FSC <> ***			Matchae(for Dig./f0F17f8C1/)	Matches(EDI OIC / CDEDITECT/)			Not Matches(EDI.DIC,/[DE]2[96]/)
St Ord Len Cardão		CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	prejaceranj		Currenteerd			CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCend	CurrentCard	Prejace.			Currentcera	CurrentCard	CurrentCard
5	:	~		~	m	M	-	_	- #) P	יו ר	n #	•	**	•	P 7)	-	•	~	~	ı	~		m	M	-	4	=	9	•	- (~	m	m
0		-		~	_	~	· ~	-		- r	9 F) 	•	1 0		کر د		1 9/	1 1	-	2	,	m R		_	-	7	•	~	֓֞֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜		- •		-	7
		1 65		- 5	1 67	1 67	. P	1 7		2 F		. K	•	<u> </u>		7		7	7	? -	. K		7		_	_	_	_	_		· ·	• ·	77	1 24	7
Sect Too 11d		•0		•	# 0	40	· (2)	· •		, D (D •	D #)	40	<u>!</u>	4 0	<u>!</u>	•	•	. g o	•)	5 0		2 :	2:	₽:	2	. 2	. s	6 5	2.5	2 :	23	23
7	} ;	\$28		258	528	\$ 2 A	520	528			פאל אלפיינים אליינים	200		\$28		528		528	528	528	5.28	(528		2	23	23	\$	8	ξ :	2	2 3	25	3	~

Date		10/03/90	04/43/01	10/29/90	10/29/90	10/29/90		0x/82/01	60,00,00	06/67/01	10/23/30		06/62/01	06/66/01	DY/83/DT	90,00,00	0%/%7/01	00,00,00	06/62/01	10/63/30	UV/82/UT		10/63/00	04/42/01	00,00,00	10/22/01	10/03/90	10/03/90	10/30/90	11/19/90	10/29/90	10/29/90	10/29/90	
Transforms (Co.			LZERO(EDI.Recquent,5)			<pre>mdd2j(EDI.TransDate)</pre>		Suc. r(yymmdd2j(EDI.TransDate),2,3)													yymmdd2j(EDI.DueIrDate)		•	LZero(EDI.RetQuant,5)									LZERO(EDI.Quantity,5)	
71075	rieta	Cor. ectRIC		Project	Rejected	•				SupStatus	SupStatus		Del íverTo	FromRIC	Owner		Purpose		Supcondcode	GFMMgtCode			Servise			FromRIC	210	TORIC	InvType	MediaStatus	PartNbr	Unitofissue		
	Condition	Matches(ED1.D1C,/(DE)ZG/)	Matches(EDI.DIC,/[DE]L[CDEF]/) and	Matches(FDI_DIC_/TEF12(D)/)	Matches(FD1, D1C, / IDE) 26/	Matches(ED1.D1C,/(DE12(CD)/) and	EDI.TransDate<>***	Matches(EDI.DIC,/[DE]LA/) and EDI.TransDate	= 0	Matches(EDI.DIC,/{DE]L(BOF]/)	Matches(EDI.DIC,/@E12G/) and	Matches(EDI.RejectedDIC,/(DE)L(BDF)/)	Matches(ED1.D1C,/[DE]L[CDEF]/)		Matches(EDI.DIC,/[DE]2[CDG]/) and EDI.Ouner	= 0	Metches(EDI.DIC,/[DE]2[CDG]/) and EDI.Purpose	■ •	Not Matches(EDI.DIC,/[DE]L[AB]/)	Matches(ED1.D1C,/(DE12(CD1/)	Matches(EDI.DIC,/[DE]L[CDEF]/) and	EDI.DueirDate <> ***	Matches(E01.01C,/[DE]2[C0]/)	Matches(EDI.DIC,/(DE12(CD)/) and	ED1.RetQuent<>***	Matches(EDI.DIC,/(DE1L(COEF)/)			Matches(EDI.DIC./[DE]2K/)				Ishumeric(EDI.Quantity)	
i	St Ord Len CardNo	CurrentCard	CurrentCard			CurrentCard		CurrentCard		CurrentCard	CurrentCard		CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCard		CurrentCard	CurrentCard		CurrentCard	CurrentCard	CurrentCard	Currentferd			Currenteard	Currentcard	בען י ביוניפי ב
	<u>ا</u> و	m	~	•) ~	1 •		M		~	7		m	m	•		-		-	-	~		M	ĸ		M	•	•	•		- ¥	<u>ר</u>	.	•
(ě	-	~	•	- ^			2		5 1	5 2		67 1	67 2	٠ 8		2		7	7	2 2		L	76 1		7				- r		- •	 3 %	<u>-</u> ۵
		* *	1 55	-		. 2	,	3		1 65	1 65		1 6	9	1 7		1 7		1	1	_		-	-		1						- •	- ·	-
Sect	16d 1			,	, ,		,	_		0	0		0	0					0		. 0	,	0	0		_	, n	, ,	i i	y r	y (<u>,</u>	<u>,</u>	y
	2	530	530	2		53.5		530		530	530		530	530	530		530		530	530	530)	530	530)	530				2 2	250	255	255	256

	Punch(SubStr(ED1.Quentity,2,5),1) 10/29/90	06/62/01		11/19/90		11/19/90																				,	No2Det(ED1.D	3	. KDD, DOCKOZDAT	,	cNoZDat(EDI.Doc
Field														LZERO(EDI.RetQuentity,7)									Substr(yymmdd2j(ED1.RD0),2,3)		=X=	#S#	CAT("A", DiffMonths(EDI.RDD, DocNo2Dat(EDI.D	ocito)))	CAT(EDI.RDDSpec,DiffDaya(EDI.RDD,DocNo2Dat (EDI.DocNo),2))		DiffMonths(EDI.RDDLatest,DocHo2Dat(EDI.Doc 10/30/90
		DocNo	DockoSufflx	BILLTODODAAC		ShiptobobAc		Serv0se2	SignalCode	FundCode	CorrectR1C	Source01C	Distribution			Services	Rejected01C	LotSegNbr	Project	Priority	Metal Ind	RDDSpec								ADPEId	
Condition	Substr(EDI.Quantity,1,1) = "-"				Matches(EDI.SignalCode,/[BK]/)	ED1.ShipToDoDAAC <> ** and	Matches(EDI.SignalCode,/[J-M]/)				Matches(EDI.DIC,/[DE]ZG/)	Matches(EDI.DIC,/(DE)2K/)		Natches(EDI.DIC,/[DE]7J/) and EDI.RetQuantity	•		Metches(EDI.DIC,/{DE]2G/)	Matches(ED1.D1C,/(DE12K/)			Matches(ED1.DIC,/ (DE171/)	Matches(EDI.RDDSpec,/800/)	EDI.RDO <> ** and Not	Matches(EDI.RDOSpec,/[AEFMRXS]/)	EDI.RDDLatest <> ""	EDI.RODEarliest <> ***	EDI.RODSpec = "A" and EDI.RDD <> "" and	EDI.Docko <> ***	Matches(EDI.RDOSpec,/(EFMR)/)	Matches(ED1.DIC,/[DE17J/)	EDI.RDDLatest <> ""
St Ord Len CardNo	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCand		CurrentCerd	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCand	CurrentCard	CurrentCard		CurrentCard	CurrentCard	CurrentCard		CurrentCard	CurrentCard	Correction
£ :	1 0	*	-	•		•		•	-	~	m	m	-	^	,	~	m	m	m	~	-	m	•		-	-	M		m	-	^
26 :	2 2	-	-	- 2		2 2		5	-	7		4	*	5	1	2	7	7 2	7 3	-	2 1	2 2	2 3		3	3	8		23		~
	23	30	# -	1 45		1 45		-	1 51	1 52	7%	1 54	7%	1 55	i	1 55	1 57	1 57	1 57	3	28	3	58		4	•	4		~	- -	1 63
Sect 16d 11d		232	235	232		232		532	232	532	532	532	532	232		235	232	532	532	532	532	532	532		532	532	532		532	532	25

1 65 3 2 CurrentCard 1 65 1 1 CurrentCard 1 65 2 2 CurrentCard 1 67 1 3 CurrentCard 1 67 2 3 CurrentCard 1 70 2 1 CurrentCard 1 70 2 1 CurrentCard 1 70 2 1 CurrentCard 1 70 1 1 CurrentCard 1 70 2 3 CurrentCard 1 70 2 3 CurrentCard 1 70 1 2 CurrentCard 1 70 1 1 CurrentCard 1 7 1 1 1 CurrentCard 1 7 1 1 1 CurrentCard 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			St (ord L	<u>د</u>	St Ord Len CardNo	Condition	Field	Transformation	Date
64 1 CurrentCard Matches(EDI.DIC,/DEJ7J/) Despluth 65 2 CurrentCard Matches(EDI.DIC,/DEJ7J/) Desplit Storegeld 65 1 CurrentCard Matches(EDI.DIC,/DEJ7J/) Matches(EDI.DIC,/DEJ7J/) Matches(EDI.DIC,/DEJ7J/) Storegeld 67 2 CurrentCard Matches(EDI.DIC,/DEJ7J/) Storegeld 67 3 CurrentCard Matches(EDI.DIC,/DEJ7J/) Strv/Mask 73 2 CurrentCard Matches(EDI.DIC,/DEJ7J/) Strv/Mask Strv/Mask 73 3 CurrentCard Matches(EDI.DIC,/DEJ7J/) Strv/Mask Strv/Mask 74 5 CurrentCard Matches(EDI.DIC,/DEJ7J/) Matches(EDI.DIC,/DEJ2J/) M			•	,		SurrentCard	EDI.RDOEarliest <> ""	9 9 9 9 9 9 9 9 8 8 8 8 8 8 8 8 8 8 8 8	DiffMonths(EDI.RDDEarliest,DocNo2Dat(EDI.D ocNo))	10/30/90
65 1 CurrentCard Matches(EDI.DIC,/DEJZJJ) Demititar 65 1 CurrentCard Matches(EDI.DIC,/DEJZJJ) AdviceCode 66 1 CurrentCard Matches(EDI.DIC,/DEJZJJ) Reclamation 67 3 CurrentCard Matches(EDI.DIC,/DEJZJJ) Storage**IC 67 3 CurrentCard Matches(EDI.DIC,/DEJZJJ) Storage**IC 67 1 CurrentCard Matches(EDI.DIC,/DEJZJJ) Storage**IC 70 1 CurrentCard EDI.SMCGOde ← *** SupportCode 71 1 CurrentCard EDI.SMCGOde ← *** SupportCode 72 1 CurrentCard EDI.SMCGOde ← *** SupportCode 73 4 CurrentCard EDI.DeteeAct ← *** SupportCode 73 5 CurrentCard EDI.DeteeAct ← *** SupportCode 74 5 CurrentCard EDI.DeteeAct ← *** SupportCode 75 5 CurrentCard EDI.DeteeAct ← *** SupportCode 76 7 CurrentCard Matches(EDI.DIC,/DEJZJA) ServAse** ServAse** 76 8 CurrentCard Matches(EDI.DIC,/DEJZJA) ServAse** ServAse** 77 8 CurrentCard Matches(EDI.DIC,/DEJZJA) ServAse** ServAse** 78 8 CurrentCard Matches(EDI.DIC,/DEJZJA) Matches(EDI.DIC,/DEJZJA) ServAse** ServAse** 7 9 CurrentCard Matches(EDI.DIC,/DEJZJA)	32	-	ઢ	-	-	CurrentCard	Matches(EDI.DIC,/[DE]7J/)	DispAuth		10/30/90
65 2 CurrentCard Matches(EDI.DIC,/DEIZA/) From	532	-	65	-	-	CurrentCard	Matches(ED1.D1C,/ [DE17J/)	Demilitar		10/30/90
1	532	-	65	~	~	CurrentCard		AdviceCode		10/30/90
1 1 1 1 1 1 1 1 1 1	532	-	8	_	-	CurrentCard	Matches(EDI.DIC,/(DE)7J/)	Reclamation		10/30/90
67 2 3 CurrentCard Matches(EDI.DIC,/DEJ7A) 8 StonegeRIC 1 67 2 3 CurrentCard Matches(EDI.DIC,/DEJ2A) 8 BackOrder 1 1 CurrentCard EDI.DenerCode 1 1 CurrentCard Matches(EDI.DIC,/DEJ2K/) and EDI.OrigDate 1 1 CurrentCard EDI.DetePack? 1 1 CurrentCard EDI.DetePack? 1 1 CurrentCard EDI.DetePack? 1 1 1 CurrentCard EDI.DetePack? 1 1 1 CurrentCard EDI.DetePack? 1 1 1 CurrentCard Matches(EDI.DIC,/DEJ2A) 1 Service 1 1 CurrentCard Matches(EDI.DIC,/DEJ2A) Matches(E	532	-	67	-	<u>س</u>	CurrentCard	Matches(EDI.DIC,/(DE)2(GK)/)	FromRIC		10/30/90
67 3 3 CurrentCard Matches(EDI.DIC,/DEIGA) Descriptors 70 1 CurrentCard EDI.OurrentCode Purpose 71 1 CurrentCard EDI.SupcondCode **** Purpose 72 1 CurrentCard EDI.SupcondCode **** SupcondCode 73 1 CurrentCard EDI.SupcondCode **** SupcondCode 73 2 CurrentCard EDI.OurrentCard Ratches(EDI.DIC,/DEIZX) and EDI.OrigDate TYMMODZYMO(EDI.OrigDate) 70 3 CurrentCard EDI.OurrentCard EDI.OurrentCard EDI.OurrentCard EDI.OurrentCard EDI.OurrentCard EDI.OurrentCard Matches(EDI.DIC,/DEIZX) Service 76 5 CurrentCard Matches(EDI.DIC,/DEIZX) Service 70 7 CurrentCard Matches(EDI.DIC,/DEIZX) Service 70 8 CurrentCard Matches(EDI.DIC,/DEIZX) Service 71 9 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status EDICOLOURANT 7 1 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status 8 1 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status 8 1 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status 9 1 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status 1 1 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status 1 2 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status 1 1 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status 1 2 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status 1 1 CurrentCard Matches(EDI.DIC,/DEIZX) and EDI.Status 1 2 CurrentCard Matches(EDI.DUC,/DEIZX) and EDI.Status 1 2 CurrentCard Matches(EDI.DUC,/DEIZX) and EDI.Status 2 CurrentCard Matches(EDI.DUC,/DEIZX) and EDI.Status 3 CurrentCard EDI.DCOCK and EDI.Status and EDI.Status 4 CurrentCard Ballocock and EDI.Status and EDI.Status and EDI.Status and EDI.Status and EDI.Status an	532	-	67	7	m	CurrentCard	Matches(EDI.DIC,/(DE)79/)	StorageRIC		10/30/90
70 1 CurrentCard EDI.DenetCode + NIII	532	_	67	m	<u>س</u>	CurrentCard	Matches(EDI.DIC,/[DE]GD/)	BackOrder		10/30/90
70 2 1 CurrentCard	532	-	2	_	-	CurrentCard	EDI.OwnerCode <> **	OwnerCode		10/30/90
71 1 CurrentCard EDI.SupCondCode chill SupCondCode 1 72 1 CurrentCard EDI.SupCondCode chill SupCondCode 1 72 1 CurrentCard Harches(EDI.DIC,/DEIZK/) and EDI.OrigDate Childstook CurrentCard EDI.DatePack? chill CarrentCard EDI.DatePack? chill CarrentCard EDI.DatePack? chill CarrentCard EDI.DatePack? chill CarrentCard CarrentCar	532	-	R	7	-	CurrentCard	EDI.Purpose <> ***	Purpose		10/30/90
72 1 CurrentCard Ratches(EDI.DIC,/DEIZK/) and EDI.OrigDate 7 Yiendor/CEDI.OrigDate 7	532	-	7	-	-	CurrentCard	EDI.SupcondCode <> ""	SupcondCode		10/30/90
73 4 CurrentCard Matches(EDI.DIC,/DEIZK/) and EDI.OrigDate YYMMDD2J(EDI.OrigDate) 73 2 CurrentCard EDI.TransDate ***********************************	532	-	2	_	-	CurrentCard	EDI.GFMMgtCode <> ""	GFMMgtCode		10/30/90
73 2 3 CurrentCard	532	-	ĸ	_	4	CurrentCard	Matches(EDI.DIC,/CDE)ZK/) and EDI.OrigDate <>		YYMMD02J(EDI.OrigDate)	10/30/90
73 2 3 CurrentCard							==			
70 3 CurrentCard EDI.DatePack7 ************************************	532	-	r	~	n	CurrentCard	EDI.TransDate <> ***		Substr(yymmdd2](EDI.TransDate),2,3)	10/30/90
76 2 3 CurrentCard EDI.DatePack6 c> "" YMMDOZYMD(EDI.DatePack6,1) 76 4 5 CurrentCard Matches(EDI.DIC,/DEI.74/) SerVulse4 76 4 5 CurrentCard Matches(EDI.DIC,/DEI.54/) SerVulse5 77 1 2 CurrentCard Matches(EDI.DIC,/DEI.54/) SerVulse5 78 2 2 CurrentCard Matches(EDI.DIC,/DEI.56/) and EDI.Status c> "" Status 79 3 2 CurrentCard Matches(EDI.DIC,/DEI.26/) and EDI.Status c> "" Status 79 3 2 CurrentCard Matches(EDI.DIC,/DEI.26/) and EDI.Status c> "" Status 70 1 1 CurrentCard Matches(EDI.DIC,/DEI.26/) and EDI.Status c> "" Status 8 1 15 CurrentCard Matches(EDI.DIC,/DEI.26/) Matches(EDI.DIC,/DEI.26/) Matches(EDI.DIC,/DEI.26/) 8 1 15 CurrentCard Matches(EDI.Ouantity) Docklountity,5 8 1 15 CurrentCard IsMumeric(EDI.Ouantity,1,1) = "-" Docklountity,5 8 1 14 CurrentCard EDI.Docklo c> "" PIIN 9 1 14 CurrentCard EDI.Docklo c> "" PIIN 9 1 14 CurrentCard EDI.POcklo c> "" PIIN 9 1 14 CurrentCard EDI.POcklo c> "" PIIN 9 1 15 CurrentCard EDI.POcklo c> "" PIIN 9 1 14 CurrentCard EDI.POcklo complex PIIN 9 1 14 CurrentCard EDI.POcklo c> "" PIIN 9 1 14 CurrentCard EDI.POcklo complex PIIN 9 1 14 CurrentCard EDI.POcklo complex PIIN 9 1 14 CurrentCard EDI.POcklo complex PIIN 9 1 14 CurrentCard EDI.POcklo co	532	-	20	,	m	CurrentCard	EDi.DatePack7 <> ""		YYMMDD2YMD(EDI.DatePack7,0)	10/30/90
76	532	-	2	~	m	CurrentCard	EDI.DatePack8 <> ***		YYMMDD2YMD(EDI.DatePack8,1)	10/30/90
76 4 5 CurrentCard Matches(EDI.DIC,/DEI.30) ServUse5 79 1 2 CurrentCard Matches(EDI.DIC,/DEI.30) ServUse5 79 2 2 CurrentCard Matches(EDI.DIC,/DEI.30) RejectAdvice 79 3 2 CurrentCard Matches(EDI.DIC,/DEI.30) Matches(EDI.DIC,/DEI.30) Matches(EDI.DIC,/DEI.30) Matches(EDI.DIC,/DEI.30) Matches(EDI.DIC,/DEI.30) Matches(EDI.DIC,/DEI.20)	532	-	2	m	m	CurrentCard	Matches(EDI.DIC,/ (DE) 79/)	Servuse4		10/30/90
79 2 CurrentCard Matches(EDI.DIC,/UDE12G/) and RejectAdvice 79 2 CurrentCard Matches(EDI.DIC,/UDE12G/) and RejectAdvice 79 3 2 CurrentCard Matches(EDI.DIC,/UDE12G/) and EDI.Status 7 1 3 CurrentCard Matches(EDI.DIC,/UDE12K/) InvIype 8 15 CurrentCard IsMumeric(EDI.Quantity) 8 15 CurrentCard IsMumeric(EDI.Quantity) 1 25 1 5 CurrentCard Substr(EDI.Quantity, 1, 1) = M-M 1 25 2 5 CurrentCard EDI.DocNo <> *** PIIN 1 20 14 CurrentCard EDI.DocNo <> *** PIIN 1 20 13 CurrentCard EDI.DocNo <> *** PIIN 1 20 14 CurrentCard EDI.DIIM <> *** PIIN 1 20 14 CurrentCard EDI.DocNo <> *** PIIN 21 30 30 30 30 30 30 30 3	532	-	2	4	~	CurrentCard	Matches(ED1.D1C,/[DE]G9/)	Servuse		10/30/90
79 2 2 CurrentCard	532	-	2	_	~	CurrentCard	Matches(ED1.D1C,/(DE)?9/)	SerW8e5		10/30/90
EDI.RejectAdvice <> "" EDI.RejectAdvice <> "" Matches(EDI.DIC,/[DE]2G/) and EDI.Status <> "" Status CurrentCard CurrentCard CurrentCard CurrentCard Substr(EDI.Quantity) Substr(EDI.Quantity,1,1) = "." DocNo 1 25 2 5 CurrentCard EDI.DocNo <> "" Punch(Substr(EDI.Quantity,2,5),1)	532	_	R	~	~	CurrentCard	Matches(EDI.DIC,/[DE]2G/) and	RejectAdvice		10/30/90
79 3 2 CurrentCard							EDI.RejectAdvice <> ""			;
1 1 3 CurrentCard 1 4 1 3 CurrentCard 1 5 1 1 CurrentCard 1 8 1 15 CurrentCard 1 23 1 2 CurrentCard 1 25 1 5 CurrentCard 1 25 2 5 CurrentCard 2 25 2 CurrentCard 2 25 2 CurrentCard 3 0 1 14 CurrentCard 4 1 3 CurrentCard 5 2 13 CurrentCard 6 EDI.DocNo <> "" Punch(Substr(EDI.Quantity, 1, 1) = "-" PocNo PliN PliN PartName Punch(Substr(EDI.Quantity, 2, 5), 1) PPIN PliN PPIN	532	-	R	m	~	CurrentCard	Matches(EDI.DIC,/[DE]ZG/) and EDI.Status <> ***	Status		10/30/90
1 4 1 3 CurrentCard Matches(EDI.DIC,/[DE]2K/) InvType 1 7 1 1 CurrentCard Matches(EDI.DIC,/[DE]2K/) PartNbr 1 23 1 2 CurrentCard IsNumeric(EDI.Quantity) 1 25 1 5 CurrentCard Substr(EDI.Quantity,1,1) = M-M Punch(Substr(EDI.Quantity,2,5),1) 1 25 2 5 CurrentCard EDI.DocNo <> MM Punch(Substr(EDI.Quantity,2,5),1) 1 30 2 13 CurrentCard EDI.PIIN <> MM PIIN	533	-	-	_	m	CurrentCard		01 0		10/03/90
7 1 CurrentCard Matches(EDI.DIC,/[DE]2K/) PartNbr 1 23 1 2 2 2 2 2 2 2 2 3 3	533	-	4	_	m	CurrentCard		ToRIC		10/30/90
1 8 1 15 CurrentCard 1 23 1 2 CurrentCard 1 25 1 5 CurrentCard IsNumeric(EDI.Quantity) 1 25 2 5 CurrentCard Substr(EDI.Quantity,1,1) = M-M DocNo 1 30 2 13 CurrentCard EDI.DocNo <> MM PliN	533	-	~	, -	_	CurrentCard	Matches(EDI.DIC,/[DE]2K/)	Inviype		10/30/90
UnitOfissue LZERO(EDI.Quantity, 1) = 1.25 1 5 CurrentCard IsNumeric(EDI.Quantity, 2) 1.25 1 5 CurrentCard Substr(EDI.Quantity, 1, 1) = 1.25 2 5 CurrentCard Substr(EDI.Quantity, 1, 1) = 1.25 2 5 CurrentCard EDI.DocNo <> "" DocNo 1.30 2 13 CurrentCard EDI.PIIN <> "" PIIN	2115	-	•	-		CurrentCard		PartNbr		10/30/90
1 25 1 5 CurrentCard IsNumeric(EDI.Quantity) 1 25 2 5 CurrentCard Substr(EDI.Quantity,1,1) # M-M Punch(Substr(EDI.Quantity,2,5),1) 1 30 1 14 CurrentCard EDI.DocNo <> MM PIIN PIIN		-	. 2	-		CurrentCard		UnitOf Issue		10/30/90
1 25 2 5 CurrentCard Subatr(EDI.Quantity,1,1) # M-M 1 30 1 14 CurrentCard EDI.DocNo <> MM 1 30 2 13 CurrentCard EDI.PIIN <> MM PIIN	3 5	-	X		· ·	CurrentCard	IsNumeric(EDI.Quantity)		LZERO(ED1.Quentity,5)	10/30/90
1 30 1 14 CurrentCard EDI.DocNo <> *** DocNo			2	۰ ~	'n	CurrentCard			Punch(Substr(ED1.Quentity,2,5),1)	10/30/90
1 30 2 13 CurrentCard EDI.Plik <> ***	15		2		<u>'</u>	CurrentCard	EDI. DocNo <> ##	DocNo		10/30/90
	3 5	-	200	٠ ٨	13	CurrentCard	EDI.PIIN <> ***	PIIN		10/30/90

S	Sect								
18	P	St (J Puc	£ :	St Ord Len Cardillo	Condition	Field	Transformetion	Date
533	-	3	-	-	CurrentCard	EDI.DocMoSuffix <> ***	DocNoSuffix		10/30/90
533	-	\$\$	-	•	CurrentCard	Matches(EDI.DIC,/[DE][89][^EFS]/) and EDI.DatePack8 = ""	SerWse2		10/30/90
533	-	\$\$	2	•	CurrentCard	Matches(EDI.DIC,/IDEI[89][CEFS]/) and	Serv/se2		10/30/90
533	_	45	m	m	CurrentCard	Matches(EDI.DIC, / (DE) (89E) (EF) (DE) AS (DE) Z (GK LOS IngRIC	LosingRIC		10/30/90
						1/)			
533	-	45	•	m	CurrentCard	Matches(EDI.DIC,/[DE]A[CD]/)	Serv/se2		10/30/90
533	-	3	-	m	CurrentCard	Matches(ED1.D1C,/[DE]A(CD]/)	Serv/se3		10/30/90
533	_	3	~	~	CurrentCard	Matches(EDI.DIC,/(DE)AS/)	Serv0se2		10/30/90
533		3	m	m	CurrentCard	Matches(ED1.D1C,/(DE1[69E][EF1]/) and		YYMMD02YMD(EDI.DatePack7,0)	10/30/90
						EDI.DatePack7 <> ""			
533	-	3	4	m	CurrentCard	Matches(ED1.D1C,/(DE1[89E][EF]/) and		YYMDD2YMD(EDI.DatePack8,1)	10/30/90
						EDI.DatePack8 <> ***			
533	_	5	_	m	CurrentCard	Matches(ED1.D1C,/[DE][89][^EFS]/) and		YYMMDD2YND(ED1.DatePack7,0)	10/30/90
						ED1.DatePack7 <> ***			
533	-	51	~	m	CurrentCard	Matches(EDI.DIC,/[DE][89][^EFS]/) and		YYMMD02YMD(EDI.DatePack8,1)	10/30/90
						EDI.DatePack8 <> ***			
533	_	25	-	~	CurrentCard	Matches(EDI.DIC,/[DE][89]S/)	Serv/se2		10/30/90
533	-	25	~	~	CurrentCard	Matches(ED1.D1C,/(DE1A(CD1/) or	Servise4		10/30/90
						Matches(ED1.SourceD1C,/[DE]A[CD]/)			
533	-	25	m	~	CurrentCard	Matches(EDI.DIC,/[DE]AS/)	Serv/Jse3		10/30/90
533	-	24	_	m	CurrentCard	Matches(EDI.DIC,/[DE]ZG/)	CorrectRIC		10/30/90
533	-	7	~	m	CurrentCard	Matches(ED1.DIC,/(DE12K/)	Source01C		10/30/90
533	_	7	m	M	CurrentCard		Distribution		10/30/90
533	-	57	-	m	CurrentCard	Matches(ED1.D1C,/[DE12G/)	RejectedD1C		10/30/90
533	-	57	~	m	CurrentCard	Matches(ED1.D1C,/[DE12K/)	LotSegNbr		10/30/90
533	-	37	m	~	CurrentCard	Matches(EDI.DIC,/[DE]E(EF]/)	Serv0se2		10/30/90
533	•	25	4	m	CurrentCard		Project		10/30/90
533	_	8	-	m	CurrentCard	Matches(EDI.DIC,/[DE][89][^EFS]/)	Serv/se3		10/30/90
533	-	8	2	m	CurrentCard	Matches(EDI.DIC,/[DE]A[CD]/) and	Servuse5		10/30/90
						EDI.DatePack7 = "" and EDI.DatePack8 = ""			
533	_	8	m	m	CurrentCard	Metches(EDI.DIC,/[DE]A[CD]/) end		YYMMDD2YMD(ED1.DatePeck7,0)	10/30/90
						EDI.DatePack7 <> ***			

Date	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	1/24/91		10/30/90	10/30/90	10/30/90	10/30/90	10/30/90	10/05/90	10/02/90	10/02/90	10/02/90
Transformation	YYMMDD2YMD(ED1.DatePack8,1)	Substr(yymmdd2](EDI.EffectDate),2,3)													YYMMDD2J(EDI.SourceDate)	Substr(yymmdd2j(EDI.TransDate),2,3)	LZERO(EDI.UnitPrice,7)	LZERO(EDI.UnitPrice,5)										
Field	1 1 1 1 1 1 1 1 1		ErrClassCode	Servuse4	Servuse6	ToOmnerCode	ToPurpose	ToSupCode	ServUse5	RIC	OwnerCode	Purpose	Supcondcode	GFMMgtCode						ServUse6	ServUse7	Servuse4	RejectAdvice	" Status	210	TORIC	InvType	NSM
Condition	Matches(EDI.DIC,/(DEIA(CD)/) and	EDI.EffectDate <> ""	Matches(ED1.D1C,/[DE][89]A/)	Matches(EDI.DIC,/[DE][89][^AEFS]/)	Matches(ED1.D1C,/[DE]A[CD]/)	EDI.ToOwnerCode <> ***	EDI.ToPurpose <> ***	EDI.ToSupCode <> ***	Matches(EDI.DIC,/(DE][89][^EFS]/)		ED1.OwnerCode <> ***	ED1.Purpose <> ***			Matches(EDI.DIC,/[DE]2K/) and EDI.SourceDate	Not Matches(EDI.DIC,/[DE]E[EF]/) and EDI.TransDate <> ""	Matches(EDI.DIC,/IDE)E(EF)/) and EDI.Inteprice <> ""	Matches(EDI.RejectedDIC./(DE)E(EF)/) and	EDI.UnitPrice <> ""	Matches(ED1.D1C,/[DE][89][^EFS]/)	Matches(ED1.D1C,/[DE1A[CD]/)	Matches(EDI.DIC,/[DE]AS/)	Matches(EDI.DIC,/[DEIZG/) and EDI.RejectAdvice <> ""	Matches(EDI.DIC,/[DE]2G/) and EDI.Status <> "" Status				
St Ord Len CardNo	6 3 CurrentCard	1 3 CurrentCard	1 3 CurrentCard	6 2 3 CurrentCard	3 2 CurrentCard	1 1 CurrentCard	5 2 1 CurrentCard	5 1 1 CurrentCard	5 2 1 CurrentCard	1 3 CurrentCard	1 1 CurrentCard) 2 1 CurrentCard	1 1 CurrentCard	! 1 CurrentCard	1 1 CurrentCard	1 2 3 CurrentCard	1 7 CurrentCard	. 2 5 CurrentCard	1	1 5 CurrentCard	5 2 5 CurrentCard	3 5 CurrentCard	1 2 CurrentCard	2 2 CurrentCard	1 3 CurrentCard	1 3 CurrentCard	1 1 CurrentCard	1 15 CurrentCard
	· -	3	3	-	- 23	1 65	1 65	8	8	1 67	2	5	1 7	1 72	د	<u>-</u> ت	7 7	1 74		1 76	1 76	1 76	æ -	2	-	4	1 7	• 0
	533	533	533	233	233	233	233	233	233	233	233	533	533	533	533	533	533	511		533	533	533	533	533	534	534	23%	534

	Date	10/02/90	1/31/91	1/31/91	10/02/90	1/24/91	00,000	04/20/01	10/02/90	10/02/90	;	10/02/90		10/02/90		10/02/90		10/02/90	10/05/90	•	10/02/90	10/05/90	10/02/90	10/02/90	10/02/90		10/02/90	10/02/90	10/02/90	10/02/90
	Trensformation		LZERO(EDI.Quentity,10)	LZERO(EDI. Quantity, 10)	YYMDD2J(EDI.CountDate)	YYMMDD2J(EDI.CountDate)		YYMDDZJ(EDI.InfloatDate)																			yymmdd2](EDI.CutOffDate)			
	Field	UnitOfissue						,	Servuse2	ShelfLife		InvCode		MOI dent if ier		InvCategory		LotSegNbr	ControlMbr		CorrectRIC	Distribution	RejectedDiC	Project	Countillbr		1	Servuse3	FromRIC	OwnerCode
			Matchee(EDI.DIC,/[DE]KA/) and EDI.Quantity <> ***	Matches(EDI.RejectedDIC,/[DE]KA/) and EDI.Quantity <> ""	Matches(EDI.DIC,/(DEJKA/) and EDI.CountDate	Netches(EDI.RejectedDIC,/[DE]KA/) and	EDI.CountDate <> ""	EDI.InfloatDate <> ""	Matches(EDI.DIC,/[DE]KA/) or Matches(EDI.De]ectedDIC./[DE]KA/)	Natches(EDI.DIC,/IDEJKA/) or	Matches(ED1.RejectedD1C,/[DE1KA/)	Matches(EDI.DIC,/(DEJKA/) or	Matches(EDI.RejectedDIC,/[DE]KA/)	Matches(EDI.DIC,/[DE]KA/) or	Matches(EDI.RejectedDIC,/[DE]KA/)	Matches(EDI.DIC,/[DE]KA/) or	Matches(EDI.RejectedDIC,/IDEJKA/)		Matches(ED1.DIC,/(DE)KA/) or	Matches(EDI.RejectedDIC,/[DE]KA/)	Matches(ED1.D1C,/(DE12G/)		Matches(ED1.DIC,/[DE12G/)		Matches(EDI.DIC,/[DE]KA/) or	Matches(EDI.RejectedDIC,/[DE]KA/)	ED1.CutOffDate <> ""	Not Matches(EDI.DIC,/[DE]K>/)		EDI.OwnerCode <> ***
	St Ord Len CardNo	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard		CurrentCard		CurrentCard	CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard
	£ :	~	9	2	•	•		*	-	-		-		-		-		m	~		m	m	m	m	-		•	~	m	-
	0	-	-	~	-	~		m	-	-		-		-		-		-	-		-	~	<u>-</u>	~	-		-	-	-	-
		: 2	X	X	35	35		33	30	9		2		42		43		3	47		2	7	57	57	8		2	65	67	2
Sect	D)1 P91	-	-	-	-	-			_	-		_		-		-		-	_		_	_	_	_	_		_	-	_	_
Ň	•																													

		Field	Transformation	Date
CurrentCard EDI. Purmose <> ***	4	Purpose		10/02/90
		SupcondCode		10/02/90
CurrentCard		GFMMgtCode		10/02/90
CurrentCard Matches(EDI.D	Matches(EDI.DIC,/[DE]KA/) or	ErrorCode		10/02/90
Matches(EDI.R	Matches(EDI.RejectedDIC,/IDE)KA/)			;
CurrentCard EDI.SubsistPa	stPack = **	Servise		10/02/90
EDI.DatePack1 <> ""	# ◊ -		YYMMDD2YMD(ED1.DatePack1,0)	10/02/90
CurrentCard EDI.DatePack2 <> ""	# 0		YYMMD02YMD(EDI.DatePack2,1)	10/02/90
	Matches(EDI.DIC,/IDE12G/) and	RejectAdvice		10/02/90
	/ice ⇔ **			
CurrentCard EDI.SubsistPack <> ***	ick o ""	SubsistPack		10/02/90
CurrentCard Matches(ED1.0	Matches(ED1.DIC,/(DE12G/) and ED1.Status <> "" Status	Status		10/02/90
CurrentCard		Serv0se6		10/02/90
CurrentCard		DIC		10/02/90
CurrentCard		ToRIC		10/05/90
CurrentCard Not Matches(E	Not Matches(EDI.DIC,/IDEJSD/)	TransCode		10/02/90
CurrentCard		NSM		10/02/90
CurrentCard Matches(ED1.D1C,/(DE1SB/))1C,/(DE1SB/)	HEALISH		10/05/90
CurrentCard Matches(EDI.D	Matches(EDI.DIC,/DE)S(DM)/)	ServUse2		10/02/90
CurrentCard Matches(ED1.D	Matches(ED1.D1C,/[DE]S[CFR]/)	RejectCode		10/02/90
CurrentCard Matches(EDI.DIC,/ (DE) SA/)	01C,/(DE1SA/)	Reportingulo		10/02/90
CurrentCard Matches(EDI.D	Matches(EDI.DIC,/[DE]S[CFR]/) and		Substr(ED1.RejectDate,1,1)	10/02/90
EDI.RejectDate <> ""	# ♦ #			
CurrentCard Matches(EDI.DIC,/(DE)	Matches(EDI.DIC,/[DE]S[CFR]/) and EDI RejectDate <> ""		YYMOD2J(EDI.RejectDate)	10/02/90
Caracterian Matches(FD)	Matches/EDI DIC / (DE1S (CD FME) /)	Doctio		10/02/90
	10 (ME) 64 ()	Serielahr		10/02/90
	DIC,/ [DC] SA/ /		vvimmon (ten 1 Effectilate)	10/02/90
CurrentCard Matches(EDI.0	Matches(EDI.DIC,/[DEJS8/) and EDI.ETTECTDate		11m002d(E01.E11E1.C2)	
## \$				
CurrentCard Matches(ED1.D	Matches(ED1.D1C,/(DE)SA/)	News		10/02/90
CurrentCard Matches(ED1.0	Matches(EDI.DIC,/[DE]S[CDFMR]/)	DocNoSuffix		10/05/90
CurrentCard Matches(ED1.0	Matches(EDI.DIC,/[DE]S(CDFMR]/)	ShipToDoDAAC		10/02/90
Currentferd Not Matches(E	nes(ED1.D1C,/[DE1SA/)	ReportingUIC		04/20/01

	Date	10/02/90	10/02/90	10/02/90	10/02/90	10/02/90	10/02/90	10/02/90	10/02/90	10/02/90	4/12/91	4/11/91	4/11/91	16/11/7	16/11/7	16/11/4	16/11/4	16/11/4 S.		16/11/4	16/11/7		4/11/91	4/11/91	4/11/91	.8 4/11/91		.o. 4/11/91	4/11/91	4/11/91	4/11/91	.E 4/11/91	
	Transformation								Substr(ED1.TransDate, 1,2)	Substr(YYMDD02J(EDI.TransDate),2,3)	1 doon							CAT(Substr(EDI.SubDate,1,1), YYMMDD2J(EDI.S	ubDete))	LZero(EDI.Cube,7)	LZero(ED1.OriHandA,10)		LZero(EDI.Dueina,10)		LZero(EDI.Weight,5)	CAT(Substr(ED1.8uyDate,1,1), YYMMDD2J(ED1.8	uyOate))	CAT(Substr(EDI.DemDate,1,1),YYMMDD2J(EDI.DemDate))				CAT(Substr(ED1.EndDate, 1,1), YYMMD02J(ED1.E	ndDate))
	Field	Accountill	SerialMbr	Accountuic	Serv/Jse2	NewSerialNbr	Accountil	RejectCode				DIC	TORIC	Reviewind	MSM	FromR1C	Dataind							NSN2					LeadTime	EssentCode	Control		
	Condition	Matches(ED1.D1C,/[DE]S8/)	Metches(EDI.DIC,/[DE]S[CDFMR]/)	Metches(EDI.DIC,/[DE]SA/)	Matches(ED1.DIC,/[DE]SB/)	Matches(ED1.D1C,/[DE]SA/)	Natches(EDI.DIC,/ [DE]S[CDFMR]/)	Matches(EDI.DIC,/UE)SA/) and EDI.RejectCode	EDI.TransDate <> ***	EDI.TrameDate <> ***						Not Matches(EDI.DIC,/[DE]LW/)	Matches(EDI.DIC,/(DE)LW/)	EDI.Subbate <> ""		Matches(EDI.DIC,/(DEJLS/) and EDI.Cube <> ***	Matches(ED1.DIC,/[DE]LU/) and ED1.OnMandA <>	==	Matches(EDI.DIC,/[DE]LV/) and EDI.Duelng <> ***	Matches(ED1.D1C,/[DE]LX/)	Matches(EDI.DIC,/(DEJLS/) and EDI.Weight <> ""	Matches(ED1.DIC,/[DE]LS/) and ED1.BuyDate <>	•	Matches(EDI.DIC,/[DE]LS/) and EDI.DemDate <>	Matches(ED1.DIC,/[DE1LS/)	Matches(EDI.DIC,/(DE)LS/)	Matches(ED1.D1C,/(DE1LS/)	Netches(EDI.DIC,/[DE]LS/) and EDI.EndDate <>	**
	s tord Len CardNo	1 6	1 57 2 11 CurrentCard	1 58 1 6 CurrentCard	63 1 18 CurrentCard	1 65 1 11 CurrentCard	69 1 6 CurrentCard	76 1 2 CurrentCard	76 2 2 CurrentCard	78 1 3 CurrentCard	1 0 0 CurrentCard	1 1 1 3 CurrentCard	4 1 3 CurrentCard	7 1 1 CurrentCard	8 1 13 CurrentCard	24 1 3 CurrentCard	24 2 1 CurrentCard	27 1 5 CurrentCard		32 1 7 CurrentCard	32 2 10 CurrentCard		32 3 10 CurrentCard	33 1 13 CurrentCard	39 1 5 CurrentCard	1 44 1 5 CurrentCard		49 1 5 CurrentCard	54 1 3 CurrentCard	57 1 1 CurrentCard	59 1 1 CurrentCard	60 1 5 CurrentCard	
Sect	164 114	535	535	535	535	535	535	535	535	535	536	536	538	535	536	536	536	536		538	536		538	538	536	536		536	536	536	536	536	

	Date	4/11/91	4/11/91	4/11/91	4/11/91	4/12/91	4/11/91		4/11/91		4/11/91		4/12/91	4/12/91	4/12/91	4/12/91	4/12/91		4/12/91		4/12/91		4/12/91	4/11/91		4/11/91		4/12/91		4/12/91		4/12/91	
	Trensformation	1.SubDate, 1, 1), YYMMD02J(EDI.S		Lzero(EDI.Total,10)		100p := 0	CurrentCard :=	FindCard(/[DE]L[TUVX]/,Backward,CC(),1,3)	CurrentCard :=	FindCard(/[DE]L[TUVX]/,Backward,CC(),1,3,"	CurrentCard :=	FindCard(/[DE]L[TUVX]/,Backward,CC(),1,3,"	Loop := Loop + 1	RP(CC()-1,1,6)	RP(CC()-1,8,13)		LZero(EDI.Q1RD,9)		LZero(EDI.03RD,9)		LZero(EDI.OnHanda,10)		Lzero(EDI.Warquent,9)	Lzero(EDI.Duein9,9)				LZero(EDI.a1RDC,5)		LZero(EDI.q3RDC,5)		LZero(EDI.91MD,9)	
	Field		ExtOpt	,	FromRIC											PSW										Description							
	Condition	01.01C,/DE	Matches(EDI.DIC,/(DE]LS/)	Matches(EDI.DIC,/IDEJLS/) and EDI.Total <> ""	Matches(EDI.DIC,/(DE)LW/)	Loop <> 0 and EDI.PSN <> RP(CC()-1,21,3)	Substr(ED1.PSN,2,2) = "01"		Substr(ED1.PSW,2,2) = "02" and	FindCard(/[DE]L[TUVX]/,Backward,CC(),1,3,"02",	Substr(ED1.PSW,2,2) = "03" and	FindCard(/[DE]L[TUVX]/,Backward,CC(),1,3,"03",		Substr(EDI.PSM,2,2) <> "01"	Substr(ED1.PSM,2,2) <> "01"		Matches(RP(CC(),1,3),/(DE)LT/) and	Substr(EDI.PSM, 2, 2) = "02" and EDI.91RD <> ""		Substr(EDI.PSM, 2, 2) = "03" and EDI.03RD <> ""	Loop = 1 and Matches(RP(CC(),1,3),/[DE]LU/)	and Subatr(EDI.PSN,2,2) <> "01" and	Matches(RP(CC(),1,3),/(DE)LT/) and ED1, WarQuant <> ""	Loop = 1 and Matches(RP(CC(),1,3),/[DE]LV/)	and RP(CC(), 22, 2) = "02" and EDI.DueIn9 <> ""	Matches(RP(CC(),1,3),/[DE]LX/) and	RP(CC(),22,2) <> "01"	Matches(RP(CC(),1,3),/[DE]LT/) and	Substr(EDI.PSW, 2, 2) = "02" and EDI. Q1RDC<> ""	Matches(RP(CC(),1,3),/[DE]LT/) and	Substr(EDI.PSN,2,2) = "03" and EDI.03RDC<>""	Matches(RP(CC(),1,3),/[DE]LT/) and	Substr(EDI.PSN,2,2) = "02" and EDI.Q1ND <> ""
	St Ord Len CardNo	,	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard		CurrentCard	CurrentCard		CurrentCard		CurrentCard		CurrentCard		CurrentCard	
	ة . : بو		_	5	٠	0	2		3 0		0 4		2	9	1 13		•		2 9		1 10		2	3		3		~		2 5		1 9	
	St 0	23	65	28	92	_	_		_		_		_	-	•	2	72		72		32		32	32		32 (33		33		2	
Sect	₽:	-	_	_	_	8	8		8		8		8	8	8	8	8		8														
Š	18	9	2	2	2	536 100	538 10		536 100		536 100		536 10	536 10	536 10		53.8		536 10		536 100		536 100	536 100		536 100		536 100		536 100		536 100	
	2 :	536	538	538	536	5	2		2		2		2	2	2	2	2		2		Z		S.	S		2		2		2		2	

	Date	16/21/7		4/12/91	4/11/91		4/12/91	16/11/91		4/12/91	4/12/91	4/12/91		4/11/91	4/12/91		4/12/91	4/12/91	:	4/12/91	4/11/91	4/11/91	4/11/91	4/11/91	4/11/91
	Transformation	LZero(EDI.q3MD,9)	•	Lzero(EDI.BackQuent,9)				CAT(Substr(EDI.DueInDete,1,1), YYMMD02J(EDI	.DueInDate))						LZero(ED1.91MDC,5)		LZero(EDI.OnHenda,10)	LZero(ED1.OnHand0,10)		LZero(EDI.Q3MDC,5)	: <u>:</u>	#5#			
	Field				Storkic		RIC			OwnerCode	Purpose	Supcode		Critcode									InspType	TypeInd	100
	Condition	Matches(RP(CC(),1,3),/[DE]LT/) end	Substr(EDI.PSN,2,2) = "03" and EDI.Q3ND <> ""	Metches(RP(CC(),1,3),/[DE]LT/) and EDI.BackQuant <> ""	Loop = 1 and Matches(RP(CC(),1,3),/(DE)LV/)	and RP(CC(),22,2) <> "01"	Loop = 1 and Matches(RP(CC(),1,3),/DE1LU/) and RP(CC(),22,2) <> +01=	Loop = 1 and Matches(RP(CC(),1,3),/(DE1LV/)	and RP(CC(), 22, 2) <> "01" and EDI. Duelribate	Loop = 1 and Matches(RP(CC(),1,3),/IDEJLU/)	Loop = 1 and Matches(RP(CC(),1,3),/DE1LU/) and Substr(EDI.PSW,2,2) <> "01" and	Loop = 1 and Matches(RP(CC(),1,3),/ DEJLU/)	and Substr(ED1.PSH,2,2) <> "01"	Matches(RP(CC(),1,3),/[DE]LX/)	Matches(RP(CC(),1,3),/IDE]LT/) and	Substr(EDI.PSH,2,2) = "02" and EDI.Q1NDC<>""	Loop = 1 and Matches(RP(CC(),1,3),/DE1LU/) and Substr(EDI.PSH,2,2) = "01" and	Loop = 2 and Matches(RP(CC(),1,3),/(DE)LU/)	and Substr(EDI.PSN,2,2) <> "01" and	Matches(RP(CC(),1,3),/[DE]LT/) and Subatr(EDI.PSW.2,2) = "03" and EDI.Q3MDC<>""	Natches(RP(CC(),1,3),/[DE]LX/) and EDI.Insp =	Matches(RP(CC(),1,3),/[DE]LX/) and EDI.Insp = "DS"	Matches(RP(CC(),1,3),/ IDE)LX/)	Loop = 1 and Matches(RP(CC(),1,3),/(DE]LV/) and RP(CC(),22,2) <> "01"	12-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5
	St Ord Len Cardio	CurrentCard		CurrentCard	CurrentCard		CurrentCard	CurrentCard		CurrentCand	CurrentCard	CurrentCard		CurrentCard	CurrentCard		CurrentCard	CurrentCerd		CurrentCard	CurrentCerd	CurrentCard	CurrentCard	CurrentCard	
	<u>.</u> ق	•	•	•	~		m	₩.		-	-	-		-	₩		5	9		₩	-	-	-	-	•
	P :		•	- -	~		-	_		-	~	-		~	-		~	~		4	•	•	-	-	c
		2		7	536 100 41		42	3		\$	\$	3			17		536 100 47	47		47	11	13	3	\$	07
Sect	119	8		55 50 100	5		536 100	536 100		536 100	536 100	536 100		536 100	<u>\$</u>		5	536 100		536 100	536 100	536 100	536 100	536 100	217
	3 :	536													38										

Sect	بر							
PET P91		ord :	£ :	St Ord Len CardNo	Condition	Field	Transformation	Date
536 100	0 20	-	•	CurrentCard	Matches(RP(CC(),1,3),/[DE]LT/) and EDI.Back[ines <> ""		LZero(EDI.BackLines,5)	16/21/5
536 100	0 %	~	٥	CurrentCard	Loop = 1 and Matches(RP(CC(),1,3),/[DE]LV/) and RP(CC(),22,2) = "01" and ED], Dueing <> ""		LZero(EDI.Duelna,9)	4/11/91
536 100	0 50	m	•	CurrentCard	Loop = 2 and Matches(RP(CC(),1,3),/[DE]LV/)		LZero(EDI.Dueina,9)	4/12/91
536 100	50	4	•	CurrentCard	<pre>ma KP(UC(), 22, 2) <> "Ul" and EDI.DUEIN4 <> "" Matches(RP(CC(), 1, 3), / [DE] LX/)</pre>	SHRCode		4/11/91
536 100	0 53	-	•	CurrentCard	Matches(RP(CC(),1,3),/(DE)LT/) and		LZero(EDI.92RD,9)	4/11/91
536 100	53	~	•	CurrentCard	Substiticularist, 2, 2, and enderly comments of the substitution o		LZero(EDI.04RD,9)	4/11/91
536 100	0 55	-	•	CurrentCard	Matches (RP(CC(), 1,3),/ [DE] LT/) and EDI Demonstration III		LZero(EDI.DemQuent,9)	4/12/91
536 100	0 55	~	-	CurrentCard	Matches(RP(CC(),1,3),/IDE1LX/)	PackInd		4/11/91
536 100	5	_	-	CurrentCard	Matches(RP(CC(),1,3),/[DE]LX/)	Histind		4/11/91
536 100	0 57	-	-	CurrentCard	Matches(RP(CC(),1,3),/(DE)LX/)	Purind		4/11/91
536 100	0 57	~	m	CurrentCard	Loop = 1 and Matches(RP(CC(),1,3),/[DE]LU/)	RIC		4/12/91
					and Substr(EDI.PSN,2,2) = 4014			
536 100	75 0	m	m	CurrentCard	Loop = 2 and Matches(RP(CC(),1,3),/[DE]LU/) and Subatr(EDI.PSN,2,2) <> *01**	8 10		4/12/91
536 100	0 59	-	m	CurrentCard	Loop = 1 and Matches(RP(CC(),1,3),/(DE)LV/) and RP(CC(),22,2) = "01"	StorRIC		4/11/91
536 100	0 59	~	m	CurrentCard	Loop = 2 and Matches(RP(CC(),1,3),/[DE]LV/) and RP(CC(),22,2) <> **01**	Storkic		4/11/91
536 100	8	-	-	CurrentCard	Loop = 1 and Matches(RP(CC(),1,3),/(DE)LU/) and Substr(EDI.PSN,2,2) = "01" and	OwnerCode		4/12/91
536 100	8	~	-	CurrentCard	Loop = 2 and Matches(RP(CC(),1,3),/(DEJLU/) and Substr(EDI.PSM,2,2) <> "01" and	OwnerCode		4/12/91
536 100	8	m	-	CurrentCard	Loop = 1 and Matches(RP(CC(),1,3),/[DE]LU/) and Substr(EDI.PSN,2,2) = "01" and	Purpose		4/12/91
536 100	8	•	-	CurrentCard	Loop = 2 and Matches(RP(CC(),1,3),/[DE]LU/) and Substr(EDI.PSN,2,2) <> "0!" and	Purpose		4/12/91
536 100	6	-	-	CurrentCard	Loop = 1 and Matches(RP(CC(),1,3),/[DE]LU/) and Substr(EDI.PSW,2,2) = "01"	Supcode		4/12/91

]	1			•	;	
£ :	•	St Ord Len Cardio	Condition	Field	Transformation	Date
-	_	CurrentCard	<pre>Loop = 2 and Matchee(RP(CC(),1,3),/[DE]LU/) and Substr(EDI.PSN,2,2) <> "0!"</pre>	Supcode		4/12/91
5		CurrentCard	Matches(RP(CC(),1,3),/(DE)LT/) and Substr(ED1,PSN,2,2) = "02" and ED1,02RDC<>""		LZero(EDI.92RDC,5)	4/12/91
5	-	CurrentCard	Loop = 2 and Matches(RP(CC(),1,3),/[DE]LU/) and Substr(EDI,PSM,2.2) = "01" and		LZero(EDI.OnWandO,10)	4/12/91
9		CurrentCard	Loop = 3 and Matches(RP(CC(),1,3),/[DE]LU/) and Substr(EDI,PSM,2,2) <> "01" and		LZero(EDI.OnHanda,10)	16/21/91
•		CurrentCard	Natches(RP(CC(),1,3),/[DE]LT/) and Substr(ED],PSN,2,2) = "03" and ED],94RDC<>""		LZero(EDI.94RDC,5)	4/12/91
10		CurrentCard	Loop = 1 and Matches(RP(CC(),1,3),/[DE]LV/) and RP(CC(),22,2) = "01" and EDI.DueInDate <>		CAT(Substr(EDI.DueInDate,1,1), YYMMDD2J(EDI.DueInDate))	4/11/91
•		CurrentCard	Loop = 2 and Matches(RP(CC(),1,3),/[DE]LV/) and RP(CC(),22,2) <> "01" and EDI. Due in Date		CAT(Substr(EDI.DueInDate,1,1),YYMDD2J(EDI.DueInDate)	4/12/91
•		CurrentCard	Natches(RP(CC(),1,3),/[DE]LT/) and ED1.Demfreq <> ""		LZero(EDI.Demfreq,9)	4/12/91
•		CurrentCard	Matches(RP(CC(),1,3),/[DE]LT/) and Substr(ED1.PSW,2,2) = "02" and ED1.92MD <> ""		LZero(EDI.92ND,9)	4/12/91
٥		CurrentCard	Matches(RP(CC(),1,3),/(DE]LT/) and Subatr(EDI.PSN,2,2) = "03" and EDI.GAND <> ""		LZero(EDI.94MO,9)	4/12/91
-		CurrentCard	Loop = 1 and Matches(RP(CC(),1,3),/[DE]LV/) and RP(CC(),22,2) = "01"	TypeInd		4/11/91
-		CurrentCard	Loop = 2 and Matches(RP(CC(),1,3),/(DE)LV/) and RP(CC(),22,2) <> "01"	TypeInd		4/12/91
m		CurrentCard	<pre>Loop = 2 and Matches(RP(CC(),1,3),/IDE1LU/) and Substr(ED1.PSM,2,2) = "01"</pre>	RIC		4/12/91
m		CurrentCard	<pre>Loop = 3 and Matches(RP(CC(),1,3),/[DE]LU/) and Substr(EDI.PSM,2,2) <> ***********************************</pre>	RIC		4/12/91
€0		CurrentCard	Matches(RP(CC(),1,3),/IDE]LT/) and EDI.Reorderlevel <> ""		LZero(EDI.ReorderLevel,8)	4/12/91
-		CurrentCand	<pre>Loop = 2 and Matches(RP(CC(),1,3),/IDEJLU/) and Substr(EDI.PSW,2,2) = "01" and</pre>	OwnerCode		4/12/91
-		CurrentCard	<pre>Loop = 3 and Matches(RP(CC(),1,3),/[DE]LU/) and Substr(EDI.PSM,2,2) <> "01" and</pre>	Omercode		4/12/91

Sect	•							
16d 11d		Ord	£ :	St Ord Len Cardilo	Condition	Field	Trensformation	Date
536 100	ĸ	m	-	CurrentCard	Loop = 2 and Metches(RP(CC(),1,3),/[DE]LU/)	Purpose		4/12/91
536 100	ĸ	•	-	CurrentCard	Loop = 3 and Matches(RP(CC(),1,3),/(DE)LU/)	Purpose		4/12/91
536 100	%	-	-	CurrentCard	and Superficial (2) (2) (3) and latches(RP(CC(),1,3),/DE1LU/)	Supcode		4/12/91
536 100	2	~	-	CurrentCard	and Substr(EDI.PSN,2,2) = "01" Loop = 3 and Metches(RP(CC(),1,3),/(DE1LU/)	supcode		4/12/91
53% 100	2	•	~	CurrentCard	Metches(RP(CC(),1,3),/DE1LT/) and		LZero(EDI.92MDC,5)	4/12/91
536 100	2	•	•	CurrentCard	Substr(EDI.PSN,2,2) = "02" and EDI.q2MDC<>"" Matches(RP(CC(),1,3),/IDEILT/) and Sidmir(EDI.PSN.2,2) = "03" and EDI.D4MDC<>""		LZero(EDI.94WDC,5)	4/12/91
536 200	-	-	0	CurrentCand	Subatr(ED1.PSM1,2,2) = "01"		CurrentCard := CurrentCard-1	4/11/91
536 200	2	_	m	CurrentCard		PSW1		16/11/9
536 200	ĸ	_	Į.	CurrentCard		PIIM		4/11/91
536 200	×	-	•	CurrentCard		SPIIN		4/11/91
536 200	\$	_	•	CurrentCard		CLIN		4/11/91
536 200	8	-	2	CurrentCard		UnitOfissue		4/11/91
536 200	25	-	2	CurrentCard	EDI.UnitPrice <> ""		LZero(EDI.UnitPrice, 10)	4/11/91
536 200	3	-	-	CurrentCard	Matches(RP(CC(),1,3),/IDE1LW/) and Matches(RP(CC(),76,1),/IABCW]/) and			4/12/91
536 200	3	~	-	CurrentCard	<pre>Matches(RP(CC(),1,3),/[DE]LW/) and Matches(RP(CC(),76,1),/[ABCM]/) and</pre>			4/12/91
236 200	3	M	-	CurrentCard	Matches(RP(CC(),1,3),/(DE)LW/) and Matches(RP(CC(),76,1),/(ABCW]/) and		นวิท	4/12/91
536 200	3	•	-	CurrentCard	Metches(RP(CC(),1,3),/[DE]LW/) and Metches(RP(CC(),76,1),/[ABCM]/) and		*Ón	4/12/91
236 200	3	•	-	CurrentCard	Matches(RP(CC(),1,3),/IDEILW/) and Matches(RP(CC(),76,1),/IABCW]/) and		w Ran	4/12/91
536 200	3	•	-	CurrentCand	Matches(RP(CC(),1,3),/[DE]LW/) and Matches(RP(CC(),76,1),/[^ABCM]/) and			4/12/91
236 200	8	~	-	CurrentCard	Matches(RP(CC(),1,3),/DE1LW/) and Matches(RP(CC(),76,1),/[^ABCW]/) and		**	4/12/91

Š	Sect							
26 :	11d St	P. o	<u>ا</u>	St Ord Len Cardilo	Condition	Field		Date
	200 71	-	₩.	CurrentCard	_	3 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	CAT(Substr(EDI.AwerdDate,1,1),YYMMD02J(EDI	4/11/91
674 300	•	٠	•				.AwardDate))	
	\$ ' 2 '	-	-	currentcard	Substr(EDI.PSWZ,Z,Z) = "02"		Mextcard()	4/11/91
_	2	-	0	CurrentCard2			CurrentCard2 := CurrentCard	4/11/91
236 200	2	-	೩	CurrentCard2			RP(CC()-1,1,20)	4/11/91
236 200	2	-	m	CurrentCard2		PSN2		4/11/91
236 200	8	-	ĸ	CurrentCard2			RP(CC()-1,25,25)	4/11/91
536 200	8	-	•	CurrentCard2		CAGESUD		16/11/5
236 200	50	-	Ξ	CurrentCard2	EDI.Quantity <> ***	•	Lzero(EDI.Quentity,11)	4/11/91
236 200	2	-	-	CurrentCard2		BusType1		4/11/91
236 200	8	_	-	CurrentCard2		BusType2		4/11/91
236 200	8	-	0	CurrentCard2	Substr(ED1.PSN3,2,2) = "03"		Nextcard()	4/11/91
236 200	9	-	0	CurrentCardS			CurrentCard3 := CurrentCard	4/11/91
536 200	9	-	2	CurrentCard			RP(CC()-1,1,20)	4/11/91
236 200	2	-	m	CurrentCord		PSM3		16/11/7
23% 200	8	-	ĸ	CurrentCard			RP(CC()-1,25,25)	4/11/91
		-	22	CurrentCard		PartMbr		16/11/7
	8	-	0	CurrentCardS	Substr(ED1.PSN4,2,2) = "04"		NextCard()	16/11/7
	9	_	0	CurrentCard6			CurrentCardk := CurrentCard	4/11/91
	9	-	೩	CurrentCard&			RP(CC()-1,1,20)	4/11/91
236 200	2	_	m	CurrentCerd6		PSN4		4/11/91
536 200	8	-	X	CurrentCard&			RP(CC()-1,25,25)	4/11/91
536 200	8	_	~	CurrentCard6		CAGEDes		4/11/91
536 200	0 55	-	~	CurrentCard6		Percent1		4/11/91
23 200	0 57	-	~	CurrentCard		Percent2		4/11/91
236 200	0 59	-	•	CurrentCard6	EDI.Menager <> ***	Manager		4/11/91
536 200		~	•	CurrentCard4	EDI.CAOCode <> ""		LZero(ED1.CAOCode,6)	4/12/91
236 200		-	-	CurrentCard6		Char		4/11/91
536 200		-	-	CurrentCard6		crit		16/11/7
536 200		-	-	CurrentCard4		AMC		4/11/91
536 200	8	-	-	CurrentCard6		AMCSuffix		4/11/91
236 200	\$	-	₩	CurrentCard6	EDI.Shipbate <> ""		CAT(Substr(EDI.ShipDate,1,1), YYM D02J(EDI.	4/11/91
							ShipDate))	

Sec 16d 11d	Sect Tid		Po	٤	St Ord Len CardNo		Field	Trensformation	Date
%	8	: 2	-	'n	Current Card 4	EDI.DelDate <> ""		CAT(Substr(EDI.DelDate,1,1),YYMMDD2J(EDI.D 4/11/91elDate))	4/11/91
536	200	8	-	-	CurrentCard6		ConType		16/11/7
537	_	~	-	m	CurrentCard		DIC		10/01/90
537	-	4	-	m	CurrentCard		TORIC		10/01/90
537	-	~	-	-	CurrentCard		ReportCode		10/01/90
537	-	•0	_	15	CurrentCard		NSN		10/01/90
537	-	ສ	-	~	CurrentCard	Metches(EDI.DIC,/[DE]ZF/) or	UnitOfissue		10/01/90
537	-	ĸ	~	•	CurrentCard	Matches(EDI.DIC,/(DE)ZE/) or Matches(EDI.Bejected)IC,/(DE)ZE/)		yymmdd2](EDI.ReportDate)	10/01/90
537	-	ĸ	-	•	CurrentCard	Matches(EDI.DIC,/(DE)ZF/) or	Serv0se2		10/01/90
						Matches(EDI.RejectedDIC,/(DE12F/)			
537	-	2	_	m	CurrentCard	Matches(EDI.DIC,/{DE}2F/) or	FromRIC		10/01/90
	,	i				Matches(EDI.RejectedDIC,/(DE)ZF/)			
537	-	×	-	m	CurrentCard	Matches(EDI.DIC,/DE1ZF/) or	StorageRIC		10/01/90
	•	ļ	٠,		•	Matches(EDI.RejectedDIC,/IDEJZF/)			
537	-	3/	-	•	CurrentCard	Matches(EDI.DIC,/[DE]ZF/) and EDI.ReportDate <> ""		yymmaddj(EDI.ReportDate)	04/10/01
537	-	37	~	•	CurrentCard	Matches(EDI.RejectedDIC,/(DE)ZF/) and EDI Respectate to HH		yymmdd2](ED1.ReportDate)	1/11/91
537	-	7	-	•	CurrentCard	Matches(EDI.RejectedDIC,/[DE]ZF/) and		LZERO(ED1.QuentityRO,6)	1/31/91
						EDI.QuentityRO <> ""			
537	-	2	~	•	CurrentCard	Matches(EDI.DIC,/[DE]ZF/) and EDI.QuantityRO <> ***		LZERO(EDI. QuentítyRO, 6)	1/31/91
537	-	13	-	•	CurrentCard	Matches(EDI.DIC,/[DE]ZF/) and EDI.QuantityOI		LZERO(EDI.QuantityOI,6)	1/31/91
537	-	13	7	•	CurrentCard	Matches(EDI.RejectedDIC,/[DE]ZF/) and EDI.QuantityDI <> ""		LZERO(ED].QuantityO],6)	1/31/91
537	-	53	-	-	CurrentCard	Matches(EDI.RejectedDIC,/(DE)ZF/)	ServUse3		10/01/90
537	-	53	~	7	CurrentCard	Matches(EDI.DIC,/[DE]2F/)	ServUse3		1/11/91
537	-	%	_	m	CurrentCard	Matches(ED1.D1C,/[DE]2G/)	CorrectRIC		10/01/90
537	-	22	-	-	CurrentCard	Matches(EDI.01C,/(DE)ZF/) and	Supcond1		10/01/90
						Matches(EDI.RejectedDIC,/[DE]ZP/)			

	•	3 4	J. P.	٤	St Ord Len CardNo		Field	Trensformetion	Date
537		: %	. –	•	CurrentCard	Matches(ED1.DIC,/[DE]ZF/) and ED1.QuantityOM1		LZERO(EDI.QuantityOH1,6)	10/01/90
									00, 50, 05
537	_	27	_	m	CurrentCord	Matches(EDI.DIC,/{DE]2G/)	Rejectedil		10/10/21
537	_	3	_	~	CurrentCard	Matches(ED1.D1C,/[DE]ZF/)	Servise		10/01/90
537	_	ઢ	_	_	CurrentCard	Matches(EDI.DIC,/(DEJZF/) and	Supcond2		10/01/90
						Matches(ED1.RejectedD1C,/[DE12F/)			
537	_	\$	_	•	CurrentCard	Matches(EDI.DIC,/[DE]ZF/)	QuantityOH2		10/01/90
537	_	29	_	m	CurrentCard	Matches(ED1.D1C,/(DE3ZE/)	ReportRIC		10/01/90
537	_	29	~	m	CurrentCard	Matches(ED1.D1C,/[DE]2G/)	FromRIC		10/01/90
537	_	R	-	=	CurrentCard	Matches(ED1.D1C,/[DE]ZE/)	ServUse2		10/01/90
537	-	R	~	•	CurrentCard	Matches(EDI.RejectedDIC,/[DE]ZE/) and		Substr(ED1.ServUse2,3,9)	10/01/90
						Matches(EDI.DIC,/[DE]2G/)			
537	-	Z	-	•	CurrentCard	Not Matches(ED].RejectedDIC,/[DE]ZE/) and		LZERO(EDI.QuantityR,6)	10/01/90
						EDI. QuentityA <> ""			
537	-	R	-	~	CurrentCard	Matches(ED1.D1C,/IDE32G/) and	RejectAdvice		10/01/90
į						EDI.RejectAdvice <> ""			
537	-	2	~	~	CurrentCard	Metches(EDI.DIC,/[DE]2G/) and EDI.Status <> ""	* Status		10/01/90
537	-	2	m	~	CurrentCard	Metches(EDI.DIC,/[DE]ZF/)	Mbroffrans		10/01/90
23.5	-	-	_	m	CurrentCard		DIC		10/01/90
538	-	4	_	m	CurrentCard		TORIC		10/01/90
53.	_	~	_	_	CurrentCard		Transserkbr		10/01/90
538	_	•0	_	13	CurrentCard		MSM		10/01/90
8 5	_	12	_	~	CurrentCard		UnitOfissue		10/01/90
538	-	23	_	•0	CurrentCard	EDI.Quantity1 <> ""		LZERO(ED].Quantity1,8)	10/01/90
238	-	3	-	•	CurrentCard	EDI.Quentity2 <> ""		LZERO(ED1.Quantity2,8)	10/01/90
23.5	_	9	_	40	CurrentCard	EDI. Quantity3 <> ***		LZERO(ED1.Quantity3,8)	10/01/90
5	-	13	,	•	CurrentCard	ED1, Quentity6 <> ##		LZERO(EDI.Quentity4,8)	10/01/90
55	_	25	_	•	CurrentCard	EDI, Quantity5 <> **		LZERO(EDI.Quentity5,8)	10/01/90
5	_	3	-	•	CurrentCard	EDI.Quantity6 <> ""		LZERO(ED1.Quentity6,8)	10/01/90
5	-	2	-	~	CurrentCand		Mbroffrans		10/01/90
5	-	! *		M	CurrentCard		FromRIC		10/01/90
3 5	-	4 !		. •	CurrentCard	EDI.PreparedDate <> ***		yymmdd2j(EDI.PreperecDate)	10/01/90
2 2		. •			Currentfard		010		10/01/90
ŝ	-	-	•	•					

St Ord Len Cardillo	Condition	Field	Transformation	Date
CurrentCard		TORIC		10/01/90
CurrentCard		NSM		10/01/90
CurrentCard		UnitOf1ssue		10/01/90
CurrentCord	IsNumeric(EDI.Quentity)		LZERO(ED1.Quentity,5)	10/01/90
CurrentCard	Substr(EDI.Quantity,1,1) = "-"		Punch(Substr(EDI.Quantity,2,5),1)	11/21/90
CurrentCard		DocNo		10/01/90
CurrentCard		DocNoSuffix		10/01/90
CurrentCard	Matches(EDI.DIC,/[DE]2G/)	CorrectRIC		10/01/90
CurrentCard	Matches(EDI.DIC,/(DE)2G/)	RejectedDIC		10/01/90
CurrentCard	Matches(EDI.DIC,/[DE]2G/)	FromRIC		10/01/90
CurrentCard		RIC		10/01/90
CurrentCard	EDI.OunerCode <> ***	OwnerCode		10/01/90
CurrentCard	EDI.Purpose <> ***	Purpose		10/01/90
CurrentCard		Supcondcode		10/01/90
CurrentCard		GFMMgtCode		10/01/90
CurrentCard	EDI.FreezeDate <> ***		Substr(ED1.FreezeDate,1,2)	10/01/90
CurrentCard	EDI.FreezeDate <> ***		Substr(YYMEDD2J(EDI.FreezeDate),2,3)	10/01/90
CurrentCand	Matches(EDI.DIC,/[DE]ZG/) and	RejectAdvice		10/01/90
	1			
CurrentCard	Matches(EDI.DIC,/(DE)2G/) and EDI.Status <> ""			10/01/90
CurrentCard		210		10/01/90
CurrentCard		TORIC		10/01/90
CurrentCard		InvType		10/01/90
CurrentCard		NSM		10/01/90
CurrentCard		Unitofissue		10/01/90
CurrentCard	EDI.THStartDate <> ""		YYMMD02J(EDI.THStartDate)	10/01/90
CurrentCard	EDI.THStartDate <> "" and EDI.THStopDate <> ""		DiffDays(ED1.THStopDate,ED1.THStartDate,3)	10/01/90
CurrentCard	Matches(EDI.DIC,/[DE]2J/)	Distribution		10/01/90
CurrentCard	Matches(ED1.D1C,/(DE12G/)	CorrectRIC		10/01/90
CurrentCard	Matches(ED1.D1C,/(DE1ZJ/)	LotSegNbr		10/01/90
CurrentCard	Matches(EDI.DIC,/[DE]2G/)	RejectedDIC		10/01/90
CurrentCard		MediaType		10/01/90
7	EST Broom State At Min		YYMMDD2.1/FD1. Recordbate)	10/01/90

16/12/7

Clark	St Ord Less Carolina	Condi e i on	7	Transference (
Netches(ED1.DIC, /DE1R(AB) DE1ZG/) Tokic	Carcato		rield	I rens rormer lon	Uste
Matches(EDI.DIC,/DEJR(MS) DEJZd/) TodiC	CurrentCard		010		10/01/90
Matches(EDI.DIC,/DEJRE/A) FromRIC	CurrentCard	Matches(ED1.D1C,/(DE)R(AB) (DE)2G/)	TORIC		10/01/90
Matches(EDI.DIC,/DEJR(MB)/) Mediastatus	CurrentCard	Matches(EDI.DIC,/(DE)RF/)	FromRIC		10/01/90
MediaStatus	CurrentCard	Matches(ED1.D1C,/[DE]R[A8]/)	ServUse1		10/01/90
Unitofissue Iskimeric(EDI.Quantity) DocHo Ratches(EDI.SignalCode,/IBKJ) EDI.ShipToDODAC ~ mm and Matches(EDI.SignalCode,/IBKJ) Ratches(EDI.DIC,/DEIRK/) Ratches(EDI.DIC,	CurrentCard		MediaStatus		11/19/90
Unitofisace Iskinmeric(EDI.Quantity) Docklo Retches(EDI.SignalCode, /L4-M) Retches(EDI.DIC,/DEIR(MS)) Retches	CurrentCard		MSM		10/01/90
Iskumeric(EDI.Quantity) Dockloo	CurrentCard		Unit of Issue		10/01/90
EDI.BillToDoDAAC > "" and BillToDoDAAC BillToDODA	CurrentCard	IsNumeric(EDI.Quantity)		LZero(EDI.Quentity,5)	10/01/90
EDI.BillToDoDAC <pre> BillToDoDAC Ratches(EDI.SignalCode,/BKJ/) EDI.ShipDoDAAC Ratches(EDI.SignalCode,/BKJ/) Butches(EDI.DiC,/DEJRF/) Matches(EDI.DiC,/DEJRF/) Matches(EDI.</pre>	CurrentCard		DocNo		10/01/90
EDI.BillToDoDAAC → "" and BillToDoDAAC Matches(EDI.SignalCode,/[BK]/) BillToDoDAAC	CurrentCard		DocNoSuffix		10/01/90
Matches(EDI.SignalCode,/[4/H]/) EDI.ShipToDoDAAC Matches(EDI.DIC,/DEJR(AB)/) Matches(E	CurrentCard		BILITODODAG		11/19/90
EDI.ShipToDoDAAC <pre> Matches(EDI.SignalCode,/[J-M]/) Matches(EDI.DIC,/DEIR(AB]/) Matches(EDI.DIC,/DEIR(AB]/) Matches(EDI.DIC,/DEIR(AB]/) Matches(EDI.DIC,/DEIR(AB]/) Matches(EDI.DIC,/DEIR(AB]/) Matches(EDI.DIC,/DEIR(AB)/) Mat</pre>		Matches(EDI.SignalCode,/[BK]/)			
Matches(EDI.SignelCode,/[J-H]/) ServUse2 Matches(EDI.DIC,/DEIR(AB)/) ServUse3 Matches(EDI.DIC,/DEIR(AB)/) Report Matches(EDI.DIC,/DEIR(AB)/) Report Matches(EDI.DIC,/DEIR(AB)/) CorrectRIC Matches(EDI.DIC,/DEIR(AB)/) SourceDIC Matches(EDI.DIC,/DEIR(AB)/) ShipID Matches(EDI.DIC,/DEIR(AB)/) ShipID Matches(EDI.DIC,/DEIR(AB)/) ShipID Matches(EDI.DIC,/DEIR(AB)/) ServUse4 Matches(EDI.DIC,/DEIR(AB)/) ServUse4 Matches(EDI.DIC,/DEIR(AB)/) ServUse5	CurrentCard	EDI.ShipToDoDAAC <> "" and	ShipToDoDAAC		11/19/90
Matches(EDI.DIC,/DEJR[AB]/) Servise3 SignalCode Matches(EDI.DIC,/DEJR[AB]/) Matches(ED		Matches(EDI.SignalCode,/[J-M]/)			
Matches(EDI.DIC,/DE]R(AB]/) SignalCode Matches(EDI.DIC,/DE]R(AB]/) Matches(EDI.DIC,/DE]ZG/) Matches(EDI.DIC,/DE]ZG/) Matches(EDI.DIC,/DE]ZG/) Matches(EDI.DIC,/DE]RF/) Matches(EDI.DIC,/DE]RF/) Matches(EDI.DIC,/DE]RF/) Matches(EDI.DIC,/DE]RIAB]/) Matches(EDI.DIC,/DE]RIABA]/) Matches(EDI.DIC,/DE]RIABA]/) Matches(EDI.DIC,/DE]RIABA]/) Matches(EDI.DIC,/DE]RIABA]/) Matches(EDI.DIC,/DE]RIABA]/) Matches(EDI.DIC,/DE]RIABA]/) Matches(EDI.DIC,/DE]RIABA]/) Matches(EDI.DIC,/DE]RIABA]//) Matches(EDI.DIC,/DE]RIABA]///DE]RIABA	CurrentCard	Matches(EDI.DIC,/[DE]RF/)	Serv0se2		10/01/90
SignalCode Matches(EDI.DIC,/(DEIR(AB)/) Matches(EDI.DIC,/(DEIR(A	CurrentCard	Matches(EDI.DIC,/[DE]R[AB]/)	Servúse3		10/01/90
Matches(EDI.DIC,/DE]R(AB)/) Matches(EDI.DIC,/DE]ZG/) Matches(EDI.DIC,/DE]ZG/) Matches(EDI.DIC,/DE]ZG/) Matches(EDI.DIC,/DE]R(AB)/) Matches(EDI	CurrentCard		Signatcode		11/19/90
Matches(EDI.DIC,/UDE1ZG/) Project EDI.TransDate <> "" and Matches(EDI.DIC,/UDE1ZG/) Matches(EDI.DI	CurrentCard	Matches(EDI.DIC,/(DE]R(AB)/)	ReportTo		10/01/90
EDI.TransDate <> "" and Natches(EDI.DIC,/IDE1RF/) Matches(EDI.DIC,/IDE1RF/) Matches(EDI.DIC,/IDE1RF/	CurrentCard	Matches(EDI.DIC,/(DE12G/)	CorrectRIC		10/01/90
EDI.TransDate <> "" and Natches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/S) Matches(EDI.DIC,	CurrentCard		Project		10/01/90
Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/S) Matc	CurrentCard	EDI.TransDate <> "" and		Substr(YYMMDD2J(ED1.TransDate),2,3)	10/01/90
Matches(EDI.DIC,/(DE]ZG/) EDI.TransDate <> "" and " a		Matches(EDI.DIC,/[DE]RF/)			
EDI.TransDate <> "" and Substr(YYMMDD2J(EDI.TransDate),2,3) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/S) Matches(EDI.DIC,/[D	CurrentCard	Matches(ED1.D1C,/(DE)2G/)	Source01C		10/01/90
Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/) Matches(EDI.DIC,/[DE]RE/B]/) Matches(EDI.DIC,/[DE]RE/B]/) Matches(EDI.DIC,/[DE]RE/B]/) Matches(EDI.DIC,/[DE]RE/B]/) Matches(EDI.DIC,/[DE]RE/) and EDI.ShipDate <> Substr(YYMMDD2J(EDI.ShipDate),2,3)	CurrentCard	EDI.TransDate <> *** and		Substr(YYMMD02J(ED1.TransDate),2,3)	10/01/90
Matches(EDI.DIC,/IDE]RF/) Matches(EDI.SourceDIC,/IDE]RF/) Matches(EDI.SourceDIC,/IDE]RF/) Matches(EDI.DIC,/IDE]R[AB]/) Matches(EDI.DIC,/IDE]R[AB]/) Matches(EDI.DIC,/IDE]R[AB]/) Matches(EDI.DIC,/IDE]RF/) Matches(EDI.DIC,/IDE]RF/) and EDI.ShipDate <> Substr(YYMMDD2J(EDI.ShipDate),2,3)		Metches(EDI.DIC,/[DE]R[AB]/)			
Matches(EDI.DIC,/[DE]ZG/) and ShipID Matches(EDI.SourceDIC,/[DE]R[A8]/) Matches(EDI.DIC,/[DE]R[A8]/) Matches(EDI.DIC,/[DE]ZG/) Matches(EDI.DIC,/[DE]ZG/) Matches(EDI.DIC,/[DE]ZG/) Matches(EDI.DIC,/[DE]ZG/) Matches(EDI.DIC,/[DE]RF/) and EDI.ShipDate <> Substr(YYMMDD2J(EDI.ShipDate),2,3)	CurrentCard	Matches(EDI.DIC,/IDEJRF/)	ShipID		10/01/90
Matches(EDI.SourceDIC,/(DEJRF/) Matches(EDI.DIC,/(DEJR[AB]/) Matches(EDI.DIC,/(DEJZG/) Matches(EDI.DIC,/(DEJZG/) Matches(EDI.DIC,/(DEJRF/) and EDI.ShipDate <> Substr(YYMMDD2J(EDI.ShipDate),2,3)	CurrentCard	Matches(EDI.DIC,/[DE]2G/) and	Shiplo		10/01/90
Discrepancy Matches(EDI.DIC,/[DE]R[A8]/) ServUse4 Matches(EDI.DIC,/[DE]Z[A8]/) ServUse5 Matches(EDI.DIC,/[DE]Z[A8]/) ServUse5 Matches(EDI.DIC,/[DE]Z[A8]/) and EDI.ShipDate <> Substr(YYMND02J(EDI.ShipDate), 2, 3)		Matches(EDI.SourceDIC,/(DE)RF/)			
Matches(EDI.DIC,/[DE]R[AB]/) Matches(EDI.DIC,/[DE]Z[AB]/) Matches(EDI.DIC,/[DE]ZG/) Matches(EDI.DIC,/[DE]ZF/) and EDI.ShipDate <> Substr(YYMND02J(EDI.ShipDate),2,3)	CurrentCard		Discrepancy		10/01/90
Matches(EDI.DIC,/[DE]ZG/) Matches(EDI.DIC,/[DE]ZG/) Matches(EDI.DIC,/[DE]RF/) and EDI.ShipDate <> Substr(YYMMDD2J(EDI.ShipDate),2,3)	CurrentCard	Matches(EDI.DIC,/(DE]R[AB]/)	Servuse		10/01/90
Matches(EDI.DIC,/[DE]RF/) and EDI.ShipDate <> Substr(YYMMDD2J(EDI.ShipDate),2,3)	CurrentCard	Metches(ED1.D1C,/[DE]R[AB]/)	Serv/se5		10/01/90
Matches(EDI.DI.,/[DE]RF/) and EDI.ShipDate <> Substr(YYMMD02J(EDI.ShipDate),2,3)	CurrentCard	Matches(EDI.DIC,/[DE]2G/)	ServUse5		10/01/90
22	CurrentCard	Matches(EDI.DIC,/[DE]RF/) and EDI.ShipDate	•	Substr(YYMMOD2J(EDI.ShipDate),2,3)	10/01/90
		**			

Š	Sect								
3	PE	25.0	ב ב	St Ord Len CardNo	0	Condition	Field	Transformation	Date
545	-	2		2 Curre	CurrentCard		AdviceCode		10/01/90
545	_	R	~	2 Curre	CurrentCard	S	Status		10/01/90
244	_	_	-	3 Curre	CurrentCard	•	010		10/01/90
244	_	4	_	3 Curre	CurrentCard	.	TORIC		10/01/90
244	_	7	_	1 Curre	CurrentCard	0	Overflow		10/01/90
244	-	•	<u>-</u>	S Curre	CurrentCard		PartWbr		10/01/90
244	-	23		2 Curre	CurrentCard	7	UnitOfissue		10/01/90
244	,	X	-	6 Curre	CurrentCard	ED1. Quantity1 <> ***		LZero(EDI.Quantity1,6)	10/01/90
35	-	E	_	6 Curre	CurrentCard	EDI, Quentity2 <> ""		LZero(EDI.Quantity2,6)	10/01/90
*	-	37		S Curre	CurrentCard	EDI. Quentity3 <> ""		LZero(EDI.Quantity3,5)	10/01/90
3	-	42	7	25 Curre	CurrentCerd	E12A/)	Serv0se2		10/01/90
3	-	75	. ~	_	CurrentCard			Substr(EDI.ServUse2,1,12)	10/01/90
75	<u>-</u>	24	_	3 Curre	CurrentCard		CorrectRIC		10/01/90
7	-	24		3 Curre	CurrentCard		RejectedD1C		10/01/90
ž	-	3		7 Curre	CurrentCard			Substr(EDI.ServUse2,19,7)	1/24/91
*	-	29	_	3 Curre	CurrentCard		FromRIC		10/01/90
7	-	2	_	Curre	CurrentCard	EDI.OwnerCode <> ***	OwnerCode		10/01/90
3,5	-	2	~	Curre	CurrentCard		Purpose		10/01/90
*	_		,	Curre	CurrentCard		Supcondcode		10/01/90
3	-	2	_	4 Curre	CurrentCard	S	ServUse3		10/01/90
35	-	. 2		3 Curre	CurrentCard	EDI.DatePack7 <> ***		YYMDD2YMD(ED1.DatePack7)	10/01/90
245	-	2	7	3 Cure	CurrentCard	EDI.DatePack8 <> ""		YYMMDD2YMD(EDI.DatePack8)	10/01/90
*	_	2	m	3 Curre	CurrentCard		Servusek		10/01/90
¥	-	2	_	2 Curre	CurrentCard	Matches(ED1.D1C,/IDE12G/) and	RejectAdvice		10/01/90
						EDI.RejectAdvice <> ""			
*	-	2	~	2 Curre	CurrentCard	Matches(EDI.DIC,/[DE]ZG/) and EDI.Status <> HH Status	Status		10/01/90
244	_	2	m	2 Curre	CurrentCard	Matches(EDI.DIC,/[DE]ZA/)	ServUse5		10/01/90
245	-	-	_	3 Curre	CurrentCard		010		10/01/90
245	-	4	_	3 Curre	CurrentCard		Toffic		10/01/90
35	-	•	_	15 Curre	CurrentCard	Matches(ED1.D1C,/[DE]2H/)	PartMbr		10/01/90
242	-	•	7		CurrentCard	pue	PartNbr		10/01/90
						Matches(EDI.RejectedDIC,/[DE]ZH/)	4		00/10/01
242	-	•••	m	7 Curre	CurrentCard		COUNT		10/01/10

15 14 CurrentCard 15 14 CurrentCard 15 15 CurrentCard 15 14 CurrentCard 15 15 CurrentCard 15 Curr	Sect		·	•	; (:	;	:	
1 CurrentCard EDI.DocDate → "" Fromtic			5	د د	E Card	9		Field	Transformation	Date
1 CurrentCard Matches(EDI.DIC_//DEIZ(LMMP)/) Media SPACES(5B) 2 StructCard Matches(EDI.DIC_//DEIZ(LMMP)/) Matches(EDI.DIC_//DEIZ(LMMP)/) Matches(EDI.DIC_//DEIZ(LMMP)/) Matches(EDI.DIC_//DEIZ(LMMP)/) Matches(EDI.DIC_//DEIZ(LMMP)/) Matches(EDI.DIC_//DEIZ(LMMP)/) Matches(EDI.DIC_//DEIZ(MMP)/) Matches(EDI.DIC_//DEIZ(MMP)		5	-	4	Curre	intCard	6 <> ***		YYM#DD2J(EDI.DocDate)	10/01/90
1 CurrentCard Matches(EDI.DIC,/DEIZG/) and SPACES(SS) 2 CurrentCard Matches(EDI.DIC,/DEIZG/) and SPACES(SS) 3 CurrentCard Matches(EDI.DIC,/DEIZG/) and Services 4 CurrentCard CurrentCard CurrentCard CurrentCard CurrentCard CurrentCard CurrentCard Matches(EDI.DIC,/DEIZG/) Court (InnCode Matches(EDI.DIC,/DEIZG/) Services CurrentCard Matches(EDI.DIC,/DEIZG/) Matches(EDI.DIC,/DEIZG/) Services CurrentCard Matches(EDI.DIC,/DEIZG/) Matche		0	_	m	Curre	intCard		FromRIC		10/01/90
3 CurrentCard Matches(EDI.DIC,/DEIZCLMMP1/) SPACES(SS) 3 CurrentCard Matches(EDI.DIC,/DEIZCLMMP1/) Unitofisaue LZENO(EDI.Quantity,10) 4 CurrentCard EDI.DocDate → *** Service LZENO(EDI.Quantity,10) 5 CurrentCard EDI.DocDate → *** Service LZENO(EDI.Quantity,10) 6 CurrentCard EDI.DocDate → *** Service Carillinocode Carillino		25	_	_	Curre	intCard		Media		10/01/90
2 S CurrentCard Matches(EDI.DIC,/DEIZGMP1/) Unitofisue 1		23	_	58	_	mtCard	Metches(ED1.DIC,/[DE]2[LMNP]/)		SPACES(58)	10/01/90
10 CurrentCard EDI.Ouantity → "" Sarvidae2 LZERO(EDI.Ouantity,10) 10 CurrentCard EDI.Ouantity → "" Sarvidae2 LZERO(EDI.Ouantity,10) 11 CurrentCard EDI.Ouantity → "" Sarvidae2 CurrentCard EDI.Ouantity → "" Sarvidae2 CurrentCard CurrentCard Matches(EDI.DIC,/DE1Zd,) CurrentCard Matches(EDI.DIC,/DE1Zd,) RejecteDIC CourrentCard CurrentCard EDI.OuantCach → "" CurrentCard EDI.OuantCach → "" CurrentCard EDI.OuantCach → "" CurrentCach → "" CurrentCard EDI.OuantCach → "" CurrentCach		2	N 	88	_	entCard	Matches(EDI.DIC,/[DE]ZG/) and		SPACES(58)	10/01/90
10 CurrentCard ED1.0dantity -=== Service Service Cartinocot 1 CurrentCard ED1.0dantity -== Service Service 1 CurrentCard ED1.0dantity -== Service Service 1 CurrentCard Matches(ED1.DIC,/DE1ZG/) CorrectRic 2 CurrentCard Matches(ED1.DIC,/DE1ZG/) CorrectRic 3 CurrentCard Matches(ED1.DIC,/DE1ZG/) CorrectRic 4 CurrentCard ED1.0dantCade -== Supercode 5 CurrentCard ED1.0dantCade -== Supercode 6 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 7 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 8 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 9 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 1 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 2 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 3 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 4 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 5 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 6 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 6 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 9 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 1 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 1 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 2 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 3 CurrentCard Service Service 4 CurrentCard Service Service 5 CurrentCard Matches(ED1.DIC,/DE1ZG/) Service 6 CorrectCard Matches(ED1.DIC,/DE1ZG/) Service 9 CorrectCard Matches(ED1.DIC,/DE1ZG/) Service 1 CorrectCard Service Service 2 CorrectCard Service Service Service 3 CorrectCard Service Servic		2		•			Matches(EDI.RejectedDIC,/(DE)Z(LMMP)/)	404141		10,01,00
1 CurrentCard EDI.DocDate SerVise2 SerVise2 1 CurrentCard EDI.DocDate SerVise2 Triangle SerVise3 2 CurrentCard Matches(EDI.DIC,/DEIZG/) RejecteDIC 3 CurrentCard Matches(EDI.DIC,/DEIZG/) RejecteDIC 4 CurrentCard Matches(EDI.DIC,/DEIZG/) RejecteDIC 5 CurrentCard EDI.OurrenCard EDI.OurrenCard EDI.OurrenCard EDI.OurrenCard EDI.OurrenCard EDI.OurrenCard EDI.OurrenCard SugcondCode 1 CurrentCard Matches(EDI.DIC,/DEIZG/) SerVise3 SerVise3 2 4 CurrentCard Matches(EDI.DIC,/DEIZG/) SerVise3 SerVise3 5 CurrentCard Matches(EDI.DIC,/DEIZG/) SerVise3 SerVise3 6 CurrentCard Matches(EDI.DIC,/DEIZG/) SerVise3 SerVise3 7 CurrentCard Matches(EDI.DIC,/DEIZG/) SerVise3 SerVise3 6 CurrentCard Matches(EDI.DIC,/DEIZG/) SerVise3 SerVise3 7 CurrentCard Matches(EDI.DIC,/DEIZG/) SerVise3 SerVise3 8 CurrentCard Matches(EDI.DIC,/DEIZG/) SerVise3 SerVise3 9 CurrentCard SerVise3 SerVise3 SerVise3 SerVise3 1 CurrentCard SerVise3 SerVise4 SerVise4 SerVise4 1 CurrentCard SerVise4		2	•	, 5		ntCard	\$ \$		LZERO(ED1.Quentity.10)	10/01/90
1 CurrentCard EDI.DocDate -> "" Shelfife TYMMDD24(EDI.DocDate) 1 CurrentCard EDI.DocDate -> "" Shelfife Cuttinncard Cuttinncard Cuttinncard Cuttinncard CurrentCard Matches(EDI.DIC,/DE126/) CorrectRIC CourrentCard EDI.Jurpose -> "" CurrentCard EDI.Jurpose -> "" CurrentCard EDI.Jurpose -> "" SurrentCard EDI.Jurpose -> ""		33	. <u> </u>	-		intCerd		ServUse2		10/01/90
1 CurrentCard 1 SurrentCard 2 CurrentCard 3 CurrentCard 4 SurrentCard 5 CurrentCard 6 Matches(EDI.DIC,/DEI2G/) 7 CurrentCard 8 SurrentCard 9 CurrentCard 1 CurrentCard 1 CurrentCard 1 CurrentCard 1 CurrentCard 2 CurrentCard 4 CurrentCard 8 Coll.OmmarCode \(\trian\) "" 8 CurrentCard 8 Coll.OmmarCode \(\trian\) "" 8 CurrentCard 9 CurrentCard 1 CurrentCa		×	_	4	Curre	ıntCard			YYMMDD2J(EDI.DocDate)	10/01/90
1 CurrentCard Matches(EDI.DIC,/DEIZG/) CorrectRIC CorrectRIC CorrectRIC CorrectRIC CorrectRIC CorrectRIC CorrectRIC Count Count		40	-	-	Curre	intCard		ShelfLife		10/01/90
1 1 CurrentCard Natches(EDI.DIC,/DEIZG) CorrectRIC 1 3 CurrentCard Natches(EDI.DIC,/DEIZG) Count 1 1 CurrentCard Natches(EDI.DIC,/DEIZG) Count 1 1 CurrentCard EDI.OunerCode oh min SupcordCode 1 1 CurrentCard EDI.OunerCode oh min SupcordCode 1 1 CurrentCard Natches(EDI.DIC,/DEIZM) and EDI.SubsistPack Servise3 1 CurrentCard Natches(EDI.DIC,/DEIZM) and EDI.SubsistPack Servise3 2 CurrentCard EDI.DatePack? oh min YVMBDOZYMD(EDI.DatePack?) 3 CurrentCard EDI.DatePack oh min YVMBDOZYMD(EDI.DatePack?) 4 3 CurrentCard Natches(EDI.DIC,/DEIZG) and RejectAdvice 5 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 6 3 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 7 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 8 1 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 8 2 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 8 1 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 8 2 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 8 3 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 8 3 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 8 3 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 8 4 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 8 5 CurrentCard Natches(EDI.DIC,/DEIZG) and EDI.Status oh missisted 9 CurrentCard Natches(EDI.DIC,/DEIZG) are decided 9 CurrentCard N		13	_	-	Curre	intCard		Cutlincode		10/01/90
3 CurrentCard Matches(EDI.DIC,/DEIZG/) CorrectRIC 3 CurrentCard Matches(EDI.DIC,/DEIZG/) RejectedDIC 4 CurrentCard CorrectRIC CorrectRIC 5 CurrentCard CorrectCard		42	_	_	Curre	mtCard		MOI dent if fer		10/01/90
3 CurrentCard Matches(EDI.DIC,/DEIZG/) RejectedDIC 3 CurrentCard Matches(EDI.DIC,/DEIZG/) RejectedDIC 4 CurrentCard EDI.OunerCode **** Durpose 5 CurrentCard EDI.OunerCode **** Durpose 6 CurrentCard EDI.OunerCode **** Durpose 7 CurrentCard EDI.OunerCode **** Durpose 8 CurrentCard Matches(EDI.DIC,/DEIZH/) and EDI.SubeistPack ServUse3 9 CurrentCard EDI.DatePack7 **** Matches(EDI.DIC,/DEIZG/) and EDI.Sateus ArientCard EDI.DatePack8 **** Matches(EDI.DIC,/DEIZG/) and EDI.Status Matches(EDI.DIC,/DEIZG/) and EDI.Status Matches(EDI.DIC,/DEIZG/) and EDI.Status ServUse4 1 CurrentCard Matches(EDI.DIC,/DEIZG/) and EDI.Status Matches(EDI.DIC,/DEIZG/) and EDI.Status ServUse4 2 CurrentCard Matches(EDI.DIC,/DEIZG/) and EDI.Status Matches(EDI.DIC,/DEIZG/) and EDI.Status ServUse4 3 CurrentCard Matches(EDI.DIC,/DEIZG/) and EDI.Status ServUse4 4 CurrentCard Matches(EDI.DIC,/DEIZG/) and EDI.Status ServUse4 5 CurrentCard Matches(EDI.DIC,/DEIZG/) and EDI.Status ServUse4 6 CurrentCard Matches(EDI.DIC,/DEIZG/) and EDI.Status ServUse4 9 CurrentCard Matches(EDI.DIC,/DEIZG/) and EDI.Status ServUse4 1 CurrentCard EDI.SubeistPack ServUse4 ServUse4 2 CurrentCard EDI.SubeistPack ServUse4 Se		3	_	m	Curre	intCard		LotSegNbr		10/01/90
1 3 CurrentCard Matches(EDI.DIC,/ DEI2G/) RejectedDIC 1 7 CurrentCard Count FromRIC Count 1 1 CurrentCard EDI.OwnerCode > "" OwnerCode 2 1 CurrentCard EDI.OwnerCode > "" OwnerCode 3 I CurrentCard Batches(EDI.DIC,/ DEI2M) and EDI.SubaistPack ServUse3		%	_	M	Curre	intCard	Matches(ED1.DIC,/[DE]2G/)	CorrectRIC		10/01/90
1 7 CurrentCard 1 3 CurrentCard 2 1 CurrentCard 3 CurrentCard 4 1 CurrentCard 5 CurrentCard 6 EDI.3urpose <> "" 8 CurrentCard 7 CurrentCard 8 Matches(EDI.DIC,/DEIZM/) and EDI.SubafstPack 9 ServUse3 9 3 CurrentCard 1 CurrentCard 9 CurrentCard 1 CurrentCard 2 CurrentCard 2 CurrentCard 2 CurrentCard 2 CurrentCar		57	-	M	Current	intCard	Matches(ED1.D1C,/[DE12G/)	RejectedDIC		10/01/90
1 CurrentCard		8	_	~	Curre	intCard		Count		10/01/90
1 CurrentCard EDI.3urpose <> "" Purpose Purpose 1 CurrentCard EDI.3urpose <> "" SupCondCode 1 CurrentCard Matches(EDI.DIC,/(DE)2N/) and EDI.SubsistPack ServUse3 2 CurrentCard Matches(EDI.DIC,/(DE)2G/) ServUse3 YVM#DD2YMD(EDI.DatePack7,0) 4 3 CurrentCard EDI.DatePack8 <> "" YVM#DD2YMD(EDI.DatePack8,1) 5 CurrentCard EDI.DatePack8 <> "" YVM#DD2YMD(EDI.DatePack8,1) 6 3 CurrentCard Matches(EDI.DIC,/(DE)2G/) and EDI.Status SubsistPack 6 1 CurrentCard EDI.SubsistPack <> "" ServUse3 ServUse3 ServUse3 7 CurrentCard Matches(EDI.DIC,/(DE)2G/) and EDI.Status SubsistPack SubsistPa		67	-	m	1 Curre	mtCard		FromRIC		10/01/90
2 1 CurrentCard EDI.: Surpose <> "" SupCondCode InvCategory InvCateg		2	_	_	Curre	intCard	ED1.OwnerCode <> ""	OwnerCode		10/01/90
1 1 CurrentCard 1 1 CurrentCard 2 4 CurrentCard 3 3 CurrentCard 4 3 CurrentCard 4 3 CurrentCard 5 CurrentCard 6 EDI.DatePack7 <> "" 7 YNMOD2YMD(EDI.DatePack7,0) 7 CurrentCard 8 CourrentCard 8		2	~	_	Curre	ntCard	EDI. Purpose <> ***	Purpose		10/01/90
1 1 CurrentCard 1 S CurrentCard 2 4 CurrentCard 3 3 CurrentCard 4 3 CurrentCard 4 3 CurrentCard 5 CurrentCard 6 D1.DatePack7 <> "" 7 YMMDDZYMD(ED1.DatePack7,0) 7 AMMDDZYMD(ED1.DatePack7,0) 7 AMMDDZYMD(ED1.DatePack7,0) 7 CurrentCard 7 CurrentCard 7 CurrentCard 7 CurrentCard 8 CurrentCard 8 CurrentCard 8 CurrentCard 8 CurrentCard 9		7	_	_	Curre	mtCerd		Supcondcode		10/01/90
1 5 CurrentCard Matches(EDI.DIC,/(DE)ZH/) and EDI.SubeistPack ServUse3 2 4 CurrentCard Matches(EDI.DIC,/(DE)ZG/) 3 3 CurrentCard EDI.DatePack7 <> "" 4 3 CurrentCard EDI.DatePack8 <> "" 5 CurrentCard EDI.DatePack8 <> "" 6 3 CurrentCard EDI.DatePack8 <> "" 7 YMMDD2YMD(EDI.DatePack7,0) 7 Matches(EDI.DIC,/(DE)ZG/) and EDI.Status <> "" Status 8 1 CurrentCard Matches(EDI.DIC,/(DE)ZG/) and EDI.Status <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 2 CurrentCard EDI.SubeistPack <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 2 CurrentCard EDI.SubeistPack <> "" Status 9 3 1 CurrentCard EDI.SubeistPack <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 2 CurrentCard EDI.SubeistPack <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 2 CurrentCard EDI.SubeistPack <> "" Status 9 3 1 CurrentCard EDI.SubeistPack <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 2 CurrentCard EDI.SubeistPack <> "" Status 9 3 1 CurrentCard EDI.SubeistPack <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 2 CurrentCard EDI.SubeistPack <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 2 CurrentCard EDI.SubeistPack <> "" Status 9 3 1 CurrentCard EDI.SubeistPack <> "" Status 9 1 CurrentCard EDI.SubeistPack <> "" Status 9 2 2 CurrentCard EDI.SubeistPack <> "" Status 9 3 1 CurrentCard EDI.SubeistPack <> "" Status 9 3 1 CurrentCard EDI.SubeistPack <> "" Status 9 3 1 CurrentCard EDI.SubeistPack <> "" Status 9 4 CurrentCard EDI.SubeistPack <> "" Status 9 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		2	_	_	Curre	mtCard		InvCategory		10/01/90
2 4 CurrentCard Matches(EDI.DIC,/[DE]ZG/) ServUse3 3 3 CurrentCard EDI.DatePack7 <> "" 4 3 CurrentCard EDI.DatePack8 <> "" 5 CurrentCard EDI.DatePack8 <> "" 6 3 CurrentCard EDI.DatePack8 <> "" 7 YMMDD2YMD(EDI.DatePack7,0) 7 CurrentCard Matches(EDI.DIC,/[DE]ZG/) and EDI.Status 7 CurrentCard Matches(EDI.DIC,/[DE]ZG/) and EDI.Status 7 1 CurrentCard EDI.SubeistPack <> "" 8 2 CurrentCard EDI.SubeistPack <> "" 8 3 1 CurrentCard EDI.SubeistPack <> "" 8 2 CurrentCard EDI.SubeistPack <> "" 8 3 1 CurrentCard EDI.SubeistPack <> "" 8 3 2 CurrentCard EDI.SubeistPack <> "" 8 3 2 CurrentCard EDI.SubeistPack <> "" 8 3 3 CurrentCard EDI.SubeistPack <> "" 8 4 3 CurrentCard EDI.SubeistPack <> "" 8 5 CurrentCard EDI.SubeistPack <> "" 8 6 CurrentCard EDI.SubeistPack <> "" 8 7 CurrentCard EDI.SubeistPack <> "" 8 7 CurrentCard EDI.SubeistPack <> "" 8 8 CurrentCard EDI.SubeistPack <> "" 8 7 CurrentCard EDI.SubeistPack <> "" 8 8 CurrentCard EDI.SubeistPack <> "" 8 8 CurrentCard EDI.SubeistPack <> "" 8 CurrentCard EDI.SubeistPack <> "		2	_	₩.	Curre	intCard	Matches(ED1.D1C,/(DE12H/) and ED1.SubsistPack	ServUse3		10/01/90
2 4 CurrentGard Matches(EDI.DIC,/[DE]ZG/) 3 3 CurrentCard EDI.DatePack7 <> "" 4 3 CurrentCard EDI.DatePack8 <> "" 5 CurrentCard EDI.DatePack8 <> "" 6 3 CurrentCard EDI.DatePack8 <> "" 7 YMMDD2YMD(EDI.DatePack7,0) 7 CurrentCard Matches(EDI.DIC,/[DE]ZG/) and EDI.Status 7 CurrentCard Matches(EDI.DIC,/[DE]ZG/) and EDI.Status 7 1 CurrentCard EDI.SubeistPack <> "" 8 2 CurrentCard EDI.SubeistPack <> "" 8 3 1 CurrentCard EDI.SubeistPack <> "" 8 4 CurrentCard EDI.SubeistPack <> "" 8 5 CurrentCard EDI.SubeistPack <> "" 8 6 CurrentCard EDI.SubeistPack <> "" 8 6 CurrentCard EDI.SubeistPack <> "" 8 7 CurrentCard EDI.SubeistPack <> "" 8 8 CurrentCard EDI.SubeistPack <> "" 8 6 CurrentCard EDI.SubeistPack <> "" 8 7 CurrentCard EDI.SubeistPack <> "" 8 8 CurrentCard EDI.SubeistPack <> "" 8 7 Current							**			
3 3 CurrentCard EDI.DatePack7 <> "" 4 3 CurrentCard EDI.DatePack8 <> "" 5 CurrentCard EDI.DatePack8 <> "" 6 3 CurrentCard EDI.DatePack8 <> "" 7 YMMDD2YMD(EDI.DatePack8,1) 7 CurrentCard Matches(EDI.DIC,/IDE12G/) and EDI.Status 7 CurrentCard Matches(EDI.DIC,/IDE12G/) and EDI.Status 7 1 CurrentCard EDI.SubeistPack <> "" 8 1 CurrentCard EDI.SubeistPack <> "" 8 2 CurrentCard EDI.SubeistPack <> "" 8 3 1 CurrentCard EDI.SubeistPack <> "" 8 3 2 CurrentCard EDI.SubeistPack <> "" 8 5 CurrentCard EDI.SubeistPack <> "" 8 6 CurrentCard EDI.SubeistPack <> "" 8 6 CurrentCard EDI.SubeistPack <> "" 8 7 CurrentCard EDI.SubeistPack <> "" 8 8 CurrentCard EDI.SubeistPack <> "" 8 CurrentCard EDI.SubeistPack <> "" 8 9 CurrentCard EDI.SubeistPack <> "" 8 0 CurrentCard		2	N	4	Curre	intCard	Metches(ED1.D1C,/[DE]2G/)	Serv0se3		10/01/90
4 3 CurrentCard EDI.DatePack8 <> "" 1 2 CurrentCard Matches(EDI.DIC,/(DEIZG/) and EDI.Status 2 2 CurrentCard Matches(EDI.DIC,/(DEIZG/) and EDI.Status <> "" Status 3 1 CurrentCard EDI.SubeistPack <> "" SubeistPack 1 1 CurrentCard EDI.SubeistPack <> "" ServUse4 1 3 CurrentCard EDI.SubeistPack <> "" ServUse4		2	M	m	Curre	ntCard	EDI.DatePack7 <> ""		YYMMDD2YMD(ED1.DatePack7,0)	10/01/90
1 2 CurrentCard Matches(EDI.DIG,/DEI2G/) and EDI.Status charter EDI.RejectAdvice charter charter EDI.RejectAdvice charter charter EDI.SubaistPack charter char		2	4	*	Currer	intCard	EDI.DatePack8 <> ***		YYMMDD2YMD(ED1.DatePack8,1)	10/01/90
EDI.RejectAdvice <> "" 2		2		~	Curre	intCard	Matches(ED1.D1C,/{DE12G/) and	RejectAdvice		10/01/90
2 2 CurrentCard Matches(EDI.DIC,/[DE]2G/) and EDI.Status <> "" Status 3 1 CurrentCard EDI.SubeistPack <> "" SubsistPack 1 1 CurrentCard Scrubse4 1 3 CurrentCard DIC							EDI.RejectAdvice <> ""			
3 1 CurrentCard EDI.SubaistPack <> *** SubaistPack 1 1 CurrentCard 1 3 CurrentCard DIC		2	~	~		ntCard	Matches(ED1.D1C,/IDE12G/) and ED1.Status <> ""	Status		10/01/90
1 1 CurrentCard SerVUse4 1 3 CurrentCard DIC		2	M	_	Curre	ntCard		SubsistPack		10/01/90
010		8	_	_	Curre	ntCard		Servise4		10/01/90
		-	-	m	Curre	intCard		210		7/10/90

B-202

Se	Sect							
16d 1fd		ند	ב ב	St Ord Len CardNo	Condition	Field	Transformation	Date
551	· -	•	, m	CurrentCard	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	TORIC		7/10/90
551	-	_	1	CurrentCard		Medica		7/10/90
551	_	60	1 13	CurrentCard		NSM		7/10/90
551	-	22	_	CurrentCard	EDI.DIC = "P19"	ActionCode		7/10/90
551	7	22	۰	CurrentCard		Quantity	LZERO(EDI. Quentity, 7)	7/10/90
551	m -	9	*	CurrentCard		DocNo		7/10/90
551	4	4	_	CurrentCard	ED1.DIC = "P11"	DemandCode		7/10/90
551	+	Ņ	9	CurrentCard	EDI.Servise1 <> ***	Servise1		7/10/90
551	-	45	%	CurrentCard		SupAdd		7/10/90
551	-	-	_	CurrentCard		SignalCode		3/06/91
551	1 52	Ņ	-	CurrentCard		FundCode		7/10/90
551	~	•	m _	CurrentCard	ED1.01C = "P11"	Distribution		7/10/90
551	-	57	m	CurrentCard		Project		7/10/90
551	~	3	1 2	CurrentCard		Priority		7/10/90
551	~	3	m	CurrentCard	ED1.RD0 <> ***		Substr(YYMMDD2J(EDI.RDD),2,3)	7/10/90
551	.	57 1	m _	CurrentCard		FromRIC		7/10/90
551	<u>-</u>	2	•	CurrentCard	ED1.01C = "P11"	Consignor		7/10/90
551	۲ ۲	•	1 2	CurrentCard	ED1.01C = "P11"	Regiumber		7/10/90
225	_	-	m _	CurrentCard		010		7/10/90
225	_	•	.	CurrentCard	ED1.DeliveryDate <> ""		SUBSTR(YYMMD02J(EDI.DeliveryDate),2,3)	7/10/90
225	_	•	M	CurrentCard		TORIC		7/10/90
225	_	~	_	CurrentCard		Ned Co.		7/10/90
325	_	•	±.	CurrentCard	EDI.NSM <> mm	NSN		7/10/90
225	1 22	Š	_	CurrentCard	EDI.ActionCode <> **	ActionCode		7/10/90
225	1 23	i.	_	CurrentCard	EDI.Quantity <> ""		LZERO(EDI. QUANTITY, 7)	7/10/90
352	<u>۔</u>	9	7 7	CurrentCard	ED1.DocNo <> ***	DocNo		7/10/90
552	2	4	_	CurrentCard	EDI.Mngtind <> ""	Matind		7/10/90
2 25	1 45	N	9	CurrentCard	EDI.Servise1 <> ***	Servisel		7/10/90
552	1 45	7.	•	CurrentCard	ED1.SupAdd <> ""	SupAdd		7/10/90
552	1 45	~	9	CurrentCard	EDI.Consignee <> **	Consignee		7/10/90
552	÷		_	CurrentCard		SignalCode		3/06/91
552	<u>~</u>	7	- 2	CurrentCard	ED1.FundCode <> **	FundCode		7/11/90
252	<u>ب</u>	•	_	CurrentCard	EDI.ContractNbr <> ""	ContractMbr		7/11/90

CurrentCard EDI.Priority <> "" CurrentCard EDI.CargoNbr <> "" CurrentCard EDI.ShipmentNode <> "" CurrentCard EDI.ShipmentNode <> "" CurrentCard EDI.ShipmentNode <> "" CurrentCard EDI.DelSuffix <> "" CurrentCard EDI.DIC <> "XEL" CurrentCard EDI.DIC = "XEL"	Priority CLIN Subs CargoNbr FromRIC DelOrGNbr ShipmentMode DelSuffix DIC TORIC ContractNbr Medium NSN CLIN Medium ActionCode DelOrGNbr ActionCode	Substr(YYMD02J(ED1.RDD),2,3)	7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90
EDI.Priori EDI.RDO <> EDI.CLIN < EDI.Shipme EDI.DE(Ord EDI.DIC = EDI.DIC =	-ity wibr wibr titc dibbr mentifide iffix sectilbr m m m code	str(YYM#D02J(ED1.RDD),2,3)	7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/12/90
EDI.CLIN < EDI.Cargold EDI.Frontil EDI.Shipme EDI.DIC =	Mbr 11C GMbr mentflode 1ffix sectMbr m m mrcode cMbr onCode	str(YY M DD2J(EDI.RDD),2,3)	7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,12/90
EDI. RDD	Wibr 11C GMbr mentflode 1ffix 1ffix ma mrCode rdNbr onCode	str(YY M DD2J(EDI.RDD),2,3)	7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,12/90
ED1.Cargold ED1.Frontil ED1.Shipme ED1.De1Suf ED1.D1C =	Wibr 11C GMbr mentifode 1ffix -actMbr m m mcode cMbr onCode		7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,12/90
EDI. 57 ipme EDI. 58 ipme EDI. 58 ipme EDI. 50 ipme EDI.	ttc dabr mentidode affix sectibr m m orcode relibr orcode		7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,11/90 7,12/90
ED1.0e(0rd ED1.5hipme ED1.0lC =	odelication of the second of t		7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/12/90
EDI.Shipme EDI.DIC = EDI.D	ifix iffix sectibr maxicode robbr oncode		7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/12/90 7/12/90
EDI.DELSUF EDI.DIC = EDI.DIC = EDI.DIC = EDI.DIC = EDI.DIC = EDI.DIC = EDI.DOCNO EDI.DOCNO	offix actilbr andcode oncode		7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/12/90 7/12/90
EDI.DIC = EDI.DI	: -actilbr -am -dibr -cilbr -cilbr -cilbr		7/11/90 7/11/90 7/11/90 7/11/90 7/11/90 7/12/90 7/12/90
ED1.DIC = ED1.DI	settibr m mrcode rdibr oncode		7/11/90 7/11/90 7/11/90 7/12/90 7/12/90 7/12/90
ED1.D1C = ED1.D0CNO ED1.D0CNO ED1.D0CNO	m m m m m m m m m m m m m m m m m m m m		7/11/90 7/11/90 7/11/90 7/12/90 7/12/90 7/12/90
ED1.DIC = ED1.DI	A Marcade and code and code		7/11/90 7/11/90 7/12/90 7/12/90 7/12/90
ED1.D1C = ED1.D1C = ED1.D1C = ED1.D1C = ED1.D1C = ED1.D1C = ED1.D0CNO ED1.D0CNO ED1.D0CNO	An Code		7/11/90 7/12/90 7/12/90 7/12/90 7/12/90
ED1.DIC = ED1.DI	an Albr ancode		7/12/90 7/12/90 7/12/90 7/12/90
ED1.D1C = ED1.OLG = ED1.OLG = ED1.OLG = ED1.OLG = ED1.D1C = ED1.D1C = ED1.D0CNO ED1.D0CNO ED1.D0CNO	و. و		7/12/90 7/12/90 7/12/90
ED1.DIC = ED1.DI	و و		7/12/90
ED1.01C = ED1.04mtf ED1.01C = ED1.01C = ED1.01C = ED1.01C = ED1.00CNO ED1.00CNO ED1.00CNO			7/12/90
ED1.Quant1 ED1.D1C = ED1.D1C = ED1.D1C = ED1.D0CNO ED1.D	_		
ED1.01C = ED1.01C = ED1.01C = ED1.01C = ED1.01C = ED1.00CNO ED1.00	Lzer		7/12/90
ED1.DIC = ED1.DIC = ED1.DocNo		Lzero(EDI.Quentity,7)	7/12/90
ED1.DIC = ED1.DIC = ED1.DocNo ED1.Do	Consigneel		7/12/90
EDI.DOCNO EDI.DOCNO EDI.DOCNO EDI.DOCNO		LZERO(EDI.Quentity1,8)	7/12/90
EDI. DOCKO EDI. DOCKO EDI. DOCKO	and ContractNbr		7/12/90
EDI.DOCNO EDI.DIC			
ED1.01C =	DocNo		7/12/90
	md CLIN		7/12/90
_			
CurrentCard ED1.D1C = "XEL"	Consignee2		7/12/90
CurrentCard EDI.DIC = "XEL" and EDI.Quantity2 <> ***		LZERO(EDI.Quantity2,8)	7/12/90
CurrentCard Matches(EDI.DIC,/P2[1389]/)	DocNoSuffix		7/12/90
CurrentCard Matches(ED1.D1C,/P2(DE1/)	MngtInd		7/12/90
CurrentCard EDI.DIC = "P20" and EDI.ShipmentNbr <> ""	c> "" ShipmentWbr		7/12/90
CurrentCard EDI.SupAddress <> ""	SupAddress		7/12/90
	IgDocNo Origination		7/12/90

S	Sect	٠.							
16d 11d	2	#	P	5	St Ord Len Cardio	Condition	Field	Trensformation	Date
\$33	_	2	~	~	CurrentCard	Matches(EDI.DIC,/P2[DE]/) and EDI.ContractWbr <> ***	ContractMbr		7/12/90
553	-	2	m	-	CurrentCard		SignalCode		3/06/91
553	-	25	-	•	CurrentCard	EDI.DIC = "XEL"	Consignee3		7/12/90
553	-	\$2	~	m	CurrentCard	EDI.DIC = "P20" and EDI.LoadDate <> ""		Substr(YYMMD02J(ED1.LoadDate),2,3)	7/12/90
553	-	25	m	~	CurrentCard	Matches(EDI.DIC,/P2[13]/)	FundCode		7/12/90
553	-	55	-	•	CurrentCard		CargoWbr		7/12/90
553	-	88	_	€0	CurrentCard	EDI.DIC = "XEL"		LZERO(ED1.Quantity3,8)	7/12/90
553	-	8	~	•	CurrentCard	Metches(ED1.D1C,/P2[DE1/) and ED1.CLIN <> ***	CLIN		7/12/90
553	-	3	-	•	CurrentCard	ED1.D1C = "P20"	Delorditor		7/12/90
553	-	3	m	~	CurrentCard	Matches(EDI.DIC,/P2[13]/)	Priority		7/12/90
553	-	8	-	•	CurrentCard	EDI.DIC = WXEL"	Consignee4		7/12/90
553	-	67	-	m	CurrentCard		FromRIC		7/12/90
553	-	2	-	•	CurrentCard	Metches(EDI.DIC,/P2(DE1/)	Consignee		7/12/90
553	_	2	~	_	CurrentCerd		Shipment Ind		7/12/90
553	-	7	-	-	CurrentCard		Supcondcode		7/12/90
553	-	2	-	€0	CurrentCerd	E01.01C = "XEL"		LZERO(ED].Quantity4,8)	7/12/90
553	-	2	7	-	CurrentCard		MngtInd		7/12/90
\$53	-	Ľ	-	M	CurrentCard	EDI.ShipmentDate <> ***		Substr(YYM#DD2J(ED1.ShipmentDate),2,3)	7/12/90
553	-	2	-	-	CurrentCard		Shipment Mode		7/12/90
553	_	1	_	•	CurrentCard	Matches(EDI.DIC,/P2[ED]/)	DelordNbr		7/12/90
553	-	1	~	4	CurrentCard	ED1.D1C <> "P20"	SequenceMbr		7/12/90
524	-	-	-	m	CurrentCard		210		7/12/90
22	-	4	-	m	CurrentCard		ToRIC		7/12/90
554	-	_	_	-	CurrentCard		Redica		7/12/90
554	-	•	-	ħ	CurrentCard		NSM		7/12/90
554	-	22	-	_	CurrentCard		Act ionCode		7/12/90
554	-	22	-	~	CurrentCard	EDI. Quantity <> ""		LZERO(EDI.QUANTITY,7)	7/12/90
554	-	8	-	~	CurrentCard	ED1.01C - MP30"	ContractMbr		7/12/90
524	-	욹	~	*	CurrentCard	EDI.DocNo <> ""	DocNo		7/12/90
554	-	37	-	•	CurrentCard	EDI.DIC = "P30"	CL IN		7/12/90
554	-	3	-	-	CurrentCard	Matches(EDI.DIC,/P3[139]/)	DocNoSuffix		7/12/90
554	-	\$	-	•	CurrentCard	EDI.SupAddress <> ""	SupAddress		7/12/90

J ,	Sect								
<u>8</u>	Ę	25	ord L	<u>ا</u>	St Ord Len CardNo	-	Field	Transformation	Date
2	: -	: 5	· -		purpuru i	EDT DE EDIOR AND EDT LAND AND AND AND AND AND AND AND AND AND	:	Codest VVIII 1900 1/20 20	7/12/00
755	-		٠ ،		Currentfand	1	Simplify		10/90/1
254	-	: 2		. ~	CurrentCard	Matchee/ED! Dir /Diritohii/	FindCode		7/12/90
755	-	1 3			Currentiard	Matches (ED) DIC /84 CAUCAST //	Consignating		7/12/90
25.5		. £			CurrentCard		Cargoalbr		7/12/90
22	-	: 23	. ~	. 40	CurrentCard		Shipmentilibr		7/12/90
554	-	3	-	4	CurrentCard	Metches(ED1.DIC./P3(001/)	DelordNbr		7/12/90
554	-	3	~	2	CurrentCard	Matches(EDI.DIC,/P3[13]/)	Priority		7/12/90
554	-	ઢ	-	2	CurrentCard	EDI.DIC = "P3T" and EDI.Uni.oadbate <> ""		Substr(YYMEDD2J(EDI.UnLoadDate),2,3)	7/12/90
554	-	67	_	5	CurrentCard		FromRIC		7/12/90
554	-	R	-	-	CurrentCard	Matches(ED1.D1C,/P3[01239]/)	Shipmentind		7/12/90
554	-	7	-	-	CurrentCard		Supcondcode		7/12/90
554	-	2	-	-	CurrentCard		Mngtind		7/12/90
554	-	R	_	2	CurrentCard	EDI.ReceiptDate <> ""		Substr(YYMED02J(EDI.ReceiptDate),2,3)	7/12/90
554	-	2	-	-	CurrentCard	Matches(EDI.DIC,/P3[012390]/)	Sh i pment Mode		7/12/90
554	-	4	-	4	CurrentCard	Matches(ED1.DIC,/P3[02901]/)	SequenceMbr		7/12/90
555	-	-	-	2	CurrentCard		210		7/12/90
\$55	-	4	_	m	CurrentCard		TORIC		7/12/90
555	-	~	-	-	CurrentCard		Medica		7/12/90
555	-	•	_	13	CurrentCard	EDI.DIC <> "P43"	NSM		7/12/90
555	-	•0	2	13 (CurrentCard	ED1.D1C = "P43"	NSNFrom		7/12/90
555	-	2	_	6	CurrentCard	EDI.DIC = "P41" and EDI.Quantity <> ""		LZERO(EDI.QUANTITY,9)	7/12/90
555	-	22	_	-	CurrentCard	EDI.DIC <> "P41"	Act ionCode		7/12/90
555	-	ສ	-	7	CurrentCard	EDI.Quantity <> ""		LZERO(EDI.QUANTITY,7)	7/12/90
555	-	30	-	74 6	CurrentCard		DocNo		7/12/90
555	-	3	-	_	CurrentCard	ED1.D1C = "P41"	Act i on Code		7/12/90
555	-	3	~	-	CurrentCard	ED1.DIC = "P42"	DocNoSuffix		7/12/90
555	-	3	m	-	CurrentCard	EDI.DIC = "P43"	TypeChange		7/12/90
555	-	2	-	13 C	CurrentCard	ED1.D1C = "P43"	NSM		7/12/90
555	-	*	_	-	CurrentCard	ED1.D1C = "P42"	AdjType		7/12/90
555	-	8	_	0	CurrentCard	EDI.DIC = "P41"		LZERO(EDI.QUANTITYB,9)	7/12/90
555	-	8	-	-	CurrentCard	ED1.DIC = "P43"	CondTo		7/12/90
\$55	-	29		6	CurrentCard		FromRIC		7/12/90

Oate	7/12/OU	2,12,70	04/21//	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90
Transformation					Substr(YYM002J(ED1.Date73),2,3)																						Substr(EDI.LestDIC, 3, 1)			LZERO(EDI.QUANTITY,9)	Substr(ED1.LestD1C,2,2)		LZERO(EDI.QUANTITY,7)
Field	77. 6		Supcondcode	Migtind		Sequencelibr	010	TORIC	Medica	DocNo	ContractMbr	CLIN	Sh fpment Mbr	DocNoSuffix	Delordibr	Act for Code	BiliLedings	Billeding2	Billlading3	Billedings	MingtInd	FromRIC	Billladings	010	TORIC	Medium		NSM	Notification			Rejectind	
Condition		EDI.010 = "P44"			EDI.Date73 <> ""					EDI. Doctio <> ""	EDI.Contractilor <> ""															Fol. Medium <> ""	Metches(EDI.DIC,/P6S P[0-9]2/)	EDI,DIC <> "P6F"	Matches(EDI.DIC,/P6[0ADS]/)	EDI.DIC = #P6F# and EDI.Quantity <> ##	EDI,DIC = "P6R"	Matches(EDI.DIC,/P[0-9]2/)	Netches(EDI.DIC,/P6[0CRS] P[0-9]2/) and
St Ord Len Cardio		I currentuard	1 1 CurrentCard	1 1 CurrentCard	1 3 CurrentCard	1 4 CurrentCard	1 3 CurrentCard	1 3 CurrentCard	1 1 CurrentCard	1 14 CurrentCard	2 7 CurrentCard	1 6 CurrentCard	1 7 CurrentCard	1 1 CurrentCard	1 & CurrentCard	1 1 CurrentCard	1 8 CurrentCard	1 8 CurrentCard	1 8 CurrentCard	1 & CurrentCard	1 1 CurrentCard	1 3 CurrentCard	1 8 CurrentCard	1 3 CurrentCard	1 3 CurrentCard	1 1 CurrentCard	2 1 CurrentCard	1 13 CurrentCard	1 2 CurrentCard	2 9 CurrentCard	3 2 CurrentCard	4 2 CurrentCard	1 7 CurrentCard
Sect Tid St	: F	? -	-	2	r r	1 7	-	4	1 7	-	-	1 15	1 21	1 22	1 28	1 32	1 33	-	40	1 57	3	1 67	2	-	*	1 7	~	•	1 21	1 2	1 21	7	5
25	: 2	000	222	\$55	555	555	556	556	356	556	556	556	556	556	556	556	556	556	556	556	556	556	556	557	557	557	557	557	557	557	557	557	557

	Date	7/12/90	7/12/90	7/12/90	7/12/90		7/12/90		7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	3/06/91	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/12/90	7/13/90	7/13/90	7/13/90	7/13/90	7/13/90	7/13/90	7/13/90	7/13/90	7/13/90	7/13/90
	Transformation								LZERO(ED1.QUANTITY,7)								Substr(YYMMD02J(EDI.ReceiptDate),2,3)		LZERO(EDI. QUANTITYS, 7)														
	Field	AAC	Narrative	DocNo	ContractMbr		CL IN			DocNoSuffix	SupAdd	Mingtind	Marrative	ContractNbr	DelSuffix	SignalCode		FundCode		ContractMbr	ActionCode	Marrative	CLIN	CargoNbr	Narrative	FOBSite	CLIM	DelordNbr	Del OrdNbr	ReportRIC	CargoWbr	FromR1C	DelordNbr
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				Matches(EDI.DIC,/P6[ABCRS] P[0-9]Z/) and	# \$	Matches(EDI.DIC,/P6[ABCRS] P[0-9]2/) and		"P6A" and EDI.Quantity <> ""	Matches(EDI.DIC,/P6(BCFRS) P [0-912/)	Matches(EDI.DIC,/P6(OCRS) P(0-912/)			"P6F" and E01.ContractWbr <> ""			"P6C" and EDI.ReceiptDate <> ""	Matches(EDI.DIC,/P6[ORS] P[0-9]2/)	"P6A" and EDI.Quantity5 <> ""						/P6R P [0-9] 2/)				/P6tAC1/)			/P6[ACDF]/)	
	Condition	EDI.DIC = "P68"	ED1.01C = "P60"	EDI.DocNo <> ""	Matches(EDI.DIC,	EDI.ContractMbr <> MM	Matches(EDI.DIC,	EDI.CLIN <> ""	ED1.DIC = "P6A"	Matches(EDI.DIC,	Matches(EDI.DIC,	ED1.D1C = "P6F"	ED1.DIC = "P68"	ED1.01C = "P6F"	ED1.DIC . "P6A"		ED1.DIC . "P6C"	Matches(EDI.DIC,	ED1.01C = "P6A"	ED1.01C = "P60"	ED1.DIC = "P6R"	ED1.DIC = "P6S"	EDI.DIC . "P6F"	ED1.DIC # "P6C"	Matches(ED1.D1C,/P6R P[0-9]2/)	ED1.DIC . "P6A"	ED1.DIC = "P60"	ED1.01C = "P6F"	Matches(EDI.DIC,/P6[AC]/)	E01.01C = "P60"	E01.DIC = "P60"	Matches(ED1.D1C,/P6[ACDF]/)	ED1.D1C = "P68"
ï	St Ord Len Cardillo	CurrentCard	CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard
	£ :	•	2	±	_		•		~	-	•	-	ສ	~	~	-	~	~	^	~	-	22	•	•	8	-	•	•	•	m	•	m	4
•	. ت ا 9	3	23 3	0	30 2		37 1		m	- 4	5	5	3	47 1	50 1	-	51 2	2	2 2	- 4	4	54 M	5 1	5 2	5 3	4	-	3		2	67 1	67 2	2
	16d 11d S	1 2	7	7	-		~		1	*	1 4	4	*	1	- 5	2	- 5	~	- 5	~	-	-	1 5	5	5	2	1 61	•	4	1 6	•	1 6	1 7
y																																	

S	Sect								
16d Tid		St (P	£	St Ord Len CardNo	Condition	Field	Transformation	Dete
:	:	:	:	:					
557	-	2	m	-	CurrentCard	EDI.DIC = "P6C"	GL Ind		7/13/90
557	-	7	-	2	CurrentCard	EDI.DIC = "P60"	Narrative2		7/13/90
557	-	2	-	-	CurrentCard	Matches(ED1.D1C,/P6[AC]/)	MngtInd		7/13/90
557	-	R	-	-	CurrentCard	ED1.D1C = "P60"	Mingtind		7/13/90
557	-	ĸ	~	m	CurrentCard	EDI.DIC = "P6C" and EDI.AdjDate <> ""		Substr(YYMMDD2J(EDI.AdjDate),2,3)	7/13/90
557	-	ĸ	-	4	CurrentCard	E01.01C = "P60"	DelordMbr		7/13/90
557	-	ĸ	~	m	CurrentCard	EDI.DIC = "P68" and EDI.SupTransDate <> ""		Substr(YYMMD02J(ED1.SupTransDate),2,3)	7/13/90
557	-	2	-	-	CurrentCard	ED1.D1C = "P6C"		DLSSVALUE("MODE", ED!. Sh (pmentMode)	7/13/90
557	_	20	-	m	CurrentCerd	EDI.DIC = "P6F" and EDI.SupTransDate <> ""		Substr(YYMMD02J(ED1.SupTransDate),2,3)	7/13/90
558	_	-	-	M	CurrentCard		010		7/13/90
558	-	4	-	m	CurrentCard		TORIC		7/13/90
558	-	~	-	-	CurrentCerd		Redica		7/13/90
558	-	•	-	Į.	CurrentCard		HSH		7/13/90
558	_	2	-	٥	CurrentCard	Matches(ED1.D1C,/P9(CD)/)		LZERO(ED1.QUANTITY,9)	7/13/90
558	-	22	-	-	CurrentCard		ActionCode		7/13/90
558	-	8	-	7	CurrentCard	ED1.DocNo <> ***	DocNo		7/13/90
558	-	20	~	^	CurrentCard	EDI.ContractWbr <> ""	ContractMbr		7/13/90
558	-	37	-	•	CurrentCard	EDI.CLIN <> ""	CLIN		7/13/90
558	-	3	-	-	CurrentCard	Matches(ED1.D1C,/P9(ABF)/)	DocNoSuffix		7/13/90
558	-	3	7	-	CurrentCard	Matches(ED1.D1C,/P9(CD)/)	ActionCode		7/13/90
558	-	\$	-	•	CurrentCard	Matches(EDI.DIC,/P9(BCDF]/) and EDI.SupAdd <>	SupAdd		7/13/90
558	-	51	-	m	CurrentCerd	EDI.DIC = "P98" and EDI.ReceiptDate <> ""		Substr(YYMMD02J(EDI.ReceiptDate),2,3)	7/13/90
558	-	51	~	m	CurrentCard	EDI.DIC = "P9f" and EDI.SupTransDate <> ""		Substr(YYMMD02J(EDI.SupTransDate),2,3)	7/13/90
558	-	*	-	_	CurrentCard	ED1.DIC = "P98"	AdjType		7/13/90
558	-	3	~	m	CurrentCard	ED1.DIC = "P9f"	TDRStatus		7/13/90
558	-	55	-	•0	CurrentCard	Matches(EDI.DIC,/P9[BF]/)	CargoMbr		7/13/90
558	-	3	-	4	CurrentCard	Metches(EDI.D1C,/P9[8F]/)	DelordNbr		7/13/90
558	-	19	-	M	CurrentCard	ED1.D1C <> "P98"	FromRic		7/13/90
558	-	2	-	-	CurrentCard	EDI.DIC = "P98"	6.1d		7/13/90
558	-	2	~	=	CurrentCard	ED1.01C = "P9F"	TDRF! Leabr		7/13/90
558	-	7	-	-	CurrentCard	Matches(EDI.DIC,/P9(CD]/)	Supcondcode		7/13/90
558	-	2	-	-	CurrentCard	Metches(ED1.DIC,/P9(BCD]/)	MngtInd		7/13/90

Sec. 16d 11d	Sect		ord	3	St Ord Len CardNo	Condition	Field	Transformstion	Date
:	:			; ;					
558	-	ĸ	-	m	CurrentCard	EDI.DIC m mp9Am and EDI.ErrorDate <> mm		Substr(YYMMDD2J(EDI.ErrorDate),2,3)	7/13/90
558	-	r	7	m	CurrentCard			Substr(YYMMDD2J(EDI.GLAdjDate),2,3)	7/13/90
558	-	Ľ	m	m	CurrentCard	0		Substr(YYMMDD2J(ED1.ReceiptDate),2,3)	7/13/90
						## ♦			
558	-	26	-	_	CurrentCard	ED1.DIC = 4P984		DLSSVALUE("MODE", EDI. Mode)	7/13/90
558	-	1		4	CurrentCard	EDI.DIC <> "P98"	SequenceMbr		7/13/90
559	-	-	-	m	CurrentCard		DIC		7/13/90
559	-	•	_	m	CurrentCard		TORIC		7/13/90
559	-	~	-	-	CurrentCard		Medica		7/13/90
559	-	•	-	5	CurrentCard		NSM		7/13/90
\$59	-	25	-	_	CurrentCard		ActionCode		7/13/90
559	-	23	-	~	CurrentCard	EDI. Quentity <> ***		LZERO(EDI.QUANTITY,7)	7/13/90
559	-	30	_	7	CurrentCard		DocNo		7/13/90
559	-	7	-	-	CurrentCard		DocNoSuffix		7/13/90
559	-	\$ 2	-	•	CurrentCard		SupAdd		7/13/90
559	-	25	-	~	CurrentCard		FundCode		7/13/90
559	-	20	-	m	CurrentCard		Customerid		7/13/90
559	-	29	-	m	CurrentCard		FromRIC		7/13/90
\$59	-	R	-	-	CurrentCard		MFP		7/13/90
559	-	7.	-	M	CurrentCard		AirNission		7/13/90
\$59	-	2	-	4	CurrentCard		SequenceMbr		7/13/90
561	-		_	0	CurrentCand			Pl := PA := PB := PB2 := 0	06/61/9
561	-	-	~	0	CurrentCard	Matches(EDI.DIC1,/P(BE]1/)		P1 := CurrentCard	6/19/90
261	_	-	m	0	CurrentCard	P1 and Matches(EDI.DIC2,/P[BE]A/)		PA := P1+1	06/41/9
561	-	-	•	0	CurrentCard	Not P1 and ED1.DIC1 = "PAA"		PA := CurrentCard	6/19/90
561	-	-	~	0	CurrentCard	P1 and Matches(EDI.DIC2,/P[BE]B/)		PB := P1+1	6/19/90
561	-	_	•	0	CurrentCard	P1 and PA and Matches(EDI.DIC3,/P[BE]8/)		PB :# PA+1	6/19/90
561	-	-	~	0	CurrentCard	Not P1 and PA and ED1.D1C2 . "PAB"		PB := PA+1	6/19/90
561	-	-	_	m	~	P1	DICI		6/19/90
561	-	4	-	±.	-	P4	PIIN		6/19/90
561	~	17	-	9	-	14	SPIIM		06/61/9
561	-	23	-	~	2	P1 and ED1.EffectDate1<>***	•	Substr(EDI.EffectDate1,1,2)	6/19/90
561	-	ĸ	-	m	-	P1 and ED1.EffectDate1<>""		MM2MMM(Substr(EDI.EffectDate1,3,2))	6/19/90

•,	Sect							
	P :	\$t C	ב ב	St Ord Len CardNo	Condition	Field	Transformation	Date
561	-	ືສ	-	1 P8	EDI.Disc1="" and EDI.Disc2="" and		***	6/19/90
					EDI.NetDays="" and EdiElement(70,1,2)=""			
561	-	23	~	84 4	84	Disc1		06/11/90
561	-	23	_	2 PB	€4	Dischays1		6/19/90
561	-	&	_	84 4		Disc2		06/61/9
561	-	33	-	2 P8	84	Discoays2		6/19/90
561	-	35	_	- P8	PB and FindUse(70,1,2,/22/)	•	E T Z	6/19/90
561	-	35	~	2 PB	84	NetDays		6/19/90
561	_	37	_	8 8	PB and EdiElement(70,1,2) = "NB"		nón	6/19/90
561	-	2	_	8d 9	•	Pay8y		6/19/90
561	-	3	_	1 98	84	FastPay		6/19/90
561	-	45	=	94 0	PB and GI(Len(EDI.Amount),10) and		Punch(Substr(ED1.Amount, (Len(ED1.Amount) -	6/19/90
					EdiEloment(30,1,3) = "52"		9),10),9,10)	
261	-	\$3	2 1	10 PB	PB and GT(Len(EDI.Amount), 10) and		Punch (Substr(ED1.Amount, (Len(ED1.Amount) -	06/61/9
							9),10),9)	
28	-	45	3	84 O	PB and EdiElement(30,1,3) = "52"		Punch(Lzero(EDI.Amount,10),10)	6/19/90
561	-	5	7	84 0	PB and EDI. Amount <> ""		Lzero(EDI.Amount,10)	6/19/90
561	-	55	_	2 P8	PB and EDI.SignDate2<>***		Substr(EDI.SignDate2,1,2)	06/61/9
561	-	22	~	7 P8	PB and PA and EDI.SignDate2=""		RP(PA, 23, 7)	6/19/90
561	-	22	-	3 PB	PB and EDI.SignDate2<>***		MH2MM(Substr(ED1.SignDate2,3,2))	6/19/90
561	_	ક્ર	_	2 78	PB and ED1.SignDate2<>***		Substr(ED1.SignDate2,5,2)	6/19/90
561	-	3	_	1 PB	_	ContractKind	70	6/19/90
561	_	3	_	- P8	50	ContractType	•	6/19/90
561	-	3	_	8 8	90	ADP		6/19/90
561	-	2	_	26	2	Criticality		06/11/90
561	-	۲	_	1 98	20	CAFL		6/19/90
561	-	ĸ	_	5 P8	20	Special		6/19/90
561	-	8	_	84 0	PB and IsPunch(PB,53)		NextCard()	6/19/90
561	-	-	-	0 PB2	PB and laPunch(PB,53)		PB2 := PB+1	6/19/90
561	-	_	2	4 P82	P82		RP(PB,1,44)	6/19/90
561	-	45		1 P82	P82			6/19/90
561	-	\$	_	9 PB2	PB2 and GT(Len(EDI.Amount), 10)		Lzero(SubStr(EDI.Amount, 1, (Len(EDI.Amount)	6/19/90
							. 10),(9)	

3	Sec.	•	St 0	ord Lo	<u>\$</u>	Cardillo		Field	ation	Date
. 28			. 55	. ≀i : -	: 2	P82	PBC and PB		RP(P8,55,25)	6/19/90
561	5		-	_	_	CurrentCard			PC := P0 := P02 := 0	6/19/90
8	5	9	-	~	_	CurrentCard	Matches(EDI.DIC,/P(ABE)C/)		PC := CurrentCard	6/19/90
<u>%</u>	5	9	_	m	0	CurrentCard	PC and Matches(EDI.DIC2,/P[ABEJD/)		PO := PC+1	6/19/90
2		Ş	_	4		CurrentCard	Not PC and Matches(EDI.DIC, /P[ABE]D/)		PO :* CurrentCard	6/19/90
192		õ	-	_		<u>ي</u>		010		6/19/90
2		Q	•	-		ນ	PC and PA		RP(PA,4,19)	6/19/90
<u>2</u>		8	4	~		2	3		RP(P1,4,19)	6/19/90
25			22	_		ည္	26	ACRN		6/19/90
561	5		ĸ	-		2	D C	Approp		6/19/90
18			39	₩ -		2	2	SupAcctData		6/19/90
26			ĸ	_		2	2	AcctStation		6/19/90
561	5		8	_		2	PC and P0		NextCard()	6/19/90
561	5	8	-	-	m	2	Po and PC	D1C2		6/19/90
561	5	8	-	~		2	\$	DIC		6/19/90
561	5	9	4	-		æ	Po and P1		RP(P1,4,19)	6/19/90
561	5	9	4	2 2		8	Po and Pc		RP(PC,4,21)	6/19/90
26	5		23	_		2	2	ACRN		6/19/90
561	•		X	_		&	2	Reimb		6/19/90
2			5	-		8	PO and GT(Len(EDI.Amount),10) and EdiElement(20.1.4) = "52"		<pre>Punch(Substr(EDI.Amount,(Len(EDI.Amount) - 9),10),9,10)</pre>	6/19/90
561	5		45	2	5	2	PD and GT(Len(EDI.Amount),10) and		Purch(Substr(ED1.Amount,(Len(ED1.Amount) -	6/19/90
							EdiElement(20,1,4) <> "52"		9),10),9)	
<u>%</u>			5	ř n		2	PD and EdiElement(20,1,4) = "52"		Punch(Lzero(EDI.Amount,10),10)	6/19/90
561	5		5	- -		2	2		Lzero(EDI.Amount,10)	6/19/90
561			55	_		2	2	PayBy		6/19/90
28			8	_		2	PO and IsPunch (PD, 53)		NextCard()	6/19/90
561		8	-	_		202	PD and 1sPunch(PD,53)		P02 :* P0+1	6/19/90
28	5	2	_	2	3	202	P02		RP(P0,1,44)	6/19/90
561			45	_		202	P02			6/19/90
561			\$	_	•	P02	PD2 ent, GT(Len(EDI.Amount),10)		LZERO(Substr(EDI.Amount,1,(Len(EDI.Amount) - 10),9)	6/19/90
28	5		55	_	9	902	502 and P0		RP(P0,55,6)	6/19/90

Date		6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90		6/19/90	6/19/90	
Transformation		Blank := PE := PF := PE2 := 0	Blenk: * Found	PE := Blank	PF := PE+1	PF := Blank		RP(PA,4,19)	RP(P1,4,19)			mJm		"N EXHIBIT"	"N SERVICES"	- 7	#Pr	Lzero(EDI.Quantity,8)	Punch(Lzero(ED1.Quantity,8),8)	Punch(Lzero(EDI.Quantity,8),1)		*2*	122	wDw	món	Lzero(EDI.UnitPrice,11)	Punch(Lzero(EDI.UnitPrice,11),1)	.n.		Punch(SubStr(EDI.TotAmount,(Len(EDI.TotAmo	unt) - 9),10),9)	Lzero(EDI.TotAmount,10)	Punch(Substr(ED1.TotAmount,(Len(ED1.TotAmo	unt) - 9),10),1,9)
Field							010			CLIN	StockNbr										PurchaseUnit													
Condition			Found := FindCard(/ /,Forward,1,1,1)	Matches(ED1.D1C,/P[ABE]E/)	PE and Matches(EDI.DIC2,/P[ABE]F/)	Not PE and Matches(EDI.DIC,/P[ABE]F/)	PE .	PE and PA	PE and p1	PF	PE and EdiElem .t(30,1,1) = "D1"	PE and EdiElement(30,1,1) = "D2"	PE and EdiElement(30,1,1) = "03"	PE and EdiElement(30,1,1) * **06**	PE and EdiElement(30,1,1) = "04"	PE and EdiElement(40,1,1) = "KN"	PE and EdiElement(40,1,1) = "KB"		PE and EdiElement($40,1,1$) = "KC"		뿚	PE and EdiElement(40,1,3) = "NSP"	PE and EdiElement($40,1,3$) = "NAP"	PE and EdiElement(40,1,3) = "UND"	PE and EdiElement($40,1,3$) = "SCO"	PE and EdiElement(40,1,3) = "CUP"	PE and EdiElement(40,1,3) = "EST"	PE and EdiElement(20,1,2) = "51"	PE and EdiElement(20,1,2) = "53"	PE and EdiElement(20,1,2) = "01" and	GI(Len(ED1.TotAmount),10)	PE and EdiElement(20,1,2) = "01"	PE and EdiElement(20,1,2) = "50" and	GT(Len(EDI.TotAmount),10)
St Ord Len CardNo		1 1 0 CurrentCard	1 2 0 CurrentCard	1 3 0 CurrentCard	1 & 0 CurrentCard	1 5 0 CurrentCard	1 1 3 PE	4 1 19 PE	4 2 19 PE	23 1 6 PE	29 1 15 PE	29 2 1 PE	29 3 1 PE	29 6 9 PE	29 5 10 PE	44 1 1 PE	44 2 1 PE	44 3 8 PE	77 7 8 PE	44 5 8 PE	52 1 2 PE	54 1 1 PE	54 2 1 PE	54 3 1 PE	54 4 1 PE	54 5 11 PE	54 6 11 PE	65 1 1 PE	65 2 1 PE	65 3 10 PE		4	65 5 10 PE	
Sect T6d T1d	:	561 200	561 200	561 200	561 200			561 200	561 200	561 200												561 200							561 200	561 200		561 200		

146 14 21 10 10 10 10 10 10 10	Š	Sect							
65 6 10 PE PE and Editioment(20,1,2) = "50" Pure/(EDI.Totakacurt,1) 65 8 10 PE PE and Editioment(20,1,2) = "52" and Online (EDI.Totakacurt,1) 65 8 10 PE PE and Editioment(20,1,2) = "52" and Online (EDI.Totakacurt,1) 75 1 6 PE PE and Editioment(20,1,2) = "52" and Online (EDI.Totakacurt,1) 76 1 0 PE PE and Editioment(20,1,2) = "52" and Online (EDI.Totakacurt,1) 77 1 6 PE PE and EDI.Totakacurt), 10) 78 1 6 PE PE and IsPurch(PE,73) 78 1 6 PE PE and IsPurch(PE,73) 78 1 6 PE PE and IsPurch(PE,73) 79 2 0 PE PE and IsPurch(PE,73) 79 2 0 PE PE and IsPurch(PE,73) 79 3 10 PE PE and IsPurch(PE,73) 79 4 10 PE PE And PE AND PE PE AND PE	164		11 0	<u> </u>	en Cardio	Condition	Field	Transformation	Date
1 1 1 1 1 1 1 1 1 1					_				
1 10 10 10 10 10 10 10						re and editioment(ZU,1,Z) = "50"		Punch(EDI.TotAmount,1)	6/19/90
Street S						= n55n		Punch(SubStr(ED1.TotAmount,(Len(ED1.TotAmo	6/19/90
65 8 10 PE PE and Editement(20,1,2) = "32" Louishort 1						GT(Len(EDI.TotAmount),10)		unt)- 9),10),9,10)	
1 6 PE PE Read of Januch(PE,73) NextGard() 1 10 PE PE Read of Januch(PE,73) NextGard() 1 10 0 PE PE Read of Januch(PE,73) NextGard() 1 10 0 PE PE Read of Januch(PE,73) PE PE 1 10 0 PE PE PE PE 2 11 PE PE PE PE PE 3 1 PE PE PE PE PE 4 1 0 PE PE PE PE PE 5 1 0 PE PE PE PE PE 5 1 0 PE PE PE PE PE 6 1 0 PE PE PE PE PE 7 1 0 PE PE PE PE PE PE 8 1 0 PE PE PE PE PE 9 1 0 PE PE PE PE 9 1 1 1 1 1 1 1 1 1			ι Σ	~		PE and EdiElement(20,1,2) = "52"		Punch(EDI.TotAmount,10)	6/19/90
99 1 0 PE Fe and Jaburch (PE,73)			Б	_		PE	Leminar		6/19/90
99 2 0 PE			ድ	_		Ē	•	RextCordC	6/19/90
1 1 0 PE2 PEE and InPurch (PE,73) PE2 := PE+1 1 2 63 PEE2 PEE2 1 5 65 PEE2 PEE2 PEE2 1 6 PE2 PEE2 and GT(Len(ED1.TotAmount), 10) PEE2 2 6			ጵ	~		\$		# extCordC	6/19/90
1		2	_	_		PE and 1spunch(PE.73)		PE2 :# PE+1	6/10/00
1 PE2 PE2		2	_	2	3 PE2	PE2		RP(PE.1.63)	6/19/90
65 1 9 PE2 and GT(Len(EDI.TotAmount),10)			Š	-	1 PE2	PE2		E E	6/19/90
1 6 PE2 PE2 and PF PE2 and PF PE2 and PF 1 0 PF PE2 and PF PE2 and PF PE2 and PF 1 1 0 PF PE2 and PF PE2 and PF PE2 and PF 2 3 PF PF and PF PF and PF PF and PF 3 4 PF PF and PF and PF PF and PF PF and PF and PF PF and PF and PF PF and PF and PF and PF PF and			ý	_	9 PE2	Ē		LZERO(Substr(E01.TotAmount,1,(Len(E01.TotA	
								mount) - 10)),9)	
99 1 0 PE2 and PF 1 1 0 PF and PF 2 1 2 PF and PF 4 1 25 PF PF and Mot PE 4 1 25 PF PF and Mot PE 5 19 PF And Mot PE 6 2 19 PF And Mot PE 7 2 19 PF And Mot PE 7 3 1 1 PF PF And BD1.POASite->*** CLIN Moun 7 1 1 PF PF And ED1.POASite->*** PF And ED1.POASite->*** D1.SSValue(*POA*,ED1.POASite) 7 1 1 PF PF And ED1.POASite->*** D1.SSValue(*POA*,ED1.POASite) 7 1 1 PF PF And ED1.POASite->*** D1.SSValue(*PERCENT*,ED1.POASite) 7 1 1 PF PF And ED1.Shortage->**** D1.SSValue(*PERCENT*,ED1.POASite) 7 1 1 PF PF And ED1.Shortage->**** D1.SSValue(*PERCENT*,ED1.Shortage) 7 1 0 CurrentCard Matches(ED1.DIC,*PGAC) and (Found :** GNCard :** PG :** PH :** Found 1 1 0 CurrentCard Matches(ED1.DIC,*PGAC) and (Found :** GNCard :** PG :** PH :** Found 1 1 3 0 CurrentCard Matches(ED1.DIC,*PGAC) and (Found :** GNCard :** PG :** PH :** Found 1 1 3 GNCard 1 1 3 GHCard 1 2 GHCard 1 3 GHCard 1 3 GHCard 1 4 5 GHCard 1 6 GHCard 1 7 GHCard 1 7 GHCard 1 7 GHCard 1 7 GHCard 1 8			r	_	6 PE2	PE2		RP(PE, 75,6)	6/19/90
1 0 PF PE2 and PF 01C2 2 3 PF PE and PE 01C2 4 1 2 PF PE and PE 01C2 5 2 PF PE and More PE 01C 5 2 PF PE and PF 01C2 5 2 PF PF and PI 01C1 01C1 01C2 5 1 PF PF and ED1.PDASitech************************************		8	ድ	_	0 PE2	PE2 and PF		NextCard()	6/19/90
1 2 3 PF		2	_	_	0 PF	PE2 and PF		PF := PE2+1	6/19/90
1 3 9 PF PF and Not PE		2	-	~	3 pf	PF and PE	0102		6/19/90
4 1 25 PF PE and PF 4 2 19 PF PF and PI 5 19 PF PF and PI 5 2 19 PF PF and PI 5 2 1 1 PF PF PF And EDI.PQASItech## 6 1 32 PF PF And EDI.PQASItech## 7 1 1 PF PF And EDI.PQASItech## 7 1 1 PF PF And EDI.PQASItech## 7 1 2 PF PF And EDI.PQASItech## 7 2 PF PF And EDI.PQASItech## 7 3 DI.PQASILOH PARTICAL PAR		2	_	m	3 PF	_	010		6/19/90
4 2 19 PF PF and P1 23 1 4 PF PF 29 1 11 PF PF And EDI-POASIte->*** 40 1 32 PF PF And EDI-POASIte->*** 41 1 PF PF PF And EDI-POASIte->*** 41 1 PF PF PF And EDI-POASIte->*** 41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2	4	<u>~</u>	S PF	Ē		RP(PE, 4, 27)	6/19/90
23 1 4 PF PF PF CLIN Houn 29 1 11 PF PF and EDI.PQASite<>************************************		2	4	7 2		Ē		RP(P1, 4, 19)	6/19/90
29 1 11 PF PF PF and EDI.PQASite 40 1 32 PF PF and EDI.PQASite 72 1 1 PF PF and EDI.PQASite 73 1 1 PF PF and EDI.Acceptance 		2	n	_	4 PF	Jd.	CLIN		6/19/90
40 1 32 PF PF and EDI.PoASite Per and EDI.PoASite Per and EDI.PoASite 72 1 1 PF PF and EDI.PoASite DI.SSValue("FOB", EDI.Acceptance) 73 1 1 PF PF and EDI.FOBSite DI.SSValue("FOB", EDI.Acceptance) 74 1 1 PF PF and EDI.FOBSite DI.SSValue("FOB", EDI.Acceptance) 75 1 2 PF PF and EDI.Shortage DI.SSValue("PERCENT", EDI.Shortage) 77 1 2 PF PF and EDI.Shortage DI.SSValue("PERCENT", EDI.Shortage) 1 1 0 CurrentCard Matches(EDI.DIC,/Pag/) and (Found := GHCard := PG := Found FindCard(/, Forward,1,1,1)) GHCard := PG := PH := Found FindCard(/, Forward,1,1,1)) 1 3 0 CurrentCard FindCard(/, Forward,1,1,1)) DIC			•	-	1 PF	PF	Moun		6/19/90
72 1 1 PF PF and EDI.PQASite+>*** 73 1 1 PF PF and EDI.Acceptance<>*** 74 1 1 PF PF and EDI.Acceptance<>*** 74 1 1 PF PF and EDI.Acceptance<>*** 75 1 2 PF PF and EDI.Acceptance *** 77 1 2 PF PF and EDI.Overage< *** 77 1 2 PF PF and EDI.Shortage<>*** 77 1 2 PF PF and EDI.Shortage<>*** 77 1 2 PF PF and EDI.Shortage<>*** 78 1 2 PF PF And EDI.Acceptance ** 79 1 2 PF PF And EDI.Acceptance</** 70 1 2 PF PF And EDI.Acceptance</** 71 2 PF PF PF And EDI.Acceptance</** 72 1 2 PF PF PF And EDI.Acceptance</** 73 1 2 PF PF PF And EDI.Acceptance</** 74 1 2 PF PF PF PF And EDI.Acceptance</** 75 1 2 PF PF</td <td></td> <td></td> <td>0</td> <td>E W</td> <td>2 PF</td> <td>34</td> <td>PartKbr</td> <td></td> <td>6/19/90</td>			0	E W	2 PF	34	PartKbr		6/19/90
73 1 1 PF PF and EDI.Acceptance<>*** 74 1 1 PF PF and EDI.FOBSite<>*** 75 1 2 PF PF and EDI.Shortage<>*** 77 1 2 PF PF and EDI.Shortage<>*** 77 1 2 PF PF And EDI.Shortage *** 77 1 2 PF PF And EDI.Shortage</*** 78 1 2 PF PF And EDI.Shortage</*** 79 1 2 O CurrentCard Matches(EDI.DIC,/Pag/) and (Found := GHCard := PG := Found FindCard(//Forward,1,1,1)) 79 1 3 O CurrentCard Matches(EDI.DIC,/PaH/) and (Found := GHCard := PG := Found FindCard(//Forward,1,1,1)) 79 1 3 GHCard := PF PF And EDI.Shortage</p 70 1 2 O CurrentCard Matches(EDI.DIC,/PaH/) and (Found := GHCard := PH := Found FindCard(//Forward,1,1,1)) 71 1 3 GHCard := PH := Found PH			N	_	1 PF	\$		DLSSValue("PQA",EDI.PQASite)	6/19/90
74 1 1 PF PF and EDI.foBsite<>*** 75 1 2 PF PF and EDI.Overage<>*** 77 1 2 PF PF and EDI.Shortage<>*** 77 1 2 PF PF And EDI.Shortage *** 78 1 2 PF PF PF And EDI.Shortage</p 79 1 2 O CurrentCard Matches(EDI.DIC,/Pag/) and (found :* GRCard :* PG :* Found found :* GRCard :* PH :* Found found :* Found found :* GRCard :* PH :* Found found :* Found findCard(//Forward,1,1,1)) 1 3 0 CurrentCard Matches(EDI.DIC,/PaH/) and (found :* GRCard :* PH :* Found found :* FindCard(//Forward,1,1,1)) 1 1 3 GRCard :* PF			'n	_	1 PF			DLSSValue("FOB", EDI. Acceptance)	6/19/90
75 1 2 PF and EDI.Overage<>*** 77 1 2 PF and EDI.Shortage<>*** 77 1 2 PF PF and EDI.Shortage *** 1 1 0 CurrentCard Matches(EDI.DIC,/PBG/) and (Found :* GHCard :* PG :* Found findCard(//Forward,1,1,1)) 1 3 0 CurrentCard Matches(EDI.DIC,/PBH/) and (Found :* GHCard :* PH :* Found findCard(//Forward,1,1,1)) 1 3 6HCard :* PH :* Found found :* GHCard :* PH :* Found findCard(//Forward,1,1,1)) 1 1 3 GHCard 1 3 GHCard 1 3 GHCard :* PF PF And EDI.Overage) 1 4 GHCard :* PF PF</td <td></td> <td></td> <td></td> <td><u> </u></td> <td>1 PF</td> <td></td> <td></td> <td>DLSSValue("FOB", EDI. FOBSite)</td> <td>6/19/90</td>				<u> </u>	1 PF			DLSSValue("FOB", EDI. FOBSite)	6/19/90
77 1 2 PF PF and EDI.Shortage<>*** 1 1 0 CurrentCard			'n	-	2 pF			DLSSValue("PERCENT", EDI. Overage)	6/19/90
1 1 0 CurrentCard Matches(EDI.DIC,/PGG/) and (Found := GHCard := PG := PH := PHZ := 0 2 0 CurrentCard FindCard(/ /, Forward, 1, 1, 1) 3 0 CurrentCard Matches(EDI.DIC,/PGH/) and (Found := GHCard := PH := Found 1 1 3 GHCard FindCard(/ /, Forward, 1, 1, 1) 1 3 GHCard FindCard(/ /, Forward, 1, 1, 1) 1 3 GHCard FindCard(/ /, Forward, 1, 1, 1) 1 3 GHCard FindCard(/ /, Forward, 1, 1, 1) 1 3 GHCard FindCard(/ /, Forward, 1, 1, 1) 1 3 GHCard FindCard(/ /, Forward, 1, 1, 1) 1 3 GHCard FindCard(/ /, Forward, 1, 1, 1) 1 3 GHCard FindCard(/ /, Forward, 1, 1, 1) 1 3 GHCard FindCard(/ /, Forward, 1, 1, 1) 1 4 GHCard FindCard(/ /, Forward, 1, 1, 1, 1) 1 5 GHCard FindCard(/ /, Forward, 1, 1, 1, 1) 1 6 GHCard FindCard(/ /, Forward, 1, 1, 1, 1) 1 7 GHCard FindCard(/ /, Forward, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,			-	-	2 PF			DLSSValue("PERCENT", EDI.Shortage)	6/19/90
1 2 0 CurrentCard Matches(EDI.DIC,/PBG/) and (Found := GHCard := PG := Found FindCard//, Forward, 1, 1, 1)) 1 3 0 CurrentCard Matches(EDI.DIC,/PBH/) and (Found := GHCard := PH := Found FindCard(//, Forward, 1, 1, 1)) 1 1 3 GHCard DIC		0	_	_				GHCard := PG := PH := PH2 := 0	6/19/90
FindCard(//Forward,1,1,1)) 1 3 0 CurrentCard Matches(EDI.DIC,/PGH/) and (Found:= FindCard(//Forward,1,1,1)) 1 1 3 GHCard DIC	_	0	_	~	0 CurrentCard			GHCard := PG := Found	6/19/90
1 3 0 CurrentCard Matches(EDI.DIC,/PBM/) and (Found := GHCard := PH := Found FindCard(/ /, Forward, 1,1,1)) 1 1 3 GHCard DIC						FindCard(/ /,Forward,1,1,1))			•
1 1 3 GKCard		0	_			Matches(EDI.DIC,/PBM/) and (Found := FindCard(/ /.Forward.1.1.1))		GHCard := PH := Found	6/19/90
	561 21	0	_	-			DIC		6/19/90

		Condition Field Transformation Date	(6)	PE and EDI.CLIN = "" 6/19/90	06/41/9 CT1M	PG and EDI.ShipToDoDAAC <> "" ShipToDoDAAC	PG and ED1.Name <> *** Name <> ***	PH Text 6/19/90	PG MarkFor 6/19/90	PG and EdiElement(20,1,2) = #99" 6/19/90	PG and EdiElement(20,1,2) = "70" and 6/19/90	EDI.Delbate <> ""	PG and EdiElement(20,1,2) = "17" and Purch(Substr(EDI.DelDate,1,2),1) 6/19/90	EDI.Delbate <> ***	PG and EdiElement(20,1,2) <> #99# and MM2MMM(Substr(EDI.DelOate,3,2)) 6/19/90	EDIJURIUR V BC mad Edisiament/20 1 2) // HOOM and Cidestricin Delhate 5 2) 6/19/00		PG and EdiElement(20,1,4) = #61# 6/19/90	PG and EdiElement(20,1,4) = "01"	PG and EdiElement(20,1,4) = "KA"	PH and EDI.PGA <> "" 6/19/90	DLSSValue("PQA",EDI.AcceptSite)	ACRE	w∩w wóów w	PH and EdiElement(20,1,2) = "A1" and 6/19/90		PH and EdiElement(20,1,2) = "97" and Punch(S.chetr(EDI.ServiceDate,1,2),1) 6/19/90		DocNo DocNo	PH and EdiElement(20,1,2) <> #99" and #M2MaM(Substr(EDI.ServiceDate,3,2)) 6/19/90 EDI.ServiceDate <> #1	
		Condition	Vd	P P		₩	Ē	Ŧ	94	PG and EdiElement(20,1,2) = 4994	PG and EdiElement(20,1,2) * "70"	EDI.DelDate <> mm	PG and EdiElement(20,1,2) = "17"	EDI.DelDate <> **	PG and EdiElement(20,1,2) <> "99"	50 and 64(6) amon (20 1 2) (1 100)	EDI.DelDate <> ""	PG and EdiElement(20,1,4) = "61"	PG and EdiElement(20,1,4) = "01"			Ē		PH and EdiElement(20,1,2) = "99"		EDI.ServiceDate <> ***	PH and EdiElement(20,1,2) = $m97m$ FDL ServiceDate <> m		90	PH and EdiElement(20,1,2) <> "99" FDI_SarviceDate <> ""	
		Cardic	GHCard	GHC	GKC	38	ğ	퓽	퓽	3	GHCard		Š		3	ē	,	GHCard	GHCard	GHCerd	GHCard	GHCard	GHCerd	_	_		-	GHCerd	GHCerd		
€ \$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		£ :		6 GHCard	6 GHCerd	6 GHCerd	1 GHCard	25 GHCard	6 GHCard	1 GHCerd	5 2		2 GHCard		3 GHCard	CUCANA		-	•	•	-	-	~	_	~		~	-	7	3 GHCard	c
€ \$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Ord Len CardNo		•	9 2	-	2	3 25			2 2 6		3		1 3	•		-	2 8	60 M	- -	-	+ 2	-	2 2		m	-	1 14	2	
34	••	St Ord	4 1 19	•	9 2	-	2	3 25	9	-	2 2		41 3 2		43 1 3	6 1 97	- }	- 97	8 2 87	48 3 8	54 1 1	55 1 1	56 1 2	58 1 1	58 2 2		58 J	59 1 1	41 - 09	2	C 1 17
210 24 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Sect	Tid St Ord	210 4 1 19	210 23 1 6	210 23 2 6	210 29 1 6	210 29 2 1	210 29 3 25	210 35 1 6	210 41 1 1	210 41 2 2		210 41 3 2		210 43 1 3	2 1 77 010	3	210 48 1 1	210	210	210	210	210	210			210 58 3	210	210	210 60 2 3	•

ב פ	5		St Ord Len CardNo	Condition	Field	nsformation	Date
210 65		: -		PH and Ediflement(40,1,2) = "51"			6/19/90
210 65	5 2	_	GHCard	PH and EdiElement(40,1,2) = 4534		2 2 2	6/19/90
210 65	S W	5	GHCard	PH and EdiElement(40,1,2) = "01" and		Punch (Substr (ED]. TotAmount, (Len (ED]. TotAmo	6/19/90
				GT(Len(ED1.TotAmount),10)		unt) - 9)),9)	
210 65	5 4	2	GHCerd	PH and EdiElement(40,1,2) = "01"		LZero(EDI.TotAmount,10)	11/27/90
210 65	5 5	5	GHCerd	PH and EdiElement(40,1,2) = "50" and		Punch (Substr(EDI. TotAmount, (Len(EDI. TotAmo	6/19/90
				GT(Len(EDI.TotAmount),10)		unt) - 9)),1,9)	
210 65	5	5	GHCerd	PH and Editionent(40,1,2) = "50"		Punch(LZero(ED1.TotAmount,10),1)	11/27/90
210 65	5 7	5	GHCerd	PH and Editionent(40,1,2) = "52" and		Purch(Substr(EDI.TotAmount,(Len(EDI.TotAmo 11/27/90	11/27/90
				GT(Len(EDI.TotAmount), 10)		unt) - 9)),9,10)	
210 65	5 8	5	GHCard	PH and EdiElement(40,1,2) = "52"		Punch(LZero(EDI.TotAmount,10),10)	11/27/90
210 65	5	5	GHCard	PH and EdiElement(40,1,2) = "KE" and		Punch(Substr(EDI.TotAmount,(Len(EDI.TotAmo 11/27/90	11/27/90
				GT(Len(ED).TotAmount),10)		unt) - 9)),1,9,10)	
210 65	5 10	5	GHCerd	PH and Editionent(40,1,2) = "KE"		tAmount, 10), 1, 10)	11/27/90
210 7/		_	GHCard	94	DocNoSuffix		6/19/90
210 72	5 1	•	GHCard	94	ELIN		6/19/90
210 73	5 2	•	GHCard	***	I temMngr		6/19/90
210 99	-	-	GNCard	PH and IsPunch(PH, 73)		MextCard()	6/19/90
210	-	0	PH2	PH and laPunch(PH, 73)		PH2 := PH+1	6/19/90
210	1 2	2	PH2	PH2 and PH		RP(PH,1,64)	6/19/90
210 65	5	_	PH2	PH2		***	6/19/90
210 66	-	•	PH2	PH2 and GT(Len(EDI.TotAmount),10)		LZERO(Substr(EDI.TotAmount, 1, (Len(EDI.TotA	6/19/90
F		•	6			mount) - 10)),9)	20,01,1
2017	- ·	0 1	, .		•	(0,0,1,1)	0/11/0
	-	_	CurrentCard		010		6/19/90
_	-	₽	CurrentCard		PIIM		6/19/90
1	7	•	CurrentCard		SPIIN		6/19/90
22	3 1	•	CurrentCard		S O		6/19/90
&	6	•	CurrentCard		IssuedBy		6/19/90
35	2	5	CurrentCard	EdiElement(50,1,2) = "64"		"ABSTRACT RECEIVED"	6/19/90
35	5 2	5	CurrentCard	EdiElement(50,1,2) = "66"		"ABSTRACT CANCELLED"	6/19/90
35	5	5		EdiElement(50,1,2) = "63"		"CANCEL"	6/19/90
•	,	•					

16d 7id St 0	تع : : د	St Ord Len Cardito	Condition	Field	Transformation	Date
562 1 56	1 2	CurrentCard	- 4		Substr(EDI.TransDate,5,2)	6/19/90
562 100 1	-	CurrentCard			RP(CurrentCard-1,1,3)	6/19/90
562 100 4	1 13	CurrentCard	•	PIIN		6/19/90
562 100 17	-	CurrentCard		SPIIN		6/19/90
562 100 23	1 12	CurrentCard			RP(CurrentCard-1,23,12)	6/19/90
562 100 35	18	CurrentCard	EdiElement(10,1,2) = "64"		MABSTRACT RECEIVED	6/19/90
562 100 35	2 18	CurrentCard	EdiElement(10,1,2) = "66"		"ABSTRACT CANCELLED"	6/19/90
562 100 35	3 18	CurrentCard	EdiElement(10,1,2) = "63"		"CANCEL"	6/19/90
562 100 53	- 5	CurrentCard			RP(CurrentCard-1,53,5)	6/19/90
564 1 1	-	CurrentCard		010		6/19/90
\$ 1 795	13	CurrentCard		PIIN		6/19/90
564 1 17	-	CurrentCard		SPIIN		6/19/90
564 1 21	1 6	CurrentCard		CL IN		6/19/90
564 1 27	•	CurrentCard		ShipToDoDAAC		6/19/90
564 1 33	1 2	CurrentCard	ED1.DelDate<>""		Substr(EDI.DelDete, 1,2)	6/19/90
564 1 35	.	CurrentCard	ED1.DelDate<>***		MK2MM(Substr(EDI.DelDate, 3,2))	6/19/90
564 - 38	-	CurrentCard	EDI.DelDate<>***		Substr(EDI.DelOate,5,2)	6/19/90
564 - 40	-	CurrentCard			LZERO(ED1.Quantfty,8)	6/19/90
264 - 48	_	CurrentCard		RevAgent		6/19/90
564 1 49	1 2	CurrentCard		RevReason		6/19/90
564 1 51	1 2	CurrentCard	ED1.ForecastDate<>***		Substr(EDI.ForecastDate, 1,2)	6/19/90
564 1 53	- 3	CurrentCard	EDI. ForecastDate<>***		MM2MPM(Substr(EDI.ForecastDate, 3,2))	6/19/90
564 1 56	1 2	CurrentCard	EDI.forecastDate<>***		Substr(ED1.ForecastDate,5,2)	6/19/90
564 1 58	_	CurrentCard		CACACtion		6/19/90
564 1 59	1 14	CurrentCard	EDI.DIC = "PJB"	DocNo		6/19/90
564 - 60	1 13	CurrentCard	EDI.DIC = "PJA"	NSM		6/19/90
564 - 73	-	CurrentCard	EDI.DIC # "PJB"	DocNoSuffix		06/61/9
564 1 73	2 2	CurrentCard	EDI.DIC . "PJA"	PurchaseUnit		6/19/90
564 - 73	-3	CurrentCard	EDI.TransDate<>***		MH2MHH(Substr(EDI.TransDate,3,2))	6/19/90
564 1 73	1 2	CurrentCard	EDI.TransDate<>***		Substr(EDI.TransDate,5,2)	6/19/90
564 1 80	-	CurrentCard	EDI.TransStatus <> ***		DLSSValue("REASON", EDI.TransStatus)	06/61/9
564 100	.	CurrentCard		DIC		6/19/90
564 100 4	1 17	CurrentCard			RP(CurrentCard-1,4,17)	6/19/90

16d 7.d		. ت	ع : : ت	٠ ا	St Ord Len Cardio	Condition	Field	Transformation	Dete
564 10		_ [2	~	ر د	CurrentCard			· · · · · · · · · · · · · · · · · · ·	4740790
% 5	2 001	27	7	م	CurrentCard			RP(CurrentCand-1.27.6)	6/19/90
% 5 5	300	33	1 2	2	CurrentCard	EDI.DelDate<>""		Substr(FDI_DelDate_1_2)	06/10/90
× ×	8	35	F	ω υ	CurrentCard	EDI.DelDate<>**		MAZMAM(Substr(EDI.DelDate, 3,2))	6/19/90
-		2	7	2	CurrentCard	EDI.DelDate<>""		Substr(EDI.DelDate, 5,2)	6/19/90
•	901	9	-	5	CurrentCard			LZERO(EDI, Quantíty, 8)	6/19/90
•	100	3	_	-	CurrentCard		RevAgent		6/19/90
	100	64	~	ن س	CurrentCard		RevReason		06/61/9
3 2	8 8	2	1 2	2	CurrentCard	ED1.forecastDate<>***		Substr(EDI.ForecastDate, 1,2)	6/19/90
%	5	53	-	ن س	CurrentCard	EDI.forecastDate<>***		MACMM(Substr(EDI.forecastDate, 3,2))	6/19/90
		8	1 2	2	CurrentCard	EDI.forecastDate<>***		Substr(EDI.ForecastDate, 5,2)	6/19/90
-		8	-	ن -	CurrentCard		CAOAction		6/19/90
%	9 8	20	7 -	ن	CurrentCard	E01.01C = "PJS"	Doctio		6/19/90
× ×	38 29	8	1 13		CurrentCard	EDI.DIC = "PJA"	MSM		6/19/90
564 100		r	_	ت _	CurrentCard	EDI.DIC = "PJB"	DocNoSuffix		6/19/90
564 100		R	2	Ü	CurrentCard	EDI.DIC = "PJA"	PurchaseUnit		6/19/90
564 100	R K	'n	5	Ü	CurrentCard			RP(CurrentCard-1,75,5)	06/61/9
% 54 56		8	_	-	CurrentCard	EDI.Transstatus <> ""		DLSSValue("REASOR", EDI. TransStatus)	6/19/90
265	-	_	. T	∵	CurrentCard		010		6/19/90
265	_	•	1 13		CurrentCard	Editioment(70,1,1) = "5"		Punch(ED1.P11N,7)	6/19/90
26	_	4	2 13		CurrentCard		PIIM		6/19/90
26	1 1	_	4	ت ∽	CurrentCard		SPIIN		6/19/90
36	1 21	_	9	ت ح	CurrentCard		כרוא		6/19/90
265	1 27	_	9	ت ح	CurrentCard		DoDAAC1		6/19/90
265	1 33	~	9	ت ح	CurrentCard	EDI.DIC = "PJJ" and EDI.DoDAAC2 <> ""	DoDAAC2		6/19/90
%	39	•	7	Ü	CurrentCard	EDI.ShipDate<>"" and		Punch(Substr(E01.ShipDate,1,2),1)	6/19/90
						Matches(EdiElement(40,1,3),/9(67]/)			
265	39		2 2		CurrentCard	EDI.ShipDate<>"" and		Substr(EDI.ShipDate,1,2)	6/19/90
						Matches(EdiElement(40,1,3),/[A1]1/)			
26	4	_	m _	ű -	CurrentCard	EDI.ShipDate<>""		MACHWH(Substr(EDI.ShipDate, 3,2))	6/19/90
265	2	•	~	ű A:	CurrentCard	EDI.ShipDate<>""		Substr(EDI.ShipDate,5,2)	6/19/90
265	3	•	9	ũ	CurrentCard	EDI.DIC = "PJJ"		LZERO(EDI.Quantity,6)	6/19/90
\$65	.2	~	•	ٽ —	CurrentCard		Sh i pment Nbr		6/19/90

St Ord Len CardNo	n CardNo		Field	Transformation	Date
- 9	CurrentCard	E01.01C # mpulm	6 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	DLSSValue("MODE", ED1. ShipmentHode)	6/19/90
1 1	CurrentCard	EDI.ShipAdvice <> ""		DLSSValue("ADVICE", EDI. ShipAdvice)	6/19/90
62 1 13	CurrentCard	EDI.DIC . "PJJ" and EDI.NSN <> ""	NSM		6/19/90
62 2 14	CurrentCard	EDI.DIC = "PJJ" and EDI.DocNo <> ""	DocNo		6/19/90
62 3 18	CurrentCard	EDI.DIC = "PJR"	Description		6/19/90
76 1 1	CurrentCard	EDI.DIC = "PJJ" and EDI.DocNoSuffix <> ""	DocNoSuffix		6/19/90
7 1 3	CurrentCard	EDI.DIC = "PJJ" and EDI.TransDate <> **		Substr(YYMMD02J(ED1.TransDate),2,3)	6/19/90
0 1 1	CurrentCard	EDI.Transtatus <> ""		DLSSValue("REASON", EDI. TransStatus)	6/19/90
1 1 3	CurrentCard		010		6/19/90
4 1 17	CurrentCard			RP(CurrentCard-1,4,17)	06/16/90
1 1 6	CurrentCard		CL 78		6/19/90
7 1 6	CurrentCard		DODAAC1		6/19/90
3 1 6	CurrentCard	EDI.DIC = "PJJ" and EDI.DoDAAC2 <> ""	DoDAAC2		6/19/90
39 1 7	CurrentCard			RP(CurrentCard-1,39,7)	06/61/9
- 9	CurrentCard	EDI.DIC = mp.j.m		LZERO(EDI.Quentity,6)	6/19/90
2 1 9	CurrentCard			RP(CurrentCard-1,52,9)	6/19/90
1 1 1	CurrentCard	EDI.ShipAdvice <> ""		DLSSValue("ADVICE", EDI. ShipAdvice)	6/19/90
62 1 13	CurrentCard	EDI.DIC = "PJJ" and EDI.NSN <> ""	NSM		6/19/90
2 2 29	CurrentCerd	EDI.DIC = "PJJ" and EDI.DocNo <> ""	DocNo		6/19/90
62 3 18	CurrentCard	EDI.DIC = "PJR"	Description		6/19/90
76 1 1	CurrentCard	EDI.DIC = "PJJ" and EDI.DocNoSuffix <> ""	DocNoSuffix		6/19/90
7 1 3	CurrentCard	ED1.DIC = "PJJ"		RP(CurrentCend-1,77,3)	6/19/90
- 0	CurrentCard	EDI.Transtatue <> ***		DLSSValue("REASON", EDI.TransStatus)	6/19/90
1 1 3	CurrentCard		DIC		6/19/90
4 1 13	CurrentCard	EdiElement(50,1,1) = "5"		Punch(ED1.P11N,7)	6/19/90
4 2 13	CurrentCard		PIIN		6/19/90
7 1 4	CurrentCard		SPIIN		6/19/90
4 1 6	CurrentCard		DODAACI		6/19/90
7 1 6	CurrentCard		DoDAAC2		6/19/90
3 1 8	CurrentCard		Shipmentilibr		6/19/90
1 1 6	CurrentCard		CL IN		6/19/90
7 1 8	CurrentCard			LZERO(ED1.ShipQuent,8)	6/19/90
5 1 2	CurrentCard		Dischande		6/10/00

15 1 1 1 1 1 1 1 1 1	Sect	•								
57 1 8 CurrentCard Patches(ED) DIC, PRC By 1, 188 or an ED Acceptionent LZEROCEDI. Acceptionent, B) 57 2 1 CurrentCard Findbas(B), 1, 1, 773/Tyl Explement on Subarr(EDI. Acceptioners, B) 65 1 2 CurrentCard Matches(ED) DIC, PRC PRP1) and EDI. Acceptioners and Editionent (100, 1, 3) and Editionent (100, 1, 3) and EDI. Acceptioners and EDI. Accept	70		5	ن بر : و	8	Cardito	Condition	Field	Transformation	Date
57 2 13 CurrentCard Final CurrentCard Final CurrentCard Final CurrentCard Final Carter Card Final Card Card Card Card Card Card Card Card			_	_ :		CurrentCard	Matches(ED1.D1C,/PK[NP]/) and ED1.AcceptQuant		LZERO(EDI.Accept@uent,8)	06/11/90
65 1 CurrentCard findbac(0), 1, /73/) Explanation Subatr(ED1.Acceptbate, 1, 2) 66 1 2 CurrentCard Matches(ED1.DIC, /PK(IMP)) and Butches(ED1.DIC, /PK(IMP)) 66 2 2 CurrentCard Matches(ED1.DIC, /PK(IMP)) and Butches(ED1.DIC, /PK(IMP)) 66 1 3 CurrentCard BD1.Acceptbate-on* and Edit [ement(100,1,3) = Maches(ED1.DIC, /PK(IMP)) Matches(ED1.DIC, /PK(IMP)) Matches(ED1.DIC, /PK(IMP)) 70 1 2 CurrentCard Edit [ement(40,1,3) = m64 Butches(ED1.DIC, /PK(IMP)) Butches(ED1.Bit) /Butches(20,1,3) 70 2 CurrentCard Edit [ement(40,1,3) = m94 Subarr(ED1.Bit) /Butches, 1,2) Butches(ED1.Bit) /Butches, 1,2) 71 1 2 CurrentCard Bot (10.T) /PK(IMP) Butches(ED1.Bit) /PK(IMP) Butches(ED1.Bit) /PK(IMP) 71 1 2 CurrentCard Bot (10.T) /PK(IMP) Butches(ED1.Bit) /PK(IMP) Butches(ED1.Bit) /PK(IMP) 71 1 2 CurrentCard Bot (10.T) /PK(IMP) Butches(ED1.Bit) /PK(IMP) Butches(ED1.Bit) /PK(IMP) 71 1 2 CurrentCard Bot (10.T) /PK(IMP) Butches(ED1.Bit) /PK(IMP) Butches(ED1.Bit) /PK(IMP) 71 1 2 CurrentCard Butches(ED1.Bit) /PK(IMP) Butches(ED1.Bit) /PK(IMP) Butches(ED1.Bit) /PK(IMP) 71 1 CurrentCar		2	~	~		CurrentCard		#S#		6/19/90
66 1 2 CurrentCard Matches(EDI JDIC_/PK(IMP)/) and Edicisement(100,1,3) = Purch(Subatr(EDI AcceptDate,1,2), and Edicisement(100,1,3) = Purch(Subatr(EDI AcceptDate,1,2), 1) Purch(Subatr(EDI AcceptDate,1,2), 1) 66 2 2 CurrentCard EDI AcceptDate, and Edicisement(100,1,3) = Purch(Subatr(EDI AcceptDate,3,2)) Purch(Subatr(EDI AcceptDate,1,2), 1) 68 1 3 CurrentCard EDI DIC = PupCs and EDI ShipDate, and EDI ShipD		3	~	_	_	CurrentCard	Finduse(80,1,1,/73/)	Explanation		6/19/90
66 2 2 CurrentCard Retchestorics, "and Editionent(100,1,3) = 108 1 3 CurrentCard RetchestED1.D(L/PK(1PP)) and Editionent(100,1,3) = 109 1 2 CurrentCard ED1.AcceptDates, "and Editionent(100,1,3) = MachaetED1.D(L/PK(1PP)) and ED1.Shipbates, "and		3	•	-	7	CurrentCard	Matches(ED1.D1C,/PK[NP]/) and		Subetr(EDI.AcceptDate,1,2)	6/19/90
66 2 2 CurrentCard Natches(ED).Dic_/PK(DP) and Punch(Subatr(ED).AcceptDate-)*** and Editlement(100,1,3) = 10.00 Natches(ED).Dic_/PK(DP) and ED:AcceptDate-)*** Natches(ED).Dic_/PK(DP) and ED:AcceptDate-)*** Natches(ED).AcceptDate-)*** Natches(ED).AcceptDate-)*** Natches(ED).Dic_AcceptDate-)*** Natches(ED).AcceptDate-)*** Natches(ED).AcceptDate-)*** Natches(ED).AcceptDate-)*** Natches(ED).AcceptDate-)*** Natches(ED).AcceptDate-)*** Natches(ED).AcceptDate-)*** Natches(ED).AcceptDate-)*** Natches(ED).Dic_AcceptDate-)*** Natc							EDI.AcceptDate<>*** and EdiElement(100,1,3) =			
1 2 CurrentCard Bitchee(ED1.DIC,/PK.NP)/) and Bitchee(ED1.DIC,/PK.NP)// Bitche						CurrentCard	Matches(EDI.DIC,/PK[MP]/) and		Punch(Substr(EDI.AcceptDate,1,2),1)	6/19/90
1 2 CurrentCard EDI. Dit. / PK (HP) /) and WRZPHN (Subatr(EDI. ShipDate, 3, 2)							ED1.AcceptDate<>*** and EdiElement(100,1,3) *			
### Editional Control of Edition	_	3	*			CurrentCard	Matches(EDI.DIC,/PK[NP]/) and		MICHMI(Substr(ED].AcceptDate,3,2))	6/19/90
2 CurrentCard							EDI.AcceptDate<>***			
### Editionant(60,1,3) = "%94" #### Editionant(60,1,3) = "%94" ###################################	_	K	-	-		CurrentCard	EDI.DIC = "PK5" and EDI.ShipDate<>"" and		Punch(Substr(EDI.ShipDate,1,2),1)	06/61/9
2 2 CurrentCard EDI.DIC = PMCN and EDI.ShipDate-o*** Substr(EDI.ShipDate,1,2)							EdiElement(60,1,3) = #96#			
### Editionari(60,1,3) = "11" 1	_					CurrentCend	EDI.DIC = "PK5" and EDI.ShipDate<>"" and		Substr(ED1.ShipDate,1,2)	6/19/90
1 2 CurrentCard Natches(EDI.DIC,/PK(NP)/) and Subatr(EDI.AcceptDate,5,2)							EdiElement(60,1,3) = "11"			
### EDI.AcceptDate->*** #### EDI.AcceptDate->*** #################################	_	K				SurrentCard	Metches(EDI.DIC,/PK[NP]/) and		Substr(ED1.AcceptDate, 5, 2)	6/19/90
72 1 3 CurrentCard EDI.DIC = "PPK5" and EDI.ShipDate->"" Substr(EDI.ShipDate,3,2)) 73 1 2 CurrentCard Matches(EDI.DIC,/PK [NP]/) and EDI.OfferDate,1,2) 73 1 2 CurrentCard EDI.OfferDate->"" Substr(EDI.ShipDate,5,2) 73 1 3 CurrentCard Matches(EDI.DIC,/PK [NP]/) and EDI.ShipDate,5,2) 73 1 3 CurrentCard Matches(EDI.DIC,/PK [NP]/) and EDI.OfferDate->"" 73 1 1 CurrentCard EDI.PAGAIte > "" 73 1 1 CurrentCard EDI.PAGAIte > "" 74 1 1 CurrentCard FindDas(BO,1,1,/M4/) 75 1 2 CurrentCard Matches(EDI.DIC,/PK [NP]/) and Substr(EDI.OfferDate,5,2) 76 1 1 CurrentCard Matches(EDI.DIC,/PK [NP]/) and Substr(EDI.OfferDate,5,2) 77 1 1 CurrentCard Matches(EDI.DIC,/PK [NP]/) and Substr(EDI.OfferDate,5,2) 78 1 2 CurrentCard EDI.OfferDate > "" 79 1 1 CurrentCard EDI.OfferDate > "" 70 1 1 CurrentCard EDI.OfferDate > "" 71 2 CurrentCard EDI.OfferDate > "" 72 1 1 CurrentCard EDI.OfferDate > "" 73 1 1 CurrentCard EDI.OfferDate > "" 74 1 1 CurrentCard EDI.OfferDate > "" 75 1 1 CurrentCard EDI.OfferDate > "" 76 1 1 CurrentCard EDI.OfferDate > "" 77 1 1 CurrentCard EDI.OfferDate > "" 80 1 1 CourrentCard EDI.OfferDate > "" 80 1 1 C							EDI.AcceptDate<>***			
73 1 2 CurrentCard Retches(EDI.DIC,/PK[NP]/) and EDI.OfferDate-71,2) EDI.OfferDate-71 FOR 1 2 CurrentCard EDI.DIC = "PK5" and EDI.ShipDate-71 FOR 1 3 CurrentCard EDI.OfferDate-71 FOR 1 1 CurrentCard EDI.OfferDate-71 FOR 1 1 CurrentCard Retches(EDI.OfferDate-71,1/M4/) FOR 1 1 CurrentCard Retches(EDI.OfferDate-71,1/M4/) FOR 1 1 CurrentCard EDI.OfferDate-71 FOR 1 1 1 2 CurrentCard EDI.OfferDate-71 FOR 1 1 1 2 CurrentCard EDI.OfferDate-71 FOR 1 2 2 CurrentCard EDI.OfferDate-71 FOR 1		2	~			CurrentCard			MAZMAM(Substr(ED1.ShipDate,3,2))	6/19/90
### EDI-OfferDate->*** EDI-OfferDate->*** Substr(EDI.ShipDate,5,2)		K.	~	_		SurrentCard	Matches(EDI.DIC,/PK[NP]/) and		Substr(EDI.OfferDate, 1,2)	6/19/90
75 1 2 CurrentCard EDI.DIC = "PKS" and EDI.ShipDate<" Substr(EDI.ShipDate,5,2) 75 1 CurrentCard Matchee(EDI.DIC,PPK[MP]/) and EDI.OfferDate,3,2) 77 1 CurrentCard EDI.OfferDate<" DISSValue("PQA",EDI.PQASite) 78 1 CurrentCard Findbae(80,1,1,744/) Substr(EDI.OfferDate,5,2) 8 1 CurrentCard EDI.OfferDate<" Provision Substr(EDI.OfferDate,5,2) 9 1 CurrentCard EDI.OfferDate<" DI.SSValue("DISC",EDI.DiscCode) 1 2 CurrentCard EDI.OfferDate<" DI.SSValue("DISC",EDI.DiscCode) 1 3 CurrentCard EDI.TransStatus EDI.TransStatus DIC RP(CurrentCard-1,4,29) 1 3 CurrentCard EDI.TransStatus EDI.Tran							EDI.OfferDate<>***			
75 1 2 CurrentCard EDI.OfferDate<>**** DISSValue("PQA",EDI.PQASite) 77 1 CurrentCard EDI.PQASite <>*** DISSValue("PQA",EDI.PQASite) 78 1 CurrentCard Finduse(80,1,1,744/) 78 1 CurrentCard Finduse(80,1,1,744/) 79 1 CurrentCard EDI.OfferDate<>*** DISSValue("PISC",EDI.DiscCode) 80 1 CurrentCard EDI.TransStatus <>*** DISSValue("PISCA",EDI.DiscCode) 1 3 CurrentCard EDI.TransStatus <>*** DIC RP(CurrentCard -1,4,29) 33 1 8 CurrentCard CurrentCa		K	~	_		CurrentCard	EDI.DIC = "PKS" and EDI.ShipDate<>""		Substr(EDI.ShipDate, 5, 2)	6/19/90
EDI.OfferDate<>mm Provision Provision Provision Provision Provision Provision Provision Provision Provision Findbae(80,1,1,7M4/) Provision Substr(EDI.OfferDate,5,2) EDI.OfferDate<>mm Provision Substr(EDI.OfferDate,5,2) EDI.OfferDate<>mm Provision Provision Substr(EDI.OfferDate,5,2) EDI.OfferDate<>mm Provision Substr(EDI.OfferDate,5,2) EDI.OfferDate<>mm Provision Provision		ĸ	~	_		CurrentCand	Metches(EDI.DIC,/PK[MP]/) and		MK2MM(Substr(EDI.OfferDate, 3, 2))	6/19/90
77 1 1 CurrentCard EDI.Podsite <> ""							ED1.0fferDate<>***			
78 1 1 CurrentCard FindUse(80,11,7M4/) Provision Substr(EDI.OfferDate,5,2) 78 1 2 CurrentCard EDI.OfferDate<>**** BI.OfferDate BI.OfferDate BI.Stratus		2	_	_	_	CurrentCard	EDI. PQASIte <> ***		OLSSValue("PQA",ED1.PQASite)	6/19/90
78 1 2 CurrentCard Natches(EDI.DIC,/PK(NP]/) and Substr(EDI.OfferDate,5,2) EDI.OfferDate<>**** EDI.OfferDate **** 79 1 1 CurrentCard EDI.TransStatus <> *** DLSSValue("REASOM", EDI.TransStatus) 80 1 1 CurrentCard EDI.TransStatus <> *** DIC 4 1 29 CurrentCard RP(CurrentCard-1,4,29) 33 1 8 CurrentCard ShipmentWbr 41 1 6 CurrentCard CLIN 47 1 8 CurrentCard CLIN	_	2	-	_	_	CurrentCard	Findbae(80,1,1,/14/)	Provision		6/19/90
EDI.OfferDate<>*** Policy 1 CurrentCard EDI.DIC = **PK5** and EDI.DiacCode DISSValue("DISC",EDI.DiacCode) 1 1 3 CurrentCard EDI.TransStatus DISSValue("REASOM",EDI.TransStatus) 4 1 29 CurrentCard RP(CurrentCard ShipmentWbr ShipmentWbr CLIM LZERO(EDI.ShipQuant,8) 41 1 6 CurrentCard CLIM LZERO(EDI.ShipQuant,8) 42 1 8 CurrentCard CLIM LZERO(EDI.ShipQuant,8) 43 1 8 CurrentCard CLIM C	_	2	-	-	7	CurrentCard	Matches(EDI.DIC,/PK[NP]/) and		Substr(EDI.OfferDate,5,2)	6/19/90
79 1 1 CurrentCard EDI.DiscCode > " " DLSSValue("DiscCode) 80 1 1 CurrentCard EDI.TransStatus <> "" DISSValue("REASOM", EDI.TransStatus) 4 1 29 CurrentCard RP(CurrentCard-1,4,29) 33 1 8 CurrentCard ShipmentWbr 41 1 6 CurrentCard CLIM 47 1 8 CurrentCard LZERO(EDI.ShipQuant,8)							EDI.OfferDate<>***			
80 1 1 CurrentCard EDI.TransStatus <> "" DISSValue("REASON", EDI.TransStatus) 1 1 3 CurrentCard RP(CurrentCard-1,4,29) 33 1 8 CurrentCard ShipmentWbr 41 1 6 CurrentCard CLIM 47 1 8 CurrentCard LZERO(EDI.ShipQuant,8)	_	R	-	_	_	CurrentCard	"PK5" and ED1.DiscCode <> "		OLSSValue("DISC", EDI.DiscCode)	6/19/90
1 1 3 CurrentCard 4 1 29 CurrentCard 53 1 8 CurrentCard 51 1 6 CurrentCard 52 1 8 CurrentCard 53 1 8 CurrentCard 54 1 6 CurrentCard 57 1 8 CurrentCard 58 1 8 CurrentCard 59 1 8 CurrentCard 50 1 8 CurrentCard 50 1 8 CurrentCard 51 1 8 CurrentCard 51 1 8 CurrentCard 52 1 8 CurrentCard 53 1 8 CurrentCard 53 1 8 CurrentCard 54 1 8 CurrentCard 55 1 8 CurrentCard	_	8	-	_	-	SurrentCard	EDI.TransStatus <> ""		DLSSValue("REASON", EDI.TransStatus)	6/19/90
4 1 29 CurrentCard 33 1 8 CurrentCard 41 1 6 CurrentCard 41 1 6 CurrentCard 47 1 8 CurrentCard 47 1 8 CurrentCard 47 1 8 CurrentCard 47 1 8 CurrentCard	_	_	_	-	N	CurrentCard		010		6/19/90
33 1 8 CurrentCard 41 1 6 CurrentCard 47 1 8 CurrentCard LZERO(EDI.ShipQuant,8)	-	4	_	X	_	CurrentCard			RP(CurrentCard-1,4,29)	6/19/90
41 1 6 CurrentCard CLIN LZERO(EDI.ShipQuant,8)	_	33	_	~		CurrentCard		Shipmentilbr		6/19/90
47 1 8 CurrentCard LZERO(ED1.ShipQuant,8)	_	7	_	_	9	SurrentCard		CLIN		6/19/90
		43	_	~ _		CurrentCard			LZERO(EDI.ShipQuant,8)	6/19/90

NE MIN N WOUNDAME THE WEEK OF		Condiction	Field	Transformation	Date
100 57 100 100 100 100 100 100 100 100 100 10	CurrentCard		O de		
100 57 100 57 100 65 100 65	CurrentCard	Matches(RP(CurrentCard, 1,3), /PK[MP]/) and	rurcheseunit	LZERO(EDI.Accept@uant.8)	6/19/90
200 00 00 00 00 00 00 00 00 00 00 00 00		EDI.AcceptQuent <> ***			
28 8 8 8 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	CurrentCard	RP(CurrentCard,1,3) = "PK5" and EDI.NSN <> ""	NSM		4/10/00
2	CurrentCard	FindUse(50,1,1,73/)	Explanation		06/61/7
2	CurrentCard	ED1.AcceptDate<>*** and EdiElement(70,1,3) #		Substr(FDI Accepthate 1 2)	06/41/9
2		wY3w			04/41/6
200 200 200 200 200 200 200 200	CurrentCard	EDI.AcceptDate<>*** and EdiElement(70,1,3) =		Purch(Substrict) Accountate 1 2) 1)	00/01/7
200 200 200 200 200 200 200 200		w86m		י ביינו כיינו ובייני ביינו בייני ביינו בייני	04/41/0
5 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CurrentCard	EDI.AcceptDate<>***		MINIMUSE STATE OF ACCORDANCE IN 300	00,00,7
2	CurrentCard	EDI.ShipDete<>""		Catatacher Chi Chimbata 4 33	04/41/0
200 200 200 200 200 200 200 200	CurrentCard	ED1.AcceptDate<>***		State of the second of the sec	DA/A1/0
200 200 200 200 200 200 200 200	CurrentCard	ED1. ShirDate<>***		amount (consuced to the consumers)	06/61/9
100 100 100 100 100 100 100 100	CurrentCard	FD1 OfferDates: ##		marral substrictul . Shippate, 5, 2))	6/19/90
200 200 200 200 200 200 200 200	prestoring			Substr(EDI.OfferDate, 1,2)	6/19/90
200 200 200 200 200 200 200 200				Substr(EDI.ShipDate,5,2)	6/19/90
2000 2000	רחייפחנכפום			MIZMM(Substr(EDI.OfferDate, 3, 2))	06/16/90
100 100 100 100 100 100 100 100	CurrentCard	EDI.PQASite <> ""		DLSSValue ("POA", EDI, POASITE)	6/10/00
100 78 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CurrentCard	FindUse(50, 1, 1, / H4/)	Provision		6/19/90
100 79 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CurrentCard	EDI.OfferDate<>***		Substr(FD) OfferDate 5 21	24/41/2
100 80 1 1 1 4 1 13 1 17 1 23 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	CurrentCard	RP(CurrentCard, 1,3) = MPKSM		PP(CurrentCend-1 70 1)	24/4/
1	CurrentCard	EDI.TransStatus <> ***		DISSUPTION NOT THE PROPERTY OF	04/41/9
23 1 1 2 2 1 3 2 3 3 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	CurrentCard		210		04/41/0
23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	CurrentCard	EdiElement(40,1,1) = "5") 	Punch/Ent pilk 7\	0/4/40
2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	CurrentCard		PIIN		06/61/9
23.23.23	CurrentCard		MIIds		04/41/9
2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CurrentCard	EDI.DIC <> "PKX"	Admin8v		26/61/9
3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	CurrentCard	EDI, DIC = "PKX"	Achines		06/61/9
1 31 1 6	CurrentCard	EDI.DIC <> "PKX"	Poffice		04/41/6
4	CurrentCard	EDI.DIC = "PKX"	Poffice		04/41/9
1 55 1 8	CurrentCard	Matches(EDI.DIC,/PK[92]/) and) }	Punch(Substr(E)) Amount (Lan(E)) Amount	04/41/4
		GT(Len(EDI.Amount),8)			
1 35 2 8	CurrentCard	Matches(EDI.DIC,/PK[92]/) and EDI.Amount<>""		LZERO(ED1.Amount.8)	A/10/00
•	CurrentCard		Contractor		4/10/00

Sec. 16d 11d			or bro	٠ ا	St Ord Len Cardito	Condition		Transformetion	Date
3 5	- •	80	-	=	PVA	GT(Len(EDI.ColiAmount),11)	Punch	ollAmount, (Len(EDI.CollA	6/19/90
898	~	80	2	=	PVA	EDI.CollAmount <> ""	mount)	mount)-10),11),10)	900
% %	<u>م</u>	\$	_	11 5	PVA	GT(ten(EDI.DisbAmount),11)	Punch	Punch(Substr(EDI.DisbAmount, (Len(EDI.DisbA	6/19/90
3	97		•	:	•		mount)	mount)-10),11),10)	
3	• •		- ` u •	= '	K	EDI.DisbAmount <> ""	Lzero(Lzero(EDI.DisbAmount,11)	6/19/90
8	8	.	-	-	PVA	EDI.Statusind = "DO6"	# J#		6/10/00
3	8	•	_	0	PVA	1sPunch(PVA, 67) or 1sPunch(PVA, 78)	KextCard()	Chris	6/10/90
9 9	_	_	_	0	PVA2	1sPunch(PVA, 67) or 1sPunch(PVA, 78)	PVA2	PVA2 := CurrentCard	6/10/01/4
8 9	_	_	iñ ~	57 P	PVA2		RP(PVA	RP(PVA_1.57)	4,10,000
%	58	- 40	_	_	PVA2	IsPunch(PVA,67)	# L		04/41/9
98	58	•	~	=	PVA2	Not IsPunch(PVA,67)	RP (PVA	RP(PVA 58 11)	6/19/90
200	1 59	•	∠	5	PVA2	isPunch(PVA,67) and GI(Len(ED1,Col(Amount),11)	LZEROC	1.ZEBO(Substr(FD1, CollAmount 1 /1 ac/ED1 Col	6/14/40
							LAmoun	Amount -11	04/41/0
8	\$	0	_	_	PVA2	1sPunch(PVA, 78)	*1*		4/10/00
268	2	_	7	₽	PVA2	1sPunch(PVA, 78) and GT(Len(EDI.DisbAmount), 11)	LZERO(LZERO(Subatr(EDI.DiabAmount, 1, (Len(EDI.Dia	6, 19/90
	`	`		•	•		bAmoun	DAmount)-11)),10)	
	- ·		- 1	ت n ا	CurrentCard	010			6/19/90
	•	_	=======================================	<u>n</u>	CurrentCard	MIII			6/19/90
		_	-	ű T	CurrentCard	MIIdS	_		4/10/00
568 100	2	_	-	ت ~	CurrentCard	ACRM			0/1/10
			-	ت 9	CurrentCard	Youch	VoucherMbr		6/10/90
568 100	&	~	_	ت -	CurrentCard			RP(PVA 20.1)	8/4//
568 100	30	_	7	_	CurrentCard	Arofoo			04/41/9
568 100	7	_	*	_	CurrentCard	etette			06/61/9
568 110	_	_	0	ರ 0	CurrentCard		CVG		04/41/9
568 110	_	_		1	CurrentCand				04/4/
	_	~ ~		. O	CurrentCard	IsPurch/CurrentCard-1.67) or	67.6		6/19/90
							7. 7.4.		06/61/9
568 110 110	4	_	2		CurrentCard		RP(FindCard(RP(FindCard(/PV/,Backward,CurrentCard- 1 1 2 1 4 24)	6/19/90
568 110		-	12		CurrentCard		RP(PVA	RP(PVA,30,12)	A/10/00
566 110	75	_	~		CurrentCard	EDI. VoucherDate <> ""	Substr	Substr(EDI.VoucherDate, 1,2)	6/19/90

	Date	04/61/9	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	06/61/9		06/11/90	6/19/90		6/19/90	6/19/90	6/19/90		6/19/90	6/19/90	06/61/9	6/19/90		6/19/90	6/19/90	6/19/90		6/19/90	6/19/90	6/19/90	6/19/90	6/19/90	6/19/90		06/61/9	06/61/90
	Transformation	DI.VoucherDate, 3,2))	Substr(EDI.VoucherDate, 5,2)	DLSSValue("PAYTYPE", EDI. PaymentType)			DLSSValue("CHARGECODE", EDI.CollType)	Punch (Substr(EDI. GrossAmount, (Len(EDI. Gros	sAmount)-9),10),9)	Lzero(ED1.GrossAmount,10)	Punch(Substr(EDI.NetAmount,(Len(EDI.NetAmo	unt)-9),10),9)	Lzero(EDI.NetAmount,10)	DLSSValue("CONTYPE", ED1.CPNType)	MextCard()		RP(PV2-1,1,58)	***	RP(PV2-1,59,10)	LZERO(Substr(EDI.GrossAmount,1,(Len(EDI.Gr	ossAmount)-10)),9)	ELE	RP(PV2-1,69,10)	LZERO(Subetr(EDI.NetAmount, 1, (Len(EDI.NetA	mount)-10)),9)	RP(PVZ-1,79,2)	PV3 := PV4 := 0	PV3 := CurrentCard	PV4 :* CurrentCard		RP(FindCard(/PV/, Backward, CurrentCard-	1,1,2),4,26)	The tal additional and the second sec	DLSSValue("CHARGECODE", EDI.DedIypel)
	Field				CountryCode	Origiouchilbr																								DIC		į	CLIN	
	Candition	erDate <> ""	EDI.VoucherDate <> ""	ED1.PaymentType <> ***			EDI.CollType <> ""	GI(Len(EDI.GrossAmount),10)		EDI.GrossAmount <> ***	GT(Len(EDI.NetAmount),10)		ED].NetAmount <> ""	ED1.CPMType<> ***	isPunch(CurrentCard,67) or	1sPunch(CurrentCard, 77)		1sPunch(PV2-1,67)	Not laPunch(PV2-1,67)	GT(Len(EDI.GrossAmount),10)		1sPunch(PV2-1,77)	Not IsPunch(PV2-1,77)	GT(Len(EDI.NetAmount),10)				ED1.DIC = "PV3"	EDI.DIC = "PV4"			•	PV3	PVS and EDI.DedType1 <> ""
	St Ord Len CardNo	1 3 CurrentCard	1 2 CurrentCard	1 1 CurrentCard	1 2 CurrentCard	1 6 CurrentCard	1 1 CurrentCard	1 10 CurrentCerd		2 10 CurrentCard	1 10 CurrentCard		2 10 CurrentCard	1 1 CurrentCard	1 0 CurrentCard		3 58 PV2	1 1 PV2	2 10 PV2	1 9 PV2		1 1 PV2	2 10 PV2	1 9 PV2		1 2 PV2	1 0 CurrentCard	2 0 CurrentCard	3 0 CurrentCard	4 3 CurrentCard	1 26 CurrentCard		1 6 CurrentCard	1 1 CurrentCard
		3	11	9	20	25	8	20		20	\$		\$	2	8		-	20	89	8		\$	\$	R		R	-	-	-	-	•			3
Sect	£:		110	110	10	110	110	110		10	10		130	110	110		=======================================	110	110	110		110	10	100		10	12	5	120	120	22			120
	3 :	3	3	3	3	28	3	3		3	3		3	3	3		3	3	3	3		3	38	88		3	3	3	3	8	38		3 6	20

Page 73

Sect 16d 11d		6	- T	St Ord Less Capable	o jestini e i	1		
						rield		Date
568 120	77 0	~	•	CurrentCard	PV4	CL 18		6/19/90
568 120	0 45	-	5	CurrentCard	PV3 and GT(Len(EDI.DedAmount1),10)		Punch(Substr(EDI.DedAmount1,(Len(EDI.DedAm	6/19/90
	•	•	;	!			ount1)-9),10),9)	
		~	2	CurrentCard			Liero(EDI.DedAmount1,10)	6/19/90
		-	-	CurrentCard	Š		DLSSValue("VARCODE", ED1.VarCode1)	6/19/90
568 120	2	-	2	CurrentCard	PV4 and GT(Len(EDI.VarAmount1), 10)		Punch (Substr (EDI. VarAmount1, (Len (EDI. VarAm	6/19/90
							ount1)-9),10),9)	
		~	2	CurrentCard	PV4 and EDI.VarAmount1 <> **		Lzero(EDI.VarAmount1,10)	6/19/90
568 120		-	-	CurrentCard	PV3	DedSigni		6/19/90
568 120			-	CurrentCard	PV3 and ED1.DedType2 <> **		DLSSValue("CHARGECODE", EDI. DedIvoe2)	6/19/90
566 120	75 (-	2	CurrentCard	PV3 and GT(Len(EDI.DedAmount2),10)		Punch (Substr (EDI. DedAmount 2, (Len (EDI. DedAm	6/19/90
							ount2)-9),10),9)	
568 120	57	~	5	CurrentCard	PV3 and ED1.DedAmount2 <> ""		Lzero(EDI.DedAmount2,10)	6/19/90
		_	-	CurrentCard	\$v4	VarSign1		6/19/90
568 120		-	•	CurrentCard	7/4	CL INZ		6/19/90
568 120	79 (-	-	CurrentCard	PVS	DedSign2		6/19/90
568 120	3	-	-	CurrentCard	PV3 and E01, DedType3 <> ##		DLSSVelue("CHARGECODE", EDI. DedIvpe3)	6/19/90
568 120		~	-	CurrentCard	PV4 and EDI.DedType2 <> ""		DLSSValue("VARCODE", ED1. VarCode2)	6/19/90
568 120	\$	-	2	CurrentCard	PVS and GT(Len(ED1.DedAmount3),10)		Punch (Substr (EDI. DedAmount 3, (Len (EDI. DedAm	6/19/90
							ount3)-9),10),9)	
568 120	8		2	CurrentCard	PV3 and ED1.DedAmount3 <> ""		Lzero(EDI.DedAmount3,10)	6/19/90
568 120	\$	m	2	CurrentCard	PV4 and GT(Len(EDI.VarAmount2),10)		Punch (Substr (EDI. VarAmount 2, (Len (EDI. VarAm	6/19/90
							ount2)-9),10),9)	
568 120		•	2	CurrentCard	PV4 and EDI.VarAmount2 <> ""		Lzero(ED1.VarAmount2,10)	6/19/90
568 120		-	-	CurrentCard	PV3	DedS ign3		6/19/90
568 120		~	-	CurrentCard	PV4	VerSign2		6/19/90
568 120	8	-	0	CurrentCard	PV3 and (1sPunch(PV3,53) or 1sPunch(PV3,65)		NextCard()	6/19/90
					or laPunch(PV3,77))			
	8	~	0	CurrentCard	PV4 and (1sPunch(PV4,59) or 1sPunch(PV4,77))		NextCard()	6/19/90
	-	-	0	CurrentCard2			CurrentCard2 :* PV32 := PV43 := 0	6/19/90
568 120	-	~	0	CurrentCard2			CurrentCard2 := CurrentCard	6/19/90
568 120	-	m	0	CurrentCard2	PV3		PV32 := CurrentCard	6/19/90
568 120	_	•	0	CurrentCard2	PV4		PV42 :* CurrentCard	6/19/90

4/5. /91

<pre>www.nt,10) rye", EDI.CPNType) = 0 r CurrentCard 2-1,1,68) 9-1,79,2) rleaseDate) e := 0 rtCard</pre>	\$	Sect 114		٥	d Le	St Ord Len CardNo	Condition	Field	Transformation	Date
130 79 1 CurrentCard ED.CPMTypecolume ED.CP	:			:	:					
130 79 1 CurrentCard EDI.CPUTypecomme E	\$68			~	2		EDI.ItemAmount <> ***		Lzero(ED), ItemAmount, 10)	6/10/00
130 95 1 CurrentGard2 19Purch(CurrentCard,77) WattGard(1) 130 1 2 CurrentGard2 19Purch(CurrentCard,77) CurrentGard2 CurrentGard2 CurrentGard2 130 1 3 G CurrentGard2 GittentED1.1tenMmount),10) CurrentGard2 CurrentGard2 130 70 1 9 CurrentGard2 GittentED1.1tenMmount),10) CurrentGard2 CittentED1.1tenMmount,1,1(LentED1.1tenMmount,1,1,LentEd1.1tenMmount,1,1(LentED1.1tenMmount,1,1,LentEd1.1tenMmount,1,1(LentED1.1tenMmount,1,1,LentEd1.1tenMmount,	268 88			_	_	CurrentCard	EDI.CPNType<>##		DISSVALUE "CONTYPE" EDI CONTYPE"	6/10/90
130 1 0 CurrentCard2 CurrentCard3 CurrentCard4 CurrentCard3 CurrentCard4 Current	268			_		CurrentCard	1sPunch (CurrentCard, 77)		Eart Carlot	06/11/7
130 1 2 0 CurrentCard2 20 CurrentCard3 20 CurrentCard4 20 CurrentCard3 20 CurrentCard4 2	568	130	_	_	0	CurrentCard2				06/61/9
130 1 3 60 CurrentGard2 CurrentGard3 Call	3 88	130	_	2		CurrentCard2				04/41/9
130 69 1 CurrentCard2	568	130	_	M1	3				correntarate :* turrenteara	06/61/9
130 70 1 9 CurrentCard GitLen(ED).ItenMnount),10) LZERO(Substr(ED).ItenMnount,1,(Len(ED).ItenMnount,1,(L	568	130		_	-				MYN HIN HIN HIN HIN HIN HIN HIN HIN HIN HI	D8/61/9
1 1 3 CurrentCard EDI.GBL = "GBL" GBL 1 2 1 CurrentCard EDI.GBL = "GBL" GBL 1 2 3 CurrentCard EDI.GBL = "GBL" GBL 1 1 0 Prime EDI.GBL 1 2 Prime EDI.GBL GBL GBL GBL 1 3 4 Prime EDI.FSC \rightarrow GBL 1 4 5 Prime EDI.FSC \rightarrow GBL 1 5 4 Prime EDI.FSC \rightarrow GBL 1 5 5 Frime Matches(EDI.DIC,/GBZ) and EDI.PackTypel \rightarrow Constignor 1 3 1 2 Prime Matches(EDI.DIC,/GBZ) and EDI.PackTypel \rightarrow VanLength 1 3 1 5 Prime GBL	568	130		_	•	CurrentCard2			LZERO(Substr(ED].ItemAmount.1.(en/ED].Ite	
1									mAmount)-10)),9)	
1 1 3 CurrentCard EDI.GBL = "GBL" GBL 1 4 1 5 CurrentCard EDI.GBL = "GBL" GBL 1 5 1 5 CurrentCard EDI.GBL = "GBL" Shipper TUCKOS" 1 7 1 5 CurrentCard EDI.GBL = "GBL" Shipper TYMMOD2.ICDI.MbrTCMs.3.) 1 20 1 6 CurrentCard EDI.GBL = "GBL" EDI.GBL = "GBL" GBL 1 2 1 6 CurrentCard EDI.GBL = "GBL" EDI.GBL = "GBL" GBL 1 2 3 CurrentCard EDI.GBL = "GBL" EDI.GBL = "GBL" EDI.GBL = "GBL" 1 3 5 Frime EDI.EGMENT(10,1,1) = "01" Cancel := 1 1 4 0 Frime EDI.EGMENT(10,1,1) = "04" Cancel := 1 1 5 5 Frime EDI.EGMENT(10,1,1) = "04" Cancel := 1 1 5 6 Frime Matches(EDI.DIC,/AB37) EQHbr EQHbr 1 5 6 Frime Matches(EDI.DIC,/AB37) ENTING Cantillor 1 5 7 6 Frime Matches(EDI.DIC,/AB37) EQHbr 2 6 Frime Matches(EDI.DIC,/AB32) ENTING Cantillor 3 7 8 Frime Matches(EDI.DIC,/AB32) ENTING 4 7 8 Frime Matches(EDI.DIC,/AB32) ENTING 5 7 8 Frime Editement(110,findbac(110,1,1,AV),2) > "" AirDimCode 6 7 7 7 7 7 7 7 7 7		130		_	~	CurrentCard2			RP(CurrentCard2-1,79,2)	6/19/90
1	858	_	_	_	m	CurrentCard	•	CBL		6/19/90
12 5 CurrentCard EDI.GBL = "GBL" Shipper LZERO(EDI.NID-TCNs.3) 177 3 CurrentCard EDI.GBL = "GBL" Shipper TYMMODZJ(EDI.ReleaseDate) 177 4 CurrentCard EDI.GBL = "GBL" GBL	858	•	4	_	•	CurrentCard		GBLMbr		6/10/00
17 1 3 CurrentCard EDI.GBL = "GBL" Shipper CurrentCard EDI.GBL = "GBL" Shipper TYMMDD2J(EDI.MbrTCMs,3) 1 20 1 6 CurrentCard EDI.GBL = "GBL" And EDI.ReleaseDate TYMMDD2J(EDI.ReleaseDate) 1 3 CurrentCard EDI.GBL = "GBL" And EDI.ReleaseDate Carcel EDI.GBL = "GBL" Carcel EDI.GBL = "GBL" Carcel EDI.GBL = "GBL" 1 1 0 Prime EDI.GBL = "GBL" Carcel EDI.GBL EDI.GB	858	-	12	_	•	CurrentCard			"SGEOL"	6/10/90
1 20 1 6 CurrentCard	858	-	17	-	m	CurrentCard			LZEROCEDI, MDCTCNa, 3)	6/10/90
1 27 1 4 CurrentCard	858	-	20	_	9	CurrentCard		Shimer		6/16/0
31 3 CurrentCard EDI.GBL = "GBL" GBLPOE NextCard() 1 1 0	858	-	27	-	4	CurrentCard			VVINDING LICENT Deleasedates	6/19/90
1 1 0 Prime EDI.GBL = "GBL" Cancel := Change := 0 1 1 0 Prime EDI.GBL = "GBL" Cancel := Change := 0 1 2 0 Prime EDIElement(10,1,1) = "01" Cancel := 1 1 4 0 Prime EDI.EqWbr <> "" Cantalor EqWbr Cancel := 1 2 4 5 Prime EDI.EqWbr <> "" EqWbr EQWbr EDI.EqWbr EQUIPMENT Eqwbr EQUIPMENT EDI.Eqwbr EDI.Eqwbr EDI.Eqwbr EdiElement(110,FindUse(110,1,1,AV/),2) Cantalor EdiElement(110,FindUse(110,1,1,AV/),2) Cant	858	-	M	-	P 7	CurrentCard		CRI POE		00/01/9
1 1 0 Prime EDIE[ement(10,1,1) = "01" Cancel := Change := 0 1 2 0 Prime EDIE[ement(10,1,1) = "04" Cancel := 1 1 4 0 Prime EDI.EqNbr c> "" EqNbr ContNbr 4 5 Prime Matchee(EDI.DIC,/GGZ/) FSC 5 4 Prime Matchee(EDI.DIC,/GGZ/) and EDI.PackType1 c> OwnCode 9 4 Prime Matchee(EDI.DIC,/GGZ/) and EDI.PackType1 c> OwnCode 1 9 2 6 Prime Matchee(EDI.DIC,/GGZ/) and EDI.PackType1 c> OwnCode 1 1 1 2 Prime Matchee(EDI.DIC,/GGZ/) and EDI.PackType1 c> OwnCode 1 1 2 Prime Matchee(EDI.DIC,/GGZ/) and EDI.PackType1 c> OwnCode 1 1 2 Prime EdiE[ement(110,FirdUse(110,1,1,/AV/),2) consignor 1 1 2 Prime EdiE[ement(110,FirdUse(110,1,1,/AV/),2) consignor 1 1 1 Prime EdiE[ement(110,FirdUse(110,1,1,/AV/),2) consignor 1 1 1 Prime EdiE[ement(110,FirdUse(110,1,1,/AV/),2) consignor 1 1 1 Prime EdiE[ement(110,FirdUse(110,1,1,/AV/),2) consignor 1 1 1 Prime EdiE[ement(110,FirdUse(110,1,1,1,/AV/),2) consignor 1 1 1 Prime EdiE[ement(110,FirdUse(110,1,1,1,/AV/),2) consignor 1 2 Prime EdiE[ement(110,FirdUse(110,1,1,1,1,/AV/),2) consignor 1 2 Prime EdiE[ement(110,FirdUse(110,1,1,1,1,1,1,1,1,1,1,1,1,1,	858	-	8	_	_	Currentford		3		0/ 19/70
Cancel := Change := 0 Prime := CurrentCard 1 1 2 0 Prime := CurrentCard Cancel := 1 Cancel := 1 Cancel := 1 Cancel := 0 Prime := CurrentCard Cancel := 1 Cancel := 0 Prime := CurrentCard Cancel := 1 Cancel := 0 Prime := CurrentCard Cancel := 1 Cancel := 0 Prime := CurrentCard Cancel := 1 Cancel := 0 Prime := CurrentCard Cancel := 1 Cancel := 0 Prime := CurrentCard Cancel := 1 Cancel :=		•	•		•				Next Cord ()	6/19/90
1		٠.	٠,	- (> (Cancel :* Change :* 0	6/19/90
1 3 0 Prime	374	_	_	7	0	Prime			Prime :* CurrentCard	6/19/90
1	858	_	_	₩	0	Prime	EDIELement(10,1,1) = $n01^m$		Cancel := 1	6/19/90
1 5 3 Prime EDI.EqNbr c> *** 1 4 1 5 Prime EDI.EqNbr c> *** 1 4 2 5 Prime Matches(EDI.DIC,/aa3/) 1 5 1 4 Prime EDI.FSC c> *** 1 9 1 4 Prime Matches(EDI.DIC,/aa2/) and EDI.PackType1 c> OwnCode 1 9 2 6 Prime Matches(EDI.DIC,/aa2/) and EDI.PackType1 c> OwnCode 1 1 13 1 2 Prime Matches(EDI.DIC,/aa2/) and EDI.PackType1 c> VanLength 1 15 1 5 Prime EdiElement(110,FindUse(110,1,1,AV/),2) c> *** AirDimCode 1 20 1 1 Prime EdiElement(110,FindUse(110,1,1,AV/),2) c> *** AirDimCode	858	-	_	4	0	Prime			Change := 1	6/19/90
1 4 1 5 Prime EDI.EqNbr c> "H 1 4 2 5 Prime Matches(EDI.DIC,/GG3/) 1 5 1 4 Prime EDI.FSC c> "H 1 9 1 4 Prime Matches(EDI.DIC,/GG2/) and EDI.PackType1 c> OwnCode 1 9 2 6 Prime Matches(EDI.DIC,/GG2/) and EDI.PackType1 c> OwnCode 1 13 1 2 Prime Matches(EDI.DIC,/GG2/) and EDI.PackType1 c> VanLength 1 15 1 5 Prime EdiElement(110, FindUse(110, 1, 1, /AV/), 2) c> "H AirDimCode 1 20 1 1 Prime EdiElement(110, FindUse(110, 1, 1, /AV/), 2) c> "H AirDimCode	858	-	-	5	m	Prime		010		6/19/90
1 4 2 5 Prime Matches(EDI.DIC,/GG3/) 1 5 1 4 Prime EDI.FSC <> "" 1 9 1 4 Prime Matches(EDI.DIC,/GG2/) and EDI.PackType1 <> OwnCode 1 9 2 6 Prime Matches(EDI.DIC,/GG2/) and EDI.PackType1 <> OwnCode 1 13 1 2 Prime Matches(EDI.DIC,/GG2/) and EDI.PackType1 <> VanLength 1 15 1 5 Prime EdiElement(110, FindUse(110, 1, 1, AV/), 2) <> "" AirDimCode 1 20 1 1 Prime EdiElement(110, FindUse(110, 1, 1, AV/), 2) <> "" AirDimCode	858	-	7	-	~	Prime		EqNbr		6/10/90
1 5 1 4 Prime EDI.FSC <> "" 1 9 1 4 Prime Matches(EDI.DIC,/BBZ/) and EDI.PackType1 <> OwnCode 1 9 2 6 Prime Matches(EDI.DIC,/BBZ/) and EDI.PackType1 <> VanLength 1 13 1 2 Prime Matches(EDI.DIC,/BBZ/) and EDI.PackType1 <> VanLength 1 15 1 5 Prime EdiElement(110, FindUse(110, 1, 1, AV/), 2) <> "" AirDimCode 1 20 1 1 Prime EdiElement(110, FindUse(110, 1, 1, AV/), 2) <> "" AirDimCode	858	-	4	~	~	Prime	Matches(EDI.DIC,/883/)	ContMbr		06/10/90
1 9 1 4 Prime Matches(EDI.DIC,/802/) and EDI.PackType1 <> OwnCode "RT" 1 9 2 6 Prime Matches(EDI.DIC,/802/) and EDI.PackType1 <> VanLength 1 13 1 2 Prime Matches(EDI.DIC,/802/) and EDI.PackType1 <> VanLength 1 15 1 5 Prime EdiElement(110, FindUse(110, 1, 1, /AV/), 2) <> "" AirDimCode 1 20 1 1 Prime EdiElement(110, FindUse(110, 1, 1, /AV/), 2) <> "" AirDimCode	858	-	₩.	-	*	Prime		FSC		6/19/90
#RT# Consignor 1 9 2 6 Prime Matches(EDI.DIC,/802/) and EDI.PackType1 <> VanLength #RT# CommCode 1 1 Prime EdiElement(110, FindUse(110, 1, 1, /AV/), 2) <> *** AirDimCode 1 20 1 1 Prime EdiElement(110, FindUse(110, 1, 1, /AV/), 2) <> *** AirDimCode	858	-	0	-	*	Prime		OwnCode		6/10/90
1 9 2 6 Prime										
1 13 1 2 Prime Matches(EDI.DIC,/GG2/) and EDI.PackType1 <> VanLength 1 15 1 5 Prime CommCode 1 20 1 1 Prime EdiElement(110,FindJse(110,1,1,/AV/),2) <> "" AirDimCode	858	-	٥	~	•	Prime		Consignor		6/19/90
#RTM CommCode 1 15 1 5 Prime EdiElement(110, FindUse(110, 1, 1, /AV/), 2) <> "" AirDimCode	858	-	7	•	~	Prime	_	VanLength		06/61/9
1 15 1 5 Prime Commcode 1 20 1 1 Prime EdiElement(110,FindUse(110,1,1,/AV/),2) <> "" AirDimCode							T LOT			
1 20 1 1 Prime EdiElement(110, FindUse(110, 1, 1, /AV/), 2) <> "" AirDimCode	858	_	₹	-	€	Prime		Commcode		06/61/9
	858	-	20	-	•	Prime	EdiElement(110, FindUse(110, 1, 1, /AV/), 2) <> ""	AirDimCode		6/19/90

3	Sect		3				:	;	
		; ;	3 :	<u>.</u>		condition	rield	renstormenton	Date
858	-	2	-	m	Prime		30		6/19/90
858	-	54	-	m	Prime		8		6/19/90
858	-	27	-	-	Prime	Matches(EDI.DIC,/[RT]C1/)		но́м	6/19/90
858	-	27	~	•-	Prime	Not Matches(EDI.ModeMethod,/LP AR 2Z/)		DLSSValue("MODE", ED1. ModeMethod)	6/19/90
858	-	28	-	~	Prime	EDI.PackType1 <> ***		DLSSValue("PACKTYPE", EDI. PackType1)	6/19/90
858	-	88	~	~	Prime	EDI.PackType2 <> ##	PackType2	:	6/19/90
858	_	3	-	1	Prime	•	104		6/19/90
858	•	13	-	9	Prime		Consignee		6/19/90
858	-	53	-	-	Prime	EDIE(ement(110,FindUse(110,0,1,/GP/),3) =	Priority		6/19/90
						"TC#O"			
858	-	53	~	-	Prime	EDIElement(110, FindUse(110,0,1,/GP/),3) =		DLSSValue("ZERO", ED1.Priority)	6/19/90
						"CANCEL"			
858	-	53	m	-	Prime	EDIE: ement(110, FindUse(110, 0, 1, /GP/), 3) =		DLSSValue("TWELVE", ED!. Priority)	6/19/90
						"CHANGE"			
858	-	ž	-	m	Prime	ED1.RDD = #050505#		*555*	6/19/90
858	-	%	~	m	Prime	ED1.RD0 = "070707"		# <i>111</i> #	6/19/90
858	-	×	m	m	Prime	ED1.RDD = #090909#		*666*	6/19/90
858	-	¥	4	m	Prime	Not Matches(ED1.D1C,/8C1/) and ED1.RD0 <> ""		Substr(YYMMD02J(ED1.RD0),2,3)	6/19/90
858	-	57	-	m	Prime	Matches(ED1.01C,/89103) 91^C11/)	ProjectCode		6/19/90
858	•	57	~	•	Prime	Matches(ED1.D1C,/892/)	Contind		6/19/90
858	-	58	-	~	Prime	Matches(ED1.DIC,/892/)		LZERO(ED].NbrUmits,2)	6/19/90
858	-	8	-	m	Prime	EDI.DateCode = "050505"		*555*	6/19/90
858	-	8	~	m	Prime	ED1.DateCode = "070707"		# <i>111</i>	6/19/90
858	-	8	m	m	Prime	ED1.DateCode = "090909"		#ôóó#	6/19/90
858	_	8	4	m	Prime	EDI. AirDimCode = "" and EDI. DateCode <> ""		Substr(YYMMDD2J(EDI.DateCode),2,3)	6/19/90
858	-	8	₩	-	Prime	ED1.AirDimCode <> "" and ED1.HourCode <> ""		DLSSValue("HOUR", EDI. HourCode)	6/19/90
858	-	6	-	7	Prime	EDI.AirDimCode <> "" and EDI.DateCode <> ""		Substr(YYMMDD2J(EDI.DateCode), 3,2)	6/19/90
858	-	3	-	-	Prime	EDI.ETACode <> "" and EDI.DateCode <> ""		DLSSValue("ETA",DiffDays(EDI.ETACode,EDI.D ateCode,2))	6/19/90
858	-	\$	-	4	Prime	Matches(ED1.D1C,/39[01]/)	TAC		6/19/90
858	-	2	~	4	Prime	Matches(EDI.DIC,/802/) and EDI.PackType1 <>		LZERO(E01.Vancube,4)	6/19/90
						MRTM and ED1. VanCubs <> MM			
858	-	3	-	4	Prime	LEW(EDI.Pieces) <> 5		LZERO(EDI.Pieces,4)	6/19/90

	Date		6/19/90		_	06/61/9			06/61/9	06/61/9	06/61/9	04/41/0	00/01/	04/41/0	90,01,7	Pa/AI /0		0x/4r/9	00/01/7	04/41/0		ittara- 6/19/90	06/61/9	6/19/90	6/19/90	06/61/9	MO/01/4	04/41/0		6/19/90 (6)	007077
	Trensformation	DLSSValue("EXCESS", SUBSTR(EDI.Pleces,1,2))	SUBSTR(EDI.Pieces, 3,3)	LZERO(EDI.Weight,5)	DLSSValue("EXCESS", SUBSTR(EDI.Weight, 1,2))	CJBSTR(EDI.Weight, 3,4)	LZERO(EDI.Cube,4)	DLSSValue("EXCESS", SUBSTR(EDI.Cube, 1,2))	SUBSTR(ED1.Cube, 3,3)				1			RP(FindCard(/88[0-	3}/,Backward,CurrentCard-1,1,5),4,5)					<pre>RP(FindCard(/BB3/,Backward,CurrentCard- 1 1 3 0 6)</pre>				TEBOYEDS EXTERISE AS	יייייייייייייייייייייייייייייייייייייי		RP(FindCard(/wwlu- 4]/,Backward,CurrentCard-1,1,3),9,6)	RP(Findcard(/80[0- 41/.Backward.CurrentCard-1,1,3),9,6)	
	Field									010		ContMbr						FSC	•	Owncode	Contlibr		Constanor	Model		RIGGIN	- 1	POVMBKe			
	Condition	LEW(EDI / eces) # 5	-	LEN(EDI.Weight) <> 6	LEN(EDI.Weight) = 6	LEN(EDI.Weight) = 6	LEN(EDI.Cube) <> 5	LEN(ED1.cube) = 5	LEN(ED1.Cube) = 5		Matches(ED1.D1C,/89[0-3]/) and ED1.EqNbr <> ***	Matches(EDI.DIC,/883/) and EDI.ContWbr <> ""	and ED1.Consignor <> ***	Matches(ED1.DIC,/89(0-31/) and	EdiElement(60, FindUse(60,1,1,/FS/),2) <> ""	Matches(EDI.DIC,/88[3-9]/) and CurrentCard <>	1 and RP(CurrentCard-1,4,1) <> " "	Matches(ED1.D1C,/88[0-3]/) and	EdiElement(60, FindUse(60,1,1,/FS/),2) <> ""	Matches(EDI.DIC,/892/) and EDI.PackType1 <>	Matches(EDI.DIC,/883/) and EDI.ContMbr <> ""	Matches(EDI.DIC,/884/) and EDI.Consignor m mm	(/17-0198/ 310 183/		Hetches(EDI.DIC,/WS/)	Matches(EDI.DIC,/W[EJ]0/)	Matches(EDI.DIC,/WW//)	Matches(EDI.DIC,/8P8/)	Metches(EDI.DIC,/@[8H]8/)	Matches(EDI.DIC,/B[BFH]9/) and EDI.ZipCode =	1
	St Ord Len Cardio	Prime	Prime	Prime	Prime	Prime	Prime	Prime	Prime	CurrentCard	CurrentCard	CurrentCard		CurrentCard		CurrentCard		CurrentCard		CurrentCard	CurrentCard	CurrentCand		CULTENTUE	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	CurrentCard	
	d Len	-	₩.	5	_	4	4	-	m	m	•	<u>د.</u>		-		5		•		4	9	9	•	0 ;	=	•	9	9	9	9 0	
	St Or	; %	69	2	2 2	7	1 1	77 2	2	_	-	4		4		7		5		•	•	•	•	•	•	•	•	•	•	9 10	
200			_	_	-	_	-	_		200	20	2 00		858 500		658 500		858 500		858 500	8	200	5	8	8	8	200	200	200	200	
v	, -		858	858	858	858	658	858	858	858 5	858 5	858 5		-		-				_,	858	858					858	858	858	858	

Sect 16d Tid		P	દ	8t Ord Len CardNo	Condition	Field	Transformation	Date
;		;	;					
858 500	23	-	-	CurrentCard	EDIE[ement(60, Finduse(60,0,1,/GP/),3) = "ICMO" Priority	• Priority		6/19/90
858 500	53	~	-	CurrentCard	EDIElement(60, findUse(60,0,1,/GP/),3) =		DLSSValue("ZERO", EDI. Priority)	6/19/90
					"CANCEL"			
858 500	53	m	-	CurrentCard	EDIELement(60, FindUse(60,0,1,/GP/),3) =		DLSSValue("TWELVE", EDI. Priority)	6/19/90
		,	•					
858 500	×	-	m	CurrentCord	Matches(EDI.DIC,/88[0234] 8[^C]1/) and		#555#	6/19/90
					ED1.RDO = "050505"			
858 500	ž	~	m	CurrentCard	Matches(ED1.01C,/88[0234] 8[^C11/) and		n277n	06/61/9
					ED1.RD0 = "070707"			
858 500	ž	m	m	CurrentCard	Matches(ED1.D1C,/3010234] 8[^C]1/) and En! enn = mononom		н666н	6/19/90
868	2	7	*	Pre 3 400 a 41 3	Matches(EN) NIC /80 (0312) 19 (4011)		S. destrivolation 1/501 PD0 / 2 1/	4/10/00
200		•			FOI BOD 45 HR			
		•	•		EULINOU AND THE PARTY OF THE PA		47044	90,00,7
	ž	^	^	Currentcard	Metches(EDI.DIC,/BBS/) and EDI.Length <> ""		LZEKO(EDI.Length,5)	04/41/9
858 500	ž	•	T	CurrentCerd	Matches(EDI.DIC,/896/)	NSM		6/19/90
858 500	×	~	*	CurrentCard	Matches(EDI.DIC,/887/)	LotMbr		6/19/90
858 500	×	•	5	CurrentCard	Matches(EDI.DIC,/@WS/)	POName		6/19/90
858 500	×	•	92	CurrentCard	Matches(ED1.D1C,/B[EJ]9/)	Hazbet		6/19/90
858 500	×	9	92	CurrentCard	Matches(EDI.DIC,/@[8FHP]9/)	PPAddress		6/19/90
858 500	×	=	~	CurrentCard	Matches(ED1.DIC,/889/) and ED1.VarMbr <> ""		*NA**	6/19/90
858 500	×	2	92	CurrentCard	Matches(EDI.DIC,/889/)	MiscT_9Info		06/61/9
858 500	%	_	•	CurrentCard	Matches(EDI.DIC,/889/) and EDI.VarMbr <> ""	VenMbr		6/19/90
858 500	57	-	m	CurrentCard	Matches(EDI.DIC,/891034) 91^011/)	ProjectCode		6/19/90
858 500	57	~	-	CurrentCard	Matches(EDI.DIC,/892/)	Contind		6/19/90
858 500	8	_	2	CurrentCard	Metches(ED1.DIC,/892/)		LZERO(EDI.Nbruhits,2)	6/19/90
858 500	\$	-	-	CurrentCard	Matches(ED1.DIC,/805/)		#1 _n	6/19/90
858 500	3	-	-	CurrentCard	EDI.AirDimCode <> "" and EDI.HourCode <> ""		DLSSValue("HCUR", EDI. HourCode)	6/19/90
858 500	8	~	m	CurrentCard	Matches(EDI.DIC,/8010-41/) and EDI.DateCode =		#555#	6/19/90
					#050505#			
858 500	8	m	m	CurrentCand	Matches(EDI.DIC,/80(0-4]/) and EDI.DateCode = "070707"		# <i>117</i> 11	6/19/90
858 500	8	•	m	CurrentCard	Matches(EDI.DIC,/8910-4]/) and EDI.DateCode =		#óóó#	6/19/90
					#606060#			

Sect 76d 71d		J PJC	.	St Ord Len CardNo		Field	Transformation	Date
658 500	: 8		m	CurrentCard	Netches(ED1.D1C,/88[0-4]/) and ED1.DateCode	0 0 1 3 0 0 5 5 5 9	Substr(YYMEDD2J(EDI.DateCode),2,3)	6/19/90
558 500 558 500	8 2	• -	m N	CurrentCard	<pre>Asches(EDI.DIC,/805/) Matches(EDI.DIC,/8010-41/) and EDI.DateCode</pre>		LZERO(EDI.Width,3) Substr(YYMD02J(EDI.DateCode),3,2)	6/19/90
858 500 858 500	3 3	- N		CurrentCerd	<pre><> "" Natches(ED1.D1C,/BB(0-4]/) and EdiElement(60,FindUse(60,1,1,/28/),4) <> "" Matches(ED1.D1C,/BB(34)/) and ED1.DelStop <></pre>	DelStop	DLSSValue("ETA",DiffDays(EDI.ETACode,EDI.D ateCode,2))	06/41/9
858 500	3	m	-	CurrentCard	*** Matches(EDI.DIC,/805/)	;	*	6/19/90
858 500 858 500	2 2	- ~		CurrentCard	Metches(EDI.DIC,/89(0141/) Metches(EDI.DIC,/802/) and EDI.PackType1 <>	TAC	LZERO(EDI.VanCube,4)	6/19/90
	222	N 4 -		CurrentCard CurrentCard CurrentCard	Matches(EDI.DIC,/805/) Matches(EDI.DIC,/809/) and EDI.SealNum <> "" Matches(EDI.DIC,/809/) and EDI.SealNum <> ""	Seal Num	LZERO(EDI.Height,3) "SN"	6/19/90 6/19/90 6/19/90
958 500 958 500	8 ;	~ -	* 0 -	CurrentCard	Matches(EDI.DIC,/May/) und EDI.Seconoseut	180000000000000000000000000000000000000	a K	6/17/90
		· ~ -	. 4 4	CurrentCard	Matches(EDI.DIC,/81EJ)6/) Matches(EDI.DIC,/88(0-4) 81°VJ5/) and	Dodic	LZERO(EDI.Pieces,4)	6/19/90
858 500	8	~	-	CurrentCard	LEN(EDI.Pieces) <> > and EDI.Pieces <> *** Matches(EDI.DIC,/89[0-4] 8[^V]5/) and iEN(EDI.Bicces) = 5		DLSSValue("EXCESS", SUBSTR(ED].Pleces, 1,2))	06/61/9
858 500 858 500	3 3	M 4	ŭ 4	CurrentCard	Matches(EDI.DIC,/BVS/) Matches(EDI.DIC,/BWS/) and LEN(EDI.Pieces7)	SerialNum	LZERO(EDI.Pieces7,4)	6/19/90 6/19/90
858 500	3	•	-	CurrentCard	Natches(EDI.DIC,/R87/) and LEN(EDI.Pieces7) = 5		DLSSValue("EXCESS", SUBSTR(ED1.Pieces7,1,2))	_
858 500	\$	-	m	CurrentCand	Matches(EDI.DIC,/89(0-4) 8(^vj5/) and LEN(EDI.Pleces) = 5		SUBSTR(EDI.Pieces,3,3)	6/19/90
658 500	\$	~	m	CurrentCard	Matches(EDI.DIC,/AB7/) and LEW(EDI.Pieces7) = 5		SUBSTR(EDI.Pieces7,3,3)	6/19/90

3	,	5	5	St Ord Len Cardilo	Condition	Field	Transformation	Dete
: 8	: \$	m	. ~	CurrentCard	Matches(ED1.D1C./BD6/)	GradeCode	3 2 4 4 5 5 5 5 5 6 6 6 7 5 6 6 7 6 7 6 7 6 7 6	6/19/90
8	۲	-	~	CurrentCord	Matches(ED1,D1C,/986/)	UNCLess		9/19/90
800	7	~	~	CurrentCard	Matches(EDI.DIC,/3P8/)	POVIC		6/19/90
200	2	-	~	CurrentCard	Matches(ED1.DIC,/88[0-578]/) and		LZERO(EDI.Weight,5)	6/19/90
					LEN(EDI.Weight) <> 6 and EDI.Weight <> ""			
8	2	~	-	CurrentCard	Matches(ED1.D1C,/B0[0-578]/) and		DLSSValue("EXCESS", SUBSTR(EDI. Weight, 1,2))	6/19/90
					LEN(EDI.Weight) = 6			
8	ĸ	_	4	CurrentCerd	Matches(ED1.D1C,/88[0-578]/) and		SUBSTR(EDI. Weight, 3,4)	6/19/90
					LEN(EDI.Weight) = 6			
8	2	_	•	CurrentCard	Matches(EDI.DIC,/896/)	HazMat1d		6/19/90
8	*	~	•	CurrentCerd	RP(CurrentCard,54,2) = "VN"	Ouncode		6/19/90
8	*	m	•	CurrentCerd	RP(CurrentCard, 54, 11) = "SECOND SEAL"	SealActivity		6/19/90
88	4	_	4	CurrentCard	Natches(EDI.DIC,/89[0-57]/) and LEN(EDI.Cube)		LZERO(EDI.Cube,4)	6/19/90
					<> 5 and EDI.Cube <> ***			
8	1	~	_	CurrentCard	Matches(EDI.DIC,/88[0-57]/) and LEN(EDI.Cube)		DLSSValue("EXCESS", SUBSTR(ED1.Cube, 1,2))	6/19/90
					• •			
8	1	m	4	CurrentCerd	Matches(EDI.DIC,/8[^P]8/)	SCAC		6/19/90
8	R	-	m	CurrentCard	Matches(EDI.DIC,/88[0-57]/) and LEN(EDI.Cube)		SUBSTR(ED1.Cube, 3, 3)	6/19/90
					• •			
88	R	~	m	CurrentCand	Metches(ED1.D1C,/8P8/)	POVColor		6/19/90
200	R	m	~	CurrentCard	RP(CurrentCard,54,2) = "VN"	BeamAss		6/19/90
8	8	-	-	CurrentCard	Matches(ED1.D1C,/0E6/)	GroupCode		6/19/90
500	8	~	-	CurrentCard	Matches(ED1.D1C,/9[^K]9/)	Sequip		6/19/90
510	-	-	_	CurrentCard				6/19/90
510	~	_	-	CurrentCard	found := findCard(/889/, Backward, CurrentCard-		RP(Found, 2, 1)	6/19/90
					1,1,3)			
858 510	m	-	-	CurrentCard			nón	6/19/90
510	•	_	2	CurrentCard	Found := FindCard(/889/, Backward, CurrentCard-		RP(Found, 4, 50)	6/19/90
					1,1,3)			
510	×	-	•	CurrentCard	EDI.DODAACI <> ""		"\$10b"	6/19/90
510	2	-	~	CurrentCard	RP(CurrentCard,54,4) = "STOP"	Stop1		6/19/90
510	3	-	•	CurrentCard	EDI.DoDAAC1 <> ""	DoDAAC1		6/19/90
410	7	•	7				10000	

				06/61/9	6/19/90	6/19/90
	Transformation					
	Field			ardy.	DoDAAC2	Sequibr
	Condition		RP(CurrentCard.68.4) = mercom		EDI.DODALE <> ==	
Sect	Ted Tid St Ord Len Cardio		658 510 72 1 2 CurrentCard	858 510 74 1 A Currenterd		asa sin an i currentcard
3	162	:	58 51	858 51		8

1.d	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
\$	-	AdjBillDete	2	FindUse(20,0,2,/AD/)		S11	9/21/90
208	-	Adj8illMbr	20	Finduse(20.0,2,/AD/)	-	211	9/21/90
203	-	Amount	04		_	081	9/21/90
200	-	BillAdvice	04	-	•	081	9/21/90
2 0	-	BiliStatus	07	_	5	08 L	9/21/90
206	-	BILLTODODAAC	120	FindUse(120,0,1,/81/)	4	=	9/21/90
20	-	010	9	_	-	RFL	9/21/90
2 8	-	Docko	2	-	2	RFL	9/21/90
208	-	DocNoSuffix	5	-	m	RFL	9/21/90
%	-	DupAmount	2	FindUse(20,0,2,/0U/)	ĸ	118	9/21/90
200	-	Dupe il Ibete	20	FindUse(20,0,2,/DU/)	m	118	9/21/90
203	-	DupBillMbr	20	Finduse(20,0,2,/0U/)	-	SII	9/21/90
202	-	ExcessStatus	28	-	2	FR.P	9/21/90
20	-	FromRIC	120	Finduse(120,0,1,/FR/)	-	=	9/21/90
203	-	FundCode	8	-	_	RBT	9/21/90
2 03	-	MediaStatus	2	-	•	RFL	3/01/91
203	-	Modelle thod	5	•	*	RSE	9/21/90
208	-	OrigAmount	2	Finduse(20,0,2,/11/)	~	SII	9/21/90
203	-	Orig8il lDate	2	FindUse(20,0,2,/11/)	m	SII	9/21/90
203	-	OrigatilNbr	2	FindUse(20,0,2,/11/)	-	118	9/21/90
203	-	Priority	R	-	-	408	9/21/90
203	-	Project	R	-	7	ROP	9/21/90
20	-	Quentity	8	-	~	800	9/21/90
%	-	Requestbate	9	-	m	D81	9/21/90
2 6	-	Shipuni tilbr	5	-	7	RSE	9/21/90
2	-	SignalCode	10	-	٥	RFL	3/01/91
% %	-	StetAdd	120	Finduse(120,0,1,/21/)	4	Ŧ	9/21/90
2	-	StockNbr	8	-	~	REF	9/21/90
203	-	Supcondcode	28	-	-	MRP	9/21/90
20	-	ToAddress	120	FindUse(120,0,1,/54/)	4	£	9/21/90
200	-	TORIC	120	Finduse(120,0,1,/10/)	~	=	9/21/90
33	-	Type	9	_	•••	081	9/21/90
203	_	Unit of Issue	8	-	-	800	9/21/90
209	-	UnitPrice	8	-	•	8	9/21/90

5/10/91

114	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	Segment 1d	Date
510	_	AcctToCharge	20			118	11/08/90
510	-	AcctToCredit	2	-	.	311	11/08/90
510	-	Amount	02	-	5	118	11/08/90
510	-	Billbate	2	-	m	SII	11/08/90
510	-	BILLFIDODAAC	8	finduse(60,0,1,/8F/,3,/10/)	4	Ē	11/08/90
510	-	BILIFFRIC	8	Finduse(60,0,1,/8F/,3,/M4/)	4	E	11/08/90
510	-	Filling	8	-	4	SII	11/08/90
510	-	BillMbr	2	-	-	SII	11/08/90
510	-	Bill TonoDAAC	3	Finduse(60,0,1,/81/)	•	=	11/06/90
510	_	CountryCode	20	-	~	SII	11/08/90
510	-	010	5	-	-	RFL	11/08/90
510	-	FundCode	8	•	_	RBT	11/08/90
510	-	InfoIndic	2	-	€0	\$11	11/08/90
510	-	Intern1	20	-	-	2	11/08/90
510	-	Intern2	20		7	2	11/08/90
510	-	Rect	2	-	•	118	11/08/90
510	-	ReportDate	2	-	•	118	11/06/90
510	5	Amount	9	-	-	D81	11/06/90
510	5	Billcode	20	-	~	DFM	11/08/90
510	5	BILLFIRIC	5	FindUse(100,0,1,/8F/)	~	Ξ	11/08/90
510	5	BILLTODODAAC	5	Finduse(100,0,1,/87/)	•	=	1/10/91
510	5	CodeType	9	-	~	180	11/08/90
510	5	Customer 1D	8	-	-	AVF	11/08/90
510	1 00	910	5	-	-	RFL	11/08/90
510	5	Delivsro	20	-	m	DFM	11/08/90
510	5	Description	04	_	~	081	1/10/91
510	5	DocNo	5	-	7	RFL	11/08/90
510	5	DocNoSuffix	5	-	m	RFL	11/08/90
510	5	IssueCode	8	-	~	AVF	11/08/90
510	5	Itembate	04	•	m	180	11/08/90
510	5	MFP	8	-	ĸ	AVF	11/08/90
510	5	Hission	8		•	AVF	11/08/90
510	6	ModeMethod	8		4	RSE	11/08/90
510	5	Quent ity	30	-	7	80	11/08/90
510	00	RecSerNum	%	_	-	DFM	11/08/90

Tid	TidSect	Field	SegmentSeq	Usectr	ElementSeq	Segmentid	Date
510	5	SalesCode	07		•	D81.	11/08/90
510	5	ServUse1	8	_	-	ROU	1/10/91
510	5	ShipToDoDAAC	901	findUse(100,0,1,/ST/)	4	- -	1/10/91
510	5	Sh i pment Nbr	3	_	m	RSE	11/08/90
510	5	SignalCode	5	_	٥	RFL	1/10/91
510	5	StockCode	20	_	4	DFM	11/08/90
510	5	StockNum	8	_	7	REF	11/08/90
510	5	UnitOf1ssue	20	_	-	800	11/08/90
510	5	UnitPrice	30	-	•	800	11/08/90
510	8	Amount	2	_	-	DBL	11/08/90
510	200	BillDate	2	_	m	DBL	11/08/90
510	8	BILIFIRIC	8	FindUse(30,0,1,/8F/,3,/M4/)	•	Ŧ	11/08/90
510	<u>20</u>	210	5	•	-	RFL	11/08/90
510	8	Description	ጸ	-	7	081	11/08/90
510	8	DODAAC	30	FindUse(30,0,1,/(58)1/)	4	Ī	11/08/90
510	20	SignalCode	5	-	۰	RFL	1/10/91
511	-	AdviceCode	8	-	-	RAS	11/02/90
511	-	BILITODODAAC	2	Finduse(170,1,1,/81/)	*	ī	11/16/90
511	-	Callorder	2	-	m	1	11/02/90
511	-	CondCode	140	•	~	ROY	11/02/90
511	-	DIC	5	-	-	RFL	11/01/90
511	-	0110	140	_	m	ROY	11/02/90
511	-	DemandCode	2	_	-	R 00	11/01/90
511	-	DemandCode	2	_	-	R00	11/02/90
511	-	Distribution	8	_	7	RBT	11/01/90
511	-	DocNo	2	-	~	RFL	11/01/90
511	-	DocNoSuffix	5	-	m	RFL	11/01/90
511	-	DrawSpecNbr	8		s	ROM FOR	11/02/90
511	_	Earliest00	8	_	s	ROP	11/02/90
511	-	EnditemiD	8	_	^	ROM	11/02/90
511	-	FMSCase	120	-	•	ROF	11/02/90
511	-	FMSFrtfwdr	120	_	=	20 F	11/02/90
511	-	FMSOfferRel	120	_	7	ROF	11/02/90
511	-	FMSProgSup	120	-	٥	ROF	11/02/90
511	-	FMSServ	120	_	•	ROF	11/02/90

PI	Tidsect	Field	SegmentSeq	UseCtr	Element Seq	Segment1d	Date
511	-	FromR1C	5	FindUse(170,1,1,/FR/)	*	=	11/01/90
511	-	FundCode	20	_	-	RBT	11/01/90
511	-	GFMContract	20	_	_	14	11/02/90
511	-	10°code	3	-	m	ROM	11/02/90
511	-	ILPL inel tem	130	_	•	ROE	11/02/90
511	_	ILPYear	130	_	'n	ROE	11/02/90
511	-	LatestDD	8	_	•	ROP	11/05/90
511	-	MCARIC	57	Findbae(170,1,1,/vx/)	•	=	11/05/90
511	-	NQ	2	_	•	14	11/02/90
511	_	MediaStatus	ç	_	€0	RFL	11/16/90
511	-	NSM	20	_	~	REF	11/01/90
511	-	Houndescript	8	_	•	ROM	11/02/90
511		Ownice	5	FindUse(170,1,1,/10/)	•	=	11/02/90
511	-	Priority	8	-	-	ROP	11/02/90
511	-	Project	26	-	~	305	11/02/90
511	-	Quentity	9	-	2	80	11/01/90
511	-	902	26	_	m	806	11/02/90
511	-	ServUse2	110	_	8	ROU	11/01/90
511	-	ServUse3	110	_	m	ROU	11/01/90
511	-	Servüsek	110	-	4	26	2/14/91
511	-	ShiptobooAAC	5	Findbse(170, 1, 1,/57/)	•	Ĩ	11/01/90
511	_	SignalCode	2	-	٥	RFL	11/16/90
511	-	Spec	8	-	•	ROP	11/02/90
511	_	StatToDoDAAC	5	FindUse(170,2,1,/54/)	4	Ξ	11/01/90
511	-	Supcondcode	150	_	m	SOI	11/02/90
511	-	MTOT	8	-	4	ZOZ.	11/02/90
511	-	TORIC	5	Findbae(170,1,1,10/)	4	ī	11/01/90
511	-	TransDate	5	_	4	RFL	11/02/90
511	-	Unit tof issue	07	_	-	90	11/01/90
512	-	BILITODODAC	3	FindUse(160,1,1,/81/)	•	I	11/16/90
512	-	010	9	_	-	RFL	11/02/90
512	-	DenialCode	110	_	•	RSI	11/02/90
512	-	Distribution	30	_	7	RBT	11/02/90
512		DocNo	9	_	7	RFL	11/02/90
512	-	DocNoSuffix	5	_	m	RFL	11/02/90

Pit	TidSect	field	SegmentSeq	UseCtr	Element Seq	SegmentId	Date
512	-	EstShipDate	110		7	RSI	11/02/90
512	-	FMSCase	8	-	•	ROF	11/02/90
512	-	FMSFrtfwdr	8	***	=	ROF	11/02/90
512	-	FMSOfferRel	8	_	^	ROF	11/02/90
512	-	FMSServCode	8	_	9	ROF	11/02/90
512	-	FMSSubCase	8	_	5	ROF	11/02/90
512	-	FedSchedNbr	110	_	•	RSI	11/02/90
512	-	FundCode	30		-	RBT	11/02/90
512	-	HoldCode	130		'n	RSE	11/02/90
512	-	ILPL inel tem	5	-	•	ROE	11/02/90
512	-	ILPYear	5		∨	ROE	11/02/90
512	-	LastRIC	3	FindUse(160,1,1,1LS/)	•	Ä	11/02/90
512	-	Locid	130	-	•	RSE	11/02/90
512	-	NO	2	_	4	14	11/02/90
512	-	MediaStatus	\$	_	€0	RFL	11/16/90
512	-	NSM	20	-	8	REF	11/02/90
512	-	Priority	ደ	_	-	ROP	11/02/90
512	-	Project	2		~	do M	11/02/90
512	-	Quantity	9	_	2	8	11/02/90
512	-	Quantity2	110	-	m	RSI	11/02/90
512	-	ReleaseDate	130	-	- -	RSE	11/02/90
512	-	910	130	_	м	RSE	11/02/90
512	-	Serv0se2	140	-	~	ROU	11/02/90
512	-	Serv0se3	140		m	ROU	11/02/90
512	-	ShiptobobAC	3	Finduse(160,1,1,/ST/)	4	E	11/02/90
512	-	SignalCode	5	-	٥	RFL	11/16/90
\$12	_	StatToDoGAAC	35	FindUse(160,2,1,/54/)	4	E	11/02/90
512	-	Status	110	-	-	RSI	11/02/90
512	-	Supcondcode	120	-	m	ICS	11/02/90
512	-	ToRIC	3	FindUse(160,1,1,/T0/)	4	Ŧ	11/02/90
512	-	Transcode	130	-	4	RSE	11/02/90
512	-	TransDate	2	-	4	RFL	11/02/90
512	-	UnitOf Issue	07	_	-	800	11/02/90
512	-	UnitOf1ssue2	110	_	50	RSI	11/02/90
512	-	UnitPrice	07	-	•	8	11/02/90

1.d	TidSect	Field	SegmentSeq	Usectr	ElementSeq	SegmentId	Date
513	-	AdviceCode	8	_	-	RAS	11/05/90
513	-	BILITODODAAC	150	FindUse(150,1,1,/BT/)	4	=	11/16/90
513	-	DIC	10	_	-	RFL	11/05/90
513	-	DemandCode	8	_	-	800	11/05/90
513	-	Distribution	e S	_	2	RBT	11/05/90
513	_	DocNo	01	-	2	RFL	11/05/90
513	-	DocNoSufffx	10	_	m	RFL	11/05/90
513	-	EstShipDate	130	-	2	RSI	11/05/90
\$13	-	FMSCase	90	-	•0	ROF	11/05/90
513	-	FMSFrtFwdr	9	_	=	ROF	11/05/90
\$13	-	FNSOfferRel	9 0	-	7	ROF	11/05/90
513	-	FMSProgcode	901	_	٥	ROF	11/05/90
513	-	FMSServCode	90	_	•	ROF	11/05/90
513	-	FMSSubCase	100	-	10	ROF	11,05,90
513	-	FundCode	30	_	-	RBT	11/05/90
513	-	GFMContract	20	_	-	PI	11/05/90
513	-	ILPL inel tem	110	-	•	ROE	11/05/90
513	-	ILPYear	110	-	s	ROE	11/05/90
513	-	NOM	2		4	PI	11/05/90
513	-	MediaStatus	1	_	••	RFL	11/16/90
513	-	NSM	20	_	7	REF	11/05/90
513	-	Pass ingR1C	150	FindUse(150,1,1,/90/)	•	=	11/05/90
513	-	Priority	2	_	-	ROP	11/05/90
513	-	Project	2	_	~	ROP	11/05/90
513	_	Quentity	07	_	2	80	11/05/90
513	-	ServUse2	140	_	~	ROU	11/05/90
513	-	ServUse3		-	m	ROU	11/05/90
513	-	ShiptobooAAC		FindUse(150,1,1,/ST/)	4	£.	11/05/90
513	-	SignalCode			٥	RFL	11/16/90
513	-	StatToDoDAAC	150	Finduse(150,2,1,/S4/)	4	1 3	11/05/90
513	-	Status	130	-	-	RSI	11/05/90
513	-	TORIC	150	FindUse(150,1,1,/10/)	4	<u> </u>	11/05/90
513	-	Transbate	Q	-	4	RFL	11/05/90
513	-	UnitOf1ssue	07		-	800	11/05/90
513	-	Unithrice	9		•	800	11/05/90

114	Tidsect	field	SegmentSeq	Usectr	ElementSeq	Segment 1d	Date
514	-	BillCode	8		4	RBT	11/05/90
514	-	BILLTODODAAC	150	FindUse(150,1,1,/81/)	4	T T	11/16/90
514	-	Callorder	30	-	€0	RSI	11/05/90
514	-	010	10	_	-	RFL	11/05/90
514	•	DenialMgmt	3	-	•0	RSI	11/05/90
514	-	Distribution	8	_	7	RBT	11/05/90
514	_	DocNo	10	-	~	RFL	11/05/90
514	-	DocNoSuffix	10	_	m	RFL	11/05/90
514	-	EstShipDate	30	-	~	RSI	11/05/90
514	-	FedSchedNbr	8		4	RSI	11/05/90
514	_	FromRIC	150	FindUse(150,1,1,/FR/)	4	=	11/05/90
514	-	FundCode	8		-	RBT	11/05/90
514	-	HoldCode	901	-	'n	RSE	11/05/90
514	-	LestRIC	150	FindUse(150,1,1,/LS/)	4	Ī	11/05/90
514	-	NQI	20		4	<u>.</u>	11/05/90
514	-	MediaStatus	5	-	•	RFL	11/16/90
514	-	HinOrder	30	-	m	RSI	11/05/90
514	-	NSM	ደ	-	8	REF	11/05/90
514	-	Ownice	150	FindUse(150,1,1,/Y0/)	4	ī	11/05/90
514	-	P11#	8	-	~	RSI	11/05/90
514	-	30	0	•	•	RSE	11/05/90
514	-	Priority	8	_	-	ROP	11/05/90
\$14	-	Project	8	_	7	ROP	11/05/90
514	•	Quentity	2	-	~	20	11/05/90
514	-	Rectoc	150	Finduse(150,1,1,/RC/)	•	=	2/20/91
514	-	ReleaseDate	100	-	-	RSE	11/05/90
514	-	Serv0se2	110	_	~	100	11/05/90
514	-	Serv0se3	110	-	m	ROU	11/05/90
514	-	ShippopAc	150	FindUse(150,1,1,/SH/)	4	Ξ	11/05/90
514	-	ShipToDoDAAC	150	FindUse(150,1,1,/ST/)	4	Ξ	11/05/90
514	_	Shipunitabr	100	-	m	RSE	11/05/90
514	_	ShipmentHode	50		4	RSE	11/05/90
514	-	SignalCode	5		٥	RFL	11/16/90
514	-	StatToDoDAAC	150	Finduse(150,2,1,/54/)	•	=	11/05/90
514	_	Supcondcode	130	-	m	ICS	11/05/90

Pit	TidSect	Field	SegmentSeq	UseCtr	El ement Seq	Segment 1d	Date
514	-	SupStatus	2		-	RSI	11/05/90
514	-	TORIC	150	FindUse(150,1,1,/10/)	4	Ξ	11/05/90
514	-	TransDate	2	-	•	RFL	11/05/90
514	-	UlCorrect	30	-	ĸ	RSI	11/05/90
514	-	Unit of Issue	2	-	-	800	11/05/90
514	-	UnitPrice	20	-	4	800	11/05/90
515	-	AdviceCode	5	_	-	RAS	11/05/90
515	-	Creditto	3 5	Finduse(160,1,1,/55/)	4	=	11/16/90
515	-	910	5	-	-	RFL	11/05/90
515	-	Demiliter	8	_	ĸ	HRP	11/05/90
515	-	DocNo	5		7	RFL	11/05/90
515	-	DocNoSuffix	5	_	m	RFL	11/05/90
515		EstShipDate	130	_	7	RSI	11/05/90
515	-	ExpCredit	8	_	•	HRP	11/05/90
515	-	ExpRplyDate	8	_	m	HRP	11/05/90
515	-	FromRIC	3	Finduse(160,1,1,/FR/)	4	#1	11/05/90
515	-	FundCode	2	-	-	RBT	11/05/90
\$15	-	LastRIC	3	Finduse(160,1,1,/LS/)	•	=	11/05/90
515	-	MatiRcvDatef	8	-	•	HR.P	11/05/90
515	-	MatiRcvOate2	8	_	~	MRP	11/05/90
515	-	MediaStatus	5	_	••	RFL	11/16/90
515	-	MSM	ន្ត	_	~	REF	11/05/90
515	-	Priority	110	_	-	9	11/05/90
515	-	Project	110	_	2	Rop	11/05/90
515	-	Quentity	20	-	7	8	11/05/90
515	-	ReceiveRIC	35	finduse(160,1,1,/RC/)	⋆	E	11/05/90
515	-	ReleaseDate	140	_	-	RSE	11/05/90
\$15	-	ServUse2	150	-	~	30	11/05/90
515	-	ServUse3	150	_	m	<u> 101</u>	11/05/90
515	-	Shipfrom	3	Finduse(160,1,1,/SF/)	•	Ī	3/29/91
515	-	ShipUnit Nbr	140	-	m	RSE	11/05/90
515	-	Sh i pment Hode	140	-	•	RSE	11/05/90
515	-	Signelcode	5	-	٥	RFL	11/16/90
515	-	StatToDoDAAC	3	FindUse(160,1,1,/54/)	•	I	11/05/90
515	-	Supcondcode	8	-	-	MRP	11/05/90

515 1 Supétatus 60 1 Piraduec(160,1,1/10y) 4 HI 515 1 Transpite 10 Firaduec(160,1,1/10y) 4 HI 515 1 Unitofisaue 50 1 6 4 MI 516 1 Abritaccode 70 1 6 1 6 1 6 1 6 1 6 1 6 1 1 6 1 1 6 1 <th>11d</th> <th>TidSect</th> <th>Field</th> <th>SegmentSeq</th> <th>Usectr</th> <th>ElementSeq</th> <th>SegmentId</th> <th>Date</th>	11d	TidSect	Field	SegmentSeq	Usectr	ElementSeq	SegmentId	Date
Totalic 140 Finalise(160,1,1,/10/)	515	-	SupStatus	8		2	ERP .	11/05/90
Transplate 10 1 1 1 1 1 1 1 1	515	-	TORIC	5	FindUse(160,1,1,710/)	•	-	11/05/90
Unitofissue	515	-	TransDate	\$	_	•	RFL	11/05/90
Unit Price 50 1	515	-	Unitofissue	20	_	-	800	11/05/90
Advicacede	515	-	UnitPrice	20	-	4	202	11/05/90
AdviceCode	516	-	ADPEId	100	_	2	DSI	11/05/90
AviShipate 90 1 AviShipate 90 1 Biticode 20 1 AviShipate 20 1 Biticode 20 1 AviShipate 20 1 AviShipate 20 Finduscit60,1,1,/RC/) 10 10 10 10 10 10 10 1	516	-	AdviceCode	2	-	-	RAS	11/05/90
Billicode 20 1 Billicode 20 1 Consignee 160 Findse(160,1,1,/87) 4 Consignee 160 Findse(160,1,1,/R2) 1 Diff 10 1 Dateback7 110 1 Dateback8 110 1 Dateback8 110 1 Dateback8 110 1 Dateback 110 1 EarliestDo 60 1 Fundcode 20 1 Fundcode 120 1 HoldCode 120 1 HoldCode 120 1 HoldCode 120 1 HoldCode 130 1 HoldCode 150 1 Hold 130 1	516	-	AvlShipDate	8	_	~	RSI	11/05/90
BillToboDAMC	516	-	Billode	20	-	4	RBT	11/05/90
Consignee 160 Findusc(160,1,1,/RC/) DatePack	516	-	BILLToDoDAAC	3	findUse(160,1,1,/81/)	•	H	11/16/90
Ditc 10 1 1 1 1 1 1 1 1	516	-	Consignee	160	FindUse(160,1,1,/RC/)	•	ī	11/05/90
Dateback7	516	-	DIC	9	-	-	RFL	11/05/90
DatePack7 110 1 1 1 1 1 1 1 1	516	-	0110	8	-	•	RSI	11/05/90
1 DatePack	516	-	DatePack7	110	-	~	108	11/05/90
Demilitar 100 1 3 1 1 1 1 1 1 1 1	516	-	DatePack8	110	_	€0	108	11/05/90
1 DisposalAuth 100 1 1 Distribution 20 1 1 Dockloom 10 1 2 Dockloom 10 1 2 EarliestDD 60 1 1 Familia 10 1 1 FundCode 20 1 1 FundCode 20 1 1 InvType 150 1 1 LatestDO 60 1 1 LatestDO 60 1 1 MediaStatus 10 1 1 Metalind 100 1 1 OwnerCode 110 1 1 POE 120 1	516	~	Demilitar	30¢	-	5	DSI	11/05/90
Distribution 20 1 Distribution 20 1 DocNo	516	•	DisposalAuth	5		m	DSI	11/05/90
1 DocNo 10 1 1 DocNoSuffix 10 1 1 EarlieatDD 60 1 1 EarlieatDD 60 1 1 FromRIC 160 FindJae(160,1,1,/FR/) 4 1 FromRIC 160 FindJae(160,1,1,/FR/) 6 1 GHFMgtCode 20 1 1 InvType 120 1 1 InvType 150 1 1 LetestDD 60 1 1 LetestDD 60 1 1 LetestDD 60 1 1 New diaStatus 10 1 1 Metalind 100 1 1 NamerCode 110 1 1 POE 120 1	516	-	Distribution	2		2	RBT	11/05/90
DocNoSuffix 10 1 3 5 5 5 5 5 5 5 5 5	516	-	DocNo	Ç		2	RFL	11/05/90
EarliestDD 60 1 2 2 2 2 3 3 3 3 3 3	516	-	DocNoSuffix	5	_	m	RFL	11/05/90
EstShipDate 90 1 2 4 4 1 1 1 1 1 1 1 1	516	-	Earl lestDO	8	-	~	20	11/05/90
FromRIC 160 Findise(160,1,1,/FR/) 1 1 1 1 1 1 1 1 1	516	-	EstShipDate	8	-	7	RSI	11/05/90
FundCode	516	-	FromRIC	3 5	FindUse(160,1,1,/FR/)	•	=	11/05/90
1 GMFMgtCode 40 1 1 5 5 1 5 5 1 5 5 1 7 5	516	-	FundCode	2		-	RBT	11/05/90
1 HoldCode 120 1 5 3 1 1 1 InvType 150 1 5 4 4 4 1 1 InvType 150 1 5 4 1 5 1 1 InvType 150 1 5 4 1 5 1 1 InvInd 100 1 1 1 InvInd 100	516	-	GMFMgtCode	07		-	JRL	11/05/90
1 InvType 150 1 4 4 4 4 4 1 1 LotNbr 150 1 4 4 4 4 1 1 InDN 130 1 1 1 NedisStatus 10 1 1 Netalind 100 1 1 1 NSN 50 1 2 1 1 POE 120 1 1 POE 150	516	-	HoldCode	120	-	5	RSE	11/05/90
1 LatestDD 60 1 4 1 LotMbr 150 1 4 1 Mod 130 1 4 1 MediaStatus 10 1 8 1 Metalind 100 1 1 1 1 NSN 50 1 2 1 OwnerCode 110 1 6	516	-	InvType	150	_	m	THT	11/05/90
1 LotNbr 150 1 4 1 Mod astatus 10 1 8 1 Metalind 100 1 1 1 1 NSN 50 1 2 1 OwnerCode 110 1 6	516	-	LatestDD	8	_	•	ROP	11/05/90
1 ModiaStatus 10 1 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	516	-	Lotubr	150		•	THT	11/05/90
1 MediaStatus 10 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	516	-	NQ.	130		∢	PI	11/05/90
1 Metalind 100 1 2 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	516	-	MediaStatus	0	_	€0	RFL	11/16/90
1 NSN 50 1 2 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	516	-	Metal Ind	1 00	_	-	DSI	11/05/90
1 OwnerCode 110 1 1 0 1 6 3	516	-	NSM	20	_	~	REF	11/05/90
1 POE 120 1 6	516	-	OwnerCode	110	_	-	ICS	11/05/90
	516	-	<u>8</u>	120	-	•	RSE	11/05/90

114	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	Segment 1d	Date
516	-	Priority	3		-	30	11/05/90
516	-	Project	8	-	7	ROP	11/05/90
516	-	Purpose	110	-	2	108	11/05/90
516	-	Quantity	30		7	8	11/05/90
516	-	6 00	3	_	m	ROP	11/05/90
516	-	Reclamation	0	_	9	ISO	11/05/90
516	-	ReleaseDate	521	_	-	RSE	11/05/90
516	-	RetQuent	8	_	m	RSI	11/05/90
516	-	ServUse2	140	-	~	ROU	11/05/90
516	-	ServUse3	140	-	m	ROU	11/05/90
516	-	Servuse4	140	-	•	ROU	11/05/90
516	-	ShipToDoDAAC	3	FindUse(160,1,1,1ST/)	4	Z	11/05/90
516	-	ShipUnitMbr	120		m	RSE	11/05/90
516	-	Sh i pment Mode	521	-	•	RSE	11/05/90
516	-	SignalCode	5	-	۰	RFL	11/16/90
516	-	SourceDAte	150	_	7	THT	11/05/90
516	-	SourceD1C	150	-	-	THT	11/05/90
516	-	Spec	8	-	•	30	11/05/90
516	-	StatToDoDAAC	35	Finduse(160,2,1,/54/)	4	E	11/05/90
516	-	Suptondtode	110	-	m	108	11/05/90
516	-	SupStatus	8	-	-	RSI	11/05/90
516	-	TORIC	3	FindUse(160,1,1,10/)	•	=	11/05/90
516	-	UnitOf1ssue	S.	-	-	90	11/05/90
516	_	UnitPrice	99	-	4	8	11/05/90
517	-	AdviceCode	8	-	-	RAS	11/06/90
517	-	BatchCtlWbr	130	_	m	MYR.	11/06/90
517	-	BilitobabAc	2	Finduse(20,1,1,/8T/)	•	=	11/16/90
517	-	CutOffDate	130	-	~	1 28	11/06/90
517	-	010	5	-	-	RFL	11/06/90
517	-	Distribution	ន	_	~	RBT	11/06/90
517	-	DODAAC7	2	FindJse(20,1,1,/Y9/)	4	ī	11/06/90
517	-	DocNo	5	_	~	RFL	11/06/90
517	-	DocNoSuffix	5	-	m	RFL	11/06/90
517	-	Duebate	130	_	-	NY.	11/06/90
517	-	FundCode	R	-	-	RBT	11/06/90

P	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
517	-	ILCOData	8		•		11/04/90
517	-	N N	5	-	•	-	11/6/9/
517	-	MediaStatus	5	_	•	RFL	11/16/90
212	-	Mbr1n8atch	130	_	4	MVR	11/06/90
217	-	Partitor	20	-	2	REF	11/06/90
217	-	Priority	٤	_	-	ğ	11/06/90
215	-	ProgramCode	120	_	1 0	SHC	11/06/90
217	-	Project	2	_	2	405	11/06/90
217	-	Quantity	9	-	7	8	11/06/90
217	-	RIC	2	FindUse(20,1,1,/FR 10/)	4	£	11/06/90
217	-	ReceiptDate	130	-	s	MVR	11/06/90
217	_	Respbate	t	-	•	RFL	11/06/90
212	-	Serv0se2	110	-	7	2	11/06/90
212	-	Servise3	110	-	m	200	11/06/90
212	•	Servises	110	-	•	3 6	11/06/90
217	-	Shiptobobac	2	FindUse(20,1,1,/ST/)	•	=	11/06/90
517	-	SignalCode	5	-	۰	RFL	11/16/90
217	-	StatToDoDAAC	2	FindUse(20,2,1,/54/)	4	=	11/06/90
217	-	Transcate	5	-	•	RFL	11/06/90
217	-	UnitOffseue	07		-	8	11/06/90
217	5	BILLTOOODAC	1 20	FindUse(120,1,1,/81/)	•	=	11/16/90
217	5	CutOf foete	8	-	~	SHS	11/06/90
217	8	DIC	ዴ		-	RFL	11/06/90
217	5	Distribution	ន្ត	_	~	RBT	11/06/90
217	5	Doctio	2	_	~	RFL	11/06/90
517	5	DocHoSuffix	2		m	RFL	11/06/90
517	5	Duebate	8		m	SHI	11/06/90
217	5	FromRIC	120	Finds: (120,1,1,/FR/)	•	Ξ	11/06/90
517	5	FundCode	8	_	-	181	11/06/90
517	5	11ccoete	8	-	•	SHS	11/06/90
517	<u>\$</u>	NQ.	26	_	4	-	11/06/90
517	5	MediaStatus	2	-	•	RFL	11/16/90
217	5	NSM	20	-	~	REF	11/06/90
517	5	Priority	2	_	-	9	11/06/90
212	5	ProgramCode	\$	-	ب	SHS.	11/06/90

517 100 Project 70 1 517 100 Cauntity 60 1 517 100 Servines 110 1 517 100 Servines 110 1 517 100 Stratus 90 1 517 100 Stratus 90 1 517 100 Stratus 90 1 518 1 MedviceCade 80 1 518 1 Dates and Code 80 1 <th>71d TidSect</th> <th>sct Field</th> <th>SegmentSeq</th> <th>Usectr</th> <th>Element Seq</th> <th>Segmentid</th> <th>Date</th>	71d TidSect	sct Field	SegmentSeq	Usectr	Element Seq	Segmentid	Date
100 Quantity 40 100 Relbate 90 100 Servise3 110 100 Styles3 110 100 Styles3 110 100 Styles3 110 100 Status 90 100 UnitOfissue 40 11 BackOrder 10 11 BackOrder 10 12 DatePack7 130 13 DatePack8 130 11 DatePack8 130 11 DatePack8 130 11 DocNoSuffix 10 12 DocNo 10 13 DocNoSuffix 10 14 FMSCase 100 15 FMSCase 100 16 FMSScrocode 100 17 FMSScrocode 100 18 FMSScrocode 100 18 FMSScrocode 100 19 FMSScrocode 100 11 FMSScrocode 100 11 LatestDO 70 11 LatestDO 70 11 MedisStatus 10 11 MedisStatus 10		,			2	9	11/06/90
100 Relbate 90 100 Servise2 110 100 Servise3 110 100 SignalCode 120 100 SignalCode 10 100 Status 90 100 UnitOfissue 40 1 AdviceCode 80 1 BackOrder 10 1 Dit Pack 7 130 1 DatePack 7 130 1 DatePack 8 130 1 DatePack 8 130 1 DatePack 8 130 1 DemandCode 60 1 Distribution 20 1 DocNoSuffix 10 1 DocNoSuffix 10 1 FMSCase 100 1 FMSCase 100 1 FMSServCode 100 1 HMSServCode 100 1 HMSM 140 1 HMSM 140 1 PartNbr 40	•		0,4	-	2	80	11/06/90
100 Servise2 110 100 Servise3 110 100 SignalCode 10 100 Status 90 100 UnitOfissue 40 1 AdviceCode 80 1 BackOrder 10 1 Dit Paceback 130 1 DatePack 130 1 DatePack 130 1 DatePack 100 1 DocNo 10 1 DocNo 10 1 DocNo 10 1 DocNo 10 1 FMSCase 100 1 FMSCase 100 1 FMSCase 100 1 FMSServCode 100 1 ILPLineItem 110 1 LatestD0 70 1 LatestD0 70 1 HediaStatus 10 1 MediaStatus 10			8	_	•	SHZ	11/06/90
100 Servise3 110 100 ShipToOoDAAC 120 100 Status 90 100 Unitofissue 40 11 AdviceCode 80 11 BackOrder 10 11 DatePack8 130 11 DatePack8 100 11 DatePack8 100 11 FMSCase 100 11 FMSCase 100 11 FMSCase 100 11 FMSCase 100 11 FMSScrCode 100 11 FMSScrCode 100 11 FMSScrCode 100 11 FMSScrCode 100 11 FMSCase 100 11 FMSCas			110		2	ROU	11/06/90
100 ShipToDoDAAC 120 100 SignalCode 10 100 UnitOflasue 40 11 AdviceCode 80 11 BackOrder 10 11 BillToDoDAAC 160 11 DatePack8 130 11 DemandCode 60 11 DocNo 10 11 DocNo 10 11 DocNo 10 11 FMSCase 100 11 FM			110	-	m	ROU	11/06/90
100 SignalCode 10 100 Status 90 100 UnitOfissue 40 1 AdviceCode 80 1 BackOrder 10 1 BillToboDAAC 160 1 DatePack7 130 1 DatePack8 130 1 DatePack8 130 1 DocNoSuffix 10 1 DocNoSuffix 10 1 FMSCase 100 1				FindUse(120,1,1,/ST/)	4	E	11/06/90
100 Status 90 100 Unitofissue 40 1 AdviceCode 80 1 BeckOrder 10 1 Distribution 20 1 DostePack8 130 1 FMSCase 100 1 FMSCase 1000 1 F			\$	-	۰	RFL	11/16/90
100 Unitofissue 40 1 AdviceCode 80 1 BackOrder 10 1 Distribution 10 1 DatePack7 130 1 DatePack7 130 1 DatePack8 130 1 Dotte 60 1 Dotte 60 1 Dotte 70 1 EarliestD0 70 1 FMSCase 100 1 MSCASE 100 1		-	8	-	-	SHV	11/06/90
1 AdviceCode 80 1 BackGrder 10 1 D1C 10 1 DatePack7 130 1 DatePack8 130 1 DatePack8 130 1 DocNoSuffix 10 1 EarliestDO 70 1 FMSCase 100 1 FMSCase 100 1 FMSCase 100 1 FMSCase 100 1 FMSCuse 100 1 FMScuscase 100 1 FMScuccase 100 1 FMSCuscuscus 110 1 LatestDO 70 1 MediaStatus 10 1 DertNbr 40				-	-	80	11/06/90
BackOrder 10	518	1 AdviceCode	8	-	-	RAS	11/06/90
BillTobobAC 160	518	1 BackOrder	\$	_	^	RFL	11/06/90
Dic Dic Dateback7 130 Dateback8 130 Dateback8 130 DocNo 10 DocNo 10 Farifeath 10 Farifeath 100 Farifeath 110 Farifeath 110 LatestDO 70 MediaStatus 10 DomerCode 130 PartNbr 40 PartNbr 40	518	1 BillTobobA	_	Finduse(160,1,1,/BT/)	•	E	11/16/90
1 Dateback7 130 1 Dateback8 130 1 DomandCode 60 1 DocNo 10 1 DocNo 11 1 DocNoSuffix 10 1 FMSCase 100 1 FMSProgSup 100 1 FMSPr	518	1 010		-	-	RFL	11/06/90
1 Datebacks 130 1 DemandCode 60 1 DocNo 1 DocNo 1 DocNo 1 EarliestDD 70 1 FMSCase 100 1 FMSProgSup 100 1 FWMCOde 20 1 LatestDO 70 1 LatestDO 70 1 MediaStatus 10 1 DwnerCode 130	518	1 DatePack7	55	_	~	ICS	11/02/90
1 DemandCode 60 1 Distribution 20 1 DocNo 10 1 DocNoSuffix 10 1 EarliestDO 70 1 FMSCase 100 1 FMSProgSup 100 1 LatestDO 70 1 LatestDO 70 1 MediaStatus 10 1 DertNbr 40	518	1 DatePack8	55	-	•0	108	11/07/90
1 Distribution 20 1 DocNosuffix 10 1 EarliestDO 70 1 FMSCase 100 1 FMSFred 100 1 FMSFred 100 1 FMSFred 100 1 FMSFred 20 1 FMScucode 100 1 FMSSubcase 100 1 FMSCabcase 100 1 FMSCabcase 100 1 FMSCabcase 100 1 FMSCabcase 100 1 FundCode 20 1 FundCode 20 1 LatestDO 70 1 LatestDO 70 1 MediaStatus 10 1 DwnerCode 130	518	1 DemandCode	3	_	-	9	11/06/90
1 DocNo 1 DocNoSuffix 10 1 EarliestDD 70 1 FMSCase 100 1 FMSCase 100 1 FMSProgsup 100 1 FMSServCode 100 1 FMSSubcase 100 1 FromRIC 160 1 FromRIC 160 1 ILPLineItem 110 1 LatestDD 70 1 LatestDD 70 1 MediaStatus 10 1 OwnerCode 130	518	1 Distributio		-	~	787	11/06/90
1 DocNoSuffix 10 1 EarliestDD 70 1 FMSCase 100 1 FMSCase 100 1 FMSOfferRel 100 1 FMSServCode 100 1 FMSSubCase 100 1 FromRIC 160 1 PertNbr 40	518	1 DocNo	5	-	2	RFL	11/06/90
Earliest00 70 FMSCase 100 FMSCase 100 FMSProgSup 100 FMSSubCase 100 FMSSubCase 100 FMSSubCase 100 FromRIC 160	518	1 DocNoSuffix			m	RFL	11/06/90
FMSCase	518	1 EarliestDO	2	-	٠,	90	11/06/90
FMSFtfwdr 100 FMSOfferRel 100 FMSServCode 100 FMSSubcase 100 FMSSubcase 100 FromRIC 160 FromRIC 160 FromRIC 160 FromRIC 160 FromRIC 100	518	1 FMSCase	5	_	•••	ROF	11/06/90
FMSOfferRel	518	1 FMSFrtFudr	5	_	=	ROF	11/06/90
FMSProgSup 100 FMSServCode 100 FMSSubCase 100 FromRIC 160 I FromRIC 160 I ILPLineItem 110 ILPLineItem 110 ILPLineItem 110 ILPLineItem 110 IMDM 140 IMDM 14	518	1 FMSOfferRel	5	•	~	ROF	11/06/90
FMSServCode	518	1 FMSProgSup	5	_	٥	705	11/06/90
FMSSubcase	518	1 FMSServCode	•	-	9	ROF	11/06/90
1 FromRIC 160 1 FundCode 20 1 ILPLineItem 110 1 ILPYear 110 1 LatestD0 70 1 HDN 140 1 MediaStatus 10 1 OwnerCode 130 1 PartNbr 40	518	1 FMSSubcase	001	_	5	POF	11/06/90
1 FundCode 1 1LPLineItem 1 1LPVear 1 LatestD0 1 MDN 1 MediaStatus 1 OwnerCode 1 PartNbr	518	1 FromRIC	3 5	FindUse(160,1,1,/FR/)	•	ï	11/02/90
1 1LPLineitem 1 1LPYear 1 LatestD0 1 MDN 1 MediaStatus 1 OwnerCode 1 PartMbr	518	1 FundCode	2		-	RBT	11/06/90
1 1LPYear 1 LatestD0 1 MDN 1 MediaStatus 1 OwnerCode 1 PartMbr	518	1 ILPLineItem	_	-	•	ROE	11/06/90
1 LatestDD 1 MDN 1 MediaStatus 1 OwnerCode 1 PartNbr	518	1 1LPYear	110	-	s	ROE	11/06/90
1 MDN 1 MediaStatus 1 OwnerCode 1 PartNbr	518	1 LatestD0	2	-	•	ROP	11/06/90
1 MediaStatus 1 OwnerCode 1 1 PartNbr	518	NOH -	140	-	•	1	11/07/90
1 OwnerCode 1 1 PartNbr	518	1 MediaStatus		-	•••	RFL	11/16/90
1 PartNbr	518	1 OwnerCode	130	-	-	ICS	11/06/90
	518	1 PertMbr	07	-	~	REF	11/06/90

114	TidSect	Field	SegmentSeq	Usectr	ElementSeq	Segmentid	Date
518	-	Priority	٤	-	-	9	11/06/90
518	-	Project	130	-	4	ICS	11/06/90
518	-	Purpose	130	-	7	ICS	11/06/90
518	-	Quent ity	20	_	2	200	11/06/90
518	-	RDO	٤	-	m	806	11/06/90
518	-	ReceiptDate	9	-	•	RFL	11/06/90
518	-	ServUse2	150	_	~	20	11/07/90
518	-	ServUse3	150	-	m	ROU	11/07/90
518	-	Servuse4	150	_	•	ROU	11/07/90
518	-	Servise5	150	-	S	70	11/07/90
518	-	ShipToDoDAAC	3	Finduse(160,1,1,/ST/)	4	=	11/07/90
518	_	SignalCode	10	-	۰	RFL	11/16/90
518	-	Spec	٤	-	•	10	11/06/90
518	-	StatToDoDAAC	3	Finduse(160,2,1,/54/)	4	=	11/07/90
518	-	Status	230	_	-	RSI	3/05/91
518	-	Supcondcode1	120		7	ROY	11/06/90
518	-	Supcond Code 2	130	_	m	SOI	11/06/90
518		Toffic	3	Finduse(160,1,1,70/)	4	=	11/02/90
518	-	UnitOf Issue	2	-	-	8	11/06/90
519	-	AdviceCode	8	_	-	RAS	11/07/90
519	-	010	5	_	- -	RFL	11/02/90
519	-	Distribution	20	_	7	R 81	11/02/90
519	-	DocNo	2	_	7	RFL	11/07/90
519	-	DocNoSuffix	5	_	m	RFL	11/02/90
519	-	FundCode	2	_	-	RBT	11/02/90
\$19	-	No t dCode	2	_	'n	RSE	11/02/90
519	-	MediaStatus	2	_	••	RFL	11/16/90
519	-	MSM	0,4	-	~	REF	11/07/90
519	-	Priority	20	_	-	908	11/07/90
519	-	Quentity	30	-	~	8	11/07/90
519	-	RIC	8	Finduse(90,1,1,/FR 10/)	4	Ä	11/07/90
519	-	RecDoDAAC	8	FindUse(90,1,1,/RC/)	•	<u>.</u>	11/07/90
519	-	ReleaseDate	2	_	-	RSE	11/07/90
519	-	ServUse2	8	-	7	20	11/07/90
519	-	Serv/se3	8	-	m	NO.	11/07/90

B-248

114	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	Segment I d	Date
519	-	SignalCode		_	•	RFL	11/16/90
519	_	StatToDoDAAC	8	FindUse(90,2,1,/54/)	4	H	11/07/90
519	-	UnitOfissue	30		-	8	11/02/90
250	-	Aircode	8	-	=	FSI	11/02/90
220	-	AirDimension	8	_	13	FSI	11/07/90
\$20	-	Basis	8	_	5	FSI	11/02/90
\$20	-	Commode	8	_	•0	FSI	11/02/90
250	-	Country	ጽ	-	~	Rof	11/07/90
\$20	-	cros	8	_	^	FSI	11/07/90
520	-	CustTransNbr	8	_	~	FSI	11/02/90
520	•	o I C	t	_	- -	RFL	11/02/90
520	-	FMSCase	2	_	••	ROF	11/07/90
\$20	-	FNSFrtFwdr	ድ		=======================================	ROF	11/07/90
250	-	FMSNot iceNbr	8	_	-	FSI	11/02/90
520	-	FMSOfferRel	8	_	~	ROF	11/07/90
220	-	MediaStatus	5	_	€0	RFL	11/16/90
\$20	-	Nbrl ineitems	28	_	m	FSI	11/02/90
\$20	-	OfferDate	2	_	4	ROP	11/07/90
250	-	Pieces	8	-	s.	FSI	11/07/90
250	-	Priority	2	_	-	805	11/02/90
250	-	Project	2	-	~	9	11/02/90
520	-	RIC	9	Finduse(40,1,1,/FR TO/)	4	=	11/07/90
250	-	ReleaseCode	ន្ត		12	ROF	11/07/90
250	-	Service	ይ	_	•	ROF	11/07/90
250	-	Sh ipment Mode	8	_	7	FSI	11/07/90
250	-	TypeOfPack	26	-	4	FSI	11/07/90
520	-	Veight	8	_	•	FSI	11/07/90
520	5	010	5		-	RFL	11/02/90
520	\$	DocNo	5		2	RFL	11/07/90
520	5	DocNoSuffix	9	-	m	RFL	11/07/90
250	5	FMSCase	2	_	€0	ROF	11/07/90
2 50	5	FMSFrtFwdr	2	_	=	ROF	11/07/90
520	5	FMSOfferRel	2	_	^	ROF	11/07/90
520	5	FromRIC	8	FindUse(90,1,1,/FR/)	•	Ŧ	11/07/90
250	5	MediaStatus	5	-	•0	RFL	11/16/90

Page 15

Tid	TidSect	Field	SegmentSeq	Usectr	ElementSeq	Segment1d	Date
\$20	100	PartNbr	07		2	REF	11/07/90
520	100	Project	3	-	. 2	90	11/07/90
520	100	Quentity	8		ı ~ ı	0	11/02/90
520	100	8 00	3	-	m	Rop	11/02/90
520	1 00	Service	R	-	•	ROF	11/02/90
250	9	ShipidMbr	50	_	-	FSI	11/07/90
250	5	StatToDoDAAC	8	Finduse(90,2,1,/54/)	4	=	11/07/90
\$20	9	Transbate	8		4	ROP	11/07/90
250	6	UnitOf1ssue	20	_	-	800	11/07/90
521	-	AdviceCode	R	-	-	RAS	11/07/90
521	-	BilitopopAAC	5	Finduse(100,1,1,/81/)	4	=	11/16/90
521	-	DIC	5	-	-	RFL	11/07/90
521	-	DatePack7	2	-	7	105	11/07/90
521	_	DatePack8	8	-	•	ICS	11/07/90
521	-	Distribution	30	_	7	RBT	11/07/90
521	-	DocNo	t	_	2	RFL	11/07/90
521	-	DocNoSuffix	10	-	m	RFL	11/02/90
521	-	EarliestDD	8	-	5	Rop	11/02/90
521	-	FromRIC	901	FindUse(100,1,1,/FR/)	4	=	11/02/90
521	-	FundCode	8	-	-	RBT	11/02/90
521	_	LatestDD	8	-	4	ROP	11/02/90
521	-	Linel temilbr	20	-	7	PI	11/02/90
521	_		2	-	4	14	11/02/90
521	-	MediaStatus	ţ	-	•	RFL	11/16/90
521	_	PIIM	2	-	-	PI	11/02/90
521	-	PRN	02	-	ĸ	PI	11/07/90
521	-	PartNbr	2 0	-	7	REF	11/07/90
521	-	Priority	8	-	-	ROP	11/02/90
521	-	Project	8	•	7	ROP	11/07/90
521	_	Quantity	04	-	7	800	11/07/90
521	-	1 00	8	-	m	ROP	11/07/90
521	-	ServUse2	8	•	7	200	11/07/90
521	-	ShipToDoDAAC	1 00	FindUse(100,1,1,/ST/)	4	=	11/07/90
521	-	SignalCode	5		Φ.	RFL	11/16/90
521	-	Spec	\$	_	•	ROP	11/02/90

PE	Tidsect	Field	SegmentSeq	Usectr	ElementSeq	Segmentid	Date
521	-	StatToDoDAAC	9	Finduse(100,2,1,/54/)	*	=	11/02/90
521	-	Toffic	100 100	FindUse(100,1,1,/10/)	4	=	11/02/90
521	•-	UnitOfIssue	04	_	-	8	11/07/90
\$22	-	BilitoDoDAAC	8	Finduse(90,1,1,/81/)	4	Z	11/16/90
225	-	010	ō	_	-	RFL	11/02/90
225	-	DocNo	5	_	7	RFL	11/02/90
225	-	DocNoSuffix	5	_	m	RFL	11/02/90
225	-	FMSCase	8	_	•	ROF	11/02/90
225	-	FMSFrtFwdr	8	_	1	ROF	11/02/90
225	-	FMSOfferRel	8	_	~	ROF	11/02/90
525	-	FMSService	8	_	9	ROF	11/07/90
225	-	FromR1C	8	Finduse(90,1,1,/FR/)	•	=	11/07/90
225	-	LineitemMbr	2	_	~	14	11/07/90
525	-	MediaStatus	5	-	€0	RFL	11/16/90
\$22	-	MIId	R	-	-	14	11/07/90
225	-	PRN	2	-	'n	14	11/02/90
225	-	PartMbr	9	_	7	REF	11/07/90
525	-	Priority	20	-	-	90	11/07/90
225	-	Project	20	-	2	90	11/02/90
\$25		Quentity	8	-	~	800	11/07/90
\$22	•	Serv0se2	8	_	~	R 00	11/07/90
525	_	ShipToDoDAAC	8	Finduse(90,1,1,/ST/)	•	=	11/02/90
525	-	SignalCode	5	_	•	RFL	11/16/90
225	-	StatToDoDAAC	8	Finduse(90, 2, 1, /54/)	*	=	11/07/90
225	-	ToRIC	8	Finduse(90,1,1,710/)	•	=	11/07/90
\$22	-	UnitOflasue	S.	-	-	200	11/07/90
527	-	BILLTODODAAC	200	FindUse(200,0,1,/81/)	4	=	10/26/90
527	-	Callorder	6	-	m	PI Id	10/29/90
527	-	CorrectRIC	200	FindUse(200,0,1,/58/)	•	Ŧ	10/29/90
527	-	DIC	ţ	_	-	RFL	10/26/90
527	-	DatePack7	20	-	~	ICS	10/26/90
527	-	DatePack8	2	-	•	ICS	10/26/90
527	-	DeliverTo	200	Finduse(200,0,1,/01/)	4	=	10/26/90
527	-	Distribution	20	-	'n	ICS	10/30/90
527	_	Doctate	220	-	~	THT	1/24/91

114	TidSect	Field	SegmentSeq	Usectr	Elementseq	SegmentId	Date
527	_	DocNo	2		7	RFL	10/26/90
527	-	DocNoSuffix	10	-	m	RFL	10/26/90
527	-	FromRIC	200	Finduse(200,0,1,/FR/)	4	-	10/26/90
527	-	FundCode	110	-	_	RBT	10/26/90
527	-	GFMIgtCode	٤	-	-	JRL	10/29/90
527	-	InvType	220		m	THT	10/26/90
527	-	LineItemMbr	50	-	~	ы	10/26/90
527	-	LotSegNbr	220	-	4	THT	10/29/90
527	-	NO	50	*	4	ы	10/29/90
527	-	MediaStatus	5	_	€0	RFL	11/19/90
527	-	NSM	120	_	7	REF	10/26/90
527	-	OwnerCode1	20			ICS	10/29/90
527	-	Owner Code 2	2	-	7	108	10/29/90
527	-	PIIN	\$	-	-	PI	10/26/90
527	-	PostDate	150	_	,	RSE	10/29/90
527	-	Project	20	_	•	ICS	10/29/90
527	-	Quentity	30		~	202	10/26/90
527	-	RejectAdvice	230		2	TRI	10/29/90
527	-	RejectedD1C	0£Z		-	TRI	10/29/90
527	-	ReportRIC	200	Finduse(200,0,1,/55/)	•	=	10/26/90
527	-	ServUse1	210	_	-	ROU	10/26/90
527	-	Serv0se2	210	_	7	ROU	10/26/90
527	-	ServUse3	210	-	m	200	10/26/90
527	-	Servise4	210	-	4	ROU	10/29/90
527	-	ServUse5	210	-	10	ROU	10/29/90
527	-	Servuse6	210	_	•	30	10/29/90
527	-	ShipToDoDAAC	200	FindJse(200,0,1,/ST/)	4	Ξ	11/19/90
527	-	ShipmentNbr	150		м	RSE	10/29/90
527	-	SignalCode	10	-	٥	RFL	11/19/90
527	-	SourceDIC	220	-	-	THT	10/29/90
527	-	Status	230	_	m	TRI	10/29/90
527	-	Supcondcode	20	_	m	ICS	10/29/90
527	-	TORIC	200	FindUse(200,0,1,/10/)	4	Ŧ	10/26/90
527	-	UnitOfissue	30	-	-	800	10/26/90
527	-	UnitPrice	£	-	4	ğ	10/29/90

Tid	Tidsect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
528	-	AdviceCode	07	_	-	RAS	10/05/90
828	-	CoastDes	2	_	-	SPR	10/02/90
\$28	-	CorrectRIC	120	FindUse(120,0,1,/58/)	•	=	10/02/90
\$28	-	DIC	2	-	-	RFL	10/02/90
228	-	DelAddress	120	FindUse(120,0,1,/DT/)	4	Ξ	10/02/90
258	-	DocNo	2	-	7	RFL	10/02/90
258	-	DocNoSuffix	5	_	ĸ	RFL	10/02/90
\$28	-	FSC	8	-	m	INS	10/02/90
528	-	FromRIC	120	FindUse(120,0,1,/FR/)	•	.	10/02/90
228	-	W15	120	FindUse(120,0,1,/51/)	•	=	10/02/90
528	-	Genericsub	28	-	7	SPR	10/02/90
228	-	LeadTime	8	_	'n	SPR	10/02/90
528	-	#S#	20	_	~	REF	10/02/90
\$28	-	OriginAlC	120	FindUse(120,0,1,/RL/)	•	Ξ	10/02/90
528	-	PostDate	õ	-	•	RFL	10/02/90
528	-	Project	ደ	_	4	SOI	10/02/90
\$28	-	Purpose	ደ	_	~	ICS	10/02/90
\$28	-	Quentity	90	-	2	8	10/02/90
528	-	RIC	120	Finduse(120,0,1,/53/)	4	=	10/02/90
528	-	RejectAdvice	110	-	~	TRI	10/02/90
\$28	-	RejectedD1C	110	-	-	TRI	10/02/90
528	-	Routingold	8	-	-	INS	10/02/90
528	-	SPRStatus	26	_	4	SPR	10/02/90
\$28	-	ServUse2	5	_	7	5	10/02/90
528	-	Status	8	_	~	SNI	10/02/90
528	-	StatusCode	110	_	m	TRI	10/02/90
\$28	-	Supcondcode	٤	_	m	ICS	10/02/90
\$28	-	SupportDate	8	-	m	SPR	10/02/90
\$28	-	TORIC	120	Finduse(120,0,1,/10/)	•	ī	10/02/90
528	-	Unit of Issue	30		-	80	10/02/90
23	-	ΨC	07	_	~	٧c	10/02/90
28	-	CorrectRIC	8	Finduse(90,0,1,/58/)	•	ż	10/02/90
23	-	010	0	-	-	RFL	10/02/90
23	-	DocNo	0		~	RFL	10/02/90
\$29	-	DueInDate	9	-	••	AS	10/02/90

114	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	Segment1d	Date
\$29	-	FSC	3	_	m	SNI	10/02/90
25	-	FromR1C	8	FindUse(90,0,1,/FR/)	4	H.1	10/05/90
23	-	LeadTime	07	-	4	AS	10/02/90
2%	-	NSM	20	-	2	REF	10/02/90
523	-	OriginalC	8	FindUse(90,0,1,/RL/)	•	=	10/02/90
\$3	-	Pertind	07	-	~	AS	10/02/90
25	-	Quentity1	20	FindUse(50,0,1,/XLJA]/)	7	101	10/02/90
\$29	-	Quent i ty2	20	FindUse(50,0,1,/X[KB]/)	2	IoI	10/02/90
2%	-	Quantity3	20	FindUse(50,0,1,/X[LC]/)	7	101	10/02/90
2%	-	Quentity4	20	FindUse(50,0,1,/XD01/)	2	101	10/02/90
23	-	Quentity5	20	FindUse(50,0,1,/XE/)	2	101	10/02/90
25	-	Quent i tyXF	20	FindUse(50,0,1,/XF/)	~	101	10/02/90
23	-	RejectAdvice	R	-	7	TRI	10/02/90
23	-	RejectedDIC	R	-	-	TRI	10/02/90
\$3	-	ReplyDate	5	_	4	RFL	10/02/90
23	-	RequestCode	0,4	_	-	AS	10/02/90
25	-	Rout ing01C	3	_	-	SNI	10/02/90
25	-	ServUse1	2	_	-	1 00	10/02/90
2 3	-	SourceRIC	8	FindUse(90,0,1,/53/)	•	=	10/02/90
23	-	Status	8		~	SNI	10/02/90
2 %	-	StatusCode	R	_	m	TRI	10/02/90
23	-	TORIC	8	Finduse(90,0,1,/10/)	•	=	10/02/90
23	_	Unit of Issue	9		m	AS	10/02/90
\$2	-	ZeroDate	04	_	'n	AS	10/02/90
530	-	Callorder	R	_	m	PI	10/03/90
530	-	CorrectRIC	110	FindUse(110,0,1,/58/)	•	=	10/03/90
530	-	010	5	_	-	RFL	10/03/90
530	-	DatePack1	20	_	^	ICS	10/03/90
530	-	DatePack2	20		€0	ICS	10/03/90
530	-	DeliverTo	110	FindUse(110,0,1,/DT/)	4	<u>.</u>	10/22/01
530	-	DocNo	10	_	7	RFL	10/03/90
530	-	DocNoSuffix	5	_	m	RFL	10/03/90
530	-	DueInDate	8	_	-	LRS	10/29/90
530	-	FollowUpInd	8	-	•	LRS	10/03/90
530	-	FromRIC	110	FindUse(110,0,1,/FR/)	•	ī	10/29/90

11d	TidSect	Field	SegmentSeq	Usectr	ElementSeq	SegmentId	Date
530	-	GFIMgtCode	8			류	10/30/90
530	-	GainingRIC	110	FindUse(110,0,1,/51/)	•	=	10/03/90
530	-	LineitemNbr	ደ	-	2	-	10/29/90
530	-	MSM	07		2	REF	10/03/90
530	-	Omer	20	-	- -	ICS	10/29/90
530	-	PIIN	2		-	Id	10/03/90
530	-	Project	20	-	4	ICS	10/29/90
530	-	Purpose	8	-	~	ICS	10/29/90
530	-	Quant ity	2		2	8	10/03/90
530	-	Recount	26		m	LRS	10/29/90
530	-	RejectedD1C	8	-	-	TRI	10/03/90
530	-	RetOvent	8	_	~	LRS	10/29/90
530	-	ServUse1	5	_	-	1 00	10/29/90
530	-	ServUse2	90	-	2	100	10/03/90
530	-	Serv/se3	5	-	m	201	10/03/90
530	-	Servüsek	5	-	4	10	10/03/90
530	-	Serv0se5	50	-	ĸ	ROU	10/03/90
530	-	SupAdd	5	-	7	ROU	10/29/90
530	-	Supcondcode	8	-	7	ICS	10/30/90
530	-	SupStatus	8	-	m	LRS	10/29/90
530	-	Tollic	10	FindUse(110,0,1,/10/)	4	ī	10/03/90
530	-	TransDate	8		-	LRS	10/29/90
530	-	UnitOf Issue	2	-	-	20	10/03/90
532	-	ADPEId	150	-	~	OSI	10/30/90
535	-	AdviceCode	26		-	RAS	10/03/90
532	-	BackOrder	3 5	Finduse(160,0,1,/54/)	•	=	10/30/90
532	-	BILITODODAAC	3 6	Finduse(160,0,1,/BT/)	4	=	11/19/90
532	-	CorrectRIC	3 6	FindUse(160,0,1,/58/)	•	ï	10/30/90
532	-	DIC	5	-	-	RFL	10/03/90
532	-	DatePack7	6	-	4	ICS	10/30/90
532	•	DatePackS	5	-	•	ICS	10/30/90
532	-	Demilitar	150	-	5 0	DSI	10/30/90
532	-	DispAuth	150	-	m	180	10/30/90
532	-	Distribution	6	_	50	ICS	10/30/90
532	-	DocNo	9	-	~	RFL	10/29/90

Tid	TidSect	Field	SegmentSeq	Usectr	ElementSeq	SegmentId	Date
532	-	DocNoSuffix	5	-		RFL	10/29/90
532	-	FromRIC	35	Finduse(160,0,1,/FR/)	4	=	10/30/90
532	-	FundCode	20	_	-	ROB	10/30/90
532	-	GFMMgtCode	07	_	-	JRL	10/30/90
532	-	InvType	130	-	m	THT	10/30/90
532	-	LotSegNbr	130		4	THT	10/30/90
532	-	MediaStatus	5		••	RFL	11/19/90
532	-	Metal Ind	150	_	-	DSI	10/30/90
532	-	Orignate	130	_	7	THT	10/30/90
532	-	OwnerCode	5	_	-	ICS	10/30/90
\$32	-	PartNbr	20	_	7	REF	10/29/90
532	-	Priority	٤	_	-	ROP	10/30/90
532	-	Project	ደ	_	7	ROP	10/30/90
532	-	Purpose	1 00	-	7	108	10/30/90
532	-	Quent ity	30		7	20	10/29/90
532	-	R D0	2	-	M	ROP	10/29/90
532	_	RDDEarliest	R	_	'n	ROP	10/22/01
532	-	RDDLatest	2		4	90	10/29/90
532	-	RDDSpec	2	-	•	ROP	10/22/01
532	-	Reclamation	150	_	•	ISO	10/30/90
532	-	RejectAdvice	120	_	~	TRI	10/30/90
532	-	RejectedD1C	120	_	-	TRI	10/30/90
532	-	RetQuantity	20	_	5	800	10/30/90
532	-	ServUse1	140	_	-	200	10/30/90
532	-	ServUse2	140	_	8	202	10/29/90
532	-	Serv/Jse3	140	-	М	200	10/30/90
532	-	Servuse4	140	_	4	200	10/30/90
532	-	Serv0se5	140		.	80 0	10/30/90
532	-	Shiptobobac	3	Finduse(160,0,1,/ST/)	4		11/19/90
532	-	SignalCode	£		٥	RFL	11/19/90
532	-	SourceDIC	130	•	-	THT	10/30/90
532	-	Status	120	-	m	TRI	10/30/90
532	-	StorageRIC	3 5	finduse(160,0,1,/SH/)	4	Ē	10/30/90
532	-	Supcondcode	5	-	m	SOI	10/30/90
532	-	ToRIC	091	Finduse(160,0,1,/T0/)	4	=	10/03/90

T - P1.1	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	Segment 1d	Date
532	-	TransDate	01		4	- E	10/30/90
532	-	UnitOfissue	30	_	_	8	10/29/90
533	-	CorrectRIC	140	FindUse(140,0,1,/58/)	•	=	10/30/90
533	-	DIC	10	_	-	RFL	10/30/90
533	-	DatePack7	9	•	~	108	10/30/90
533	-	DatePack8	07	-	€0	ICS	10/30/90
533	-	Distribution	0,	•	1 0	ICS	10/30/90
533	-	DocNo	1	-	2	RFL	10/30/90
533	-	DocNoSuffix	10	_	m	RFL	10/30/90
533	-	EffectDate	20	_	7	IAI	10/30/90
533	-	Errclasscode	20	•	-	IAI	10/30/90
533	-	GFIMIgtCode	8	_	-	JRL	10/30/90
533	-	InvType	28	_	m	THT	10/30/90
533	-	LosingRIC	140	Findbse(140,0,1,/52/)	•	=	10/30/90
533	-	LotSegNbr	26	-	4	THT	10/30/90
533	-	OwnerCode	04	-	-	ICS	10/30/90
533	-	MIId	130	-	-	PI	10/30/90
533		PartNbr	8	-	7	REF	10/30/90
533	-	Project	9	-	•	ICS	10/30/90
533	-	Purpose	9	-	2	ICS	10/30/90
533	-	Quantity	2	-	7	800	10/30/90
533	-	#IC	140	FindUse(140,0,1,/FR 56/)	•	=	10/30/90
533	-	RejectAdvice	8	_	~	TRI	10/30/90
533	-	RejectedDIC	8	_	-	TRI	10/30/90
533	-	SerWse2	5	-	~	ROU	10/30/90
533	-	Serv1se3	100		m	204	10/30/90
533	-	Servises	5	_	4	ROU	10/30/90
533	-	Servise5	5	_	5	ROU	10/30/90
533	-	Servise6	90	-	•	ROU	10/30/90
533	-	Servise7	5	-	^	ROU	11/14/90
533	-	SourceDIC	2	-	-	THT	10/30/90
533	-	SourceDate	8	-	7	THT	10/30/90
533	-	Status	8	-	m	TRI	10/30/90
533	-	Supcondcode	04		m	108	10/30/90
533	-	ToOwnerCode	07	2	-	SOI	10/30/90

c	3 <u>3</u> 3 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Finduse(140,0,1,/10/) 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N4 N4 - 4 N4 4 N N - 7 6 N - 7	M 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10/30/90 10/30/90 10/30/90 10/30/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90
1 ToRIC 1 ToSupCode 1 TransDate 1 UnitPrice 1 UnitPrice 1 ControlNbr 1 CourtolNbr 1 CountDate 1 CountDate 1 DatePack1 1 DatePack2 1 Distribution 1 FromRIC 1 GFMMgtCode 1 InfloatDate	3 3 5 8 8 9 8 9 8 9 8 8 8 8 8 8 8 8 8 8 8 8	FindUse(140,0,1,/T0/) 2 1 1 1 1 1 1 1 1 1 1 1 1	4 M 4 - 4 M 4 4 A A A A A B 5 - 6	M1 1CS 7 P P C 7	10/30/90 10/30/90 10/30/90 10/30/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90
1 ToSupCode 1 TransDate 1 UnitOfissue 1 UnitPrice 1 ConrectRIC 1 CountDate 1 CutOffDate 1 DatePack1 1 DatePack2 1 DatePack2 1 DatePack2 1 Distribution 1 FromRIC 1 GFMMgtCode 1 InfloatDate	3	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 4 - 4 5 4 4 7 7 1 - 7 6 5 5 - 1	20	10/30/90 10/30/90 10/30/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90
1 TransDate 1 Unitofissue 1 Unitprice 1 ControlWbr 1 CorrectRIC 1 CountDate 1 CutOffDate 1 DatePack1 1 DatePack1 1 DatePack2 1 Distribution 1 ErrorCode 1 FromRIC 1 GFMMgtCode 1 InfloatDate	5 5 5 5 5 5 5 8 5 8 5 8 5 5 5 5 E		4-454400-F055-	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10/30/90 10/30/90 10/30/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90
1 Unitofissue 1 Unitorice 1 ControlWbr 1 CorrectRIC 1 CountDate 1 CutOffDate 1 DistPack1 1 DatePack1 1 DatePack2 1 Distribution 1 ErrorCode 1 FromRIC 1 GFMMgtCode 1 InfloatDate	2 2 2 2 2 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2	finduse(120,0,1,/58/) i i i i finduse(120,0,1,/FR/)	-454422-655-	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	10/30/90 10/30/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90
1 UnitPrice 1 ControlWbr 1 CountDate 1 CountWbr 1 CutOffDate 1 DatePack1 1 DatePack1 1 DatePack1 1 Distribution 1 ErrorCode 1 FromRIC 1 GFMMgtCode	2	finduse(120,0,1,/58/) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 10 4 4 0 0 0 F F 60 10 F	PIC	10/30/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90
1 ControlNbr 1 CountDate 1 CountNbr 1 CutOffDate 1 DatePack1 1 DatePack2 1 Distribution 1 ErrorCode 1 FromRIC 1 GFWMSTCOde	3 ½ 3 3 8 2 8 8 8 8 ½ £	finduse(120,0,1,/58/) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N 4 4 N N - F 60 N	MI PIC PIC PIC PIC PIC PIC PIC PIC PIC PI	10/02/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90
1 CountDate 1 CountWbr 1 CutOffDate 1 D1C 1 DatePack1 1 DatePack2 1 Distribution 1 ErrorCode 1 FromRIC 1 GFMMgtCode	5	Finduse(120,0,1,/56/) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4400-760-	MI PIC IRN RFL ICS ICS ICS	10/02/90 10/02/90 10/02/90 10/02/90 10/02/90 10/02/90
1 Countibre 1 Countibr 1 CutoffDate 1 D1C 1 DatePack1 1 DatePack2 1 Distribution 1 ErrorCode 1 FromRIC 1 GFMMgtCode	3 3 8 2 8 8 8 8 <u>8</u> 8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	400-105-	PIC IRN IRN ICS ICS	10/02/90 10/02/90 10/02/90 10/02/90 10/02/90
1 Countibr 1 CutOffDate 1 D1C 1 DatePack1 1 DatePack2 1 Distribution 1 ErrorCode 1 FromRIC 1 GFMMgtCode	3 8 2 8 8 8 8 <u>8</u> 8	1 1 1 1 1 1 1 FindUse(120,0,1,/FR/)	N N - F 60 15	7	10/02/90 10/02/90 10/02/90 10/02/90
1 CutOffDate 1 D1C 1 DatePack1 1 DatePack2 1 Distribution 1 ErrorCode 1 FromRIC 1 GFWMgtCode 1 InfloatDate	8 5 8 8 8 8 5 8	1 1 1 1 1 1 FindUse(120,0,1,/FR/)	N - F 60 IN	F F F F F F F F F F F F F F F F F F F	10/02/90 10/02/90 10/02/90 10/02/90
1 DatePack1 1 DatePack2 1 Distribution 1 ErrorCode 1 FromBIC 1 GFWHGTCode	= 8 8 8 8 <u>8</u> 8	1 1 1 1 1 FindUse(120,0,1,/FR/)	- N 60 IN - 1	7.1. S3.1. S3.1. S3.1. S3.1.	10/02/90 10/02/90 10/02/90
1 DatePack1 1 DatePack2 1 Distribution 1 ErrorCode 1 FromBIC 1 GFMMgtCode	8888 <u>8</u> 8	1 1 1 1 FindUse(120,0,1,/FR/)	► 60 In − •	ន ន ន :	10/02/90
1 DatePack2 1 Distribution 1 ErrorCode 1 FromRIC 1 GFMMgtCode	ខ ខនៈ ខ្ទុ	1 1 1 FindUse(120,0,1,/FR/)	60 IO ← √	S21 :	10/02/90
1 Distribution 1 ErrorCode 1 FromRIC 1 GFMMgtCode 1 InfloatDate	8 2 2 2	1 1 Finduse(120,0,1,/FR/)	ю -	ICS	
1 FromRIC 1 Grangicode 1 Grangicode 1 InfloatDate	8 5 8	1 FindUse(120,0,1,/FR/)			10/02/90
1 FromRIC 1 GFMMgtCode 1 InflostDate	55 52	Finduse(120,0,1,/FR/)	•	3	10/02/90
1 GFMgtCode 1 InfloatDate	۶		•	Ξ	10/02/90
1 InfloatDate		-	-	JRL	10/02/90
	26	_	m	N.	10/02/90
1 InvCategory	8	-	m	101	10/02/90
1 InvCode	8	_	~	101	10/02/90
1 InvType	28	-	-	IRN	10/02/90
1 LotSegNbr	04	_	^	PIC	10/02/90
1 Moldentifier	04	_	•	PIC	10/02/90
1 NSM	2	_	7	REF	10/02/90
1 OwnerCode	8	-	-	SOI	10/02/90
1 Project	3	-	4	ICS	10/02/90
1 Purpose	8	-	7	ICS	10/02/90
1 Quentity	07	-	-	PIC	10/02/90
1 RejectAdvice	100	_	8	TRI	10/02/90
1 RejectedDIC	100	_	-	TRI	10/02/90
1 Servise2	110	_	~	ROU	10/02/90
1 Servise3	110	_	m	100	10/02/90
1 Servises	110	_	4	ROU	10/02/90
Antibras	10	_	•	202	10/02/90
1 Servises 1 Servises 1 Servises	5555			N PM - 42 - 40	2 ROU 3 ROU 6 ROU 8 ROU

PIL	Tidsect	Field	SegmentSeq	UseCtr	ElementSeq	Segment1d	Date
534	-	ShelfLife			-	101	10/02/90
534	-	Status	001	_	m	TRI	10/02/90
534	-	SubsistPack	3	_	•	ICS	10/02/90
534	-	SupcondCode	8	_	m	108	10/02/90
534	-	TORIC	120	FindUse(120,0,1,/10/)	•	=	10/02/90
534	-	Unit of Issue	07	_	m	PIC	10/02/90
\$35	-	AccountUIC	8	FindUse(90,0,1,/57/)	4	=	10/02/90
\$35	-	DIC	2		-	RFL	10/02/90
535	_	Docko	ç	-	~	RFL	10/02/90
535	-	DockoSuffix	5	_	m	RFL	10/02/90
535	-	EffectDate	30	_	4	SAS	10/02/90
535	-	NSM	2	_	7	REF	10/02/90
535	-	Mesassa	2	~	~	REF	10/02/90
535	-	MewSerialMbr	9	_	12	III	10/02/90
535	-	RejectCode	30	_	m	SAS	10/02/90
535	-	RejectDate	20	_	•	SAS	10/02/90
535	_	Report IngUIC	8	findbae(90,0,1,/RL/)	4	Ξ	10/02/90
535	-	SerialMbr	9	_	-	Įų.	10/02/90
535	-	Serv0se2	26		~	Rou	10/02/90
535	-	ShipToDoDAAC	8	Finduse(90,0,1,701/)	4	Ξ	10/02/90
535	-	TORIC	8	Finduse(90,0,1,70/)	4	=	10/02/90
535	-	Transcode	26	_	-	SAS	10/02/90
535	-	TransDate	ţ	_	•	RFL	10/02/90
536	-	BuyDate	ន្ត	_	4	10	4/11/91
536	-	Control	8	_	٥	15	4/11/91
536	-	cube	ន្ត	-	~	1 0	4/11/91
536	-	DIC	5	_	-	RFL	4/11/91
536	-	Deteind	20	_	~	2	4/11/91
536	-	Demonte	30	-	'n	2	16/11/4
536	-	Duelro	9	FindUse(40,0,1,/YV/)	~	OTY .	4/11/91
536	-	Enchate	8		2	#G#	4/11/91
536	-	EssentCode	8	-	€0	1 0	4/11/91
536	-	ExtOpt	2		Ξ	2	16/11/7
536	-	From	ક	Finduse(60,0,1,/FR/)	∢	E	4/11/91
536	-	LeadTime	8	-	~	25	4/11/91

114	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	Segment 1d	Date
536	-	NSM	2		~	REF	4/11/91
536	-	MSN2	2	Finduse(20,1,1,/85/)	7	REF	4/11/91
538	-	OnHendA	07	Finduse(40,0,1,/YU/)	~	QTY	4/11/91
53%	-	Reviewind	30	-	-	1 0	4/11/91
538	-	Subbate	9	_	4	RFL	4/11/91
33.	-	TORIC	8	Finduse(60,0,1,/10/)	4	=	4/11/91
538	-	Total	8	-	5	M CH	4/11/91
536	-	Weight	30	_	m	20	4/11/91
538	5	BackLines	2	Finduse(20,0,1,/XZ/)	~	QTY	4/12/91
33	5	BackQuant	2	FindUse(20,0,1,/XH/)	8	OTY	4/12/91
536	5	CritCode	20		-	RGT	4/11/91
536	100	Demfreq	2	FindUse(20,0,1,/YB/)	~	QTY	4/12/91
536	5	Demouant	2	Finduse(20,0,1,/YA/)	7	OTY	4/12/91
536	100	Description	8		~	NTE	4/11/91
538	5	DueInDate	5	_	4	£	4/11/91
538	5	Duelna	2	Finduse(20,0,1,/xG/)	~	QTY	4/11/91
538	5	Nistind	20	-	•0	RGT	4/11/91
536	5	Inep	20	-	m	RGT	4/11/91
536	5	Insplype	20	-	•	RGT	4/11/91
538	5	OnHendo	8	findUse(20,0,1,/17/)	7	QTY	4/12/91
536	5	OwnerCode	20	-	-	ICS	4/12/91
536	5	PSK	5	-	~	£	4/12/91
538	5	Packind	20	-	7	RGT	4/11/91
536	5	Purlind	20	_	۰	RGT	4/11/91
536	5	Purpose	30	_	~	ICS	4/12/91
53%	5	ONTO	2	FindUse(20,0,1,/YE/)	2	QTY	4/12/91
536	5	OTMDC	2	FindUse(20,0,1,/YF/)	~	OTY	4/12/91
536	100	OTRO	8	Finduse(20,0,1,/YC/)	~	OTY	4/12/91
538	5	QIRDC	2	FindUse(20,0,1,/YD/)	~	QTY	4/12/91
536	5	02ND	2	Finduse(20,0,1,/YJ/)	~	OTY	4/12/91
236	100	02MDC	2	FindUse(20,0,1,/YK/)	~	OTY	4/12/91
538	5	Q2R0	20	FindUse(20,0,1,/YG/)	7	OTY	4/12/91
536	001	Q2RDC	2	FindUse(20,0,1,/YH/)	2	QTY	4/12/91
538	100	03MD	20	Finduse(20,0,1,/\\)	7	QTY	4/12/91
236	100	Q3NDC	20	Finduse(20,0,1,/YP/)	7	QTY	4/12/91

PIL	TidSect	Field	SegmentSeq	Usectr	ElementSeq	Segment 1d	Date
536	901	43RD	8	FindUse(20,0,1,/YL/)	7	0TY	4/12/91
536	5	Q3R DC	2	FindUse(20,0,1,/YM/)	~	ΔŢ	4/12/91
536	5	OKNO	2	FindUse(20,0,1,/YS/)	~	710	16/21/4
536	5	O4NDC	ዴ	Finduse(20,0,1,/YT/)	7	414	4/12/91
536	5	O4RD	ዴ	FindUse(20,0,1,/Yq/)	7	QTY	4/12/91
536	2 0	O4RDC	ଛ	FindUse(20,0,1,/YR/)	2	QTY	4/12/91
536	5	3 1C	07	FindUse(40,0,1,/L0/)	•	# *	4/12/91
536	\$	ReorderLevel	2	Finduse(20,0,1,/YW/)	2	QT.	4/12/91
536	2	SHRCode	20	-	•	RGT	4/11/91
536	5	StorRIC	9	FindUse(40,0,1,/RC/)	•	=	16/11/9
536	5	SupCode	8	-	m	108	16/21/4
536	5	Test	%	-	~	RGT	4/11/91
536	5	TypeInd	5	-	m	€ #	4/11/91
536	5	Warduant	2	FindUse(20,0,1,/XJ/)	~	QTY	4/12/91
53%	8	AMC	2	-	5	8 60	4/11/91
538	20	AMCSUffix	2	-	7	RGC	4/11/91
536	20	AmtCode	8	_	4	RGC	4/12/91
55 55	2 00	AwardDate	8		•	RGC	4/11/91
538	0 2	Bustype1	8	_	~	RGC	4/11/91
8	500	BusType2	8		••	RGC	4/11/91
536	20	CAGEDes	9	FindUse(40,0,1,/27/)	4	=	4/11/91
53.	5 00	CAGESUP	04	FindUse(40,0,1,/5U/)	~	=	4/11/91
538	00	CAOCode	9	FindUse(40,0,1,/29/)	2	=	4/12/91
538	8	CL IN	5	-	~	14	4/11/91
538	200	Cher.	2	-	=	302	4/11/91
538	9 02	ConType	ន		17	RGC	4/11/91
538	5 00	crit	2	-	12	RGC	4/11/91
538	5 00	DelDate	20	-	5	RGC	16/11/7
53%	2 2	Manager	07	Finduse(40,0,1,/29/)	4	=	4/11/91
536	8 02	PIIM	5	_	-	1	4/11/91
536	8 8	PSN1	8	FindUse(20,0,1,/UX/)	~	6 1	4/11/91
536	8	PSN2	8	FindUse(20,2,1,/UX/)	~	6	4/11/91
536	200	PSN3	8	FindUse(20,3,1,/UX/)	7	6 1	4/11/91
536	200	DSN4	2	Finduse(20,4,1,/UX/)	~	6	4/11/91
536	200	PartNbr	20	_	~	REF	4/11/91

16/01/5

356 200 Percent1 30 1 RGC 356 200 Outstity 30 1 RGC 356 200 Outstity 30 1 RGC 356 200 Unitoricane 30 1 RGC 356 200 Unitoricane 30 1 RGC 356 200 Unitoricane 30 1 RGC 357 1 Correctatic 80 Findlac(80,0,1,7RA) 4 HI 357 1 BCOTTORICA 80 Findlac(80,0,1,7RA) 2 REF 357 1 BLOCATICANE 80 Findlac(80,0,1,7RA) 2 REF 357 1 BLOCATICANE 80 Findlac(80,0,1,7RA) 2 REF 357 1 BLOCATICANE 80 Findlac(80,0,1,7RA) 2 REF 357 1 Reporticale 40 1 A REF 357 1 Re	PIL	Tidsect	Fleid	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
200 Percent 2 30 1 1 5 5 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6	536	200	Percent 1	30	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•	gc	4/11/01
200 Ouantity 30 1 200 Shiphate 30 1 200 Unitofissue	538	8	Percent2	30	_	5	258	4/11/91
200 SPILM 200 Unitprice 30 1 200 Unitprice 40 Unitprice 40 1 200 Unitprice 40 Uni	536	200	Quantity	30	-	'n	202	4/11/91
200 Shipbare 30 1 200 Unitoricates 40 1 200	538	8 2 8	SPIIN	10	-	M	14	16/11/4
200 Unitofisace 30 1 200 Unitofisace 30 1 1 CorrecteIC 80 Findbac(80,0,1,78/) 1 Fromfic 80 Findbac(80,0,1,78/) 1 NSM 1 NSM 1 NSM 1 Output (yol 50 Findbac(80,0,1,78/) 1 QuantityOl 50 Findbac(50,0,1,78/) 1 RejecteOl 60 1 1 ReportCode 40 1 1 ReportCode 40 1 1 ReportCode 40 1 1 ReportCode 40 1 1 ReportCode 60 1 1 Servine 60 1 2 Servine 60 1 3 Servine 60 1 3 Servine 60 1 4 Servine 60 1 5 Servine 60 1 6 Findbac(80,0,1,75/) 1 Supcord 50 Findbac(80,0,1,78/) 1 Supcord 50 Findbac(80,0,1,78/) 1 Supcord 60 1 1 Colic 80 Findbac(80,0,1,78/) 1 Supcord 60 1 1 Tokic 60 1 1 Tokic 60 1 1 MSM 60 1 1 NSM 1 N	536	200	Shipbate	30	-	\$	RGC	4/11/91
Corrected 30 1 1 1 1 1 1 1 1 1	536	8 2 8	Unit of Issue	30		-	8 60	16/11/5
CorrectRIC	538	200	UnitPrice	30	-	m	RGC	4/11/91
DIC 10 1 1 1 1 1 1 1 1	537	-	CorrectRIC	26	Findbse(80,0,1,/58/)	4	Ξ	10/01/90
FromRIC 80 Finduse(80,0,1,/FR/) NSM 30 1 NBOTTERS 40 1 NBOTTERS 40 1 OuantityOH1 50 Finduse(50,0,1,/TZ/) OuantityOH2 50 Finduse(50,0,1,/TZ/) RejectedDIC 60 1 RejectedDIC 60 1 ReportDate 60 1	537	-	010	5	-	-	RFL	10/01/90
MSN Moderation Miss Moderation Miss Mis	537	-	FromRIC	8	Finduse(80,0,1,/FR/)	4	~	10/01/90
Whoffrens	537	-	NSN	30	-	2	REF	10/01/90
QuantityOl 50 Findbac(50,0,1,/KG/) QuantityOl 50 Findbac(50,0,1,/T/) 2 1 QuantityOld 50 Findbac(50,0,1,/T/) 2 1 RejectAdvice 60 1 RejectAdvice 70 1 RejectA	537	-	NbrofTrans	07	-	m	ASR	10/01/90
QuantityOH1 SO Finduse(50,0,1,177) QuantityOH2 SO Finduse(50,2,1,777) QuantityOH2 SO Finduse(50,0,1,707) QuantityOH2 SO Finduse(50,0,1,707) RejectAdvice 60 1	537	-	Quentity01	20	Finduse(50,0,1,/XG/)	2	191	10/01/90
QuantityOHZ SO FindUse(S0,2,1,/TV) QuantityR SO FindUse(S0,0,1,/XV) QuantityR SO FindUse(S0,0,1,/XV) RejectedDiC 60 1 RejectedDiC 60 1 ReportCode 40 1 ReportRic 80 FindUse(80,0,1,/S5/) ServUse2 70 1 ServUse3 70 1 Status 60 1	537	-	QuantityOH1	20	Finduse(50,0,1,/17/)	~	101	10/01/90
1 QuantityR 50 FindUse(50,0,1,/XV) 2 1 QuantityR 50 FindUse(50,0,1,/XV) 2 2 1 RejectedNice 60 1 1	537	-	QuentityOH2	20	FindUse(50,2,1,/17/)	2	101	10/01/90
QuantityRO SO Finduse(50,0,1,/XV/) RejectedDiC 60 1	537	-	Quent ! tyR	20	finduse(50,0,1,/XU/)	7	101	10/01/90
RejectAdvice 60 1	537	-	QuentityRO	20	finduse(50,0,1,/XV/)	7	101	10/01/90
RejectedDIC 60 1	537	-	RejectAdvice	8	-	7	TRI	10/01/90
ReportCode	537	-	RejectedDIC	8		-	TRI	10/01/90
ReportBate	537	-	ReportCode	9	-	-	ASR	10/01/90
1 ReportRIC 80 FindUse(80,0,1,/55/) 1 ServUse2 70 1 1 ServUse4 70 1 1 Status 60 1 1 StorageRIC 80 FindUse(80,0,1,/56/) 1 Supcond1 50 FindUse(50,0,1,/17/) 1 Supcond2 50 FindUse(80,0,1,/17/) 1 Unitofissue 20 1 1 Unitofissue 20 1 1 FromRIC 40 FindUse(40,0,1,/FR/) 1 NSN 80 1 1 NbrOffrens 10 1	537	-	Reportbate	9	-	7	ASR	10/01/90
1 Servise2 70 1 1 Servise3 70 1 1 Status 60 1 1 Status 60 1 1 StorageRIC 80 FindUse(80,0,1,/56/) 1 Supcord1 50 FindUse(50,0,1,/17/) 1 Supcord2 50 FindUse(50,0,1,/17/) 1 TORIC 80 FindUse(80,0,1,/17/) 1 LinitOfissue 20 1 1 DIC 10 1 1 NSN 80 1 3 Servise2 70 1 4 40 FindUse(40,0,1,/FR/) 1 NSN 80 1 3 Servise3 70 1 4 4 4 6 FindUse(40,0,1,/FR/) 1 NSN 80 1	537	-	ReportRIC	2	FindUse(80,0,1,/55/)	4	Ξ	10/01/90
1 Servise3 70 1 1 servise4 70 1 1 Status 60 1 1 StorageRIC 80 FindUse(80,0,1,/56/) 1 SupCond1 50 FindUse(50,0,1,/17/) 1 SupCond2 50 FindUse(50,2,1,/17/) 1 TokIC 80 FindUse(80,0,1,/17/) 1 Unitofissue 20 1 1 DIC 10 1 1 NSN 80 1 1 NbrOffrens 10 1	537		Serv/Jse2	٤		~	ROU	10/01/90
1 Status 60 1 1 Status 60 1 1 StorageRIC 80 FindUse(80,0,1,/56/) 1 SupCond1 50 FindUse(50,0,1,/17/) 1 SupCond2 50 FindUse(50,2,1,/17/) 1 ToRIC 80 FindUse(80,0,1,/17/) 1 Unitofissue 20 1 1 Unitofissue 20 1 1 DIC 10 1 1 NSN 80 1 1 NbrOffrens 10 1	537	-	ServUse3	2	-	m	ROU	10/01/90
1 Status 60 1 1 StorageRIC 80 FindUse(80,0,1,/56/) 1 SupCond1 50 FindUse(50,0,1,/17/) 1 SupCond2 50 FindUse(50,2,1,/17/) 1 TORIC 80 FindUse(80,0,1,/17/) 1 Unitofissue 20 1 1 Unitofissue 20 1 1 DIC 10 1 1 NSN 80 1 1 NbrOffrens 10 1	537	-	servises	2	-	4	ROU	10/01/90
1 StorageRIC 80 FindUse(80,0,1,/56/) 1 SupCond1 50 FindUse(50,0,1,17/) 1 SupCond2 50 FindUse(50,0,1,17/) 1 TORIC 80 FindUse(80,0,1,17/) 1 Unitofissue 20 1 1 Unitofissue 20 1 1 In 1 1 In 1 1 NSN 80 1 2 NbrOffrens 10 1	537	-	Status	8	-	m	TRI	10/01/90
1 SupCond1 50 FindUse(50,0,1,/17/) 1 SupCond2 50 FindUse(50,2,1,/17/) 1 TORIC 80 FindUse(80,0,1,/10/) 1 Unitofissue 20 1 1 Unitofissue 20 1 1 bic 10 1 1 bic 10 1 1 NSN 80 1 3 3	537	_	StorageRiC	8	Finduse(80,0,1,/56/)	7	Ξ	10/01/90
1 Supcond2 50 FindUse(50,2,1,/17/) 1 ToRIC 80 FindUse(80,0,1,/T0/) 1 Unitofissue 20 1 1 DIC 10 1 1 FromRIC 40 FindUse(40,0,1,/FR/) 1 NSN 80 1 3 3	537	-	Supcondi	20	FindUse(50,0,1,/17/)	4	101	10/01/90
1 ToRIC 80 FindUse(80,0,1,/To/) 1 Unitofissue 20 1 1 DIC 10 1 1 FromRIC 40 FindUse(40,0,1,/FR/) 1 NSN 80 1 2 1 NbrOffrens 10 1	537	-	Supcond2	20	FindUse(50,2,1,/17/)	•	<u>io</u> i	10/01/90
1 Unitofissue 20 1 1 DIC 1 FromRIC 40 FindUse(40,0,1,/FR/) 4 1 NSN 80 1 2 1 Nbroffrens 10 1 3	537	-	TORIC	8	Finduse(80,0,1,/10/)	4	=	10/01/90
1 DIC 10 1 1 FromRIC 40 FindUse(40,0,1,/FR/) 4 1 MSN 80 1 2 1 Nbroffrans 10 1 3	537	-	Unitofissue	5 0	•	•-	800	10/01/90
1 FromRIC 40 FindUse(40,0,1,/FR/) 4 1 MSM 80 1 2 1 Nbroffrens 10 1 3	5 38	-	DIC	5	•	-	¥	10/01/90
1 NSN 80 1 2 1 Nbroffrens 10 1 3	538	-	FromRIC	0,	FindUse(40,0,1,/FR/)	•	N2	10/01/90
1 MbrOffrens 10 1 3	538	-	NSM	2	-	2	REF	10/01/90
	538	-	NbrOffrans	2	_	m	Ĩ	10/01/90

114	Tidsect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
538	-	Preparedbate	0	_	•	ž	10/01/90
538	_	Quantity1	2	FindUse(20,0,1,/XW/)	2	QTY	10/01/90
538	-	Quantity2	2	FindUse(20,0,1,/XP/)	2	oty	10/01/90
538	-	Quantity3	2	FindUse(20,0,1,/xq/)	7	QTY	10/01/90
538	-	Quantity 6	2	FindUse(20,0,1,/xR/)	~	OTY	10/01/90
538	-	Quentity5	2	Finduse(20,0,1,/xs/)	7	QTY	10/01/90
538	-	Quantity6	2	FindUse(20,0,1,/X1/)	~	oty	10/01/90
538	-	ToRIC	04	FindUse(40,0,1,/10/)	•	Ξ	10/01/90
538	-	TransSerNbr	2	_	~	ž	10/01/90
538	-	UnitOflasue	8		-	800	10/01/90
539	-	CorrectRIC	8	FindUse(90,0,1,/58/)	•	<u></u>	10/01/90
\$39	-	010	5	_	-	RFL	10/01/90
539	-	DocNo	2	-	~	RFL	10/01/90
539	-	DocNoSuffix	2	_	m	RFL	10/01/90
539	-	Freezebate	50	-	^	SOI	10/01/90
539	-	FromRIC	8	Findbae(90,0,1,/FR/)	•	=	10/01/90
539	-	GFMMgtCode	30	_	-	JRL	10/01/90
539	-	NSN	9	_	~	REF	10/01/90
539	-	OrnerCode	20	-	-	ICS	10/01/90
539	-	Purpose	8	-	~	SOI	10/01/90
539	-	Quentity	2	_	~	9	10/01/90
539	-	MIC.	8	FindUse(90,0,1,/56/)	4	=	10/01/90
539	-	RejectAdvice	8	_	~	TRI	10/01/90
539	-	RejectedDIC	8	_	-	TRI	10/01/90
539	-	Status	8		m	TRI	10/01/90
539	-	Supcondcode	50	-	m	SOI	10/01/90
539	-	TORIC	8	FindUse(90,0,1,/10/)	~	Ī	10/01/90
539	_	UnitOf1ssue	2	_	-	200	10/01/90
240	-	CorrectRIC	26	FindUse(80,0,1,/58/)	4	=	10/01/90
240	_	010	2	_	-	RFL	10/01/90
540	-	Distribution	07	_	.	ICS	10/01/90
240	-	FromRIC	8	FindUse(80,0,1,/FR/)	4	=	10/01/90
240		Invlype	2 0	-	-	THC	10/01/90
240	-	LotSegNbr	20	_	2	THC	10/01/90
240	-	MediaType	20	_	•	1#C	10/01/90

Tid	Tidsect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
240	-	XSX	02			 DCE	10/01/00
240	_	OwnerCode	9		. -	7.5°	10/01/40
240	-	Purpose	9 9	-	- ^	57	10/01/00
240	-	Recordbate	20		יי נ		10/01/90
240	-	RejectAdvice	3		۰ ~	181	10/01/90
240	-	RejectedDIC	8	-	· -	12.	10/01/90
240	-	Status	8		· P1	- X	10/01/90
240	-	Supcondcode	07	-	m	: S2	10/01/90
240	_	THStartDate	50	-	m	THC	10/01/90
240	-	THStopDate	20	_	4	THC	10/01/90
240	-	TORIC	8	FindUse(80,0,1,/10/)	4	-	10/01/90
240	•	TransDate	9	_	4	RFL	10/01/90
240	-	Unit of Issue	20	_	-	800	10/01/90
241	-	ChangeCode	8	-	_	SID	10/01/90
241	-	Cut! Imcode	04		7	101	10/01/90
241	-	Corversion	8	_	7	SID	10/01/90
541	-	CorrectRIC	8	Finduse(90,0,1,758/)	4	-	10/01/90
541	-	DIC	5	•	-	RFL	10/01/90
241	-	Demil itar	8	-	9	SID	10/01/90
241	-	EffectDate	8	_	.	SID	10/01/90
241	-	FromRIC	8	FindUse(90,0,1,/FR/)	•	=	10/01/90
74.	-	ManagerR1C	8	FindUse(90,0,1,/MR/)	4	-	10/01/90
541	_	NSM	2	FindUse(30,0,1,/NS/)	2	REF	10/01/90
541	-	News	30	FindUse(30,0,1,/NN/)	7	RON	10/01/90
541	-	NewUOI	20	2	-	800	10/01/90
541	-	PEC1	8	-	4	SID	10/01/90
541	-	PEC2	8	2	4	SID	10/01/90
541	-	RejectAdvice	2	-	7	TRI	10/01/90
541	-	RejectedDIC	2	-	-	TRI	10/01/90
541	-	ServUse3	8		m	ROU	10/01/90
541	-	Servuse4	28	-	4	ROU	10/01/90
541	-	ServUse5	8	_	•	3 0€	10/01/90
541	-	Servuse6	8	-	9	30 C	10/01/90
541	-	ShelfLife	07		-	101	10/01/90
241	-	Status	2	_	m	TRI	10/01/90

PI	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
541	-	TORIC	8	Finduse(90,0,1,/10/)	•	=	10/01/90
541	-	TransDate	5	-	4	RFL	10/01/90
541	-	UnitOf Issue	2		-	800	10/01/90
245	-	AdviceCode	8	-	7	TRI	11/08/90
245	-	BILLTODODAC	110	FindUse(110,0,1,/81/)	7	=	10/01/90
242	-	CorrectRIC	110	FindUse(110,0,1,/58/)	4	=	10/01/90
245	-	DIC	2	-	-	RFL	10/01/90
245	-	Discrepancy	07	_	٥	SOI	11/08/90
245	-	DocNo	ţ.	-	~	RFL	10/01/90
245	-	DocNoSuffix	\$	_	m	RFL	10/01/90
545	-	FromRIC	110	FindUse(110,0,1,/FR/)	4	=	10/01/90
245	•	MediaStatus	5	_	•0	RFL	11/19/90
545	-	MSM	8		~	REF	10/01/90
542	-	Project	9	_	4	1CS	11/08/90
245	-	Quent ity	2	_	8	20	10/01/90
545	-	ReportTo	110	Finduse(110,0,1,/55/)	4	=	10/01/90
242	-	ServUse1	6	-	-	201	11/08/90
245	-	ServUse2	6	-	~		11/08/90
245	-	Serv0se3	1 00	_	m	201	11/08/90
245	-	Servuse4	6	_	•	FOU	11/08/90
245	-	ServUse5	6	-	s		11/08/90
542	-	ShipDate	8	_	~	RSI	11/08/90
242	-	ShipIO		_	m	RSE	11/08/90
542	-	ShipToDoDAAC	110	Finduse(110,0,1,/ST/)	•	Z	10/01/90
245	-	Signalcode		_	٥	RFL	11/19/90
245	-	SourceOIC	8	_	-	TRI	11/08/90
245	•	Status	8	-	m	181	11/08/90
245	-	TORIC	110	Finduse(110,0,1,/10/)	4	=	10/01/90
242	-	TransDate	20	_	-	RSE	11/08/90
242	-	UnitOflasue	2		-	80	10/01/90
24.5	-	CorrectRIC	8	Finduse(80,0,1,/58/)	4	=	10/01/90
244	-	DIC	\$	-	-	RFL	10/01/90
244	-	DetePack7	07	_	~	ICS	10/01/90
244	-	DatePackB	04	-	60	105	10/01/90
244	-	FromAIC	8	FindUse(80,0,1,/FR/)	4	=	10/01/90

Page 31

11d	TidSect	U.	SegmentSeq	Usectr	Element Seq	Segmentid	Date
244	-	Overflow	2		n	7	10/01/90
244	-	OwnerCode	07	***************************************	-	108	10/01/90
244	-	PartNbr	93	-	2	REF	10/01/90
244	-	Purpose	07	_	7	ICS	10/01/90
244	-	Quentity1	20	FindUse(50,0,1,/17/)	~	101	10/01/90
244	-	Quentity2	20	Finduse(50,0,1,/XG/)	2	101	10/01/90
244	-	Quent ity3	8	Finduse(50,0,1,/XH/)	2	101	10/01/90
244	-	RejectAdvice	8	-	2	1 <u>R</u>	10/01/90
244	-	RejectedD1C	8	-	_	TRI	10/01/90
244	_	Serwise2	2	_	2	202	10/01/90
244	-	ServUse3	2	-	m	ROU	10/01/90
244	-	ServUse4	2	-	4	200	10/01/90
244	-	ServUse5	R	_	s	ROU	10/01/90
244	-	Status	8	_	m	TRI	10/01/90
244	-	Supcondcode	07	-	m	ICS	10/01/90
244	-	TORIC	8	FindUse(80,0,1,/10/)	•		10/01/90
244	-	UnitOfissue	2	-	-	800	10/01/90
245	-	Cnt l InvCode	8	-	7	101	10/01/90
245	-	CorrectRIC	6	FindUse(100,0,1,/58/)	4	E	10/01/90
245	-	Count	8	-	-	LRR	10/01/90
245	-	010	5	-	-	RFL	10/01/90
245	-	DatePack7	04	-	~	1CS	10/01/90
245	-	DatePack8	9	-	€0	108	10/01/90
245	•	DocDate	8	-	7	LRR	10/01/90
\$45	-	FromRIC	5	FindUse(100,0,1,/FR/)	•	Ŧ	10/01/90
245	-	InvCategory	S	-	m	101	10/01/90
245	-	LotSegNbr	8	-	*	LRR	10/01/90
242	-	Moldentifier	8	-	m	LRR	10/01/90
245	_	Media	8	-	•	LRR	10/01/90
242	-	OwnerCode	0,4		-	ICS	10/01/90
245	-	PartNbr	30	-	7	REF	10/01/90
245	-	Purpose	0,4	-	7	ICS	10/01/90
242	-	Quantity	2	-	2	800	10/01/90
242	-	RejectAdvice	٤	-	~	TRI	10/01/90
245	-	RejectedDIC	2	_	-	TRI	10/01/90

11d	Tidsect	Field	SegmentSeq	UseCtr	ElementSeq	Segment 1d	Date
545	-	ServUse2	8		2	202	10/01/90
245	-	Serv0se3	8	-	m	ROU	10/01/90
545	-	Servises	8	-	7	ROU	10/01/90
245	-	ShelfLife	20	-	-	101	10/01/90
545	-	Status	ደ	_	m	TRI	10/01/90
545	_	SubsistPack	04	-	•	ICS	10/01/90
545	-	SupcondCode	07	-	m	SOI	10/01/90
545	-	TORIC	001	FindUse(100,0,1,/10/)	4	-	10/01/90
345	-	Unitoflasue	2	-	-	80	10/01/90
551	-	ActionCode	٤	-	m	PET	7/10/90
551	-	Consignor	8	Finduse(90,0,1,/SH/)	4	<u> </u>	7/10/90
551	-	DIC	5	_	-	RFL	7/10/90
551	-	DemendCode	20	-	-	90	7/10/90
551	-	Distribution	07	_	~	RBT	7/10/90
551	-	DocNo	5		N	RFL	7/10/90
551	-	FromRIC	8	Finduse(90,0,1,/FR/)	4	Ħ.	7/10/90
551	•	FundCode	9	-	-	RBT	7/10/90
551	-	Medium	2	-	7	PET	7/10/90
551	-	MSM	2		7	REF	7/10/90
551	-	Priority	8	_	-	ROP	7/10/90
551	-	Project	8		~	go.	2/10/90
551	-	Quent ! ty	26	-	~	8	7/10/90
551	-	RDD	8	-	m	ROP	7/10/90
551	-	Regitanter	ō	-	•••	RFL	7/10/90
551		Servisel	8	-	-	ROU	7/10/90
551	-	SignalCode	5		۰	RFL	3/06/91
551	-	SupAdd	8	FindJse(90,0,1,/[85]1/)	•	Ξ	7/10/90
551	-	TORIC	8	FindUse(90,0,1,/10/)	4	<u> </u>	7/10/90
552	-	ActionCode	8	•	₩	PET	7/11/90
552	-	CL IN	8	_	~	PI	7/11/90
552	-	CargoWbr	٤	FindUse(70,0,2,/XC/)	m	RSE	7/11/90
252	-	Consignee	100	Finduse(100,0,1,/CN/)	•	. ×	7/11/90
552	-	ContractMbr	20	-	-	<u>.</u>	7/11/90
552	_	010	9		_	RFL	7/11/90
552	-	DelordNbr	2	FindUse(70,0,2,700/)	m	RSE	7/11/90

114	Tidsect	Field	SegmentSeq	Usectr	ElementSeq	SegmentId	Oate
\$52	-	DelSuffix	2	FindUse(70,0,2,/00/)	~	RSE	7/11/90
\$52	-	Del iveryDate	2	Finduse(70,0,2,/XC/)	_	RSE	7/11/90
552	-	DocNo	10	-	2	RFL	7/11/90
552	-	FromRIC	100	FindUse(100,0,1,/FR/)	4	ī	7/11/90
552	-	FundCode	04	-	-	RBT	7/11/90
552	-	Medius	8	-	~	PET	7/11/90
\$52	-	MngtInd	8	-	•	PET	7/11/90
552	-	NSN	50	-	7	REF	7/11/90
552	-	Priority	8	-	-	ROP	7/11/90
\$52	-	Quantity	30	-	~	80	7/11/90
552	-	300	8	_	m	ROP	7/11/90
552	-	ServUse1	8	-	-	ROU	7/11/90
552	-	Sh i pment Hode	ደ	FindUse(70,0,2,/XC/)	4	RSE	7/11/90
552	-	SignalCode	5	-	٥	RFL	3/06/91
\$52		SupAdd	100	Finduse(100,0,1,/[S8]T/)	4	ī	7/11/90
552	-	TORIC	001	FindUse(100,0,1,/T0/)	•	=	7/11/90
553	-	Act for Code	501	_	m	PET	7/11/90
553	_	CLIN	07	-	~	<u></u>	7/12/90
553	-	CargoNbr	30	Finduse(30,0,2,/XC/)	m	RSE	7/12/90
553	-	Consignee	110	Finduse(110,0,1,/CN/)	•	=	7,12/90
553	-	Consignee	130	_	4	ī	7/12/90
553	_	Consignee2	130	2	•	=	7/12/90
553	-	Consignee3	130	m	4	Ŧ	7/12/90
553	_	Consignee4	130	*	•	I	7/12/90
553	-	Contraction	07	-	-	Id	7/12/90
553	-	DIC	5	•	-	RFL	7/12/90
553	-	DelordMbr	30	FindUse(30,0,2,/00/)	m	RSE	7/12/90
553	_	DocNo	10	_	~	RFL	7/12/90
553	-	DocNoSuffix	10	-	m	RFL	7/12/90
551	-	FromRIC	110	FindUse(110.0.1,/FR/)	~	=	7/12/90
553		FundCode	2		-	RBT	7/12/90
553	_	Loadbate	20		~	DIM	7/12/90
555	-	Medium	001		^	PET	7/12/90
\$53	-	Mnat Ind	100		9	PET	7/12/90
553	-	NSM	8		2	REF	7/12/90
f 							

11d	TidSect	Field	SegmentSeq	Usectr	ElementSeq	SegmentId	Date
553	-	Origocko	5	2	~		7/12/90
553	-	Priority	2		۰		2/12/00
553	-	Quantity	2		- 0		7/12/00
553	-	Quantity1	120	-	۰ ۸	9	7/12/90
553	-	Quantity2	120	2	~	8	2/12/90
553	-	Quent fty3	120	The state of the s	~	202	7/12/90
553	-	Quantity4	120	•	8	202	7/12/90
553	-	Sequencelibr	100	_	4	PET	7/12/90
553	-	ShipmentOate	8	-	-	RSE	7/12/90
553	-	Shipment Ind	20	-	€0	RSE	7/12/90
553	-	Shipment Hode	8	-	4	RSE	7/12/90
553	-	ShipmentMbr	2	FindUse(30,0,2,/S1/)	m	RSE	7/12/90
553	-	SignalCode	6	•	۰	RFL	3/06/91
553	-	SupAddress	110	FindUse(110,0,1,/(SBJT/)	4	#	7/12/90
553	-	Supcondcode	5	_	€0	PET	7/12/90
553	-	Toffic	110	FindUse(110,0,1,/10/)	4	##	7/12/90
254	-	Act i on Code	8	_	m	PET	7/12/90
554	-	CL IN	8	_	7	P1	7/12/90
554	-	Cargolibr	2	FindUse(50,0,2,/xc/)	m	RSE	7/12/90
554	-	Consignee Ind	8		₩.	RSE	7/12/90
554	-	ContractMbr	8	_	-	14	7/12/90
554	-	210	2	-	-	RFL	7/12/90
554	-	DelordNbr	8	FindUse(50,0,2,/00/)	m	RSE	7/12/90
\$54	-	DocNo	2	-	~	RFL	7/12/90
554	-	DocNoSuffix	2	_	m	RFL	7/12/90
554	-	FromRIC	110	FindUse(110,0,1,/FR/)	•	E	7/12/90
554	-	FundCode	2	-	-	RBT	7/12/90
554	-	Medica	8	_	7	PET	7/12/90
554	-	MngtInd	2	-	•	PET	7/12/90
554	-	NSN	2		7	REF	7/12/90
554	-	Priority	9	-	-	806	7/12/90
554	-	Quentity	30	-	~	8	7/12/90
254	-	ReceiptDate	50	-	-	RSE	7/12/90
\$24	-	SequenceMbr	8	_	4	PET	7/12/90
\$54	-	Shipmentind	8	-	•••	RSE	7/12/90

Shipmenthode 50 51 51 51 51 51 51 51	Tid Ti	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
Shipmenthbr 50 SignalCode 10 SignalCode 10 SupCondCode 60 10 10 10 10 10 10 10	554	-	ShipmentHode	22		7	ESE	7/12/90
SignalCode	554	_	Sh i pment libr	20	Finduse(50.0.2./SI/)	· Pvi	S C	7/12/90
Supcondcode 80 10 10 10 10 10 10 10	554	-	SignalCode	10		•	RFL	3/06/91
SupCondCode	554	-	SupAddress	110	FindUse(110,0,1,/[8S]T/)	4	- E	7/12/90
TORIC 110 11	254	-	Supcondcode	8	-	m	PET	7/12/90
UnloadDate 90	554	-	ToRIC	110	FindUse(110,0,1,/10/)	4	E	7/12/90
1 ActionCode 50 1 AdjType 50 1 CondTo 50 1 Date73 20 1 DocNo 10 1 DocNo 10 1 DocNo 11 1 FromRIC 60 1 Medium 50 1 SequenceNbr 50 1 ContractNbr 30 1 ContractNbr 30	254	-	UnloadDate	8	-	7	DIM	7/12/90
AdjType 50 1 CondTo 1 Dic 1 Dic 1 Dic 1 Dic 1 Dic 1 Dic Dic 1 Dic Di	\$ 22	_	Act fonCode	20	_	₩	PET	7/12/90
CondTo	555	-	Adjtype	20	_	10	PET	7/12/90
1 DIC 1 Date73 1 DocNo 1 DocNo 1 DocNo 1 DocNo 1 I FromRIC 1 GLInd 1 Medium 1 Medium 1 Medium 20 1 MSMFrom 20 20 20 20 20 20 20 20 20 20 20 20 20	555	-	CondTo	20	_	13	PET	7/12/90
1 Date73 20 1 DocNo 1 DocNosuffix 10 1 FromRIC 60 1 GLind 50 1 Medium 50 1 Medium 50 1 NSN 30 1 NSNFrom 30 1 Lountity 20 1 Guentity 20 1 Guentity 20 1 SequenceNbr 50 1 Supcondcode 50 1 TypeChange 50 1 TypeChange 50 1 Rilleding1 20 1 Billleding2 20 1 Billeding5 20 1 Billleding5 20 1 Billleding5 20 1 Billleding5 20 1 ContractNbr 30	555	-	DIC	5	-	-	RFL	7/12/90
DocNo DocNoSuffix 10 FromRIC 60 GLind 50 Wedium 50 Wedium 50 WSN 30 WSN 30 WSN 50 SequenceNbr 50 Substity 20 Substity 20 TypeChange 50 TypeChange 50 Rilleding 20 Billeding 20 Billeding 20 Billeding 20 Billeding 20 Billeding 30 CLIN 30	555	-	Date73	2	-	•	PIC	7/12/90
DocNoSuffix 10 FromRIC 60 1 Medium 50 1 Medium 50 1 Medium 50 1 MSN From 30 1 MSN From 30 1 MSN From 30 1 MSN From 50 1 MSN From 50 1 MSN From 50 1 MSN From 50 1 MSN MSN From 50 1 MSN	555	-	DocNo	1	-	7	RFL	7/12/90
Fromkic 60 1 GLind 50 1 Medium 50 1 Medium 50 1 MSN 30 1 MSN 30 1 MSN 50 1 Guentity 8 20 1 SequenceNbr 50 1 SequenceNbr 50 1 TypeChange 50 1 Milleding 20 1 Billeding 20 1 ContractNbr 30 1 ContractNb	522	-	DocNoSuffix	5	-	m	RFL	7/12/90
1 GLIND 1 Medium 50 1 MSN 30 1 NSN 30 1 NSNFrom 30 1 Outentity 20 1 SequenceNbr 50 1 SequenceNbr 50 1 TypeChange 50 1 TypeChange 50 1 ActionCode 70 1 BillLeding1 20 1 BillLeding3 20 1 BillLeding5 30 1 ContractNbr 30	\$55	-	FromRIC	8	Finduse(50,0,1,/FR/)	4	=	7/12/90
Medium 50 1 Mngtind 50 1 NSN 30 30 1 NSN 30 1 Ousntity 20 1 Cushtity 20 1 SequenceNbr 50 1 SequenceNbr 50 1 SequenceNbr 50 1 Ousntity 50 Ous	\$ 22	-	GL Ind	20	-	٥	PET	7/12/90
Mrgtind 50 1 NSN 30 1 NSN 30 30 1 NSN 30 1 Ouantity 20 1 SequenceNbr 50 1 SequenceNbr 50 1 SequenceNbr 50 1 SequenceNbr 50 1 MrtionCode 70 1 MrtionCode 70 1 Mrticating 20 M	\$55	-	Medium	S	-	~	PET	7/12/90
1 NSN 30 1 NSNFrom 30 1 Ouantity 20 1 Quantity 20 1 SequenceNbr 50 1 SupCondCode 50 1 TORIC 60 1 TypeChange 50 1 ActionCode 70 1 ActionCode 70 1 BillLeding1 20 1 BillLeding3 20 1 BillLeding5 20 1 BillLeding5 20 1 BillLeding5 20 1 BillLeding5 20 1 ContractNbr 30	555	-	Matind	20	_	•	PET	7/12/90
1 NSWFrom 30 1 Quantity 20 1 Quantity 20 1 SequenceWbr 50 1 SupCondCode 50 1 TypeChange 50 1 TypeChange 50 1 TypeChange 50 1 Milleding1 20 1 Billleding2 20 1 Billleding3 20 1 Billleding5 20 1 Billleding5 20 1 Billleding5 20 1 ContractWbr 30	\$55	-	MSM	SS SS	FindUse(30,0,1,/NS/)	8	REF	7/12/90
1 Quantity 20 1 Quantity8 20 1 SequenceNbr 50 1 Supcondcode 50 1 Typechange 50 1 Typechange 50 1 ActionCode 70 1 ActionCode 70 1 BillLeding1 20 1 BillLeding3 20 1 BillLeding3 20 1 BillLeding5 20 1 BillLeding5 20 1 ContractNbr 30	555	-	NSNFrom	30	Finduse(30,0,1,78/)	7	REF	7/12/90
1 auantity8 20 1 SequenceNbr 50 1 Supcondcode 50 1 TypeChange 50 1 TypeChange 50 1 ActionCode 70 1 BillLeding1 20 1 BillLeding2 20 1 BillLeding3 20 1 BillLeding5 20 1 BillLeding5 20 1 ContractNbr 30	555		Quantity	20	-	7	PIC	7/12/90
1 SequenceMbr 50 1 SupCondCode 50 1 TypeChange 50 1 TypeChange 50 1 ActionCode 70 1 BillLeding1 20 1 BillLeding2 20 1 BillLeding3 20 1 BillLeding5 20 1 BillLeding5 20 1 ContractMbr 30	555	-	Quentity8	20	-	m	PIC	7/12/90
1 SupCondCode 50 1 TORIC 60 1 Typechange 50 1 ActionCode 70 1 BillLeding1 20 1 BillLeding2 20 1 BillLeding3 20 1 BillLeding5 20 1 ContractNbr 30	555	-	SequenceMbr	20	-	•	PET	7/12/90
1 TORIC 60 1 Typechange 50 1 ActionCode 70 1 Billeding1 20 1 Billeding3 20 1 Billeding5 20 1 Billeding5 20 1 ContractNbr 30	555	-	Supcondcode	20	-	•••	PET	7/12/90
1 TypeChange 50 1 ActionCode 70 1 BillLeding1 20 1 BillLeding2 20 1 BillLeding4 20 1 BillLeding5 20 1 ContractNbr 30	\$55	-	TORIC	8	FindUse(60,0,1,/10/)	4	H	7/12/90
1 ActionCode 70 1 BillLeding1 20 1 BillLeding2 20 1 BillLeding4 20 1 BillLeding4 20 1 EllLeding5 20 1 ContractNbr 30	555	-	Typechange	20	-	Į	PET	7/12/90
1 Billeding1 20 1 Billeding2 20 1 Billeding4 20 1 Billeding5 20 1 CLIN 30 1 ContractNbr 30	556	-	ActionCode	R	•	m	PET	7/12/90
1 Billeding2 20 1 Billeding3 20 1 Billeding5 20 1 Billeding5 20 1 CLIN 30	226	-	Billeding1	20	FindUse(20,0,2,/81/)	m	RSE	7/12/90
1 Billading5 20 1 Billading5 20 1 Billading5 20 1 CLIN 30	\$ 26	-	Billeding2	2	FindUse(20,0,2,/82/)	n	RSE	7/12/90
1 Billading5 20 1 Billading5 20 1 CLIN 30 1 ContractWbr 30	256	_	BillLading3	20	FindUse(20,0,2,/83/)	m	RSE	7/12/90
1 Billading5 20 1 CLIM 30 1 ContractWbr 30	256	-	Billeding4	2	FindUse(20,0,2,/84/)	m	RSE	7/12/90
1 CLIN 1 ContractWbr 1 DIC	556	-	Billeding5	20	FindUse(20,0,2,/85/)	m	RSE	7/12/90
1 ContractWbr	256	-	CLIN	30	_	~	PI	7/13/90
_	256	-	ContractWbr	30	_	-	PI	7/13/90
-	226	-	010	2	_	-	RFL	7/13/90

16/01/5

PI	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
929	-	DelordNbr	2	FindUse(20,0,2,/00/)	m	RSE	7/13/90
556	-	DocNo	5		7	RFL	7/13/90
226	-	DocNoSuffix	5	-	m	RFL	7/13/90
828	-	FromRIC	8	FindUse(80,0,1,/FR/)	•	=	7/13/90
226	-	Medium	2	_	_	PET	7/13/90
556	-	Mngtind	R	-	•	PET	7/13/90
556	-	Shipmentilbr	೩	FindUse(20,0,2,/SI/)	m	RSE	7/13/90
556	-	TORIC	28	-	•		7/13/90
222	-	AAC	110	FindUse(110,0,1,/61/)	•	=	7/13/90
257	_	Act fonCode	8		m	PET	7/13/90
257	_	Adjbate	9¢	_	•	PIC	7/13/90
257	-	CLIN	8	_	~	14	7/13/90
257	-	CargoWbr	8	Findbae(60,0,2,/XC/)	m	RSE	7/13/90
257	_	ContractMbr	S	_	-	PI	7/13/90
557	-	010	5	_	_	RFL	7/13/90
557	-	DelordMbr	8	FindUse(60,0,2,/D0/)	m	RSE	7/13/90
257	-	DelSuffix	8	-	~	RSE	7/13/90
557	-	DocNo	5	-	~	RFL	7/13/90
557	-	DocNoSuffix	2	-	m	RFL	7/13/90
557	-	FOBSIte	2	_	-	608	7/13/90
557	 -	FromRIC	110	Finduse(110,0,1,/FR/)	4	=	7/13/90
557	-	FundCode	9	-	-	RBT	7/13/90
557	-	GL Ind	8	_	۰	PET	7/13/90
557	-	LastDIC	8	_	-	PET	7/13/90
557	-	Medium	8	-	~	PET	7/13/90
557	-	Mngtind	8	_	•	PET	7/13/90
557	-	MSM	30	-	7	REF	7/13/90
257	-	Narrative	8	-	-	ROU	7/13/90
557	-	Marrative2	28	_	~	1 00	7/13/90
557	-	Motification	8		Ŋ	PET	7/13/90
557	-	Quentity	8	_	~	8	7/13/90
557	-	Quent 1 ty5	ዴ	_	5 0	202	7/13/90
557	_	Receiptbate	8	-	-	RSE	7/13/90
557	-	Rejectind	8	_	7	PET	7/13/90
557	-	ReportRIC	110	FindUse(110,0,1,/60/)	•	=	7/13/90

Pid	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
557	-	Sh i pment Hode	3		7	RSE	7/13/90
557	-	Shipmentilbr	8	FindUse(60,0,2,/S1/)	M	RSE	7/13/90
557	-	SignalCode	5	_	٥	RFL	3/06/91
557	-	SupAdd	110	FindUse(110,0,1,/[SB]2 CM/)	4	=	7/13/90
557	•-	SupTransDate	5		4	RFL	7/13/90
557	-	TORIC	110	Finduse(110,0,1,/10/)	•	=	7/13/90
558	•	Act fonCode	8		m	PET	7/16/90
558	-	AdjType	8	-	5	PET	7/16/90
558	-	כרוא	07	_	7	ы	7/16/90
558	-	CargoWbr	30	FindUse(30,0,2,/XC/)	m	RSE	7/16/90
558	-	ContractMbr	07	_	-	ы	7/16/90
558	-	010	5		-	RFL	7/16/90
558	-	Delordabr	œ	FindUse(30,0,2,/00/)	m	RSE	7/16/90
558	-	DocNo	5	-	7	RFL	7/16/90
558	-	DocNoSuffix	2	_	m	RFL	7/16/90
558	-	ErrorDate	õ	-	•	RFL	7/16/90
558	-	FromRIC	28	FindUse(80,0,1,/FR/)	•	H.	7/16/90
558	-	GLAdjDate	20	-	4	PIC	7/16/90
558	-	GL Ind	3	-	٥	PET	7/16/90
558	-	Medium	8	_	~	PET	7/16/90
558	-	Mingtind	\$	_	•	PET	7/16/90
558	-	Mode	30	-	•	RSE	7/16/90
558	-	NSM	20	-	~	REF	7/16/90
558	-	Quentity	20	_	-	PIC	7/16/90
558		ReceiptDate	30		-	RSE	7/16/90
558	-	SequenceMbr	8	-	•	PET	7/16/90
558	-	SupAdd	2	Finduse(80,0,1,/59 cm s2/)	~	-	7/16/90
558	-	Supcondcode	\$		••	PET	7/16/90
558	-	SupTransDate	5	_	4	RFL	7/16/90
558	-	TORFILEND	S S	finduse(30,0,2,/TD/)	m	RSE	7/16/90
558	-	TORStatus	8	-	12	PET	7/16/90
558	-	TORIC	2	finduse(80,0,1,/10/)	4	=	7/16/90
559	-	ActionCode	0,4	-	m	PET	7/16/90
\$59	-	AirHission	50	-	9	AVF	7/16/90
559	-	CustomerId	20	-	-	AVF	7/16/90

1.d	TidSect	field	SegmentSeq	Vectr	ElementSeq	t1d	Date
559	-	010	9		-	RF.	06/91 2
559	_	Docko	5		۰ ۸		2/16/90
\$29	-	DocNoSuffix	10	_	· ••	7	06/91/2
559	-	FromRIC	28	FindUse(80,0,1,/FR/)	•	=	7/16/90
559	-	FundCode	8	-	-	RBT	7/16/90
529	_	MFP	20	-	~	AVF	7/16/90
849	-	Medium	0,4	-	~	PET	7/16/90
889	-	NSN	2		8	REF	7/16/90
529	-	Quantity	2	-	2	8	7/16/90
559	-	SequenceMbr	07	_	•	ÆT	7/16/90
\$29	-	SupAdd	28	Finduse(80,0,1,/82/)	4	=	7/16/90
\$29	-	TORIC	26	FindUse(80,0,1,/10/)	4	=	7/16/90
561	-	A D	28	Finduse(80,1,1,735/)	4	=	6/19/90
261	-	AdminBy	8	FindUse(80,1,1,/31/)	•	=	6/19/90
2 6	-	Amount	8	-	•	KA	6/19/90
2 6	-	BusinessType	20	-	m	KAB	6/19/90
₹	-	S.F.	20	-	~	KAB	6/19/90
561	-	ContractKind	20	-	-	KAB	06/61/9
	-	ContractType	20	-	~	KAB	6/19/90
26	-	Contractor	26	Finduse(80,1,1,725 N (U1)/)	~	=	6/19/90
3 2	-	Criticality	8	-	4	KAB	6/19/90
26	-	DICI	9	-	-	RFL	6/19/90
<u>%</u>	-	D1C2	2	2	-	RFL	6/19/90
<u>%</u>	-	510	2	m	-	RFL	6/19/90
%	-	DPAS	8	FindUse(60, 1, 1, 705/)	7	REF	6/19/90
561	_	Disci	2	_	m	170	6/19/90
\$61	-	Disc2	R	2	m	57	06/41/9
56	-	Dischaysi	R	-	ĸ	170	6/19/90
5	-	Discoays2	2	2	s	170	06/61/9
561	-	EffectDate1	07	-	~	KB1	06/61/9
∑	-	EffectDate2	8	_	s	KA	6/19/90
561	-	FMSReq	S		•	KAB	06/61/9
5	-	Facility	8	Finduse(80,1,1,76/)	~	=	06/61/9
561	-	FastPay	R	-	•	170	6/19/90
261	-	IssuedBy	8	Finduse(80,1,1,/50/)	4	=	6/19/90

Tid Tid	TidSect	Field	SegmentSeq	UseCtr	El ement Seq	SegmentId	Date
261	-	ModType	04		-		6/19/90
561	-	MetDays	R	_	~	5	6/19/90
561	-	PIIN	30	-	-	3	6/19/90
561	-	Partial	20	-	~	KAB	6/19/90
561	-	Pay8y	26	FindUse(80,1,1,/30/)	4	=	06/11/9
561	-	Recont	8	FindUse(60,1,1,722/)	2	REF	6/19/90
561	-	NIIN	ន	-	~	×3	6/19/90
561	-	SignDate1	9	-	n	K81	6/19/90
561	-	SignOate2	2	-	•	KA	6/19/90
561	-	Special	8	finduse(60,1,1,142/)	2	REF	6/19/90
561	-	Text	07	-	•	KB1	6/19/90
561	5	ACRN	ଛ	-	-	KAC	6/19/90
561	5	AcctStation	9	Finduse(40,1,1,/47/)	4	=	6/19/90
2 8	5	Amount	2	-	.	KAC	6/19/90
198		Approp	8	-	~	KAC	6/19/90
195	8	DIC	5	-	-	RFL	6/19/90
561	1 00	D1C2	2	2	-	RFL	6/19/90
195	5	Pay8y	04	Finduse(40,1,1,/30/)	4	=	6/19/90
561	5	Reimb	R	Finduse(30,1,1,743/)	7	REF	6/19/90
	1 00	SupAcctData	2	-	m	KAC	6/19/90
	200	Acceptance	2	FindUse(20,1,4,/AS/)	5	KCE	6/19/90
		CLIN	20	-	_	KOE	6/19/90
		DIC	2	•	-	RFL	6/19/90
		0102	5	~	-	RFL	06/61/9
195		FOBSite	2	Finduse(20,1,4,/F0/)	•	KCE	6/19/90
195		1 temingr	8	-	4	-	6/19/90
		Hour	S.	-	m	KAE	6/19/90
195	200	Overage	9	-	9	KAF	6/19/90
195	- 500	PQASite	20	-	٠,	KCE	6/19/90
195	- 200	PartNbr	ş	-	7	REF	6/19/90
195	- 200	PurchaseUnit	0,4	-	s	KAF	6/19/90
195	_	Quantity	04	-	~	KAF	6/19/90
561	-	Shortage	04	-	~	KAF	6/19/90
561	200	StockNbr	20	-	~	KAE	6/19/90
561	202	TotAmount	2	_	n	KCE	6/19/90

14	TidSect	Field	SegmentSeq	UseCtr	Element Seq	SegmentId	Date
195	200	UnitPrice	07	_	•	KAF	6/19/90
195	210	ACRN	2	_	-	KAG	6/19/90
195	210	AcceptSite	07	Finduse(40,1,4,/AS/)	ĸ	KCE	6/19/90
561	210	CLIN	07	_	-	KCE	6/19/90
261	210	010	10	_	-	RFL	6/19/90
561	210	Delbate	2	_	m	KAG	6/19/90
195	210	Delouant	2	_	5	KAG	06/61/9
561	210	DocNo	10		2	RFL	6/19/90
561	210	DocNoSuffix	10		m	RFL	6/19/90
5	210	ELIN	2	_	~	KAG	6/19/90
561	210	1 tem#ragr	20	Finduse(50,1,1,/34/)	•	=	6/19/90
561	210	MarkFor	20	FindUse(50,1,1,733/)	•	ï	06/61/9
561	210	Keme	20	Finduse(50,1,1,/MZ/)	~	=	6/19/90
561	210	ş	9	finduse(40,1,4,/15/)	~	KCE	6/19/90
561	210	Priority	2	_	9	KAG	6/19/90
561	210	ServiceDate	2	_	m	KAG	6/19/90
561	210	Shiptobobac	20	Finduse(50,1,1,/51/)	•		6/19/90
192	210	Text	8	•	m	KAE	6/19/90
561	210	TotAmount	9	_	m	KCE	6/19/90
295	-	Q	9	_	•	ī	6/19/90
295	-	DIC	5		-	RFL	6/19/90
262	-	IssuedBy	07	2	•	ī	6/19/90
38	-	MII4	8	-	-	8	06/61/9
295	-	SPIIN	8	_	~	Z.	6/19/90
262	-	Transbate	2	-	7	DTM	6/19/90
262	5	MIId	2	-	-	3	6/19/90
295	8	NI I dS	02	_	~	¥3	6/19/90
35	-	CACACTION	٤	-	~	KJA	6/19/90
38	-	כר וא	8	-	-	KCE	6/19/90
300	-	910	20	-	-	RFL	6/19/90
*	-	Delbate	ደ		m	KJA	6/19/90
36	-	DocNo	20	_	~	RFL	6/19/90
35	-	DocNoSuffix	20	_	•	RFL	6/19/90
35	-	ForecastDate	٤	_	4	KJA	06/61/9
38	-	NSM	2	-	=	KJA	6/19/90

333333333333 	PurchaseUnit Quantity RevAgent RevReason SPIIN	30		-	KA	90,00,
	PurchaseUnit Quantity RevAgent RevReason SPIIN					2/2/2
	Quantity Revagent RevReason SPIIN	2	-	7	KJA	6/19/90
	RevAgent RevReason SPIIN	2	-	-	KJA	6/19/90
	RevReason	2	_	•	KJA	6/19/90
	SPIIN	ደ	-	•	KJA	6/19/90
		30	_	7	KA	6/19/90
	ShipToDoDAAC	9	-	•	=	6/19/90
	TransDate	5	-	7	DIM	6/19/90
	TrensStatus	8		-	KTS	06/61/9
	CAOAction	2		~	KJA	6/19/90
	CLIN	20	-	-	KCE	6/19/90
564 100	010	5	-	_	RFL	6/19/90
	DelDate	30	-	m	KJA	6/19/90
564 100	DocNo	ot 0	_	~	RFL	6/19/90
	DocNoSuffix	t	-	m	RFL	6/19/90
	ForecastDate	30	-	•	KJA	06/61/9
	MSM	2	-	=	KJA	6/19/90
	PurchaseUnit	8	-	~	KJA	6/19/90
	Quentity	30	-	-	KJA	6/19/90
	RevAgent	30	-	S	KJA	6/19/90
564 100	RevReason	30	-	•	KJA	6/19/90
564 100	TransStatus	0,7	-	-	KTS	6/19/90
565	Act ionCode	2	-	-	3	6/19/90
\$65	CL 14	8	-	-	KCE	6/19/90
565	010	20	_	-	RFL	6/19/90
\$65	Description	8	_	m	KAE	6/19/90
\$65	DoDAAC1	8	_	4	=	6/19/90
565	DoDAAC2	8	~	7	=	6/19/90
565	DocNo	20	_	7	RFL	6/19/90
\$65	DocKoSuffix	20		m	RFL	6/19/90
565	MSM	8	_	~	KAE	6/19/90
565	P. I.	30	-	-	Š	6/19/90
565 1	Quentity	5	_	-	KOS	6/19/90
565	SPIIN	30	_	~	Š	6/19/90
565 1	ShipAdvice	901	-	M	KOS	6/19/90

PI	Tidsect	Field	SegmentSeq	UseCtr	ElementSeq	Segmentid	Date
\$65	-	ShipDete	0	_	~	KSH	6/19/90
\$65	-	Sh i pment Mode	07		4	KSH	6/19/90
265	-	Shipmentilibr	0	_	_	KSH	6/19/90
5	-	Transbate	o	-	7	DTM	06/11/9
\$65	-	TransStatus	110	-	-	KTS	6/19/90
\$65	5	Act lancade	2	-	-	8	6/19/90
\$65	5	CLIM	9	-	-	KCE	6/19/90
\$65	5	DIC	\$	_	-	RFL	06/61/9
\$65	5	Description	20	-	m	KAE	6/19/90
\$65	5	DoDAAC1	2	-	•		06/61/9
\$65	5	DoDAAC2	2	~	4	.	6/19/90
\$65	5	DocNo	5	-	2	RFL	6/19/90
\$65	5	DocNoSuffix	5	-	m	RFL	06/61/9
\$65	5	NSM	\$	_	~	KAE	6/19/90
265	5	Quentity	8	_	-	KOS	6/19/90
\$65	5	ShipAdvice	3	_	m	KOS	6/19/90
\$	\$	Transtatus	2	-		KTS	6/19/90
%	-	AcceptDate	5	_	→	KOA	6/19/90
%	-	Accept@uent	5	_	-	KOA	6/19/90
%	-	CL 1M	2	-	-	KCE	6/19/90
%	-	DIC	9	_	-	RFL	6/19/90
% %	-	DiscCode	2	_	~	¥.	6/19/90
% %	-	DoDAAC1	ន្ត	_	4	=	6/19/90
3	-	DoDAAC2	ន្ត	~	4	T T	06/61/9
% %	-	Explanation	2	FindUse(80,1,1,/73/)	~	REF	6/19/90
%	-	HSH	8	FindUse(80,1,1,/NS/)	~	REF	6/19/90
36	-	OfferDate	5	-	~	KOA	6/19/90
% %	-	PIIA	2	_	-	K	6/19/90
%	-	PQASite	R	_	'n	KCE	6/19/90
%	-	Provision	28	FindUse(80,1,1,/14/)	~	REF	6/19/90
% %	-	PurchaseUnit	8	_	~	KOS	6/19/90
%	-	NIIds	2	-	~	3	6/19/90
%	-	Shipbate	8	-	~	KSH	6/19/90
%	-	ShipQuent	8	_	-	KOS	6/19/90
%	-	Shipsuffix	8	_	~	KSH	06/41/90

566 1 ShipmentWbr 60 566 1 TransStatus 110 566 100 AcceptOate 70 566 100 AcceptOate 70 566 100 CLIM 40 566 100 Explanation 50 566 100 Explanation 50 566 100 Provision 50 566 100 PriphentWbr 50 567 1 Admin8y 90 567 1 Compate 50 567 1 Compate 50 567 1 DelayReason? 70 567 1 DelayReason? 70 567 1 DisbOfficer 90 <th>FindUse(50,1,1,73/) FindUse(50,1,1,1%) FindUse(50,1,1,1%)</th> <th>2 REF 2 KGA 2 KGA</th> <th>6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90</th>	FindUse(50,1,1,73/) FindUse(50,1,1,1%) FindUse(50,1,1,1%)	2 REF 2 KGA	6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90
1 TransStatus 100 AcceptDate 100 AcceptDate 100 CLIN 100 DIC 100 Explanation 100 MSN 100 OfferDate 100 Provision 100 Provision 100 PurchaseUnit 100 PurchaseUnit 100 PurchaseUnit 100 ShipDate 110 ShipDate	Finduse(50,1,1,73/) Finduse(50,1,1,/NS/) Finduse(50,1,1,/NS/)	1 KTS	6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90
100 AcceptDate 100 CLIN 100 CLIN 100 DIC 100 Explanation 100 MSN 100 OfferDate 100 Provision 100 Provision 100 Provision 100 ShipDate 100 ShipDate 100 ShipDate 100 ShipDate 100 ShipDate 100 ShipDate 100 Provision	findUse(50,1,1,/73/) FindUse(50,1,1,/M4/) findUse(50,1,1,/M4/)	2 REF CO A CO	6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90 6,19/90
100 AcceptQuent 100 CLIM 100 DIC 100 Explanation 100 MSN 100 OfferDate 100 Provision 100 Provision 100 Provision 100 ShipDate 1100 Provision 1100 ShipDate		1 KOA 1 KOC 2 REF C 3 REF C 3 REF C 3 REF C 4 RS 4	6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90
100 CLIM 100 DIC 100 Explanation 100 OfferDate 100 OfferDate 100 Provision 100 PurchaseUnit 100 ShipDate 100 ShipDate 100 ShipDunt 100 ShipDunt 100 ShipDunt 100 IransStatus 1 AdminBy 1 Amount 1 Concode 1 Contractor 1 Contractor 1 DelayReason1 1 DelayReason2 1 DelayReason3	findUse(50,1,1,73/) FindUse(50,1,1,78/) findUse(50,1,1,74/)	1 KCE 2 REF 2 REF 2 REF 2 REF 3 REF 4 REF	6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90
100 DIC 100 Explanation 100 NSN 100 OfferDate 100 Provision 100 Provision 100 Shipbare 100 Shipbant 100 Shipbant 100 Shipbant 100 Shipbant 100 Shipbant 100 Contractor 1 Contractor 1 Contractor 1 DelayReason	findUse(50,1,1,/73/) findUse(50,1,1,/Ms/) findUse(50,1,1,/Ms/)	2 REF 2 REF 2 2 REF 2 2 REF 2 REF 2 2 REF	6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90
100 Explanation 100 NSN 100 OfferDate 100 Provision 100 Provision 100 ShipDate 100 ShipDate 100 ShipDate 100 ShipDate 100 ShipDate 100 ShipDate 100 TransStatus 1 Admin8y 1 Amount 1 Concode 1 ContDate 1 Contractor 1 DelayReason1 1 DelayReason2 1 DelayReason3 1 DisbOffice 1 PliN 1 Poffice 1 SPIIN 1 TransDate	FindUse(50,1,1,/T3/) findUse(50,1,1,/MK/) findUse(50,1,1,/MK/) findUse(50,1,1,/MK/)	2 REF 2 KGA 2 KGA 2 KGA 2 KGA 2 KGA 1 KGS 1 KGS	6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90
100 MSN 100 Offerbate 100 PaaSite 100 Provision 100 Provision 100 Shipbate 100 Shipbate 100 Shipbate 100 Shipbate 100 TransStatus 1 Admin8y 1 Amount 1 CloseCode 1 ContDate 1 ContDate 1 ContDate 1 DelayResson1 1 DelayResson2 1 DelayResson3	FindUse(50,1,1,/NS/) FindUse(50,1,1,/NK/) 1 1 1 1 1 1 1 1 1 1 1 1 1	2 REF 2 KOA 2 KOE 2 KOE 2 KOS 1 KOS 1 KOS 1 KOS	6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90 6,19,90
100 Offerbate 100 Provision 100 Provision 100 Shipbate 100 Shipbate 100 Shipbate 100 Shipbate 100 TransStatus 1 Amount 1 CloseCode 1 Compbate 1 Contractor 1 DelayResson1 1 DelayResson2 1 DelayResson3	finduse(50,1,1,/M4/)	2 KGA 2 KCE 2 KGE 2 KGB 1 KGS 1 KGS 1 KGS	6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90
100 Poasite 100 Provision 100 PurchaseUnit 100 ShipDate 100 ShipDate 100 TransStatus 1 AdminBy 1 AdminBy 1 Composite 1 Composite 1 Contractor 1 Contractor 1 DelayReason3 1 DelayReason3 1 DelayReason3 1 DelayReason3 1 PliN 1 Poffice 1 SpliN 1 TransDate	findUse(50,1,1,/M4/) 1 1 1 1 1 1 1 1 1 1 1 1 1	5 KCE 2 REF 2 KGS 2 KGS 1 KGS 1 KGS 1 KGS	6/19/90 6/19/90 6/19/90 6/19/90 6/19/90 6/19/90
100 Provision 100 Shipbate 100 Shipbuent 100 ShipmentWbr 100 TransStatus 1 AdmirBy Amount 1 Composte 1 Composte 1 Contractor 1 DelayReason3 1 DelayReason3 1 DelayReason3 1 DelayReason3 1 PliN 1 POffice 1 SPIIN	FindUse(50,1,1,/M4/) 1 1 1 1 1 1 1 1 1 1 1 1 1	2	6/19/90 6/19/90 6/19/90 6/19/90 6/19/90
100 PurchaseUnit 100 Shipbuent 100 ShipmentWbr 100 TransStatus 1 AdmirBy Amount 1 CloseCode 1 CompDate 1 Contractor 1 Contractor 1 DelayReason3 1 DelayReason3 1 DelayReason3 1 DelayReason3 1 PliN 1 POffice 1 SPIIN 1 TransDate		2 K K K K K K K K K K K K K K K K K K K	6/19/90 6/19/90 6/19/90 6/19/90
100 Shipbate 100 Shipbant 100 TransStatus 1 Admin8y Amount 1 CloseCode 1 Composte 1 Contractor 1 Contractor 1 DelayResson3 1 DelayResson3 1 DelayResson3 1 DelayResson3 1 PliN 1 POffice 1 SPIIN 1 TransDate		Z K KSH	6/19/90 6/19/90 6/19/90
100 Shipbuant 100 TransStatus 1 AdmirBy Amount 1 CloseCode 1 CompDate 1 Contractor 1 Contractor 1 DelayReason3		T KSH	6/19/90 6/19/90
100 ShipmentWbr 100 TransStatus 1 AdminBy Amount 1 CloseCode 1 CompDate 1 Contractor 1 Contractor 1 DelayReason1 1 DelayReason2 1 DelayReason3 1 DisbOffice 1 PIIN 1 POffice 1 SPIIN 1 TransDate	1	T KSH	6/19/90
100 TransStatus 1 AdminBy Amount 1 CloseCode 1 CompDate 1 Contractor 1 Contractor 1 DelayResson1 1 DelayResson3	1 81-41-2000 1 1 2000	*	4/10/00
1 AdminBy Amount 1 CloseCode 1 CompDate 1 Contractor 1 Contractor 1 DelayReason1 1 DelayReason2 1 DelayReason3 1 DelayReason3 1 DelayReason3 1 PelayReason3 1 PelayReason3 1 PelayReason3 1 PelayReason3 1 TransDate 1 SPIIN	Firehouse 1 1 /20/2	- KIS	
1 Amount 1 CloseCode 1 Compbate 1 Contractor 1 Contractor 1 Dic 1 DelayResson1 1 DelayResson2 1 DelayResson3 1 DelayResson3 1 Plin 1 Poffice 1 PayDate 1 SPIIN	112096(70,1,1,7,7)	# *	6/19/90
1 Compose 1 Compose 1 Contractor 1 Contractor 1 Dic 1 DelayResson1 1 DelayResson2 1 DelayResson3 1 Disbofficer 1 Plin 1 Poffice 1 Splin 1 Transbate	-	₹	6/19/90
Contractor Contractor Contractor DoleyReason1 DelayReason2 DelayReason3 DelayReason3 DelayReason4 DelayReason4 DelayReason6 The Police The Poli	-	₹	6/19/90
1 Contractor 1 Doctorector 1 DisplayResson1 1 DelayResson2 1 DelayResson3 1 DisplayResson3 1 DisplayResson3 1 DisplayResson3 1 PIIN 1 POffice 1 SPIIN 1 TransDate	FindUse(30,1,1,7001/)	2 DTM	6/19/90
1 Contractor 1 Dic 1 DelayReason1 1 DelayReason3 1 Diabofficer 1 PilN 1 Poffice 1 SpilN 1 TransDate	Finduse(30,1,1,700[356]/)	2 DTM	6/19/90
1 DelayReason1 1 DelayReason2 1 DelayReason3 1 Diabofficer 1 PilN 1 Poffice 1 SPIIN 1 TransDate	FindUse(90,1,1,725/)		6/19/90
1 DelayReason1 1 DelayReason2 1 DisbOfficer 1 PilM 1 POffice 1 SPIIM 1 TransDate	_	1 RFL	6/19/90
1 DelayReason2 1 DelayReason3 1 DiabOfficer 1 Plin 1 Poffice 1 SPIIN 1 TransDate	-	2 REF	6/19/90
1 DelayReason3 1 Disbofficer 1 PliN 1 Poffice 1 PayDate 1 SPIIN	2	2 REF	06/61/9
1 Disbofficer 1 Poffice 1 Paybate 1 SPIIN	m	2 REF	6/19/90
1 Poffice 1 Paybate 1 SPIIN 1 Transbate	Finduse(90,1,1,/36/)	¥	6/19/90
1 PayDate 1 SPIIN 1 TransDate	-	.	6/19/90
1 Splin 1 Splin 1 Transbate	FindUse(90,1,1,/28/)		6/19/90
1 SPIIN 1 TransDate	FindUse(30,1,1,7002/)	2 DTM	 6/19/90
1 TrensDate		2 K&	6/19/90
	FindUse(30,1,1,7009/)	2 DTM	 6/19/90
1 TransStatus	-	1 KTS	 6/19/90
567 1 VoucherNbr 60	-	1 \$11	6/19/90
568 1 Batchilbr 30	2	1 KVA	 6/19/90

5/10/91

PI	TidSect	Field	SegmentSeq	Usectr	ElementSeq	Segment1d	Date
\$	-	BatchSed	92			•	*******
3	•	Combacini	3 5		٠,	S	04/41/0
3 ;	- •	ריאאפרוקוים	•	1100se(+0,1,1,4%/)	•		06/41/9
8	-	Col (Amount	2		•	K.V	6/19/90
268 88	-	210	5	_	-	RFL	6/19/90
268	-	Disbanount	S	-	ĸ	KVA	06/61/9
568	-	Disbofficer	9	Finduse(40,1,1,/36/)	4	Ŧ	6/19/90
3	-	ItemCnt	2		-	KVA	06/11/9
% %	-	Statusind	20	-	-	KTS	6/19/90
568	5	Accete	04	_	E	KAC	06/11/9
268	5	ACRN	9	-	-	KAC	06/11/90
268	5	Approp	07	_	2	KAC	6/19/90
8 8	5	DIC	5	-	-	RFL	6/19/90
268	5	PIIM	2	•	-	K	06/41/9
268	5	MIIds	30	-	~	K	6/19/90
268	<u>5</u>	VoucherMbr	2	-	-	SII	6/19/90
3	110	CPNType	2	-	_	ZS	6/19/90
268	110	Collype	2	•	4	KS	6/19/90
268	10	CountryCode	30	-	7	118	6/19/90
% 88	110	DIC	₽		-	RFL	6/19/90
%	110	GrossAmount	2	-	7	EV2	6/19/90
3	110	Net Amount	2	-	m	ZS	6/19/90
268	÷	OrigVouchNbr	8	~	•	118	6/19/90
%	100	Payment Type	20	-	7	SII	6/19/90
3	110	VoucherDate	30	-	m	SII	6/19/90
268	120	CLIN	2	-	-	KCE	6/19/90
\$68 89	120	CL IN2	2	~	-	KCE	6/19/90
28	120	DIC	₽	-	-	RFL	6/19/90
268	120	DedAnount 1	20	-	7	K/3	6/19/90
268	5	Ded/mount2	20	~	2	KV3	6/19/90
268	120	Ded/mount3	30	m	7	ES3	6/19/90
\$68	120	DedSigni	30	-	m	KV3	6/19/90
268	2	DedSign2	30	~	m	K/3	6/19/90
268	120	DedSign3	20	m	m	ES3	6/19/90
268	120	DedType1	30	_	-	KV3	6/19/90
3 8	120	DedType2	30	~	-	KS3	6/19/90

114	TidSect	Field	SegmentSeq	UseCtr	Elementseq	Segmentid	Date
33	120	DedType3	33	P	-	23	6/19/90
268	120	VarAmount1	30	_	2	33	06/61/9
268	120	VarAmount2	30	2	2	£	6/19/90
\$	120	VarCode1	30	_	-	KV3	6/19/90
568	120	VarCode2	30	2	-	K3	6/19/90
26 88	120	VarSign1	30	_	m	K3	6/19/90
568	120	VarSign2	30	2	m	23	6/19/90
268	130	CL 18	2	_	-	KCE	6/19/90
368	130	CPNType	9	_	•	KAS	6/19/90
268	130	010	5	-	-	RFL	6/19/90
268 88	130	I temAmount	30	-	m	S	6/19/90
268	130	LineStatus	25	-	•	S	6/19/90
568	130	Quantity	30		~	S	6/19/90
\$68	130	ShipToDoDAAC	20	-	•	E	6/19/90
268	130	Sh ipmentMbr	30	-	••	S	6/19/90
858	-	AirDimcode	110	FindUse(110,1,1,/AV/)	~	6N	6/19/90
858	-	Commicode	120	_	m	รา	6/19/90
858	_	Consignee	110	FindUse(110,1,1,/2B/)	7	€	6/19/90
858	-	Consignor	110	Findbse(110,1,1,/SF/)	~	6N	6/19/90
858	-	Contind	2	-	*	N7	6/19/90
858	-	ContNbr	5	FindUse(100,1,1,/c8/)	~	REF	6/19/90
858	-	cube	130		•	07	6/19/90
858	-	010	110	_	7	M	6/19/90
858	-	DateCode	110	FindUse(110,1,1,/TG/)	•	6	6/19/90
858	-	ETACode	110	FindUse(110,1,1,728/)	•	K	6/19/90
858	-	Equbr	R	_	~	N7	6/19/90
858	-	FSC	110	FindUse(110,1,1,/FF/)	7	¥0	6/19/90
858	-	185	0 2	_	~	NO OH	6/19/90
858	-	GBLNbr	0	-	•	æ	6/19/90
858	-	GBLPOE	04	_	m	7 4	6/19/90
858	-	Hourcode	110	FindUse(110,1,1,/TG/)	2	6	6/19/90
858	-	ModeMethod	5	-	~	æ	9/16/60
858	-	Nbrtcks	2	-	m	6	6/19/90
858	-	MbrUnita	120	_	2	รา	6/19/90
858	-	OwnCode	2	-	12	7H	6/19/90

5/10/91

P	TidSect	Field	SegmentSeq	UseCtr	ElementSeq	SegmentId	Date
858	-	8	5	FindUse(100,1,1,710/)	2	BEF	6/10/90
858	-	30	9		m	5 2	6/19/90
858	-	PackType1	120	_	'n	27	6/19/90
658	-	PeckType2	130	_	2	97	6/19/90
858	-	Pieces	130	-	•	93	6/19/90
858	-	Priority	110	FindUse(110,1,1,/GP/)	7	6н	6/19/90
858	-	ProjectCode	110	Finduse(110,1,1,/P4/)	2	6	6/19/90
858	-	100	110	finduse(110,1,1,/GP/)	•	64	06/61/9
858	-	ReleaseDate	20	-	2	299	6/19/90
858	-	Shipper	20	_	•	=	6/19/90
858	-	TAC	110	FindUse(110,1,1,/TH/)	2	6 #	6/19/90
858	-	1CN	110	FindUse(110,1,1,11G/)	7	₽	6/19/90
858	-	VanCube	R	-	•	7H	6/19/90
858	-	Vantength	R		15	7H	6/19/90
858	-	Veight	130	-	•	07	6/19/90
858	2 0	A irD imcode	8	FindUse(60,1,1,/AV/)	7	€	6/19/90
828	200	BilPieces	R	~	7	15	6/19/90
858	20	BeamAss	8	FindUse(60,1,1,/8A/)	7	€	6/19/90
858	200	Commode	٤		n	rs S1	6/19/90
858	200	Consignee	8	Finduse(60,1,1,78/)	7	%	6/19/90
858	2 00	Consignor	8	FindUse(60,1,1,/SF/)	7	£	6/19/90
858	200	Contind	2	-	*	7H	6/19/90
858	20	Contlibr	8	Finduse(50,1,1,/cs/)	7	REF	6/19/90
32	200	Cube	8	_	•	97	6/19/90
858	200	DIC	8	_	7	SE SE	6/19/90
858	8	DateCode	8	FindUse(60,1,1,/1G/)	•	6 H	6/19/90
858	20 20 20	DelStop	2	_	9	LS	6/19/90
858	200	Dodic	140	-	7	LHR	6/19/90
858	<u>2</u>	ETACode	8	FindUse(60,1,1,/2B/)	•	<u>\$</u>	6/19/90
858	200	Eq#br	೩	_	7	7H	6/19/90
858	8 8	Exploeight	55		••	LHA	6/19/90
858	200	FSC	8	FindUse(60,1,1,/FF/)	~	<u>\$</u>	6/19/90
858	200	GradeCode	8	Finduse(60,1,1,/CR/)	m	<u>\$</u>	6/19/90
858	20	GroupCode	52		~	LH3	6/19/90
858	200	Hazbet	120	-	~	LH3	6/19/90

5/10/91

11d	Tidsect	Field	SegmentSeq	Usectr	ElementSeq	SegmentId	Date
858	200	HazMat1d	001		~	Ξ	06/61/9
858	200	Height	8	Finduse(90,1,2,/HT/)	m	MEA	6/19/90
858	200	HourCode	3	FindUse(60,1,1,/TG/)	•	6N	6/19/90
858	5 8	IDNDr	100	_	4	E	6/19/90
858	200	Length	8	Finduse(90,1,2,/LN/)	m	MEA	6/19/90
858	200	Lo Mbr	8	Finduse(60,1,1,/LT/)	2	%	6/19/90
858	200	MiscT_91nfo	%	FindUse(50,1,1,/CK/)	n	REF	6/19/90
858	200	Model	2	-	7	53	6/19/90
858	200	NSM	20	Finduse(50,1,1,/NS/)	2	REF	6/19/90
858	200	Mbrunits	R	_	2	เร	6/19/90
858	200	Ouncode	2	_	12	7H	6/19/90
858	200	8	50	FindUse(50,1,1,/10/)	~	REF	6/19/90
858	28	Pointtiels	8	Finduse(60,1,1,70W/)	m	611	6/19/90
858	200	PONeme	8	FindUse(60,1,1,/CR/)	7	6H	6/19/90
858	2 8	POVColor	8	Findse(60,1,1,/LV/)	m	6N	6/19/90
858	2	POVId	8	Finduse(60,1,1,/LV/)	7	611	6/19/90
858	200	PovMake	R	-	2	53	6/19/90
858	200	PPAddress	20	Finduse(50,1,1,/SN/)	m	REF	6/19/90
858	200	PackType1	2	-	1 0	z,	6/19/90
858	200	PeckType2	8	-	7	97	6/19/90
858	200	Pieces	8		€0	07	6/19/90
858	200	Pieces7	5		7	L#1	6/19/90
858	200	Priority	8	Finduse(60,1,1,/GP/)	~	6N	6/19/90
858	200	ProjectCode	8	Finduse(60,1,1,/P4/)	~	Ćį	06/61/9
858	200	100	8	FindUse(60,1,1,/GP/)	4	6 N	6/19/90
858	200	RndCnt	5	Finduse(100,1,1,/RO/)	7	LH1	6/19/90
858	200	SCAC	2	_	12	7H	6/19/90
858	200	SealActivity	8	FindUse(60,1,1,150/)	7	611	6/19/90
858	200	Sealwan	20	-	-	M7	6/19/90
858	200	SecondSeal	ន	_	m	7H	6/19/90
858	200	Sequip	20	Finduse(50,1,1,1cK/)	7	REF	6/19/90
858	200	SerialNum	8	FindUse(60,1,1,/SE/)	~	6H	6/19/90
858	200	StateCode	8	Finduse(60,1,1,751/)	m	6N	6/19/90
858	200	TAC	8	FindUse(60,1,1,7H/)	7	₹	6/19/90
858	200	TCN	3	FindUse(60,1,1,71G/)	8	64	6/19/90

Page 48

mentSeq UseCtr 20 1
-
-
-
- •
-
rimuse(y0,1,2,/W0/)
rimuse(60,1,1,722/)
- (
v •
 •
- (
~

DicPattern	1 bi1	Tid TidSect Date	Date	
(FH) (ADJ) [CEFRS] [FH] T [BP] 081	206	-	3/12/90	
[FH]S[12]	510	-	3/12/90	
[FH] [ABCDFGJPQU4] [12] [FH] E [34]	510	5	3/12/90	
(FH) (LNGRWAX) (12)	510	200	3/12/90	
(AU) 0 (12457AB0EP9RS) (AU) M (1245AB0E) (AU) T (12457AB0E) (AU) X (12)	511	-	10/17/90	
(AU) F (12345CTY)	512	-	10/18/90	
(AU) [CK] [1-5]	513	-	10/18/90	
[AU] B [1238] [AU] E [1-689ABDE] [AU] S [1-58HY] [AU] U [1-578]	514	-	10/22/90	
FT [6ACDEFGLMQRT2]	515	-	10/23/90	
[AU] [56] [12457ABDEJ] [AU] [CEGK] J [AU] R [OABHJKL] [AU] U [OABJ [AU] F [6J] DZK	516	_	10/23/90	
[AU] N [92]] [AU] P [1-569RX] [AU] G [RV] [AU] V [1-3]	517	-	10/23/90	
[AU]N(1-5]	517	5	10/25/90	
(AU) (234) [12457ABDE]	518	_	10/24/90	
CAUJSZ CAUJ F CKZJ	519	-	10/24/90	
(AUJO (135R)	520	-	10/24/90	
CAUJD [24]	520	\$	10/24/90	
CAUJ C 167MP] CAUJ (GK) 6	521	-	10/24/90	
CAUJH [FP]	225	-	10/24/90	
DE] [460FUW] a DE] 2 [GK]	225	-	9/13/90	
[DE] Y [ABCDGHJKLM] [DE] Z [9G]	528	-	9/13/90	
(DE17 (A-D) (DE12 (94)	25	-	9/13/90	
[DE] L [A-F] [DE] Z [CDG]	530	-	9/18/90	
[DE] [7G] [A-EGHJ-WPORZ] [DE] HA [DE] 2 [GK]	532	-	9/18/90	
DEJ (89) (A-FJKSZ) (DEJ9(GN) (DEJA (CDS) (DEJE (EFJ) (DEJ Z (GK)	533	-	9/24/90	
(DE) J (AB) (DE) KA (DE) 2G	234		9/28/90	
(DE)S(A-DFMR)	535	-	9/28/90	
(DE) L (S-X)	536	-	06/52/6	
(DE) L (TUXX)	538	5	06/52/6	
(DE) LV	538	200	06/52/6	
(DE) 2 (EFG)	537	-	9/26/90	
(DE JM (ABCDE)	538	-	9/56/90	
(DE)A(12) (DE) 2G	539	-	9/56/90	
(DE) Z (GJ)	240		9/56/90	
[DE] 2 (BG]	541	-	06/92/6	

DicPattern	Tid TidSect Date	Sect	bate
(DE) R (ABF) (DE) 2G	245	-	9/27/90
(DE) 2 (AG)	244	-	9/27/90
(DE) 2 (HLMKG)	245	-	9/27/90
PILIGI	551	-	2/28/90
P1[02388CHY]	552	-	2/28/90
P2(0123890E1 XEL	553	-	2/28/90
P3(0123%)1)	554	-	2/28/90
P4(123)	555	-	2/28/90
P53	556	-	2/28/90
P6[0ABCDFRS] P[0-9]2	557	-	2/28/90
P9 (ABCDF)	558	-	2/28/90
P2(AB)	559	-	2/28/90
P (ABE) (AB) P (BE) 1	561	-	2/28/90
P CABET (CD)	561	8	2/28/90
P CABET (EFH)	561	82	2/28/90
P CABE) [GH]	561	210	2/28/90
P(EF)K	295	-	2/28/90
P(EF)K	295	\$	2/28/90
PJ (A8)	26	-	2/28/90
PJ[AB]	35	8	2/28/90
PJ(JR)	265	-	2/28/90
PJ(JR)	292	8	2/28/90
PK (5MP)	266	-	2/28/90
PK(SNP)	266	8	2/28/90
PK [9X2]	267	-	2/28/90
PVA	268	-	2/28/90
PVf	268	5	2/28/90
PV2	268	10	2/28/90
PV(34)	268	12	2/28/90
PVS	268	동	2/28/90
GBL [RT] ("K) [01234]	858	-	2/28/90
[RT] ['KJ9	858	8	2/28/90
[RT] ["K] [0-9]	858	200	2/28/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
509	1	10	1	1	Y	RFL	9/20/90
509	ī	20	_	3	Ÿ	SII	9/20/90
509	ī	30		ĭ	_	RQU	9/20/90
509	1	40		ī	Y	DBL	9/20/90
509	1	50		ī	-	RBT	9/20/90
509	1	60		ī		REF	9/20/90
509	1	70		1		RQP	9/20/90
509	1	80		1		MRP	9/20/90
509	1	90				RQQ	9/20/90
509	1	100		1		RŜĒ	9/20/90
509	1	110		1		RAA	9/20/90
509	1	120		5	Y	N1	9/20/90
510	1	10	1	1	Y	RFL	11/08/90
510	1	20		1	Y	SII	11/08/90
510	1	30				RBT	11/08/90
510	1	40		3		RAA	11/08/90
510	1	50		1 3 1		RQU	11/08/90
510	1	60		5	Y	NÎ	11/08/90
510	100	10	1500	1	Y	RFL	11/08/90
510	100	20		1		REF	11/08/90
510	100	30		1		RQQ	11/08/90
510	100	40				DBL	11/08/90
510	100	50		1		DFM	11/08/90
510	100	60		1		RSE	11/08/90
510	100	70		1		PI	11/08/90
510	100	80		1		RQU	11/08/90
510	100	90		1		AVF	11/08/90
510	100	100		3	Y	N1	11/08/90
510	100	110		1	Y	ONE	2/05/91
510	200	10	5	1	Y	RFL	11/08/90
510	200	20		1		DBL	11/08/90
510	200	30		3	Y	Nl	11/08/90
510	200	40		1		RQU	11/08/90
510	200	50		1	Y	TWO	2/05/91
511	1	10	1	1	Y	RFL	11/01/90
511	1	20		1		PI	11/01/90
511	1	30		1		RBT	11/01/90
511	1	40		1	Y	RQQ	11/01/90
511	1	50		1		REF	11/01/90
511	1	60		1		RQM	11/01/90
511	1	70		99	Y	RQD	11/01/90
511	1	80		1		RQP	11/01/90
511	1	90		5		RAS	11/01/90
511	1	100		5 5 1		NTE	11/01/90
511	1	110		1		RQU	11/01/90
511	1	120		1 1 1 1		RQF	11/01/90
511	1	130		1		RQE	11/01/90
511	1	140		1		RQY	11/01/90
511	1	150		1		ICS	11/01/90
511	1	160		1		PED	11/01/90
511	1	170		25	Y	N1	11/01/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Reg'd	SegmentId	Date
511	1	180		25		N2	11/01/90
511	1	190		25		N3	11/01/90
511	1	200		25		N4	11/01/90
511	1	210		999		RMI	11/01/90
511	1	220		1		N1	11/01/90
511	1	230	•	1	4,	RQU	11/01/90
512	1	10	1	1	Y	RFL	11/02/90
512 512	1	20		1		PI RBT	11/02/90
512	i	30 40		1 1	Y	RQQ	11/02/90 11/02/90
512	i	5 0		i	Ÿ	REF	11/02/90
512	ī	60		99	•	RQD	11/02/90
512	ī	70		í		RQP	11/02/90
512	ī	80	,	5		RAS	11/02/90
512	1	90		ī		RQF	11/02/90
512	1	100		1		RQE	11/02/90
512	1	110		1		RSI	11/02/90
512	1	120		1		ICS	11/02/90
512	1	130		1		RSE	11/02/90
512	1	140		1		RQU	11/02/90
512	1	150		1		NTE	11/02/90
512	1	160		10	Y	N1	11/02/90
513 513	1	10	1	1	Y	RFL	11/05/90
513	1 1	20 30		1	v	PI PPM	11/05/90
513	i	40		1 1	Y Y	RBT	11/05/90
513	ī	50		i	Y	RQQ REF	11/05/90 11/05/90
513	ī	60		99	1	RQD	11/05/90
513	ī	70		1		RQP	11/05/90
513	ī	80		5		RAS	11/05/90
513	1	90		ĭ		NTE	11/05/90
513	1	100		ī		RQF	11/05/90
513	1	110		ī		RQE	11/05/90
513	1	120		1		RQY	11/05/90
513	1	130		1		RSI	11/05/90
513	1	140		1		RQU	11/05/90
513	1	150		10	Y	N1	11/05/90
513	1	160		10		N2	11/05/90
513	1	170		10		N3	11/05/90
513 514	1	180	•	10	••	N4	11/05/90
514	1	10 20	1	1	Y Y	RFL	11/05/90
514	i	30		5	I	RQQ RSI	11/05/90
514	ī	40		5 1		N1	11/05/90
514	ī	50		i		PĪ	11/05/90 11/05/90
514	ī	60		1 5 1 1	Y	RBT	11/05/90
514	ī	70		ī	Ÿ	REF	11/05/90
514	ī	80		ī	•	RQP	11/05/90
514	1	90		5		NTE	11/05/90
514	1	100		2		RSE	11/05/90
514	1	110		1 5 2 1		RQU	11/05/90
514	1	120		1		DSI	11/05/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
514	1	130		1		ICS	11/05/90
514	1	140		99 10	Y	RQD	11/05/90
514 514	1	150 160		10 10	1	N1 N2	11/05/90 11/05/90
514	i	170		10		N2 N3	11/05/90
514	i	180		10		N4	11/05/90
514	i	190		999		RMI	11/05/90
514	ī	200		999		N1	11/05/90
514	ī	210		999		RQU	11/05/90
514	1	220		3		MCM	11/05/90
514	1	230		5		N1	11/05/90
514	1	240		5 5 5		N2	11/05/90
514	1	250		5		N3	11/05/90
514	1	260	•	5	••	N4	11/05/90
515	1	10	1	1	Y	RFL	11/05/90
515	1	20		1	Y	RBT	11/05/90
515 515	1	30 40		1	Y	REF ICS	11/05/90 11/05/90
515	1 1	5 0		2 1	Y	RQQ	11/05/90
515	i	60		5	Ÿ	MRP	11/05/90
515	ī	100		5 5	•	RAS	11/05/90
515	ī	110		ĭ		RQP	11/05/90
515	ī	120		ī		NTE	11/05/90
515	1	130		1		RSI	11/05/90
515	1	140		1		RSE	11/05/90
515	1	150		1		RQU	11/05/90
515	1	160		10	Y	N1	11/05/90
515	1	170		10		N2	11/05/90
515 515	1	180 190		10		N3	11/05/90
516	i	10	1	10 1	Y	N4 RFL	11/05/90 11/05/90
516	i	20	•	ī	•	RBT	11/05/90
516	ī	30		ī	Y	RQQ	11/05/90
516	ī	40		ī	_	JRL	11/05/90
516	ī	50		ī	Y	REF	11/05/90
516	1	60		1		RQP	11/05/90
516	1	70		5 1		RAS	11/05/90
516	1	80				NTE	11/05/90
516	1.	90		1		RSI	11/05/90
516	1	100		1		DSI	11/05/90
516	1	110		1 2 1 2		ICS	11/05/90
516 516	1 1	120		2		RSE	11/05/90
516	i	130 140		<u> </u>		PI	11/05/90
516	i	150		1		RQU THT	11/05/90
516	i	160		10	Y	N1	11/05/90 11/05/90
516	ī	170		10	•	N2	11/05/90
516	ī	180		10		N3	11/05/90
516	ī	190		10		N4	11/05/90
516	1	200		1		RMI	11/05/90
516	1	210		1		N1	11/05/90
516	1	220		1		RQU	11/05/90

S17	Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
517 1 20 10 N1 11/06/90 517 1 30 1 REF 11/06/90 517 1 50 1 REF 11/06/90 517 1 60 99 RQD 11/06/90 517 1 80 5 RAS 11/06/90 517 1 100 1 NTE 11/06/90 517 1 100 1 RQU 11/06/90 517 100 1 REF 11/06/90 517 100 1 REF 11/06/90 517 100 30 1 REF 11/06/90 517 100 40 1 REF 11/06/90 517 100 50 1 REF 11/06/90 517 100 60 99 RQD 11/06/90 517 100 60 99 RQD 11/06/90 517 100 80 1 REF 11/06/90 517 100 80 1 REF 11/06/90 517 100 80 1 REF 11/06/90 517 100 100 10 1 RQU 11/06/90 517 100 100 1 RREF 11/06/90 517 100 100 1 RQU 11/06/90 517 100 100 1 RREF 11/06/90 517 100 100 1 RREF 11/06/90 517 100 100 1 RQU 11/06/90 517 100 100 1 RQU 11/06/90 518 1 RQU 11/06/90	517	1	10	1	1	V	PFI.	11/06/90
517 1 40 1 REF 11/06/90 517 1 60 99 RQD 11/06/90 517 1 60 99 RQD 11/06/90 517 1 80 5 RAS 11/06/90 517 1 100 1 RQF 11/06/90 517 100 10 493 1 Y RFL 11/06/90 517 100 30 1 REF 11/06/90 517 100 30 1 REF 11/06/90 517 100 50 1 RQF 11/06/90 517 100 50 1 RQF 11/06/90 517 100 60 999 RQD 11/06/90 517 100 70 1 RQF 11/06/90 517 100 90 1 RQF 11/06/90 517 100 90 1 RQF 11/06/90 517 100 100 1 RQF 11/06/90 518 1 1 RQF 11/06/90				•		•		
517 1 50 1 REF 11/06/90 517 1 50 1 REF 11/06/90 517 1 70 1 RQD 11/06/90 517 1 80 5 RAS 11/06/90 517 1 100 1 RQU 11/06/90 517 1 RQU 11/06/90 517 1 RQU 11/06/90 517 100 100 493 1 Y RFL 11/06/90 517 100 30 1 RBT 11/06/90 517 100 40 1 RQU 11/06/90 517 100 50 1 REF 11/06/90 517 100 60 99 RQD 11/06/90 517 100 60 99 RQD 11/06/90 517 100 80 1 PJ 11/06/90 517 100 80 1 RQU 11/06/90 517 100 100 1 RQU 11/06/90 518 1 10 1 RQU 11/06/90 518 1 100 NA 11/06/90 518 1 RQU 11/06/90								
517 1 60 99 RQD 11/06/90 517 1 80 5 RAS 11/06/90 517 1 80 5 RAS 11/06/90 517 1 100 1 PI 11/06/90 517 1 100 1 PI 11/06/90 517 1 100 1 RQU 11/06/90 517 1 100 1 RRET 11/06/90 517 100 1 RRET 11/06/90 517 100 30 1 REF 11/06/90 517 100 30 1 REF 11/06/90 517 100 50 1 REF 11/06/90 517 100 50 1 RQU 11/06/90 517 100 50 1 RQU 11/06/90 517 100 60 99 RQD 11/06/90 517 100 70 1 RQU 11/06/90 517 100 70 1 RQU 11/06/90 517 100 80 1 PI 11/06/90 517 100 90 1 RQU 11/06/90 517 100 100 1 RQU 11/06/90 518 1 100 10 NA 11/06/90 518 1 10 1 RQU 11/06/90 518 1 10 RQU 11/06/90								
517 1 60 99 RQD 11/06/90 517 1 70 1 RQP 11/06/90 517 1 90 1 NTE 11/06/90 517 1 100 1 PI 11/06/90 517 1 100 1 RQU 11/06/90 517 1 100 1 RQU 11/06/90 517 1 100 1 RQU 11/06/90 517 100 10 493 1 Y LX 11/06/90 517 100 30 1 RBT 11/06/90 517 100 30 1 RBT 11/06/90 517 100 40 1 RQU 11/06/90 517 100 50 1 RQU 11/06/90 517 100 60 99 RQD 11/06/90 517 100 60 99 RQD 11/06/90 517 100 80 1 RQU 11/06/90 517 100 90 1 SMV 11/06/90 517 100 100 1 RQU 11/06/90 517 100 100 1 RQU 11/06/90 517 100 80 1 RQU 11/06/90 517 100 100 1 RQU 11/06/90 518 1 100 RQU 11/06/90 518 1 RQU 11/06/90								
517 1 70 1 80 5 RAS 11/06/90 517 1 1 90 1 1 NTE 11/06/90 517 1 100 1 1 PI 11/06/90 517 1 100 1 1 RQU 11/06/90 517 1 130 1 RWW 11/06/90 517 1 130 1 RWW 11/06/90 517 100 20 1 RWT 11/06/90 517 100 30 1 RBT 11/06/90 517 100 30 1 RBT 11/06/90 517 100 40 1 RQU 11/06/90 517 100 50 1 REF 11/06/90 517 100 60 99 RQD 11/06/90 517 100 60 99 RQD 11/06/90 517 100 80 1 PI 11/06/90 517 100 90 1 RWW 11/06/90 517 100 90 1 RWW 11/06/90 517 100 100 1 NTE 11/06/90 517 100 100 1 RQU 11/06/90 518 1 RQU 11/06/90 518 1 10 1 RWT RFL 11/06/90 518 1 10 1 RQU 11/06/90 518 1 100 1 RQU 11/06/90 518 1 RQU 11/06/90	517	1						
517 1 90 1 1			70		1			
517 1 100 1 1 RQU 11/06/90 517 1 110 1 RQU 11/06/90 517 1 130 1 RWR 11/06/90 517 100 10 493 1 Y LX 11/06/90 517 100 30 1 RBT 11/06/90 517 100 30 1 RBT 11/06/90 517 100 50 1 RQQ 11/06/90 517 100 50 1 REF 11/06/90 517 100 60 99 RQD 11/06/90 517 100 80 1 PI 11/06/90 517 100 80 1 PI 11/06/90 517 100 90 1 RQP 11/06/90 517 100 90 1 SWV 11/06/90 517 100 100 1 RQU 11/06/90 518 1 RQU 11/06/90 518 1 100 1 RRT 11/06/90 518 1 1 10 1 RQU 11/06/90 518 1 1 10 RQU 11/06/90 518 1 RQU 11/06/90					5		RAS	
517 1 100 10 1								11/06/90
SIT 1								11/06/90
S17								
517 100 10 493 1 Y RFL 11/06/90 517 100 20 1 Y RFL 11/06/90 517 100 40 1 RBT 11/06/90 517 100 50 1 REF 11/06/90 517 100 60 99 RQD 11/06/90 517 100 60 99 RQD 11/06/90 517 100 80 1 PI 11/06/90 517 100 90 1 SMV 11/06/90 517 100 10 1 NTE 11/06/90 517 100 10 1 RQU 11/06/90 517 100 120 1 RQU 11/06/90 517 100 130 10 N2 11/06/90 517 100 140 10 N3 11/06/90 518 1 10								
517 100 20 1 Y RFL 11/06/90 517 100 30 1 RBT 11/06/90 517 100 50 1 REF 11/06/90 517 100 60 99 RQD 11/06/90 517 100 80 1 PI 1/06/90 517 100 90 1 SMV 11/06/90 517 100 100 1 RQU 11/06/90 517 100 120 1 RQU 11/06/90 517 100 130 1 RQU 11/06/90 517 100 130 1 RQU 11/06/90 518 1 10 1 Y RFL 11/06/90 518 1 1 0 1 Y RFL 11/06/90 518 1 40 1 Y REF 11/06/90 518 1 40 1 Y REF 11/06/90 518 1 50 1 RQM 11/06/90 518 1 60 99 RQD 11/06/90 518 1 70 1 RQM 11/06/90 518 1 90 1 RQM 11/06/90 518 1 1 0 1 RQU 11/06/90 518 1 1 1 0 1 RQU 11/06/90 518 1 1 1 RQU 11/06/90 518 1 1 1 RQU 11/06/90 518 1 RQU 11/06/90				400				
517 100 30 1 RBT 11/06/90 517 100 40 1 RQQ 11/06/90 517 100 50 1 RRF 11/06/90 517 100 60 99 RQD 11/06/90 517 100 80 1 RQP 11/06/90 517 100 90 1 SMV 11/06/90 517 100 100 1 NTE 11/06/90 517 100 100 1 NTE 11/06/90 517 100 120 10 N1 11/06/90 517 100 130 10 N2 11/06/90 517 100 130 10 N2 11/06/90 517 100 130 10 N3 11/06/90 517 100 150 1 RRT 11/06/90 518 1 10 1 YRFL 11/06/90 518 1 30 1 YRFL 11/06/90 518 1 40 1 YRFF 11/06/90 518 1 50 1 RQM 11/06/90 518 1 80 5 RAS 11/06/90 518 1 80 5 RAS 11/06/90 518 1 10 1 RQP 11/06/90 518 1 10 NTE 11/06/90 518 1 10 RQU 11/06/90 518 1 RQU 11/06/90				493				
517 100 40 1 RQQ 11/06/90 517 100 50 1 REF 11/06/90 517 100 60 99 RQD 11/06/90 517 100 80 1 PI 11/06/90 517 100 90 1 SMV 11/06/90 517 100 100 1 NTE 11/06/90 517 100 110 1 RQU 11/06/90 517 100 120 10 N1 11/06/90 517 100 130 10 N2 11/06/90 517 100 140 10 N3 11/06/90 517 100 140 10 N3 11/06/90 518 1 10 1 RFL 11/06/90 518 1 20 1 RBT 11/06/90 518 1 50 1 RQD 11/06/90 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>Y</td> <td></td> <td></td>						Y		
517 100 50 1 REF 11/06/90 517 100 60 99 RQD 11/06/90 517 100 70 1 RQP 11/06/90 517 100 80 1 PI 11/06/90 517 100 90 1 SMV 11/06/90 517 100 10 NTE 11/06/90 517 100 120 10 N1 11/06/90 517 100 120 10 N1 11/06/90 517 100 140 10 N3 11/06/90 517 100 140 10 N3 11/06/90 517 100 150 10 N4 11/06/90 518 1 20 1 RFIL 11/06/90 518 1 20 1 RBT 11/06/90 518 1 50 1 RQP 11/06/90 <								11/06/90
517 100 60 99 RQD 11/66/90 517 100 70 1 RQP 11/06/90 517 100 80 1 PI 11/06/90 517 100 90 1 SMV 11/06/90 517 100 100 1 NTE 11/06/90 517 100 120 10 N1 11/06/90 517 100 130 10 N2 11/06/90 517 100 130 10 N3 11/06/90 517 100 150 10 N4 11/06/90 517 100 150 10 N4 11/06/90 518 1 20 1 RFL 11/06/90 518 1 20 1 RFT 11/06/90 518 1 40 1 Y REF 11/06/90 518 1 50 1 RQM					1			11/06/90
517 100 70 1 RQP 11/06/90 517 100 80 1 PI 11/06/90 517 100 90 1 SMV 11/06/90 517 100 100 1 NTE 11/06/90 517 100 120 10 N1 11/06/90 517 100 130 10 N2 11/06/90 517 100 140 10 N3 11/06/90 517 100 150 10 N4 11/06/90 517 100 150 10 N4 11/06/90 518 1 20 1 RFL 11/06/90 518 1 30 1 Y RQQ 11/06/90 518 1 30 1 Y RQQ 11/06/90 518 1 50 1 RQM 11/06/90 518 1 60 99 <								
517 100 80 1 PI 11/06/90 517 100 90 1 SMV 11/06/90 517 100 100 1 NTE 11/06/90 517 100 120 10 N1 11/06/90 517 100 130 10 N2 11/06/90 517 100 140 10 N3 11/06/90 517 100 150 10 N4 11/06/90 518 1 10 1 1 RFL 11/06/90 518 1 20 1 RBT 11/06/90 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
517 100 90 1 SMV 11/06/90 517 100 100 1 NTE 11/06/90 517 100 120 10 N1 11/06/90 517 100 130 10 N2 11/06/90 517 100 140 10 N3 11/06/90 517 100 140 10 N3 11/06/90 517 100 140 10 N3 11/06/90 518 1 10 1 1 Y RFL 11/06/90 518 1 20 1 RBT 11/06/90 1 RBT 11/06/90 1 RBT 11/06/90 1 REF 11/06/90 1 REF 11/06/90 1 REF 11/06/90 1 RQP 11/06/90 1								
517 100 100 1 NTE 11/06/90 517 100 110 1 RQU 11/06/90 517 100 120 10 N1 11/06/90 517 100 130 10 N2 11/06/90 517 100 140 10 N3 11/06/90 518 1 10 1 Y RFL 11/06/90 518 1 20 1 RBT 11/06/90 518 1 30 1 Y RQQ 11/06/90 518 1 30 1 Y RQQ 11/06/90 518 1 40 1 Y REF 11/06/90 518 1 60 99 RQD 11/06/90 518 1 60 99 RQD 11/06/90 518 1 10 1 RQF 11/06/90 518 1 10 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>11/06/90</td>								11/06/90
517 100 110 1 RQU 11/06/90 517 100 120 10 N1 11/06/90 517 100 130 10 N2 11/06/90 517 100 140 10 N3 11/06/90 517 100 150 10 N4 11/06/90 518 1 10 1 Y RFL 11/06/90 518 1 20 1 Y RET 11/06/90 518 1 30 1 Y REF 11/06/90 518 1 30 1 Y REF 11/06/90 518 1 50 1 RQM 11/06/90 11/06/90 518 1 60 99 RQD 11/06/90 11/06/90 518 1 80 5 RAS 11/06/90 11 RQF 11/06/90 518 1 100 1					î			
517 100 120 10 N1 11/06/90 517 100 130 10 N2 11/06/90 517 100 140 10 N3 11/06/90 517 100 150 10 N4 11/06/90 518 1 10 1 1 Y RFL 11/06/90 518 1 20 1 RBT 11/06/90 518 1 20 1 Y REF 11/06/90 518 1 30 1 Y REF 11/06/90 518 1 50 1 Y RQP 11/06/90 518 1 60 99 RQD 11/06/90 518 1 70 1 RQP 11/06/90 518 1 80 5 RAS 11/06/90 518 1 10 1 RQF 11/06/90 518 1 10 1 RQP <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
517 100 130 10 N2 11/06/90 517 100 140 10 N3 11/06/90 517 100 150 10 N4 11/06/90 518 1 10 1 1 Y RFL 11/06/90 518 1 20 1 RBT 11/06/90 518 1 30 1 Y REF 11/06/90 518 1 30 1 Y REF 11/06/90 518 1 50 1 RQM 11/06/90 518 1 60 99 RQD 11/06/90 518 1 70 1 RQP 11/06/90 518 1 80 5 RAS 11/06/90 518 1 90 1 NTE 11/06/90 518 1 10 1 RQF 11/06/90 518 1 120 1 RQY 11								
517 100 140 10 N3 11/06/90 517 100 150 10 N4 11/06/90 518 1 10 1 Y RFL 11/06/90 518 1 20 1 RBT 11/06/90 518 1 30 1 Y RQQ 11/06/90 518 1 50 1 RQM 11/06/90 518 1 50 1 RQM 11/06/90 518 1 60 99 RQD 11/06/90 518 1 70 1 RQP 11/06/90 518 1 80 5 RAS 11/06/90 518 1 90 1 NTE 11/06/90 518 1 100 1 RQF 11/06/90 518 1 120 1 RQY 11/06/90 518 1 150 1 RQY								
517 100 150 10 N4 11/06/90 518 1 10 1 1 Y RFL 11/06/90 518 1 20 1 RBT 11/06/90 518 1 30 1 Y RQQ 11/06/90 518 1 40 1 Y REF 11/06/90 518 1 50 1 RQM 11/06/90 518 1 60 99 RQD 11/06/90 518 1 70 1 RQP 11/06/90 518 1 70 1 RQP 11/06/90 518 1 90 1 NTE 11/06/90 518 1 100 1 RQF 11/06/90 518 1 120 1 RQF 11/06/90 518 1 130 1 RQU 11/06/90 518 1 150	517	100						
518 1 10 1 1 Y RFL 11/06/90 518 1 20 1 RBT 11/06/90 518 1 30 1 Y RQQ 11/06/90 518 1 50 1 Y REF 11/06/90 518 1 60 99 RQD 11/06/90 518 1 70 1 RQP 11/06/90 518 1 80 5 RAS 11/06/90 518 1 90 1 NTE 11/06/90 518 1 100 1 RQF 11/06/90 518 1 100 1 RQF 11/06/90 518 1 120 1 RQY 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160	517	100	150					11/06/90
518 1 20 1 RBT 11/06/90 518 1 30 1 Y RQQ 11/06/90 518 1 40 1 Y REF 11/06/90 518 1 50 1 RQM 11/06/90 518 1 60 99 RQD 11/06/90 518 1 80 5 RAS 11/06/90 518 1 90 1 NTE 11/06/90 518 1 100 1 RQF 11/06/90 518 1 110 1 RQF 11/06/90 518 1 120 1 RQY 11/06/90 518 1 130 10 ICS 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y			10	1		Y		
518 1 30 1 Y RQQ 11/06/90 518 1 40 1 Y REF 11/06/90 518 1 50 1 RQM 11/06/90 518 1 60 99 RQD 11/06/90 518 1 70 1 RQP 11/06/90 518 1 80 5 RAS 11/06/90 518 1 90 1 NTE 11/06/90 518 1 100 1 RQF 11/06/90 518 1 110 1 RQE 11/06/90 518 1 120 1 RQY 11/06/90 518 1 130 10 ICS 11/06/90 518 1 140 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 180 10							RBT	
518 1 50 1 RQM 11/06/90 518 1 60 99 RQD 11/06/90 518 1 70 1 RQP 11/06/90 518 1 80 5 RAS 11/06/90 518 1 90 1 NTE 11/06/90 518 1 100 1 RQF 11/06/90 518 1 110 1 RQE 11/06/90 518 1 130 10 ICS 11/06/90 518 1 130 1 RQU 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 1 RMI 11/06/90 518 1 200 1 RMI 11/06/90							RQQ	11/06/90
518 1 60 99 RQD 11/06/90 518 1 70 1 RQP 11/06/90 518 1 80 5 RAS 11/06/90 518 1 90 1 NTE 11/06/90 518 1 100 1 RQF 11/06/90 518 1 120 1 RQY 11/06/90 518 1 130 10 ICS 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 1 RMI 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RQU 11/06/90						Y		
518 1 70 1 RQP 11/06/90 518 1 80 5 RAS 11/06/90 518 1 90 1 NTE 11/06/90 518 1 100 1 RQF 11/06/90 518 1 120 1 RQY 11/06/90 518 1 130 10 ICS 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RQU 11/06/90 518 1 220 1 RQU 11/06/90								11/06/90
518 1 80 5 RAS 11/06/90 518 1 90 1 NTE 11/06/90 518 1 100 1 RQF 11/06/90 518 1 120 1 RQY 11/06/90 518 1 130 10 ICS 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RQU 11/06/90 518 1 220 1 RQU 11/06/90 518 1 220 1 RQU 11/06/90								
518 1 100 1 RQF 11/06/90 518 1 110 1 RQE 11/06/90 518 1 120 1 RQY 11/06/90 518 1 130 10 ICS 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RMI 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91					1			
518 1 100 1 RQF 11/06/90 518 1 110 1 RQE 11/06/90 518 1 120 1 RQY 11/06/90 518 1 130 10 ICS 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RMI 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91					5			
518 1 110 1 RQE 11/06/90 518 1 120 1 RQY 11/06/90 518 1 130 10 ICS 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RMI 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91					1			
518 1 120 1 RQY 11/06/90 518 1 130 10 ICS 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RQU 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91								11/06/90
518 1 130 10 ICS 11/06/90 518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 190 10 N3 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RMI 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91		1			1			11/06/90
518 1 140 1 PI 11/06/90 518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RQU 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91		1			17			11/06/90
518 1 150 1 RQU 11/06/90 518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 RQU 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91		1			10			11/06/90
518 1 160 10 Y N1 11/06/90 518 1 170 10 N2 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 N1 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91		1			1			11/06/90
518 1 170 10 N2 11/06/90 518 1 180 10 N3 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 N1 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91						v		
518 1 180 10 N3 11/06/90 518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 N1 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91		วิ				I		11/06/90
518 1 190 10 N4 11/06/90 518 1 200 1 RMI 11/06/90 518 1 210 1 N1 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91		î						
518 1 200 1 RMI 11/06/90 518 1 210 1 N1 11/06/90 518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91		ī						11/06/30
518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91		ī						
518 1 220 1 RQU 11/06/90 518 1 230 1 RSI 3/05/91		1			ī			
518 1 230 1 RSI 3/05/91		1			ī			
		1			ī			
1 1 Y RFL 11/07/90	519	1	10	1	1	Y	RFL	11/07/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
519	1	20		1	Y	RBT	11/07/90
519	1	30		ī	Ÿ	RQQ	11/07/90
519	1	40		1	Y	REF	11/07/90
519	1	50		1		RQP	11/07/90
519	1	60		5		RAS	11/07/90
519	1	70		1		RSE	11/07/90
519	1	80		1		RQU	11/07/90
519	1	90		10	Y	N1	11/07/90
519	1	100		10		N2	11/07/90
519	1	110		10		N3	11/07/90
519 519	1	120		10		N4	11/07/90
519	1 1	130		į		RMI	11/07/90
519	i	140 150		1		N1	11/07/90
520	i	10	1	1	v	RQU	11/07/90
520	i	20	1	1	Y	RFL	11/07/90
520	î	30		i	Y Y	RQP	11/07/90
520	ī	40		10	Ÿ	RQF N1	11/07/90 11/07/90
520	ī	50		10	•	N2	11/07/90
520	ī	60		10		N3	11/07/90
520	1	70		10		N4	11/07/90
520	1	80		1	Y	FSI	11/07/90
520	100	10	493	ĩ	Ÿ	LX	11/07/90
520	100	20		1	Y	RFL	11/07/90
520	100	30		1		RQQ	11/07/90
520	100	40				REF	11/07/90
520	100	50		1		FSI	11/07/90
520	100	60		1		RQP	11/07/90
520	100	70		1		RQF	11/07/90
520 520	100	80		1		RQU	11/07/90
520	100	90		10	Y	N1	11/07/90
520 520	100 100	100		10		N2	11/07/90
520	100	110		10		И3	11/07/90
520	100	120 130		10		N4	11/07/90
520	100	140		999		RMI	11/07/90
520	100	150		999 999		N1	11/07/90
521	1	10	1	1	Y	RQU RFL	11/07/90
521	ī	20	•	i	7	PI	11/07/90
521	ī	30		ว้		RBT	11/07/90 11/07/90
521	ī	40		î	Y	RQQ	11/07/90
521	1	50		ī	Ÿ	REF	11/07/90
521	1	60		ī	Ŷ	RQP	11/07/90
521	1	70		5	-	RAS	11/07/90
521	1	80		1 1 1 5 1		ICS	11/07/90
521	1	90				RQU	11/07/90
521	1	100		10	Y	N1	11/07/90
521	1	110		10		N2	11/07/90
521	1	120		10		N3	11/07/90
521	1	130		10		N4	11/07/90
521	1	140		999		RMI	11/07/90
521	1	150		999		N1	11/07/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
521	1	160		999		RQU	11/07/90
522	ī	10	1	1	Y	RFL	11/07/90
522	ī	20	-	ī	-	RBT	11/07/90
522	ī	30		ī	Y	RQQ	11/07/90
522	ī	40		ī	Ÿ	REF	11/07/90
522	1	50		1	Y	RQP	11/07/90
522	1	60		1		RQF	11/07/90
522	1	70		1	Y	ΡÏ	11/07/90
522	1	80		1		RQU	11/07/90
522	1	90		10	Y	N1	11/07/90
522	1	100		10		N2	11/07/90
522	1	110		10		N3	11/07/90
522	1	120		10		N4	11/07/90
527	1	10	1	2	Y	RFL	10/26/90
527	1	20	1	1		ICS	10/26/90
527	1	30	1	1		RQQ	10/26/90
527	1	40	1	1		RMI	10/26/90
527	1	50	1	1		N1	10/26/90
527	1	60	1	1		RQU	10/26/90
527	1	70	1	1		JRL	10/26/90
527	1	80	1	1		NTE	10/26/90
527	1	90	1	1		RAS	10/26/90
527	1	100	1	1		PI	10/26/90
527	1	110	1	1	4.7	RBT	10/26/90
527	1	120	1	1	Y	REF	10/26/90
527	1	130	1	99		RQD	10/26/90
527 527	1	140	1	1		NTE	10/26/90
527	1	150	1	1		RSE	10/26/90
527	1	160 170	1	1		DSI	10/26/90
527	1	180	1	1		KQA	10/26/90
527	i	190	1	1		SPP MCM	10/26/90
527	i	200	i	15	Y	N1	10/26/90
527	î	210	i	1	1	RQU	10/26/90
527	î	220	i	i		THT	10/26/90 10/26/90
527	i	230	i	i		TRI	10/26/90
528	ī	10	ī	î	Y	RFL	10/02/90
528	î	20	ī	99	•	RQD	10/02/90
528	ī	30	ī	1	Y	RQQ	10/02/90
528	ī	40	ī	ī	•	RAS	10/02/90
528	ī	50	ī	ī	Y	REF	10/02/90
528	ī	60	ī	ī	•	NTE	10/02/90
528	ī	70	ī	ī		ICS	10/02/90
528	ī	80	ī	ī	Y	SPR	10/02/90
528	ī	90	ī	ī	-	SNI	10/02/90
528	ī	100	ī	ī		RQU	10/02/90
528	ī	110	ī	ī		TRI	10/02/90
528	1	120	ī	10	Y	N1	10/02/90
528	1	130	1	10	-	N2	10/02/90
528	1	140	ī	10		N3	10/02/90
528	1	150	1	10		N4	10/02/90
529	1	10	ī	1	Y	RFL	10/02/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
529	1	20	1	1		REF	10/02/90
529	ī	30	ī	99		RQD	10/02/90
529	1	40	ī	1	Y	AS	10/02/90
529	ī	50	ī	25	-	ÏQI	10/02/90
529	1	60	ī	1		SNI	10/02/90
529	1	70	1	ī		TRI	10/02/90
529	1	80	1	1		RQU	10/02/90
529	1	90	1	10	Y	NI	10/02/90
530	1	10	1	1	Y	RFL	10/02/90
530	1	20	1	1	Y	RQQ	10/02/90
530	1	30	1	1		JRL	10/02/90
530	1	40	1	1	Y	REF	10/02/90
530 530	1	50	1	1	Y	ICS	10/02/90
530	1	60 70	1	1		NTE	10/02/90
530	i	70	1	1		PI	10/02/90
530	i	80 90	1	1		LRS	10/02/90
530	i	100	1	1		TRI	10/02/90
530	i	110	i	10	Y	RQU	10/02/90
530	ī	120	1	10	I	N1	10/02/90
530	ī	130	i	10		N2 N3	10/02/90
530	ī	140	î	10		N4	10/02/90 10/02/90
530	ī	150	ī	999		RMI	10/02/90
530	1	160	ī	999		N1	10/02/90
530	1	170	ī	999		RQU	10/02/90
532	1	10	ī	1	Y	RFL	10/03/90
532	1	20	1	ī	_	RBT	10/03/90
532	1	30	1	1	Y	RQQ	10/03/90
532	1	40	1	1		JRL	10/03/90
532	1	50	1	1	Y	REF	10/03/90
532	1	60	1	99		RQD	10/03/90
532	1	70	1	1	Y	RQP	10/03/90
532 532	1	80	1	5		RAS	10/03/90
532	1	90	1	1		NTE	10/03/90
532	i	100	1	1		ICS	10/03/90
532	1	110 120	1	1		RMV	10/03/90
532	1	130	1 1	1		TRI	10/03/90
532	ī	140		1		THT	10/03/90
532	ī	150	1	1 1		RQU	10/03/90
532	ī	160	1	10	Y	DSI N1	10/03/90
532	ī	170	i	10	1	N2	10/03/90
532	ī	180	î	10		N2 N3	10/03/90
532	ī	190	ī	10		N4	10/03/90 10/03/90
532	1	200	ī	999		RMI	10/03/90
532	1	210	ī	999		N1	10/03/90
532	1	220	ī	999		RQU	10/03/90
533	1	10	ī	2	Y	RFL	10/03/90
533	1	20	1 1 1 1 1 1 1 1		Ÿ	RQQ	10/03/90
533	1	30	1	1 2 2	-	JRL	10/03/90
533	1	40	1	2	Y	ICS	10/30/90
533	1	50	1	10		IAI	10/30/90
							•

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
533	1	60	1	1		REF	10/30/90
533	ī	70	ī	ī		NTE	10/30/90
533	ī	80	ī	ī		THT	10/30/90
533	ī	90	ī	ī		TRI	10/30/90
533	1	100	1	1		RQU	10/30/90
533	1	110	1	1		DSI	10/30/90
533	1	120	1	5		RAS	10/30/90
533	1	130	1	2		PI	10/30/90
533	1	140	1	10	Y	N1	10/30/90
534	1	10	1	1	Y	RFL	10/02/90
534	1	20	1	1	Y	REF	10/02/90
534 534	1 1	30 40	1	1 1		NTE PIC	10/02/90
534	i	50	1	10		IAI	10/02/90 10/02/90
534	i	60	i	1		ICS	10/02/90
534	i	70	i	5		JRL	10/02/90
534	ī	80	ī	ĭ	Y	IRN	10/02/90
534	ī	90	ī	ī	•	ICI	10/02/90
534	ī	100	ī	ī		TRI	10/02/90
534	1	110	ī	ī		RQU	10/02/90
534	1	120	1	10	Y	ทา	10/02/90
534	1	130	1	10		N2	10/02/90
534	1	140	1	10		N3	10/02/90
534	1	150	1	10		N4	10/02/90
535	1	10	1	1	Y	RFL	10/02/90
535	1	20	1	2	Y	REF	10/02/90
535	1	30	1	1	Y	SAS	10/02/90
535 535	1	40	1	999		RMI	10/02/90
535	1	50 60	1	999		N1	10/02/90
535	i	70	1 1	999		RQU NTE	10/02/90
535	i	80	i	1		RQU	10/02/90 10/02/90
535	i	90	i	10	Y	NI NI	10/02/90
535	ī	100	ī	10	•	N2	10/02/90
535	ī	110	ī	10		N3	10/02/90
535	ī	120	ī	10		N4	10/02/90
536	1	10	ī	ī	Y	RFL	10/31/90
536	1	20		2		REF	10/31/90
536	1	30		1		RGM	10/31/90
536	1	40		1		QTY	10/31/90
536	1	50		1		N9	10/31/90
536	1	60		10	Y	N1	10/31/90
536	1	70		1		TRI	10/31/90
536	100	10	300	1	Y	N9	10/31/90
536	100	20		8 1 1		QTY	10/31/90
536	100	30		1		ICS	10/31/90
536 536	100 100	40 50		1		N1	10/31/90
536	100	60		1 1		RGT	10/31/90
536	200	10	25	i	Y	NTE PI	10/31/90
536	200	20	43	4	Y	N9	10/31/90 10/31/90
536	200	30		ī	Ÿ	RGC	10/31/90
				-	•	1.00	10/31/30

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
536	200	40		3	Y	N1	10/31/90
536	200	50		ĭ	Ÿ	REF	10/31/90
537	1	10	1	1	Ÿ	RFL	10/01/90
537	1	20	1	1		RQQ	10/01/90
537	1	30	1	1	Y	REF	10/01/90
537	1	40	1	1		ASR	10/01/90
537	1	50	1	25		IQI	10/01/90
537	1	60	1	1		TRI	10/01/90
537	1	70	1	1		RQU	10/01/90
537	1	80	1	10	Y	N1	10/01/90
537	1	90	1	10		N2	10/01/90
537 537	1	100	1	10		N3	10/01/90
537	1	110	1	10		N4	10/01/90
537	1	120	1	999		RMI	10/01/90
537	i	130	1	999		N1	10/01/90
538	i	140	1	999	••	RQU	10/01/90
538	i	10 20	1	1	Y	WMR	10/01/90
538	i	30	1	60	Y	QTY	10/01/90
538	ī	40	1 1	1 10	Y	RQP	10/01/90
538	ī	50	i	10	I	N1 N2	10/01/90
538	ī	60	i	10		NZ N3	10/01/90
538	ī	70	i	10		N4	10/01/90
538	ī	80	i	1	Y	REF	10/01/90
538	ī	90	ī	ī	Ÿ	RQQ	10/01/90 10/01/90
539	ī	10	ī	ī	Ÿ	RFL	10/01/90
539	1	20	ī	ī	Ÿ	RQQ	10/01/90
539	1	30	ī	ī	•	JŘĹ	10/01/90
539	1	40	ĩ	ī	Y	REF	10/01/90
539	1	50	ĩ	ī	Ÿ	ICS	10/01/90
539	1	60	ī	ī	_	TRI	10/01/90
539	1	70	1	1		NTE	10/01/90
539	1	80	1	1		RQU	10/01/90
539	1	90	1	10	Y	NĨ	10/01/90
539	1	100	1	10		N2	10/01/90
539	1	110	1	10		И3	10/01/90
539	1	120	1	10		N4	10/01/90
539	1	130	1	999		RMI	10/01/90
539	1	140	1	999		NI	10/01/90
539	1	150	1	999		RQU	10/01/90
540	1	10	į	1	Y	RFL	10/01/90
540 540	1	20	1	1	Y	RQQ	10/01/90
540	1 1	30	1	1	Y	REF	10/01/90
540	1	40	1	1		ICS	10/01/90
540	1	50 60	1 1 1 1 1 1 1	1 1 1	Y	THC	10/01/90
540	1	60 70	, T	1		TRI	10/01/90
540	i	80	7	1	••	RQU	10/01/90
540	1	90	7	10	Y	N1	10/01/90
540	i	100	7	10		N2	10/01/90
540	1	110		10		N3	10/01/90
540	1	120	1	10		N4	10/01/90
J 7 V	•	120	1	999		RMI	10/01/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
540	1	130	1	999		N1	10/01/90
540	ī	140	ī	999		RQU	10/01/90
541	ī	10	ī	1	Y	RFL	10/01/90
541	ī	20	ī	2	Ÿ	RQQ	10/01/90
541	ī	30	ī	2	Ÿ	REF	10/01/90
541	ī	40	ī	ī	•	ICI	10/01/90
541	ī	50	ī	ī		RBT	10/01/90
541	1	60	ī	2	Y	SID	10/01/90
541	1	70	ī	ī	_	TRI	10/01/90
541	1	80	ī	ī		RQU	10/01/90
541	1	90	ī	10	Y	N1	10/01/90
541	1	100	1	10	_	N2	10/01/90
541	1	110	1	10		N3	10/01/90
541	1	120	1	10		N4	10/01/90
542	1	10	1	1	Y	RFL	10/01/90
542	1	20	1	1	Y	RQQ	10/01/90
542	1	30	1	1	Y	REF	10/01/90
542	1	40	1	1	Y	ICS	10/01/90
542	1	50	1	1	Y	RSE	10/01/90
542	1	60	1	1		RSI	10/01/90
542	1	70	1	1		PI	10/01/90
542	1	80	1	1		TRI	10/01/90
542	1	90	1	2		NTE	10/01/90
542	1	100	1	1		RQU	10/01/90
542	1	110	1	10	Y	Nl	10/01/90
542 542	1	120	1	10		N2	10/01/90
542	1 1	130	1	10		ИЗ	10/01/90
542	i	140	1	10		N4	10/01/90
542	i	150 160	1	999		RMI	10/01/90
542	i	170	1	999		N1	10/01/90
544	ī	10	1 1	999	17	RQU	10/01/90
544	ī	20	1	1	Y	RFL	10/01/90
544	ī	30	i	1 1	Y Y	RQQ	10/01/90
544	ī	40	i	i	Y	REF	10/01/90
544	ī	50	i	25	Y	ICS	10/01/90
544	ī	60	i	1	I	IQI	10/01/90
544	ī	70	i	i		TRI	10/01/90
544	ī	80	_	10	v	RQU	10/01/90
544	ī	90	1	10	Y	N1 N2	10/01/90
544	ī	100	1	10		N2 N3	10/01/90
544	ī	110	ī	10		N4	10/01/90
545	ī	10	1	1	Y	RFL	10/01/90
545	1 1	20	ī	ī	•	RQQ	10/01/90 10/01/90
545	ī	30	ī	ĵ		REF	10/01/90
545	1	40	1 1	ī		ICS	10/01/90
545	ī	50	ī	1 1 1		ici	10/01/90
545	1	60		ī	Y	LRR	10/01/90
545	1	70	1	ī	-	TRI	10/01/90
545	1	80	1	ī		RQU	10/01/90
545	1	90	1	1		RBT	10/01/90
545	1	100	1	10	Y	N1	10/01/90

545 1 110 1 10 N2 10/01/545 1 120 1 10 N3 10/01/545 1 130 1 10 N4 10/01/551 1 10 N4 10/01/551 1 10/01/551 1 10/01/551 1 1 Y RFL 7/10/551 1 1 Y RQQ 7/10/551 1 1 Y RQQ 7/10/551 1 1 Y RQD 7/10/551 1 1 Y RQD 7/10/551 1 60 1 1 N RQP 7/10/551 1 60 1 1 N RQP 7/10/551 1 80 1 1 N RQP 7/10/551 1 80 1 1 N RQP 7/10/551 1 80 1 1 N RQU 7/10/552 1 1 1 N RQU 7/10/552 1 1 1 N REF 7/10/552 1 3 N RSE 7/10/552 1 3 N RSE	ate
545 1 130 1 10 N4 10/01/551 1 10/01/551 1 1 1 Y RFL 7/10/551 1 20 1 1 Y REF 7/10/551 1 30 1 1 Y RQQ 7/10/551 1 40 1 1 N RBT 7/10/551 1 50 1 1 Y RQD 7/10/551 1 50 1 1 N RQP 7/10/551 1 60 1 1 N RQP 7/10/551 1 70 1 1 N RQP 7/10/551 1 80 1 1 N RQU 7/10/551 1 80 1 1 N RQU 7/10/552 1 1 1 N RQU 7/10/552 1 30 1 1 N REF 7/10/552 1 30 1 1 N RBT 7/10/552 1	/90
551 1 10 1 1 Y RFL 7/10/ 551 1 20 1 1 Y REF 7/10/ 551 1 30 1 1 Y RQQ 7/10/ 551 1 40 1 1 N RBT 7/10/ 551 1 50 1 1 Y RQD 7/10/ 551 1 60 1 1 N RQP 7/10/ 551 1 70 1 1 N RQU 7/10/ 551 1 80 1 1 N RQU 7/10/ 551 1 90 1 5 Y N1 7/10/ 552 1 10 1 1 Y RFL 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 60	
551 1 20 1 1 Y REF 7/10/ 551 1 30 1 1 Y RQQ 7/10/ 551 1 40 1 1 N RBT 7/10/ 551 1 50 1 1 Y RQD 7/10/ 551 1 60 1 1 N RQP 7/10/ 551 1 70 1 1 N RQU 7/10/ 551 1 80 1 1 N RQU 7/10/ 551 1 90 1 5 Y N1 7/10/ 552 1 10 1 1 Y RFL 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N RQQ 7/10/ 552 1 60	
551 1 30 1 1 Y RQQ 7/10/ 551 1 40 1 1 N RBT 7/10/ 551 1 50 1 1 Y RQD 7/10/ 551 1 60 1 1 N RQP 7/10/ 551 1 80 1 1 N RQU 7/10/ 551 1 90 1 5 Y N1 7/10/ 552 1 10 1 1 Y RFL 7/10/ 552 1 20 1 1 N REF 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N RQP 7/10/ 552 1 60 1 1 N RQP 7/10/ 552 1 80	
551 1 40 1 1 N RBT 7/10/ 551 1 50 1 1 Y RQD 7/10/ 551 1 60 1 1 N RQP 7/10/ 551 1 70 1 1 N PET 7/10/ 551 1 80 1 1 N RQU 7/10/ 551 1 90 1 5 Y N1 7/10/ 552 1 10 1 1 Y RFL 7/10/ 552 1 20 1 1 N REF 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N RQP 7/10/ 552 1 60 1 1 N RSE 7/10/ 552 1 80	/90
551 1 50 1 1 Y RQD 7/10/ 551 1 60 1 1 N RQP 7/10/ 551 1 70 1 1 N RQP 7/10/ 551 1 80 1 1 N RQU 7/10/ 551 1 90 1 5 Y N1 7/10/ 552 1 10 1 1 Y RFL 7/10/ 552 1 20 1 1 N REF 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N RQP 7/10/ 552 1 60 1 1 N RSE 7/10/ 552 1 80 1 1 N RQU 7/10/ 552 1 90	/90
551 1 60 1 1 N RQP 7/10/ 551 1 70 1 1 N PET 7/10/ 551 1 80 1 1 N RQU 7/10/ 551 1 90 1 5 Y N1 7/10/ 552 1 10 1 1 Y RFL 7/10/ 552 1 20 1 1 N REF 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N RPT 7/10/ 552 1 60 1 1 N RQP 7/10/ 552 1 80 1 1 N RQP 7/10/ 552 1 80 1 1 N PET 7/10/ 552 1 90	
551 1 70 1 1 N PET 7/10/ 551 1 80 1 1 N RQU 7/10/ 551 1 90 1 5 Y N1 7/10/ 552 1 10 1 1 Y RFL 7/10/ 552 1 20 1 1 N REF 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N RPT 7/10/ 552 1 60 1 1 N RQP 7/10/ 552 1 70 1 3 N RSE 7/10/ 552 1 80 1 1 N PET 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100	
551 1 80 1 1 N RQU 7/10/ 551 1 90 1 5 Y N1 7/10/ 552 1 10 1 1 Y RFL 7/10/ 552 1 20 1 1 N REF 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N PI 7/10/ 552 1 60 1 1 N RQP 7/10/ 552 1 70 1 3 N RSE 7/10/ 552 1 80 1 1 N RQU 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	
551 1 90 1 5 Y N1 7/10/ 552 1 10 1 1 Y RFL 7/10/ 552 1 20 1 1 N REF 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N PI 7/10/ 552 1 60 1 1 N RQP 7/10/ 552 1 70 1 3 N RSE 7/10/ 552 1 80 1 1 N RQU 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	
552 1 10 1 1 Y RFL 7/10/ 552 1 20 1 1 N REF 7/10/ 552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N PI 7/10/ 552 1 60 1 1 N RQP 7/10/ 552 1 70 1 3 N RSE 7/10/ 552 1 80 1 1 N RQU 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	
552 1 30 1 1 Y RQQ 7/10/ 552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N PI 7/10/ 552 1 60 1 1 N RQP 7/10/ 552 1 70 1 3 N RSE 7/10/ 552 1 80 1 1 N RQU 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	
552 1 40 1 1 N RBT 7/10/ 552 1 50 1 1 N PI 7/10/ 552 1 60 1 1 N RQP 7/10/ 552 1 70 1 3 N RSE 7/10/ 552 1 80 1 1 N RQU 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	
552 1 50 1 1 N PI 7/10/ 552 1 60 1 1 N RQP 7/10/ 552 1 70 1 3 N RSE 7/10/ 552 1 80 1 1 N RQU 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	
552 1 60 1 1 N ROP 7/10/ 552 1 70 1 3 N RSE 7/10/ 552 1 80 1 1 N RQU 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	
552 1 70 1 3 N RSE 7/10/ 552 1 80 1 1 N RQU 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	/90
552 1 80 1 1 N ROU 7/10/ 552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	
552 1 90 1 1 N PET 7/10/ 552 1 100 1 4 Y N1 7/10/	
552 1 100 1 4 Y N1 7/10/	
7/10/	
553 1 20 1 1 Y RQQ 7/10/	
553 1 30 1 3 Y RSE 7/10/	
$\frac{553}{1}$ 40 1 3 N PI $\frac{7}{10}$	
$\frac{553}{1}$ $\frac{1}{50}$ $\frac{1}{1}$ N DTM $\frac{7}{10}$	
$\frac{1}{2}$ $\frac{1}$	/90
553 1 70 1 1 N RBT 7/10/ 553 1 80 1 1 N ROP 7/10/	/90
EE2 1 1/10/	
E52 1 100 7/10/	
EE2 1 1/10/	
EE2 1 1 10/	
553 1 120 1 10 N RQQ 7/10/ 553 1 130 1 10 N N1 7/10/	
554 1 10 1 1 Y RFL 7/10/	
554 1 20 1 1 N RBT 7/10/	
554 1 30 1 1 Y ROO 7/10/	
$\frac{554}{1}$ 40 1 1 N RQP $\frac{7}{10}$	
554 1 50 1 2 Y RSE 7/10/ 554 1 60 1 1 N PI 7/10/ 554 1 70 1 1 N REF 7/10/ 554 1 80 1 1 N PET 7/10/	/90
554 1 60 1 1 N PI 7/10/	/90
554 1 70 1 1 N REF 7/10/	/90
554 1 80 1 1 N PET 7/10/ 554 1 90 1 1 N DTM 7/10/	/90
554 1 90 1 1 N DTM 7/10/ 554 1 100 1 1 N ROU 7/10/	/90
554 1 100 1 1 N RQU 7/10/ 554 1 110 1 5 Y N1 7/10/	/90
554 1 110 1 5 Y N1 7/10/ 555 1 10 1 1 Y RFL 7/10/	/90
555 1 10 1 1 Y RFL 7/10/ 555 1 20 1 1 N PIC 7/10/	/90 /00
555 1 20 1 1 N PIC 7/10/ 555 1 30 1 2 N REF 7/10/	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
555 1 30 1 2 N REF 7/10/ 555 1 40 1 1 N RQU 7/10/	/ 3 U
555 1 50 1 1 N PET 7/10/	/9N
555 1 60 1 5 Y N1 $\frac{7}{10}$	/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
556	1	10	1	1	Y	RFL	7/10/90
556	1	20	1	10	Ñ	RSE	7/10/90
556	1	30	1	1	N	PI	7/10/90
556	1	40	1	1	N	RQQ	7/10/90
556 556	1	50	1	1	N	REF	7/10/90
556	1 1	60 70	1	1	N	RQU	7/10/90
556	î	80	1 1	1	N	PET	7/10/90
557	ī	10	i	5 1	Y Y	N1	7/10/90
557	ī	20	î	i	Ŋ	RFL RQQ	7/10/90
557	1	30	ī	ī	Ŋ	REF	7/10/90
557	1	40	ī	ī	Ñ	RBT	7/10/90 7/10/90
557	1	50	1	2	Ň	PI	7/10/90
557	1	60	1	2	N	RSE	7/10/90
557 557	1	70	1	ı	N	FOB	7/10/90
557 557	1	80	1	1	N	RQU	7/10/90
557	1	90 100	1	1	N	PET	7/10/90
557	ī	110	1	1	N	PIC	7/10/90
558	ī	10	1 1	5 1	Y	N1	7/10/90
558	ī	20	i	i	Y N	RFL	7/10/90
558	1	30	ī	3	N	REF RSE	7/10/90
558	1	40	ī	ĭ	N	PI	7/10/90 7/10/90
558	1	50	ī	ī	N	PIC	7/10/90
558 550	1	60	1	1	N	PET	7/10/90
558 558	1	70	1	1	N	RQU	7/10/90
559	1	80	1	5	Y	N1	7/10/90
559	ì	10 20	1	1	Y	RFL	7/10/90
559	ī	30	1	1	Y	REF	7/10/90
559	ī	40	1 1	1	Y	RQQ	7/10/90
559	ī	50	i	1	Y Y	PET	7/10/90
559	1	60	ī	i	Ÿ	AVF RBT	7/10/90
559	1	70	ī	ī	Ñ	RQU	7/10/90
559	1	80	ī	5	Ÿ	N1	7/10/90 7/10/90
561	1	10	1	3	Ÿ	RFL	6/19/90
561 561	1	20		. 1	N	PED	6/19/90
561	1	30		1	Y	KAA	6/19/90
561	1	40 50		1	N	KB1	6/19/90
561	î	60		1	N	KAB	6/19/90
561	ī	70		25	N	REF	6/19/90
561	ī	80		2 20	N	ITD	6/19/90
561	100	10	500		Y Y	N1	6/19/90
561	100	20	300	2 1	Ÿ	RFL KAC	6/19/90
561	100	30		25	Ň	REF	6/19/90
561	100	40		2	N	N1	6/19/90 6/19/90
561	200	10	1000	2	Ÿ	RFL	6/19/90
561 561	200	20		3	Y	KCE	6/19/90
561 561	200	30		2 2 3 1 1	N	KAE	6/19/90
561	200 200	40 50			N	KAF	6/19/90
	200	50		25	N	REF	6/19/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
561	200	60		5	N	N1	6/19/90
561	210	10	1000	1	Ÿ	RFL	6/19/90
561	210	20		1	Y	KAG	6/19/90
561 561	210	30		1	N	KAE	6/19/90
561	210 210	40		3	N	KCE	6/19/90
562	1	50 10	1	2	Ŋ	N1	6/19/90
562	ī	20	1	1 1	Y	RFL	6/19/90
562	ī	30		i	n N	DTM PED	6/19/90
562	ī	40		2	Y	PED N1	6/19/90
562	1	50		ī	Ñ	TSP	6/19/90 6/19/90
562	1	60		ī	Ÿ	KAA	6/19/90
562	100	10	500	ī	Ñ	TSP	6/19/90
562	100	20		1	Y	KAA	6/19/90
564	1	10	1	3	Y	DTM	6/19/90
564 564	1	20		2	N	PED	6/19/90
564 564	1	30		1	Y	KAA	6/19/90
564	i	40 50		5	Y	N1	6/19/90
564	i	60		1	Y	RFL	6/19/90
564	ī	70		1 2	Y	KCE	6/19/90
564	ī	80		5	Y N	KJA	6/19/90
564	100	10	5000	1	Y	KTS RFL	6/19/90
564	100	20		î	Ÿ	KCE	6/19/90
564	100	30		2	Ÿ	KJA	6/19/90 6/19/90
564	100	40		5	Ñ	KTS	6/19/90
565	1	10	1	5 1	N	DTM	6/19/90
565 565	1	20		1	N	PED	6/19/90
565	1	30		1	Y	KAA	6/19/90
565	i	40 50		1	Y	KSH	6/19/90
565	ī	60		1	Y	RFL	6/19/.0
565	ī	70		8 1	N	N1	6/19/90
565	ī	80		i	N Y	KAD	6/19/90
565	1	90		ī	Ň	KCE KAE	6/19/90
565	1	100		ī	N	KQS	6/19/90
565	1	110		ī	N	KTS	6/19/90 6/19/90
565	100	10	500	ī	Ÿ	RFL	6/19/90
565	100	20		8	N	N1	6/19/90
565	100	30		1	N	KAD	6/19/90
565 565	100	40		1 1 1 1	Y	KCE	6/19/90
565	100 100	50		1	N	KAE	6/19/90
565	100	60 70		1	N	KQS	6/19/90
566	1	10	•	1	N	KTS	6/19/90
566	ì	20	1	Ţ	N	PED	6/19/90
566	î	30		1	Y	KAA	6/19/90
566	ī	40		4	N	N1	6/19/90
566	ī	50		1	Y N	RFL KAD	6/19/90
566	1	60		î	Y	KSH	6/19/90
566	1	70		1 1 1 1 5	Ÿ	KCE	6/19/90 6/19/90
566	1	80		5	Ŷ	REF	6/19/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
566	1	90		1	N	KQS	6/19/90
566	ī	100		ī	N	KQA	6/19/90
566	ī	110		ī	N	KTS	6/19/90
566	100	10	1000	ī	Ÿ	RFL	6/19/90
566	100	20		ī	Ň	KAD	6/19/90
566	100	30		ī	Ÿ	KSH	6/19/90
566	100	40		ī	Y	KCE	6/19/90
566	100	50		5	Y	REF	6/19/90
566	100	60		1	N	KQS	6/19/90
566	100	70		1	N	KQA	6/19/90
566	100	80		1	N	KTS	6/19/90
567	1	10	1	1	Y	RFL	6/19/90
567	1	20		1	N	PED	6/19/90
567	1	30		5	Y	DTM	6/19/90
567	1	40		1	N	KAD	6/19/90
567	1	50		1	Y	KAA	6/19/90
567	1	60		1	N	SII	6/19/90
567	1	70		5	N	REF	6/19/90
567	1	80		1	N	KTS	6/19/90
567	1	90		6	Y	N1	6/19/90
568	1	10	1	1	Y	RFL	6/19/90
568	1	20		1	N	PER	6/19/90
568	1	30		2	Y	KVA	6/19/90
568	1	40		4	Y	N1	6/19/90
568	1	50		1	N	KTS	6/19/90
568	100	10	1000	1	Y	RFL	6/19/90
568	100	20		1	N	SII	6/19/90
568	100	30		1	Y	KAA	6/19/90
568 568	100	40	1000	1	Y	KAC	6/19/90
568	110 110	10	1000	1	Y	RFL	6/19/90
568	110	20		1	Y	KV2	6/19/90
568	120	30 10	5000	2	Y	SII	6/19/90
568	120	20	5000	1	Y	RFL	6/19/90
568	120	30		1	N	KCE	6/19/90
568	130	10	500	10	Y Y	KV3	6/19/90
568	130	20	500	1	N N	RFL KCE	6/19/90
568	130	30		1	Y	KV5	6/19/90
568	130	40		_	Ÿ	KV2	6/19/90
568	130	50		1	Ň	N1	6/19/90 6/19/90
858	1	10	1	i	Y	BX	6/19/90
858	î	20	•	1	Ň	N9	6/19/90
858	ī	30		i	N	G62	6/19/90
858	ī	40		Š	Y	R4	6/19/90
858	î	50		1 1 1 5 1 1 5	Ň	N1	6/19/90
858		60		ī	N	LX	6/19/90
858	1 1 1	70		ī	N	N7	6/19/90
858	ī	80		5	N	M7	6/19/90
858	ī	90		ĭ	N	N5	6/19/90
858	ī	100		5	N	REF	6/19/90
858	ī	110		10	N	N9	6/19/90
858	ī	120		10	N	L5	6/19/90

Tid	TidSect	SegmentSeq	MaxSectOcc	UseCtr	Req'd	SegmentId	Date
858	1	130		1	N	LO	6/19/90
858	1	140		10	N	MEA	6/19/90
858	1	150		1	N	LH1	6/19/90
858	1	160		2	N	LH2	6/19/90
858	1	170		10	N	LH3	6/19/90
858	1	180		1	N	LH4	6/19/90
858	1	190		10	N	LHR	6/19/90
858	500	10	999	1	Y	LX	6/19/90
858	500	20		1	N	N7	6/19/90
858	500	30		5 1	N	M7	6/19/90
858	500	40		1	N	N5	6/19/90
858	500	50		5	N	REF	6/19/90
858	500	60		10	Y	N9	6/19/90
858	500	70		10	N	L5	6/19/90
858	500	80		1	N	LO	6/19/90
858	500	90		10	N	MEA	6/19/90
858	500	100		1	N	LH1	6/19/90
858	500	110		2	N	LH2	6/19/90
858	500	120		10	N	LH3	6/19/90
858	500	130		1	N	LH4	6/19/90
858	500	140		10	N	LHR	6/19/90
858	510	10	999		Y	S5	6/19/90
858	510	20		2 2 2	Y	N1	6/19/90
858	510	30		2	Ÿ	REF	6/19/90

R.	4	n	n
1,7~	o	u	u

CodeName	DlssValue	EdiValue	Date
12	1	HR1000	11/28/90
12	9	SC4400	11/28/90
12	H	127245	11/15/90
12	J	1202P0	11/15/90
13	1	HR1000	11/28/90
13	9	SC4400	11/28/90
13	E	133237	11/15/90
13	F	139211	11/15/90
13	K	1331AA	11/15/90
14	1	HR1000	11/28/90
14	9	SC4400	11/28/90
14	A	1482N1	11/15/90
14	K	142402	11/15/90
15	1	HR1000	11/28/90
15	9	SC4400	11/28/90
15	A	1597B5	11/15/90
16	1	HR1000	11/28/90
16	9	SC4400 163131	11/28/90 11/15/90
16	À	161309	11/15/90
16	B C	1623GA	11/15/90
16 16	D	167457	11/15/90
16	E	165100	11/15/90
16	Ğ	166416	11/15/90
18	1	HR1000	11/28/90
18	9	SC4400	11/28/90
18	Ä	186D69	11/15/90
18	В	182LBK	11/15/90
18	J	186D69	11/15/90
18	K	186D69	11/15/90
18	L	186D69	11/15/90
18	M	186D69	11/15/90
18	N	186D69	11/15/90
19	1	HR1000	11/28/90
19	9	SC4400	11/28/90
19	λ	192301	11/15/90
19	В	199104	11/15/90
19	Ċ	193A89	11/15/90
19	D	193A95	11/15/90
19	E 1	193600	11/15/90
20	1	HR1000	11/28/90
20	9	SC4400	11/28/90
20	A	201132	11/15/90
20	В	205161	11/15/90
20	C	205443	11/15/90
20	D	205636 2066C1	11/15/90 11/15/90
20	E F	206793	11/15/90
20 20	G G	205558	11/15/90
20	Н	205358 2063C5	11/15/90
20	J	2063C3	11/15/90
20	J	200303	// -0

4/21/91	CODEMAP	TABLE	REPORT
---------	---------	-------	--------

Page 2

CodeName	DlssValue	EdiValue	Date
Codename	DISSAGIAE	Datagrae	Date
20	K	2064C2	11/15/90
20	L	203A14	11/15/90
33	1	HR1000	11/28/90
33	9	SC4400	11/28/90
33	A	333135	11/15/90
47	1	HR1000	11/28/90
47 47	9 A	SC4400 4743G4	11/28/90 11/15/90
47	B	478268	11/15/90
47	D	479109	11/15/90
47	Ē	470560	11/15/90
47	S	4743G9	11/15/90
47	W	4743G3	11/15/90
69	1	HR1000	11/28/90
69	9	SC4400	11/28/90
69	A	693156	11/15/90
69	В	692355	11/15/90
69	C	6973G5	11/15/90
72 72	1	HR1000	11/28/90
72 72	9	SC4400	11/28/90
72 72	λ	7231CM 7224AC	11/15/90
75	C 1	HR1000	11/15/90 11/28/90
.5 75	9	SC4400	11/28/90
75	B	753112	11/15/90
75	D	758301	11/15/90
75	F	758306	11/15/90
75	G	758106	11/15/90
75	H	758313	11/15/90
75	J	758123	11/15/90
75	K	7523CG	11/15/90
75 75	L	7524P5	11/15/90
75 75	M	7524P5	11/15/90
75 75	N	755145	11/15/90
75 75	P S	7574D9 759111	11/15/90
75 75	T	7532RA	11/15/90 11/15/90
75	บิ	750126	11/15/90
75	v	753218	11/15/90
75	W	753129	11/15/90
75	Z	756424	11/15/90
89	1	HR1000	11/28/90
89	9	SC4400	11/28/90
89	В	898279	11/15/90
89	M	897259	11/15/90
89	S 1	892307	11/15/90
96	1	HR1000	11/28/90
96 96	9 A	SC4400	11/28/90
96	E	9623AC 963203	11/15/90
99	1	HR1000	11/15/90 11/28/90
99	9	SC4400	11/28/90
		D01100	11/20/30

CodeName	DlssValue	EdiValue	Date
99	A	993100	11/15/90
λ	1	HR1000	2/20/91
A	7	W806PW	3/05/91
A	9	SC4400	2/20/91
ADVICE	Ä	C1 C2	4/20/90
ADVICE	B C	Q1	4/20/90 4/20/90
ADVICE ADVICE	D	Q2	4/20/90
ADVICE	E	R1	4/20/90
ADVICE	F	S1	4/20/90
ADVICE	Ğ	S2	4/20/90
ADVICE	H	S3	4/20/90
ADVICE	Z	U1	4/20/90
В	1	HR1000	11/28/90
В	9	SC4400	11/28/90
В	В	W25P02	11/16/90
В	U	W80DLM	11/16/90
0000000000000	1 7	HR1000	11/28/90
	8	W806PW W80505	3/05/91 3/05/91
C	9	SC4400	11/28/90
C	Ē	W58H0Z	11/13/90
č	Ğ	W80D82	11/13/90
Č	Ī	W58HZ1	11/13/90
C	L	W31G3H	11/16/90
С	P	W15GK8	11/13/90
С	Q	WK4GGD	11/16/90
Ç	S	W52H09	11/13/90
C	V	WK4V1D	11/13/90
C	W	WK4GGB	11/13/90
C	X Y	WK4E1E W56HZV	11/13/90 11/13/90
CHARGECODE	D	D01	4/20/90
CHARGECODE	E	D02	4/20/90
CHARGECODE	F	D03	4/20/90
CHARGECODE	Ğ	D04	4/20/90
CHARGECODE	Н	D05	4/20/90
CHARGECODE	J	D06	4/20/90
CHARGECODE	N	D07	4/20/90
CHARGECODE	P	D08	4/20/90
CHARGECODE	Q	D09	4/20/90
CHARGECODE	R	D10	4/20/90
CHARGECODE	S T	D11	4/20/90
CHARGECODE CHARGECODE	Ŭ	D12 D13	4/20/90 4/20/90
CHARGECODE	V	D13	4/20/90
CHARGECODE	W	D15	4/20/90
CHARGECODE	x	D16	4/20/90
CHARGECODE	Ÿ	D17	4/20/90
CHARGECODE	Z	D18	4/20/90
CONTYPE	С	C1	3/29/90
CONTYPE	D	C2	3/29/90

CodeName	DlssValue	EdiValue	Date
D	1	HR1000	11/28/90
D D	9	SC4400	11/28/90
D	F	FD2040	11/15/90
Ď	Ğ	FD2020	11/15/90
D	H	FD2030	11/15/90
D	L	FD2060	11/15/90
D	M	FX7059	11/15/90
D	N	FA2303	11/15/90
D	P	FD2050	11/15/90
D	Y	FY9125	11/15/90
DAYS	В	1 2 3	3/12/91
DAYS	C	2	3/12/91
DAYS	D	3	3/12/91
DAYS	G	4	3/12/91
DAYS	H	5 6	3/12/91
DAYS	J 	6	3/12/91
DAYS	K	7 8	3/12/91 3/12/91
DAYS	L	9	3/12/91
DAYS Days	M P	10	3/12/91
DAYS	Ť	11	3/12/91
DAYS	Ü	12	3/12/91
DAYS	Ÿ	13	3/12/91
DAYS	W	14	3/12/91
DISC	D D	DDD	7/24/90
DISC	N	NOD	7/24/90
E	1	HR1000	11/28/90
E	9	SC4400	11/28/90
E	F	FD2040	11/15/90
E	G	FD2020	11/15/90
E	Н	FD2030	11/15/90
E	L	FD2060	11/15/90
E	M	FX7059	11/15/90
E	N	FA2303	11/15/90
E	P	FD2050	11/15/90
E	Y	FY9125	11/15/90
ETA	0	00 01	5/17/90 5/17/90
ETA	1 2	02	5/17/90
ETA ETA		03	5/17/90
ETA	3 4	04	5/17/90
ETA	5	05	5/17/90
ETA	5 6	06	5/17/90
ETA	7	07	5/17/90
ETA	8	08	5/17/90
ETA	9	09	5/17/90
ETA	λ	10	5/17/90
ETA	В	11	5/17/90
ETA	С	12	5/17/90
ETA	D	13	5/17/90
ETA	E	14	5/17/90
ETA	F	15	5/17/90

CodeName	DissValue	EdiValue	Date
ETA	G	16	5/17/90
ETA	H	17	5/17/90
ETA	J	18	5/17/90
ETA	K	19	5/17/90
ETA	L	20	5/17/90
ETA	M	21	5/17/90
ETA	N	22	5/17/90
ETA	P	23	5/17/90
ETA	Q	24	5/17/90
ETA	R	25	5/17/90
ETA	S	26	5/17/90
ETA	T	27	5/17/90
ETA	U	28	5/17/90
ETA	V	29	5/17/90
ETA	W	35	5/17/90
ETA	X	40	5/17/90
ETA	Y	50	5/17/90
ETA	Z	90	5/17/90
EXCESS	£	10	5/09/90
EXCESS	_	20	5/09/90
EXCESS	Ä	11	5/09/90
EXCESS	B	12	5/09/90
EXCESS	C	13	5/09/90
EXCESS	D	14	5/09/90
EXCESS EXCESS	E	15	5/09/90
EXCESS	F	16	5/09/90
EXCESS	G	17	5/09/90
EXCESS	H	18	5/09/90
EXCESS	j	19	5/09/90
EXCESS	K	21	5/09/90
EXCESS	L	22	5/09/90
EXCESS	M	23 24	5/09/90
EXCESS	N N	25	5/09/90
EXCESS	0	26	5/09/90
EXCESS	P	27	5/09/90 5/09/90
EXCESS	Q	28	5/09/90
EXCESS	Ř	29	5/09/90
F	1	HR1000	11/28/90
F	9	SC4400	11/28/90
F	F	FD2040	11/15/90
F	Ġ	FD2020	11/15/90
F	H	FD2030	11/15/90
F	Ï.	FD2060	11/15/90
F	M	FX7059	11/15/90
F	N	FA2303	11/15/90
F	P	FD2050	11/15/90
F	Ÿ	FY9125	11/15/90
FOB	Ď	DE	3/26/90
FOB	Ö	IN	3/26/90
FOB	S	OR	3/26/90
G	ī	HR1000	2/20/91
			, -,

4/	21/91	CODEMAP	TABLE	REPORT	Page
----	-------	---------	-------	--------	------

6

CodeName	DlssValue	EdiValue	Date
G	9	SC4400	2/20/91
Н9	1	HR1000	11/28/90
Н9	9	SC4400	11/28/90
Н9	M	H98239	11/13/90
H9	N	H98241	11/13/90
HG	ī	HR1000	11/28/90
HG	9	SC4400	11/28/90
HG	M	H98239	11/16/90
HG	N	H98241	11/13/90
HG	P	H98230	11/16/90
HOUR	À	0100	5/16/90
HOUR	В	0200	5/16/90
HOUR	C	0300	5/16/90
HOUR	D	0400	5/16/90
HOUR	E	0500	5/16/90
HOUR	F	0600	5/16/90
HOUR	Ğ	0700	5/16/90
HOUR	H	0800	5/16/90
HOUR	J	0900	5/16/90
HOUR	K	1000	5/16/90
HOUR	L	1100	5/16/90
HOUR	M	1200	5/16/90
HOUR	N	1300	5/16/90
HOUR	P	1400	5/16/90
HOUR	Q	1500	5/16/90
HOUR	Ř	1600	5/16/90
HOUR	S	1700	5/16/90
HOUR	T	1800	5/16/90
HOUR	Ū	1900	5/16/90
HOUR	V	2000	5/16/90
HOUR	W	2100	5/16/90
HOUR	X	2200	5/16/90
HOUR	Y	2300	5/16/90
HOUR	2	2400	5/16/90
HX	1	HR1000	11/28/90
нх	9	SC4400	11/28/90
нх	λ	HXYAAA	11/13/90
J	1	HR1000	2/20/91
J	9	SC4400	2/20/91
K		HR1000	11/28/90
K	9	SC4400	11/28/90
K	F	N65916	11/15/90
L	1 9 F 1 9	HR1000	11/28/90
L	9	SC4400	11/28/90
L		M98808	11/28/90
M	Q 1 9	HR1000	11/28/90
M	9	SC4400	11/28/90
M	λ	MMSA01	11/15/90
M	В	MMSA02	11/15/90
M	D	MMC300	11/15/90
M	G	M98830	11/15/90
M	H	MMHQ50	11/15/90

CodeName	DlssValue	EdiValue	Date
M	J	MMR300	11/15/90
M	L	MML100	11/15/90
M	M	MMT300	11/15/90
M	P	M98820	11/15/90
M	Q	M98829	11/15/90
M	V	MMK300 M95495	11/15/90 11/15/90
M	W	M95450	11/15/90
M M	X Y	M14000	11/15/90
M	7	M00400	11/15/90
MODE	Z 2	В	5/03/90
MODE	3	X	5/03/90
MODE	3 4	AR	5/03/90
MODE	5	U	5/03/90
MODE	6	6	5/03/90
MODE	7	7	5/03/90
MODE	8	PL	5/03/90
MODE	9	T J	5/03/90 5/03/90
MODE	À	LT	5/03/90 5/03/90
MODE MODE	B C	C	5/03/90
MODE	D	DW	5/03/90
MODE	Ē	BU	5/03/90
MODE	F	AC	5/03/90
MODE	Ğ	E	5/03/90
MODE	H	D	5/03/90
MODE	I	SR	5/03/90
MODE	J	AE	5/03/90
MODE	K	R	5/03/90
MODE	L	RC	5/03/90
MODE	M	I	5/03/90
MODE MODE	N O	LA H	5/03/90 5/03/90
MODE	P	Q	5/03/90
MODE	Q	À	5/03/90
MODE	Ř	ED	5/03/90
MODE	S	L	5/03/90
MODE	T	FA	5/03/90
MODE	U	ΑQ	5/03/90
MODE	V	0	5/03/90
MODE	W	W	5/03/90
MODE	X	CE	5/03/90
MODE	Y	Y	5/03/90
MODE	Z 1	S	5/03/90
N	1	HR1000 N68610	11/28/90 11/15/90
N N	3 4	N00074	3/05/91
N N	T 5	N00074 N00061	3/05/91
N N	5 6 7	N70024	11/15/90
N N	7	N61339	3/05/91
N	9	SC4400	11/28/90
N	À	N00188	11/15/90
- ·			- •

aq	e	

CodeName	DlssValue	EdiValue	Date
N	В	N57101	11/15/90
N	C	N00189	11/15/90
N	D	N00228	11/15/90
N	E	N00446	11/15/90
N	F	N00146	11/15/90
N	G	N00383	11/15/90
N	H	N62381	11/15/90
N N	I J	N00039 N57020	11/15/90 11/15/90
N N	K	N57020 N57004	11/15/90
N	L	N00612	11/15/90
N	M	N62645	11/15/90
N	N	N00069	11/15/90
N	0	N44466	11/15/90
N	P	N00441	11/15/90
N	Q	N68520	11/15/90
N	R	N00071	11/15/90
N	S	N68438	11/15/90
N	T	N63110	11/15/90
N	U	N62383	11/15/90
N N	V W	N00104 N62583	11/15/90 11/15/90
N N	Ÿ	N00072	11/15/90
N	Ž	N00372	11/15/90
P	1	HR1000	11/28/90
P	9	SC4400	11/28/90
P	C	N00189	11/15/90
P	D	N00228	11/15/90
P .	F	N65916	11/15/90
P	X	N00024	11/15/90
PACKTYPE	BD	BDL71	5/04/90
PACKTYPE	BE	BAL71	5/04/90
PACKTYPE	BG	BAG07	5/04/90
PACKTYPE	BL	BBL71	5/04/90
PACKTYPE PACKTYPE	BS BX	BSK74	5/04/90 5/04/90
PACKTYPE	CA	BOX71 CAB71	5/04/90
PACKTYPE	CB	CBY71	5/04/90
PACKTYPE	CC	CNT94	5/04/90
PACKTYPE	CL	COL71	5/04/90
PACKTYPE	CM	CNT01	5/04/90
PACKTYPE	CN	CSN71	5/04/90
PACKTYPE	CO	CNT71	5/04/90
PACKTYPE	CR	CRT71	5/04/90
PACKTYPE	CS	CAS71	5/04/90
PACKTYPE	CT	CAS34	5/04/90
PACKTYPE	CU	CNT58	5/04/90
PACKTYPE	CW	CNT90	5/04/90
PACKTYPE PACKTYPE	CY DB	CYL71	5/04/90
PACKTYPE	DR DR	BAG13 DRM71	5/04/90 5/04/90
PACKTYPE	EC	CNT89	5/04/90
LHONLIED	20	-M 1 0 3	3/04/30

CodeName	DlssValue	EdiValue	Date
PACKTYPE	ED	CRD71	5/04/90
PACKTYPE	FK	BOX94	5/04/90
PACKTYPE	НА	BSK71	5/04/90
PACKTYPE	KE	KRG71	5/04/90
PACKTYPE	LS	LSE71	5/04/90
PACKTYPE	MW	CNT70	5/04/90
PACKTYPE	MX	PCK71 .	5/04/90
PACKTYPE	PC	PCS71	5/04/90
PACKTYPE	PL	PAL71	5/04/90
PACKTYPE	PT	PLT71	5/04/90
PACKTYPE	RL	REL71	5/04/90
PACKTYPE	RO	ROL71	5/04/90
PACKTYPE	RT	WHE71	5/04/90
PACKTYPE	SA	SAK76	5/04/90
PACKTYPE	SB	SKD71	5/04/90
PACKTYPE	SD	SKD90	5/04/90
PACKTYPE	SH	SHT71	5/04/90
PACKTYPE	SL	SPL71	5/04/90
PACKTYPE	SW	CAS89	5/04/90
PACKTYPE	TB	TUB71	5/04/90
PACKTYPE	TK	VEH71	5/04/90
PACKTYPE	TU	TBE71	5/04/90
PACKTYPE	UX	UNT71	5/04/90
PACKTYPE	VC	VEH89	5/04/90
PACKTYPE	VE	VEH90	5/04/90
PACKTYPE	VO	VEH04	5/04/90
PACKTYPE	VS	CNT79	5/04/90
PACKTYPE	WR	WRP71	5/04/90
PAYTYPE	A	AA	4/20/90
PAYTYPE	В	PP	4/20/90
PAYTYPE	С	PA	4/20/90
PAYTYPE	D	DD	4/20/90
PAYTYPE	F	FF	4/20/90
PAYTYPE	H	HH	4/20/90
PAYTYPE	J	JJ	4/20/90
PAYTYPE	K	KK	4/20/90
PAYTYPE	L	<u>rr</u>	4/20/90
PAYTYPE	M	RD	4/20/90
PAYTYPE	Q	QQ	4/20/90
PAYTYPE	R	RR	4/20/90
PAYTYPE	Z	ZZ	4/20/90
PERCENT	01	1	4/16/90
PERCENT	02	1 2 3 4	4/16/90
PERCENT	03	3	4/16/90
PERCENT	04		4/16/90
PERCENT	05	5 6 7	4/16/90
PERCENT	06	6	4/16/90
PERCENT	07	7	4/16/90
PERCENT	08	8	4/16/90
PERCENT	09	9	4/16/90
PERCENT	OA	.125	4/16/90
PERCENT	OB	.25	4/16/90

CodeName	DlssValue	EdiValue	Date
	^^	.375	4/16/90
PERCENT	0C	•5	4/16/90
PERCENT	OD OF	.625	4/16/90
PERCENT	OE	.75	4/16/90
PERCENT	OF OC	.875	4/16/90
PERCENT	OG OH	.1	4/16/90
PERCENT	OH	10	4/16/90
PERCENT	10 1 A	1.125	4/16/90
PERCENT	1B	1.25	4/16/90
PERCENT	1C	1.375	4/16/90
PERCENT	1D	1.5	4/16/90
PERCENT	1E	1.625	4/16/90
PERCENT PERCENT	1F	1.75	4/16/90
PERCENT	1G	1.875	4/16/90
PERCENT	16 1H	1.1	4/16/90
PERCENT	2 A	2.125	4/16/90
PERCENT	2B	2.25	4/16/90
PERCENT	2B 2C	2.375	4/16/90
PERCENT	2D	2.5	4/16/90
PERCENT	2 E	2.625	4/16/90
PERCENT	2F	2.75	4/16/90
PERCENT	2G	2.875	4/16/90
PERCENT	2G 2H	2.1	4/16/90
PERCENT	3 A	3.125	4/16/90
PERCENT	3B	3.25	4/16/90
PERCENT	3C	3.375	4/16/90
PERCENT	3D	3.5	4/16/90
PERCENT	3E	3.625	4/16/90
PERCENT	3F	3.75	4/16/90
PERCENT	3G	3.875	4/16/90
PERCENT	3H	3.1	4/16/90
PERCENT	4A	4.125	4/16/90
PERCENT	4B	4.25	4/16/90
PERCENT	4C	4.375	4/16/90
PERCENT	4D	4.5	4/16/90
PERCENT	4E	4.625	4/16/90
PERCENT	4F	4.75	4/16/90
PERCENT	4G	4.875	4/16/90
PERCENT	4H	4.1	4/16/90
PERCENT	5 A	5.125	4/16/90
PERCENT	5B	5.25	4/16/90
PERCENT	5C	5.375	4/16/90
PERCENT	5D	5.5	4/16/90
PERCENT	5E	5.625	4/16/90
PERCENT	5 F	5.75	4/16/90
PERCENT	5G	5.875	4/16/90
PERCENT	5H	5.1	4/16/90
PERCENT	6 A	6.125	4/16/: 0
PERCENT	6B	6.25	4/16/9
PERCENT	6C	6.375	4/16/90
PERCENT	6D	6.5	4/16/90
PERCENT	6E	6.625	4/16/90
	- -		• •

CodeName	DlssValue	EdiValue	Date
		£ 75	4/16/90
PERCENT	6 F 6 G	6.75 6.875	
PERCENT	6H	6.1	4/16/90 4/16/90
PERCENT PERCENT	7 A	7.125	4/16/90
PERCENT	7B	7.25	4/16/90
PERCENT	7C	7.375	4/16/90
PERCENT	7D	7.5	4/16/90
PERCENT	7E	7.625	4/16/90
PERCENT	7 F	7.75	4/16/90
PERCENT	7 G	7.875	4/16/90
PERCENT	7H	7.1	4/16/90
PERCENT	8 A	8.125	4/16/90
PERCENT	8B	8.25	4/16/90
PERCENT	8C	8.375	4/16/90
PERCENT	8D	8.5	4/16/90
PERCENT	8E	8.625	4/16/90
PERCENT	8 F	8.75	4/16/90
PERCENT	8G	8.875	4/16/90
PERCENT	8H	8.1	4/16/90
PERCENT	9 A	9.125	4/16/90
PERCENT	9B	9.25	4/16/90
PERCENT	9C	9.375	4/16/90
PERCENT	9D	9.5	4/16/90
PERCENT	9E	9.625	4/16/90
PERCENT	9F	9.75	4/16/90
PERCENT	9G	9.875	4/16/90
PERCENT	9H	9.1 DE	4/16/90
PQA PQA	D S	OR	3/26/90 3/26/90
	1	HR1000	11/28/90
Q	9	SC4400	11/28/90
Q Q Q	À	N00019	3/26/90
Õ	Ğ	N00383	11/15/90
ō	Ī	N00039	3/26/90
Q Q	S	N00024	3/26/90
Q	v	N00104	11/15/90
Ŕ	ì	HR1000	11/28/90
R	6	N70024	11/15/90
R	9	SC4400	11/28/90
R	λ	N00188	5/01/90
R	В	N57101	5/01/90
R	D	N00228	5/01/90
R	E	N00446	5/01/90
R	F	N60957	5/01/90
R	H	N00604	5/01/90
R	K	N57004	5/01/90
R	0	R57025	5/01/90
R	P	R00441	5/01/90
R	R	R57020	5/01/90
R	S	N68438	5/01/90
R	T	R53824	5/01/90
R	U	N68520	5/01/90

CodeName	DlssValue	EdiValue	Date
D	v	N00104	5/01/90
R R	W	N62583	11/15/90
R	Ÿ	N39029	11/15/90
R	Ž	N00383	11/15/90
REASON	1	KN	4/20/90
REASON	2	KO	4/20/90
REASON	Ä	KA	4/20/90
REASON	B	KB	4/20/90
REASON	Č	KC	4/20/90
REASON	D	KD	4/20/90
REASON	Ē	KE	4/20/90
REASON	F	KF	4/20/90
REASON	Ġ	KG	4/20/90
REASON	H	KH	4/20/90
REASON	J	KP	4/20/90
REASON	Ĺ	KI	4/20/90
REASON	P	KJ	4/20/90
REASON	Q	KK	4/20/90
REASON	Q S	KL	4/20/90
REASON	T	KM	4/20/90
S	1	HR1000	11/28/90
S	9	SC4400	11/28/90
S	K	SC0298	11/20/90
T	1	HR1000	2/20/91
T	9	SC4400	2/20/91
TWELVE	A	1	5/01/90
TWELVE	В	1 2 3	5/01/90
TWELVE	C		5/01/90
TWELVE	D	4	5/01/90
U	1	HR1000	11/28/90
U	9	SC4400	11/28/90
U	Ä	SC0698	11/16/90
Ŭ	В	SC0798	11/16/90
U	C	SC0298	11/16/90
U	D	SC0998	11/16/90
U U	E	SC0298	11/16/90
Ŭ	F G	SC0698	11/16/90
		SC0498 SC0298	11/16/90
U U	H J	SC0298	11/16/90 11/16/90
Ŭ	K	SC0298	11/16/90
Ŭ	L	SC0298	11/16/90
Ŭ	M	SC0198	11/16/90
Ŭ	N	SC0198	11/16/90
Ŭ	P	SC0198	11/16/90
Ŭ	Ō	SC0198	11/16/90
Ŭ	R	SC0398	11/16/90
Ü	S	SC0398	11/16/90
Ŭ	Q R S T	SC0398	11/16/90
Ū	Ū	SC0298	11/16/90
Ū	v	SC0298	11/16/90
U	W	SC0298	11/16/90


4/21/31	4/	2	1/	9	1
---------	----	---	----	---	---

CODEMAP TABLE REPORT Page

Pag	íe	1	3

CodeName	DlssValue	EdiValue	Date
U	X	SC0298	11/16/00
U	Ÿ	SC0298	11/16/90 11/16/90
U	Z	SC0298	11/16/90
V	ī	HR1000	11/28/90
V	1 3	N00188	11/15/90
V	6	N70024	11/15/90
V	7	N47234	11/15/90
V	9	SC4400	11/28/90
V	A	N00188	11/15/90
V	B	V45918	11/15/90
V	c	N00189	11/15/90
V V	<u>D</u>	N00228	11/15/90
v	E	N00446	11/15/90
v	F	N44466	11/15/90
v	G	N57020	11/15/90
v	H	N00129	11/15/90
v	I J	N62306	11/15/90
v	K	V53825	11/15/90
Ÿ	L L	V57021	11/15/90
v	M	N57070	11/15/90
V	N N	N57005	11/15/90
Ÿ	Ö	N57012	11/15/90
V	P	N57025 R00441	11/15/90
v	Q	V57016	11/15/90
V	Ř	N00060	11/15/90
V	S	N68438	11/15/90
V	ับ	N68520	11/15/90 11/15/90
V	V	N00104	11/15/90
V	W	N62583	11/15/90
V	X	N00146	11/15/90
V	Y	N39029	11/15/90
V	Z	N00383	11/15/90
VARCODE	λ	D20	4/20/90
VARCODE	В	D21	4/20/90
VARCODE	Ç	D22	4/20/90
VARCODE	D	D19	4/20/90
VARCODE	E	D23	4/20/90
VARCODE VARCODE	P	D24	4/20/90
VARCODE	Q T 1 7	D26	4/20/90
W	T	D25	4/20/90
W	<u>1</u>	HR1000	11/28/90
Ŵ	8	W806PW	11/13/90
Ÿ	9	W804M6	3/05/91
W	A	SC4400	11/28/90
W	A B	W25PVR	11/13/90
W	Č	W25P02	11/13/90
W	מ	W45K1-7	11/13/90
W	E	W80S05	11/13/90
W	F	W58H0Z W25G3R	11/13/90
W	Ġ	W25G3R W80D82	11/13/90
	-	movuo2	11/13/90

W	CodeName	DlssValue	EdiValue	Date
W J WT5ERZ 1 11/13/90 W K WT4KD3 11/13/90 W L W31G3H 11/13/90 W M WK4VWJ 11/13/90 W M WK4VWJ 11/13/90 W N W68S10 11/13/90 W P W15GKB 11/13/90 W R W80MWM 11/13/90 W R W80MWM 11/13/90 W S W52H09 11/13/90 W U W23MWR 11/13/90 W U W23MWR 11/13/90 W V WK4UD 11/13/90 W V WK4UD 11/13/90 W W W W56HZV 11/13/90 W Y W56HZV 11/13/90 W Y W56HZV 11/13/90 Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z 9 SC4400 11/28/90 Z 1 HR1000 11/28/90 Z D Z71101 11/15/90 Z D Z71105 11/15/90 Z E Z71108 11/15/90 Z F Z71108 11/15/90 Z F Z71108 11/15/90 Z F Z71109 11/15/90 Z H Z71111 11/15/90 Z J Z75160 11/15/90 Z J Z751107 11/15/90 Z J Z75160 11/15/90 Z J Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	W	н	WX3JNC	11/13/90
W K WT4KD3 11/13/90 W K WT4KD3 11/13/90 W L W31G3H 11/13/90 W M WK4VWJ 11/13/90 W M WK68S10 11/13/90 W P W15GK8 11/13/90 W Q WK4GGD 11/13/90 W R W80MWM 11/13/90 W S W52H09 11/13/90 W T W36F8U 11/13/90 W U W23MWR 11/13/90 W U W23MWR 11/13/90 W V WK4V1D 11/13/90 W W V WK4V1D 11/13/90 W W Y WK4GB 11/13/90 W Z WK4FV1 11/13/90 Z WK4FV1 11/13/90 Z WK4FV1 11/13/90 Z D SC4400 11/28/90 Z J HR1000 11/28/90 Z D SC4400 11/28/90 Z D SC71102 11/15/90 Z D Z71105 11/15/90 Z D Z71105 11/15/90 Z E Z71107 11/15/90 Z E Z71107 11/15/90 Z E Z71109 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z G Z71111 11/15/90 Z J Z75160 11/15/90 Z J Z751113 11/15/90 Z J Z75110 11/15/90 Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	W	Ĩ		11/13/90
W	W			11/13/90
W M WK4VWJ 11/13/90 W N WK4VWJ 11/13/90 W N WK5GK8 11/13/90 W P W15GK8 11/13/90 W Q WK4GGD 11/13/90 W R W80MWM 11/13/90 W S W52H09 11/13/90 W T W36F8U 11/13/90 W U W23MWR 11/13/90 W U W23MWR 11/13/90 W V WK4V1D 11/13/90 W W W WK4GGB 11/13/90 W W W WK4GGB 11/13/90 W W W WK4GGB 11/13/90 W W JY W56HZV 11/13/90 W Z WK4FV1 11/13/90 Z 1 HR1000 11/28/90 Z 2 9 SC4400 11/28/90 Z 3 A Z71101 11/15/90 Z 5 B Z71102 11/15/90 Z 6 Z71105 11/15/90 Z 7 F Z71108 11/15/90 Z 7 T Z31800 11/15/90 Z 1 Z31800 11/15/90 Z 1 Z31800 11/15/90 Z 1 Z31800 11/15/90 Z 1 Z31800 11/15/90 Z 2 J Z75160 11/15/90 Z 3 Z71109 11/15/90 Z 4 Z71111 11/15/90 Z 5 Z Z71109 11/15/90 Z 7 Z 75160 11/15/90 Z 7 Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	W			11/13/90
W M WK4VWJ 11/13/90 W P W15GK8 11/13/90 W P W15GK8 11/13/90 W Q WK4GGD 11/13/90 W R W80MWM 11/13/90 W S W52H09 11/13/90 W T W36F8U 11/13/90 W U W23MWR 11/13/90 W V WK4V1D 11/13/90 W W W W WK4GGB 11/13/90 W W W WK4GGB 11/13/90 W W W WK4GGB 11/13/90 W Y WK4V1D 11/13/90 W Y W56HZV 11/13/90 Z 1 HR1000 11/28/90 Z 1 HR1000 11/28/90 Z 2 WK4FV1 11/13/90 Z 2 D SC4400 11/28/90 Z 3 A Z71101 11/15/90 Z 5 C Z75130 11/15/90 Z 6 Z71105 11/15/90 Z 7 F Z71108 11/15/90 Z 7 F Z71108 11/15/90 Z 1 Z31800 11/15/90 Z 2 J Z75160 11/15/90 Z 3 J Z75160 11/15/90 Z 4 Z71111 11/15/90 Z 5 J Z751100 11/15/90 Z 7 Z 2 Z 3 Z751100 11/15/90 Z 8 Z71117 11/15/90 Z 8 Z71117 11/15/90 Z 9 Z50100 11/15/90 Z 9 Z50100 11/15/90 Z 9 Z50100 11/15/90 Z 2 Z Z70098 11/15/90 Z 2 Z Z Z70098 11/15/90	W			11/13/90
W P W15GK8 11/13/90 W Q WK4GGD 11/13/90 W R W80MWM 11/13/90 W S W52H09 11/13/90 W T W36F8U 11/13/90 W U W23MWR 11/13/90 W V WK4V1D 11/13/90 W W W WK4GGB 11/13/90 W Y WK4GGB 11/13/90 W Y WK4E1E 11/13/90 W Y W56HZV 11/13/90 Z WK4FV1 11/13/90 Z 1 HR1000 11/28/90 Z 2 9 SC4400 11/28/90 Z 2 9 SC4400 11/28/90 Z 3 A Z71101 11/15/90 Z 5 B Z71102 11/15/90 Z 6 Z75130 11/15/90 Z 7 E Z71108 11/15/90 Z 7 F Z71108 11/15/90 Z 7 F Z71108 11/15/90 Z 1 Z31800 11/15/90 Z 1 Z31800 11/15/90 Z 1 Z31800 11/15/90 Z 1 Z31800 11/15/90 Z 1 Z75160 11/15/90 Z 1 Z75160 11/15/90 Z 1 Z75111 11/15/90 Z 1 Z75111 11/15/90 Z 2 J Z75110 11/15/90 Z 3 Z75110 11/15/90 Z 3 Z75110 11/15/90 Z 4 Z71111 11/15/90 Z 5 Z 5 Z71109 11/15/90 Z 7 Z 5 Z71109 11/15/90 Z 7 Z 7 Z75160 11/15/90 Z 7 Z 7 Z75160 11/15/90 Z 7 Z 7 Z75160 11/15/90 Z 7 Z 7 Z75111 11/15/90	W			
W Q WK4GGD 11/13/90 W R W80MWM 11/13/90 W S W52H09 11/13/90 W T W36F8U 11/13/90 W U W23MWR 11/13/90 W V WK4V1D 11/13/90 W W W WK4GGB 11/13/90 W X WK4E1E 11/13/90 W Y W56HZV 11/13/90 Z WK4FV1 11/13/90 Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z 9 SC4400 11/28/90 Z 9 SC4400 11/28/90 Z 2 B Z71101 11/15/90 Z B Z71102 11/15/90 Z B Z71102 11/15/90 Z C Z755130 11/15/90 Z E Z71108 11/15/90 Z F Z71108 11/15/90 Z F Z71109 11/15/90 Z F Z71109 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z J Z75111 11/15/90 Z J Z75111 11/15/90 Z J Z75111 11/15/90 Z J Z75110 11/15/90 Z J Z750100 11/15/90 Z D Z50100 11/15/90 Z D Z50100 11/15/90 Z D Z50100 11/15/90 Z EERO J S S S S S S S S S S S S S S S S S S	W			
W R W80MWM 11/13/90 W R W80MWM 11/13/90 W T W36F8U 11/13/90 W U W23MWR 11/13/90 W U W23MWR 11/13/90 W W WK4V1D 11/13/90 W W WK4GB 11/13/90 W W WK4GB 11/13/90 W Y W56HZV 11/13/90 W Z WK4FV1 11/13/90 Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z 9 SC4400 11/28/90 Z 9 SC4400 11/28/90 Z 2 B Z71102 11/15/90 Z D Z71105 11/15/90 Z E Z71107 11/15/90 Z E Z71108 11/15/90 Z E Z71109 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z G Z71101 11/15/90 Z G Z71109 11/15/90 Z G Z71111 11/15/90 Z G Z71111 11/15/90 Z G Z71113 11/15/90 Z G Z71114 11/15/90 Z G Z71117 11/15/90 Z G Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z		P	W15GK8	11/13/90
W S W52H09 11/13/90 W T W36F8U 11/13/90 W T W39MWR 11/13/90 W V WK4V1D 11/13/90 W W W WK4GGB 11/13/90 W W W WK4GGB 11/13/90 W Y WK6HE 11/13/90 Y W56HZV 11/13/90 Z WK4FV1 11/13/90 Z W71101 11/15/90 Z B Z71102 11/15/90 Z B Z71102 11/15/90 Z C Z75130 11/15/90 Z C Z75130 11/15/90 Z G Z71108 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z G Z71101 11/15/90 Z G Z71111 11/15/90 Z G Z Z70098 11/15/90 Z Z Z Z70098 11/15/90 Z Z Z Z70090 S 2 5/01/90 Z ZERO S 2 5/01/90	W			
W S W52H09 11/13/90 W T W36F8U 11/13/90 W U W23MWR 11/13/90 W V WK4V1D 11/13/90 W W W WK4GB 11/13/90 W X WK4E1E 11/13/90 W Y W56HZV 11/13/90 Z WK4FV1 11/13/90 Z 9 SC4400 11/28/90 Z 9 SC4400 11/28/90 Z 9 SC4400 11/28/90 Z 0 Z71101 11/15/90 Z 0 Z75130 11/15/90 Z 0 Z75130 11/15/90 Z 0 Z71105 11/15/90 Z 0 Z71105 11/15/90 Z 1 E Z71108 11/15/90 Z 1 E Z71108 11/15/90 Z 1 Z 31800 11/15/90 Z 1 Z75160 11/15/90 Z 1 Z75160 11/15/90 Z 2 J Z751113 11/15/90 Z 3 J Z75160 11/15/90 Z 4 Z71111 11/15/90 Z 5 Z Z Z71113 11/15/90 Z 6 Z71114 11/15/90 Z 7 Z 7 Z71115 11/15/90 Z 7 Z 7 Z71116 11/15/90 Z 8 Z71117 11/15/90 Z 9 Z71117 11/15/90 Z 1 Z75160 11/15/90 Z 2 Z Z70098 11/15/90 Z 2 Z Z70098 11/15/90 Z 2 Z Z70098 5/01/90 Z 2 Z S S/01/90		R		
W U W23MWR 11/13/90 W V WK4V1D 11/13/90 W W WK4GB 11/13/90 W W WK4GB 11/13/90 W X WK4E1E 11/13/90 W Y W56HZV 11/13/90 Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z 9 SC4400 11/28/90 Z B Z71101 11/15/90 Z B Z71102 11/15/90 Z C Z75130 11/15/90 Z C Z75130 11/15/90 Z E Z71105 11/15/90 Z E Z71107 11/15/90 Z E Z71108 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z H Z71111 11/15/90 Z H Z71111 11/15/90 Z G Z71109 11/15/90 Z H Z71113 11/15/90 Z G Z71109 11/15/90 Z G Z71113 11/15/90 Z G Z71114 11/15/90 Z C J Z75160 11/15/90 Z C Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z		S	W52H09	
W V WK4V1D 11/13/90 W W WK4GGB 11/13/90 W W WK4GGB 11/13/90 W X WK4E1E 11/13/90 W Y W56HZV 11/13/90 U Z WK4FV1 11/13/90 Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z 9 SC4400 11/28/90 Z A Z71101 11/15/90 Z B Z71102 11/15/90 Z C Z75130 11/15/90 Z C Z75130 11/15/90 Z E Z71107 11/15/90 Z F Z71108 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z G Z71111 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z L Z71114 11/15/90 Z L Z71114 11/15/90 Z L Z71117 11/15/90 Z C D Z31170 11/15/90 Z C D Z31170 11/15/90 Z C D Z31170 11/15/90 Z C D Z50100 11/15/90 Z C Z Z Z70098 11/15/90 Z EERO / 1 5/01/90 Z EERO S 2 5/01/90 Z EERO S 2 5/01/90		T	W36F8U	
W W WK4V1D 11/13/90 W W WK4GGB 11/13/90 W Y WS6HZV 11/13/90 V Y W56HZV 11/13/90 Z WK4FV1 11/13/90 Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z 8 Z71101 11/15/90 Z B Z71102 11/15/90 Z C Z75130 11/15/90 Z D Z71105 11/15/90 Z E Z71108 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z J Z75160 11/15/90 Z J Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z			W23MWR	
W		V	WK4V1D	
W Y W56HZV 11/13/90 W Z WK4F1E 11/13/90 Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z A Z71101 11/15/90 Z B Z71102 11/15/90 Z C Z75130 11/15/90 Z C Z75130 11/15/90 Z E Z71105 11/15/90 Z F Z71108 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z H Z71111 11/15/90 Z J Z71101 11/15/90 Z Y Z Y Z71111 11/15/90 Z Y Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	W	W	WK4GGB	
W Z WK4FV1 11/13/90 Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z A Z71101 11/15/90 Z B Z71102 11/15/90 Z C Z75130 11/15/90 Z D Z71105 11/15/90 Z E Z71108 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z J Z31800 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z J Z75111		X	WK4E1E	11/13/90
W Z WK4FV1 11/13/90 Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z A Z71101 11/15/90 Z B Z71102 11/15/90 Z C Z75130 11/15/90 Z D Z71105 11/15/90 Z E Z71107 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z G Z71109 11/15/90 Z H Z71111 11/15/90 Z J Z31800 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z J Z751113 11/15/90 Z L Z71114 11/15/90 Z L Z71117 11/15/90 Z M Z71117 11/15/90 Z D Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	W	Y	W56HZV	11/13/90
Z 1 HR1000 11/28/90 Z 9 SC4400 11/28/90 Z A 271101 11/15/90 Z B 271102 11/15/90 Z C 275130 11/15/90 Z D 271105 11/15/90 Z E 271107 11/15/90 Z F 271108 11/15/90 Z G 271109 11/15/90 Z H 271111 11/15/90 Z J 275160 11/15/90 Z J 275113 11/15/90 Z K 271113 11/15/90 Z K 271114 11/15/90 Z M 271117 11/15/90 Z Q 250100 11/15/90 Z Q 250100 11/15/90 Z Z 270098 11/15/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90		2	WK4FV1	
Z 9 SC4400 11/28/90 Z A 271101 11/15/90 Z B 271102 11/15/90 Z C 275130 11/15/90 Z D 271105 11/15/90 Z E 271107 11/15/90 Z F 271108 11/15/90 Z G 271109 11/15/90 Z H 271111 11/15/90 Z J 271101 11/15/90 Z L 271111 11/15/90 Z J 275160 11/15/90 Z J 275160 11/15/90 Z J 275160 11/15/90 Z J 275113 11/15/90 Z J 275114 11/15/90 Z J 271114 11/15/90 Z D X 271117 11/15/90 Z D X 271117 11/15/90 Z D Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z		1	HR1000	
Z	Z	9	SC4400	
Z B Z71102 11/15/90 Z C Z75130 11/15/90 Z D Z71105 11/15/90 Z E Z71107 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z H Z71111 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z L Z71113 11/15/90 Z L Z71114 11/15/90 Z L Z71114 11/15/90 Z D X Z71117 11/15/90 Z D X Z71117 11/15/90 Z D Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Z	A	271101	
Z C Z75130 11/15/90 Z D Z71105 11/15/90 Z E Z71107 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z H Z71111 11/15/90 Z J Z75160 11/15/90 Z J Z75160 11/15/90 Z K Z71113 11/15/90 Z L Z71114 11/15/90 Z D X71117 11/15/90 Z D X71117 11/15/90 Z D Z71117 11/15/90 Z D Z71117 11/15/90 Z D Z71170 11/15/90 Z D Z70098 11/15/90 Z ERO J J 5/01/90 Z ERO S 2 5/01/90 Z ERO S 2 5/01/90	Z	В	271102	11/15/90
Z D Z71105 11/15/90 Z E Z71107 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z H Z71111 11/15/90 Z I Z31800 11/15/90 Z J Z75160 11/15/90 Z K Z71113 11/15/90 Z L Z71114 11/15/90 Z D Z71117 11/15/90 Z D Z71117 11/15/90 Z D Z31170 11/15/90 Z D Z31170 11/15/90 Z D Z Z Z70098 11/15/90 Z ERO	Z	C	Z75130	
Z E Z71107 11/15/90 Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z H Z71111 11/15/90 Z I Z31800 11/15/90 Z J Z75160 11/15/90 Z K Z71113 11/15/90 Z L Z71114 11/15/90 Z L Z71117 11/15/90 Z M Z71117 11/15/90 Z N Z52100 11/15/90 Z O Z31170 11/15/90 Z P ZZ0001 11/15/90 Z C Z Z Z70098 11/15/90 Z ERO	Z		Z71105	
Z F Z71108 11/15/90 Z G Z71109 11/15/90 Z H Z71111 11/15/90 Z I Z31800 11/15/90 Z J Z75160 11/15/90 Z K Z71113 11/15/90 Z L Z71114 11/15/90 Z L Z71117 11/15/90 Z M Z71117 11/15/90 Z N Z52100 11/15/90 Z P Z20001 11/15/90 Z P Z70001 11/15/90 Z Z Z Z70098 11/15/90 Z ERO	Z			
Z G Z71109 11/15/90 Z H Z71111 11/15/90 Z I Z31800 11/15/90 Z J Z75160 11/15/90 Z K Z71113 11/15/90 Z L Z71114 11/15/90 Z L Z71117 11/15/90 Z M Z71117 11/15/90 Z N Z52100 11/15/90 Z P Z20001 11/15/90 Z P Z70001 11/15/90 Z Z Z Z70098 11/15/90 Z ERO	Z	F	Z71108	
Z H Z71111 11/15/90 Z I Z31800 11/15/90 Z J Z75160 11/15/90 Z K Z71113 11/15/90 Z L Z71114 11/15/90 Z M Z71117 11/15/90 Z N Z52100 11/15/90 Z P Z52100 11/15/90 Z P Z70001 11/15/90 Z Z Z Z70098 11/15/90 Z ERO	Z	G		11/15/90
Z I Z31800 11/15/90 Z J Z75160 11/15/90 Z K Z71113 11/15/90 Z L Z71114 11/15/90 Z M Z71117 11/15/90 Z N Z52100 11/15/90 Z O Z31170 11/15/90 Z P ZZ0001 11/15/90 Z Q Z50100 11/15/90 Z Z Z Z70098 11/15/90 ZERO J 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90	Z		Z71111	11/15/90
Z J Z75160 11/15/90 Z K Z71113 11/15/90 Z L Z71114 11/15/90 Z M Z71117 11/15/90 Z N Z52100 11/15/90 Z O Z31170 11/15/90 Z P Z20001 11/15/90 Z Q Z50100 11/15/90 Z Z Z Z70098 11/15/90 ZERO / 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90	Z	I		
Z K Z71113 11/15/90 Z L Z71114 11/15/90 Z M Z71117 11/15/90 Z N Z52100 11/15/90 Z O Z31170 11/15/90 Z P Z20001 11/15/90 Z Z Z Z70098 11/15/90 ZERO	Z			
Z L Z71114 11/15/90 Z M Z71117 11/15/90 Z N Z52100 11/15/90 Z O Z31170 11/15/90 Z P Z20001 11/15/90 Z Q Z50100 11/15/90 Z Z Z Z70098 11/15/90 ZERO / 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90		K	Z71113	
Z M Z71117 11/15/90 Z N Z52100 11/15/90 Z O Z31170 11/15/90 Z P Z20001 11/15/90 Z Q Z50100 11/15/90 Z Z Z70098 11/15/90 ZERO / 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90	Z	L		
Z N Z52100 11/15/90 Z O Z31170 11/15/90 Z P Z20001 11/15/90 Z Q Z50100 11/15/90 Z Z Z Z70098 11/15/90 ZERO / 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90		M	271117	11/15/90
Z 0 Z31170 11/15/90 Z P Z20001 11/15/90 Z Q Z50100 11/15/90 Z Z Z70098 11/15/90 ZERO / 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90	Z	N	Z52100	
Z P ZZ0001 11/15/90 Z Q Z50100 11/15/90 Z Z Z Z70098 11/15/90 ZERO / 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90	Z			
Z Q Z50100 11/15/90 Z Z Z70098 11/15/90 ZERO / 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90		P		
ZERO / 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90		Q		11/15/90
ZERO / 1 5/01/90 ZERO S 2 5/01/90 ZERO T 3 5/01/90		Z		
		/		
		S	2	
		T	3	
-, -, -, -, -, -, -, -, -, -, -, -, -, -	ZERO	U	4	5/01/90



Remote SiteASO	Date/time <u>4/06/90</u>	/ 14:19
Remote site DLSS data file size	1,151,578	
Time to download (H:M:S)	14:05	
Filter		
time (M:S)	13:02	
cards <u>in / out</u>		
MILSTRIP	MILSBILLS	MILSTEP
MILSTRAP	MILSTAMP	SDR
MILSPETS	MILSCAP	
DLSS to EDI		
Total cards	25	2,983
Translation time	15	1,462
Total transactions	25	2,983
Transactions/sec	1.6	2
Error transactions	2	46
Card throughput	1.6	2
Valid transactions	23	2,937
Time to compress file (seconds)	11	48
WAN file transfer		
File size (bytes)	3,564	259,281
File transfer time (seconds)	32	2,307
Data packets transmitted	7	328
Data packets retransmitted	0	o
Control packets transmitted	31	2,299
Data packets received	30	2,299
Control packets received	4	164
tx window maxed out	3	164
rx window maxed out	0	0
Time to expand file (seconds)	8	25
EDI to DLSS		
Number of EDI transactions	25	2,984
Error transactions	0	1
Valid transactions	25	2,983
Transaction time	6	371
Transactions/sec	4.2	8
Transaction that did not compare	10	71

Remote site DLSS data file size 588,3: Time to download (H:M:S) 4 min Filter time (M:S) 3:26 cards in / out MILSTRIP MILSTRAP MILST	BILLS MILSTEP TAMP SDR
Filter time (M:S) 3:26 cards in / out MILSTRIP MILSE	BILLS MILSTEP TAMP SDR
time (M:S) 3:26 cards <u>in / out</u> MILSTRIP MILSE	AMP SDR
cards <u>in / out</u> MILSTRIP MILSE	AMP SDR
MILSTRIP	AMP SDR
	AMP SDR
MILSTRAP MILST	
AAU 40000	.AP
MILSPETS MILSO	
DLSS to EDI	
Total cards	25 1,139
Translation time	15 505
Total transactions	25 1,139
Transactions/sec	1.6 2.2
Error transactions	0 0
Card throughput	1.6 2.2
Valid transactions	25 1,139
Time to compress file (seconds)	13 18
WAN file transfer]
File size (bytes)	94,446
File transfer time (seconds)	31 570
Data packets transmitted	7 109
Data packets retransmitted	0 0
Control packets transmitted	34 748
Data packets received	33 747
Control packets received	4 55
tx window maxed out	3 54
rx window maxed out	0 0
Time to expand file (seconds)	6 17
EDI to DLSS	
Number of EDI transactions	25 1,139
Error transactions	0 0
Valid transactions	25 1,139
Transaction time	3 134
Transactions/sec	8.3
Transaction that did not compare	0 17

Remote Site	ASO	Date/time <u>4/08/90</u>	/ 3:20
Remote site DLSS data file size		1,640,578	
Time to downlo	ad (H:M:S)	14:0	
Filter			
time (M:S)		17:01	
cards	<u>in / out</u>		
MILSTRIP		MILSBILLS	MILSTEP
MILSTRAP		MILSTAMP	SDR
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	14,177
Translation t	ime	59	37,770
Total transac	ctions	25	14,177
Transactions	s/sec	0.4	0
Error transac	tions	1	253
Card through	nput	0.4	0
Valid transac	ctions	24	13,924
Time to compres	s file (seconds)	23	3:49
WAN file transfe	er		
File size (byt	es)	3,564	1,320,462
File transfer	time (seconds)	65	13,430
Data packets	s transmitted	7	1,485
Data packets	s retransmitted	0	0
Control pack	ets transmitted	35	10,400
Data packets	s received	34	10,399
Control pack	ets received	5	743
tx window n	naxed out	3	742
rx window n	naxed out	0	0
Time to expand t	file (seconds)	9	3:08
EDI to DLSS			
Number of E	DI transactions	25	14,803
Error transac	ctions	0	3
Valid transac	ctions	25	14,807
Transaction	time	24	8,911
Transactions	s/sec	1.0	1.7
Transaction	that did not compare	18	1,879

Remote SiteASO	Date/time 4/08/9	0 / _17:00
Remote site DLSS data file size	509,996	
Time to download (H:M:S)	5 minutes	
Filter		
time (M:S)	3:40	
cards <u>in / out</u>		
MILSTRIP	MILSBILLS	MILSTEP
MILSTRAP	MILSTAMP	SDR
MILSPETS	MILSCAP	
DLSS to EDI		
Total cards	25	6,206
Translation time	9	10,108
Total transactions	25	6,206
Transactions/sec	2.7	0.6
Error transactions	0	74
Card throughput	2.7	0.6
Valid transactions	25	6,132
Time to compress file (seconds)	9	3:49
WAN file transfer	1	
File size (bytes)	3,564	569,349
File transfer time (seconds)	50	4,446
Data packets transmitted	7	643
Data packets retransmitted	0	0
Control packets transmitted	35	4,489
Data packets received	34	4,488
Control packets received	5	323
tx window maxed out	3	321
rx window maxed out	0	o
Time to expand file (seconds)	10	1:10
EDI to DLSS		
Number of EDI transactions	25	6,206
Error transactions	0	0
Valid transactions	25	6,206
Transaction time	3	9.5
Transactions/sec	8.3	6.8
Transaction that did not compare	0	381
	_ _	

Remote SiteASO	Date/time <u>4/09/90</u>	/5:06
Remote site DLSS data file size	4,101,639	
Time to download (H:M:S)		
Filter		
time (M:S)	31:34	
cards <u>in / out</u>		
MILSTRIP	MILSBILLS	MILSTEP
MILSTRAP	MILSTAMP	SDR
MILSPETS	MILSCAP	
DLSS to EDI		
Total cards	25	27,764
Translation time	10	35,157
Total transactions	25	27,764
Transactions/sec	2.5	0.0
Error transactions	2	423
Card throughput	2.5	0.0
Valid transactions	23	27,336
Time to compress file (seconds)	6	10
WAN file transfer		
File size (bytes)	2,564	1,745,469
File transfer time (seconds)	53	16,458
Data packets transmitted	7	1,963
Data packets retransmitted	0	0
Control packets transmitted	35	13,735
Data packets received	34	13,734
Control packets received	5	982
tx window maxed out	3	981
rx window maxed out	0	0
Time to expand file (seconds)	9	2:44
EDI to DLSS		
Number of EDI transactions	25	27,764
Error transactions	0	0
Valid transactions	25	27,764
Transaction time	4	3,161
Transactions/sec	6.2	8.8
Transaction that did not compare	6	1,296
		

Remote Site TROSCOM	Date/time <u>4/10/90</u>	/ <u>15:50</u>
Remote site DLSS data file size		
Time to download (H:M:S)		
Filter		
time (M:S)		
cards <u>in / out</u>		
MILSTRIP	MILSBILLS	MILSTEP
MILSTRAP	MILSTAMP	SDR
MILSPETS	MILSCAP	
DLSS to EDI		·
Total cards	25	4,512
Translation time	11	2,274
Total transactions	25	4,512
Transactions/sec	2.2	1.9
Error transactions	0	57
Card throughput	2.2	1.9
Valid transactions	25	4,455
Time to compress file (seconds)	6	1:29
WAN file transfer		
File size (bytes)	3,564	408,078
File transfer time (seconds)	32	2,738
Data packets transmitted	7	478
Data packets retransmitted	0	0
Control packets transmitted	31	3,323
Data packets received	30	3,322
Control packets received	4	240
tx window maxed out	3	239
rx window maxed out	0	0
Time to expand file (seconds)	3	57
EDI to DLSS		
Number of EDI transactions	25	4,512
Error transactions	0	0
Valid transactions	25	4,512
Transaction time	6	622
Transactions/sec	4.2	7.3
Transaction that did not compare	6	216

Remote Site ASU	Date/time <u>4/11/90</u> /		
Remote site DLSS data file size	4,119,847		
Time to download (H:M:S)	26 minutes		
Filter			
time (M:S)	13:11		
cards <u>in / out</u>			
MILSTRIP	MILSBILLS	MILSTEP	
MILSTRAP	MILSTAMP	SDR	
MILSPETS	MILSCAP		
DLSS to EDI			
Total cards	25	18,808	
Translation time	12	7,513	
Total transactions	25	18,808	
Transactions/sec	2.0	0.7	
Error transactions	0	473	
Card throughput	2.0	0.7	
Valid transactions	25	18,335	
Time to compress file (seconds)	7	5:25	
WAN file transfer			
File size (bytes)	2,673	1,373,031	
File transfer time (seconds)	60	11,228	
Data packets transmitted	6	1,549	
Data packets retransmitted	0	0	
Control packets transmitted	24	10,818	
Data packets received	23	10,817	
Control packets received	4	775	
tx window maxed out	3	774	
rx window maxed out	0	0	
Time to expand file (seconds)	4	3:24	
EDI to DLSS			
Number of EDI transactions	25	18,816	
Error transactions	0	8	
Valid transactions	25	18,808	
Transaction time	6	1,658	
Transactions/sec	4.2	11.3	
Transaction that did not compare	24	1,894	
	i .	i e e e e e e e e e e e e e e e e e e e	

Remote site DLSS data file size Time to download (H:M:S) Filter time (M:S) cards in / out MILSTRIP MILSTRAP MILSTRAP MILSTES DLSS to EDI Total cards Translation time Total transactions Transactions/sec Error transactions Time to compress file (seconds) File transfer File size (bytes) File transfer time (seconds) Data packets received Control packets received Control packets received To to LSS Number of EDI transactions LSS LSS LSS LSS LSS LSS LSS LSS LSS LS	Remote Site MCB	Date/time <u>4/11/90</u>	/ 14:47
Filter time (M:S) cards MILSTRIP MILSTRIP MILSTRAP MILSPETS DLSS to EDI Total cards Translation time Total transactions Transactions/Sec Error transactions Time to compress file (seconds) Data packets transmitted Data packets transmitted Control packets transmitted Data packets received Tx window maxed out Transactions Data Packets received Total transactions Time to expand file (seconds) Time to expand file (seconds) Time to compress file (seconds) Data packets transmitted Transactions Data packets transmitted Transactions Data packets received Time to expand file (seconds) Time to expand file (se	Remote site DLSS data file size	483,888	
time (M:S) 3:04 cards in / out MILSTRIP MILSTAMP MILSTRAP MILSTAMP MILSPETS MILSCAP DLSS to EDI 25 Total cards 25 Translation time 58 Total transactions 25 Transactions/sec 0.4 Error transactions 0 Card throughput 0.4 Valid transactions 25 Time to compress file (seconds) 17 Time to compress file (seconds) 17 Time to compress file (seconds) 3,564 File size (bytes) 3,564 File size (bytes) 38 File transfer 7 File size (bytes) 38 Pata packets transmitted 0 O at a packets retransmitted 0 Control packets received 34 Abase Data packets received 3 tx window maxed out 0 tx window maxed out 0 tx window maxed out 0	Time to download (H:M:S)	3 minutes	
cards in / out MILSTRIP MILSTAMP MILSTAMP MILSTEAP MILSCAP SDR MILSPETS MILSCAP SDR DLSS to EDI Total cards 25 4,800 Translation time 58 5,420 Total transactions/sec 0.4 0.8 Error transactions/sec 0.4 0.8 Error transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 0 0 Control packets transmitted 0 0 Data packets received 34 3,087 Control packets received 34 3,087 Control packets received 5 223 tx window maxed out 0 0 rx window maxed out 0 0 Time to expand file (seconds) 5	Filter		
MILSTRIP MILSTAMP MILSTEP MILSPETS MILSTAMP SDR MILSPETS MILSTAMP SDR MILSPETS MILSTAMP SDR MILSPETS MILSTAMP SDR DLSS to EDI 25 4,800 Translation time 58 5,420 Total translactions 25 4,800 Transactions/sec 0.4 0.8 Error trensactions 0 41 Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 7 443 Data packets retransmitted 0 0 Control packets transmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out	time (M:S)	3:04	
MILSTRAP MILSPETS MILSCAP SDR DLSS to EDI 25 4,800 Translation time 58 5,420 Total transactions 25 4,800 Transactions/sec 0.4 0.8 Error transactions 0 41 Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 7 443 Data packets retransmitted 0 0 Control packets transmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 0 0 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS Number of EDI transactions 25 4,800	· · · · · · · · · · · · · · · · · · ·		
DLSS to EDI Z 4,800 Translation time 58 5,420 Total transactions 25 4,800 Translation time 58 5,420 Total transactions 25 4,800 Transactions/sec 0.4 0.8 Error transactions 0 41 Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 11 1:12 WAN file transfer 35 3,564 392,040 File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 0 0 Data packets retransmitted 3 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS			
DLSS to EDI 25 4,800 Translation time 58 5,420 Total transactions 25 4,800 Transactions/sec 0.4 0.8 Error transactions 0 41 Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 3,564 392,040 File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 7 443 Data packets retransmitted 0 0 Control packets received 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS 4,800 Error transactions 25 4,800 Transaction time 2 648 <th></th> <th></th> <th>SDR</th>			SDR
Total cards 25 4,800 Translation time 58 5,420 Total transactions 25 4,800 Transactions/sec 0.4 0.8 Error transactions 0 41 Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 3,564 392,040 File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 7 443 Data packets retransmitted 0 0 Control packets transmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS Number of EDI transactions 25 4,800 Error transactions 25 4,800	MILSPETS	MILSCAP	
Translation time 58 5,420 Total transactions 25 4,800 Transactions/sec 0.4 0.8 Error transactions 0 41 Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 7 443 Data packets retransmitted 0 0 Control packets received 34 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS 5 4,800 Error transactions 25 4,800 Error transaction time 2 4,800 Transaction time 2 648 Transactions/sec 12.5	DLSS to EDI		
Total transactions 25 4,800 Transactions/sec 0.4 0.8 Error transactions 0 41 Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 3,564 392,040 File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 0 0 Control packets retransmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS 4,800 Error transactions 25 4,800 Error transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7	Total cards	25	4,800
Transactions/sec 0.4 0.8 Error transactions 0 41 Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 3,564 392,040 File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets ransmitted 7 443 Data packets retransmitted 0 0 Control packets received 35 3,088 Data packets received 3 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS Number of EDI transactions 25 4,800 Error transactions 0 0 0 Valid transactions 25 4,800 Transaction time 2 648	Translation time	58	5,420
Transactions/sec 0.4 0.8 Error transactions 0 41 Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 3,564 392,040 File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets ransmitted 7 443 Data packets retransmitted 0 0 Control packets received 35 3,088 Data packets received 3 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS Number of EDI transactions 25 4,800 Error transactions 0 0 0 Valid transactions 25 4,800 Transaction time 2 648	Total transactions	25	4,800
Card throughput 0.4 0.8 Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 3,564 392,040 File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 7 443 Data packets retransmitted 0 0 Control packets transmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 0 0 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS 4,800 Error transactions 25 4,800 Error transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4		0.4	0.8
Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 3,564 392,040 File size (bytes) 38 2,351 Data packets time (seconds) 38 2,351 Data packets transmitted 0 0 Control packets retransmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS 4,800 Number of EDI transactions 25 4,800 Error transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4	Error transactions	0	41
Valid transactions 25 4,759 Time to compress file (seconds) 17 1:12 WAN file transfer 3,564 392,040 File size (bytes) 38 2,351 Data packets time (seconds) 38 2,351 Data packets transmitted 0 0 Control packets retransmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS Number of EDI transactions 25 4,800 Error transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4	Card throughput	0.4	0.8
WAN file transfer File size (bytes) S,564 Size (bytes) Si	Ţ ·	25	4,759
File size (bytes) 3,564 392,040 File transfer time (seconds) 38 2,351 Data packets transmitted 7 443 Data packets retransmitted 0 0 Control packets transmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS 4,800 Number of EDI transactions 25 4,800 Error transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4	Time to compress file (seconds)	17	1:12
File transfer time (seconds) 38 2,351 Data packets transmitted 7 443 Data packets retransmitted 0 0 Control packets transmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS 4,800 Number of EDI transactions 0 0 Valid transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4	WAN file transfer		
Data packets transmitted7443Data packets retransmitted00Control packets transmitted353,088Data packets received343,087Control packets received5223tx window maxed out3221rx window maxed out00Time to expand file (seconds)548EDI to DLSSNumber of EDI transactions254,800Error transactions254,800Transaction time2648Transactions/sec12.57.4	File size (bytes)	3,564	392,040
Data packets retransmitted Control packets transmitted Data packets received Data packet	File transfer time (seconds)	38	2,351
Control packets transmitted 35 3,088 Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS Vumber of EDI transactions 25 4,800 Error transactions 0 0 0 Valid transactions 25 4,800 4,800 Transaction time 2 648 648 Transactions/sec 12.5 7.4	Data packets transmitted	7	443
Data packets received 34 3,087 Control packets received 5 223 tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS 25 4,800 Error transactions 0 0 Valid transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4	Data packets retransmitted	0	0
Control packets received5223tx window maxed out3221rx window maxed out00Time to expand file (seconds)548EDI to DLSS254,800Error transactions00Valid transactions254,800Transaction time2648Transactions/sec12.57.4	Control packets transmitted	35	3,088
tx window maxed out 3 221 rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS 25 4,800 Number of EDI transactions 0 0 Error transactions 0 0 Valid transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4	Data packets received	34	3,087
rx window maxed out 0 0 Time to expand file (seconds) 5 48 EDI to DLSS Number of EDI transactions 25 4,800 Error transactions 0 0 Valid transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4	Control packets received	5	223
Time to expand file (seconds) 5 48 EDI to DLSS Number of EDI transactions 25 4,800 Error transactions 0 0 Valid transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4	tx window maxed out	3	221
EDI to DLSS Number of EDI transactions Error transactions Valid transactions Transaction time 2 648 Transactions/sec 12.5 7.4	rx window maxed out	0	0
Number of EDI transactions 25 4,800 Error transactions 0 0 Valid transactions 25 4,800 Transaction time 2 648 Transactions/sec 12.5 7.4	Time to expand file (seconds)	5	48
Error transactions00Valid transactions254,800Transaction time2648Transactions/sec12.57.4	EDI to DLSS		
Valid transactions254,800Transaction time2648Transactions/sec12.57.4	Number of EDI transactions	25	4,800
Transaction time 2 648 Transactions/sec 12.5 7.4	Error transactions	0	0
Transactions/sec 12.5 7.4	Valid transactions	25	4,800
	Transaction time	2	648
	Transactions/sec	12.5	7.4
Transaction that did not compare 0 141	Transaction that did not compare	0	141

Remote SiteTRO	Date/time	/ 15:28
Remote site DLSS data file size	304,302	
Time to download (H:M:S)	21	
Filter		
time (M:S)	2:40	
cards <u>in / out</u>		
MILSTRIP	MILSBILLS	MILSTEP
MILSTRAP	MILSTAMP	SDR
MILSPETS	MILSCAP	
DLSS to EDI		
Total cards	25	2,872
Translation time	12	776
Total transactions	25	2,872
Transactions/sec	2.0	3.7
Error transactions	0	13
Card throughput	2.0	2.7
Valid transactions	25	2,859
Time to compress file (seconds)	6	1:07
WAN file transfer		
File size (bytes)	3,564	268,800
File transfer time (seconds)	28	1,587
Data packets transmitted	7	303
Data packets retransmitted	0	0
Control packets transmitted	31	2,108
Data packets received	30	2,107
Control packets received	4	152
tx window maxed out	3	151
rx window maxed out	0	0
Time to expand file (seconds)	6	55
EDI to DLSS		
Number of EDI transactions	25	2,872
Error transactions	0	0
Valid transactions	25	2,872
Transaction time	4	316
Transactions/sec	6.2	9.1
Transaction that did not compare	2	104

Remote Site MCB		Date/time <u>4/17/9</u> 0	0 / 14:17
Remote site DLSS data file size		405,302	
Time to download (H:M:S)			
Filter			
time (M:S)		2:31	
cards <u>in /</u>	out		
MILSTRIP 25	1,628	MILSBILLS	MILSTEP
MILSTRAP		MILSTAMP	SDR
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	i 628
Translation time		22	434
Total transactions		25	1,628
Transactions/sec		1.1	3.7
Error transactions		0	0
Card throughput		1.1	3.7
Valid transactions		25	1,628
Time to compress file (seconds)		16	32
WAN file transfer		!	
File size (bytes)		2,673	139,776
File transfer time (seconds)		24	845
Data packets transmitted		6	161
Data packets retransmitted		0	0
Control packets transmitted		27	1,115
Data packets received		26	1,114
Control packets received		4	81
tx window maxed out		3	80
rx window maxed out		0	0
Time to expand file (seconds)		7	20
EDI to DLSS			
Number of EDI transactions		25	1,628
Error transactions		0	0
Valid transactions		25	1,628
Transaction time		4	230
Transactions/sec		6.2	7.1
Transaction that did not com	pare	O	22

Remote Site	MCB		Date/time	4/16/90	/14:47
Remote site DLSS data file size		699,370			
Time to download (H:M:S)			4 minutes		
Filter					
time (M:S)			4:27		
cards		<u>out</u>			
MILSTRIP	25	5,043	MILSBILLS		
MILSTRAP		54	MILSTAMF	•	
MILSPETS			MILSCAP		
DLSS to EDI					
Total cards			25		6,097
Translation tim	ne	l	11		2,080
Total transacti			25	;	6,097
Transactions/s			2	2.2	2.9
Error transaction			c	,	1
Card throughp	out		2	2.2	2.9
Valid transactions			25	;	6,096
Time to compress file (seconds)			10)	1:21
WAN file transfer					
File size (bytes)			3,564	1	520,576
File transfer time (seconds)			30)	3,026
Data packets transmitted			7	,	584
Data packets r	etransmitted)	0
Control packets transmitted			34	ı	4,075
Data packets r	eceived		33	3	4,074
Control packet	ts received			1	293
tx window ma	xed out		3	3	292
rx window ma	xed out)	0
Time to expand fil	e (seconds)		!	5	55
EDI to DLSS				į	
Number of ED	I transactions		2:	5	6,097
Error transacti	ons		{	o (0
Valid transacti	ions		2:	5	6,097
Transaction tir	me		!	5	1,125
Transactions/s	sec			خ	5.4
Transaction th	at did not compa	are		0	180
			.L		

Remote Site ASO	Date/time <u>4/18/90</u>	/ 18:24
Remote site DLSS data file size		
Time to download (H:M:S)		
Filter		
time (M:S) 0:19	10:50	
cards <u>in / out</u>	. 4.1. 5.71. 1.5	
MILSTRIP	MILSBILLS	MILSTEP
MILSTRAP	MILSTAMP MILSCAP	SDR
MILSPETS	WILSCAP	
DLSS to EDI		
Total cards	25	16,257
Translation time	14	10,223
Total transactions	25	16,257
Transactions/sec	1.7	0.3
Error transactions	0	281
Card throughput	1.7	0.3
Valid transactions	25	15,976
Time to compress file (seconds)	7	4:07
WAN file transfer		
File size (bytes)	3,564	1,547,392
File transfer time (seconds)	28	11,503
Data packets transmitted	7	2,438
Data packets retransmitted	0	0
Control packets transmitted	31	17,123
Data packets received	30	17,122
Control packets received	4	1,220
tx window maxed out	3	1,219
rx window maxed out	0	0
Time to expand file (seconds)	0:4	3:07
EDI to DLSS		
Number of EDI transactions	25	16,257
Error transactions	0	0
Valid transactions	25	16,257
Transaction time	5	2,465
Transactions/sec	5	6.6
Transaction that did not compare	0	915

Remote Site ASO	Date/time <u>4/21/90</u>	/05:00
Remote site DLSS data file size	2,755,047	
Time to download (H:M:S)	20 minutes	
Filter		
time (M:S)	13:07	
cards <u>in / out</u>		
MILSTRIP	MILSBILLS	MILSTEP
MILSTRAP	MILSTAMP	SDR
MILSPETS	MILSCAP	
DLSS to EDI		
Total cards	25	16,985
Translation time	13	10,562
Total transactions	25	16,985
Transactions/sec	1.9	0.3
Error transactions	0	574
Card throughput	1.0	0.3
Valid transactions	25	16,411
Time to compress file (M:S)	0:7	5:20
WAN file transfer		
File size (bytes)	3,564	1,443,456
File transfer time (seconds)	43	8,515
Data packets transmitted	7	1,614
Data packets retransmitted	0	0
Control packets transmitted	31	11,301
Data packets received	30	11,300
Control packets received	4	808
tx window maxed out	3	807
rx window maxed out	0	0
Time to expand file (M:S)	0:5	3:24
EDI to DLSS		
Number of EDI transactions	25	16,985
Error transactions	0	0
Valid transactions	25	16,985
Transaction time	5	3,094
Transactions/sec	5.0	5.5
Transaction that did not compare	17	3,965

Remote Site	ASO	Date/time <u>4/22/9</u> 0	05:00
Remote site DLSS	i data file size	2,228,296	
Time to download (H:M:S)		20 minutes	
Filter			
time (M:S)		15:51	
cards	<u>in / out</u>		
MILSTRIP		MILSBILLS	
MILSTRAP		MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	15,871
Translation til	me	13	15,258
Total transact	tions	25	15,871
Transactions/s	sec	1.9	0.1
Error transact	ions	1	498
Card through	put	1.9	0.1
Valid transact	tions	24	15,373
Time to compress	file (M:S)	0:6	6:40
WAN file transfer			
File size (byte	s)	3,564	1,349,376
File transfer ti	ime (seconds)	56	7,992
Data packets transmitted		7	1,509
Data packets	retransmitted	0	0
Control packe	ets transmitted	31	10,552
Data packets	received	30	10,551
Control packe	ets received	4	755
tx window ma	axed out	3	754
rx window maxed out		0	0
Time to expand fi	le (M:S)	0:5	3:06
EDI to DLSS			
Number of ED	I transactions	25	15,871
Error transact	ions	0	0
Valid transact	tions	25	15,871
Transaction ti	me	5	2,587
Transactions/s	sec	5	6.1
Transaction th	nat did not compare	0	1,653
		1	

Remote Site	ASO	Date/time	4/22/90	_ / _	13:00
Remote site DLSS	Remote site DLSS data file size				
Time to downloa	id (H:M:S)	6:24			
Filter					
time (M:S)		4:02			
cards	in / out				
MILSTRIP		MILSBILLS			
MILSTRAP		MILSTAMP			
MILSPETS		MILSCAP			
DLSS to EDI					
Total cards					6,832
Translation ti	me				5,227
Total transact	tions				6,832
Transactions/	'sec				0
Error transact	tions				78
Card through	put		- 1		0
Valid transact	tions				6,754
Time to compress	file (M:S)				2:29
WAN file transfer	•				
File size (byte	es)	3,564			630,740
File transfer t	ime (seconds)	31			3,739
Data packets	transmitted	7			707
Data packets	retransmitted	0			0
Control packe	ets transmitted	31			4,933
Data packets	received	30			4,932
Control packe	ets received	4			354
tx window m	axed out	3			353
rx window m	axed out	0			0
Time to expand fi	ile (M:S)	0:8			2:00
EDI to DLSS					
Number of ED	OI transactions	25			6,832
Error transact	tions	0			0
Valid transact	tions	25	ļ		6,832
Transaction ti	ime	10			1,828
Transactions/	sec	2.	5		3.7
Transaction t	hat did not compare	0			154
		1			

Remote Site ASO	Date/time <u>4/23/90</u>	/05:00
Remote site DLSS data file size	705,655	
Time to download (H:M:S)	7:14	
Filter		
time (M:S)	6:08	
cards <u>in / out</u>		
MILSTRIP	MILSBILLS	
MILSTRAP	MILSTAMP	
MILSPETS	MILSCAP	
DLSS to EDI		
Total cards	25	7,024
Translation time	18	4,544
Total transactions	25	7,024
Transactions/sec	1.3	0.1
Error transactions	0	128
Card throughput	1.3	0.1
Valid transactions	25	6,896
Time to compress file (M:S)	0:8	2:46
WAN file transfer		
File size (bytes)	3,564	579,712
File transfer time (seconds)	29	3,436
Data packets transmitted	7	650
Data packets retransmitted	0	0
Control packets transmitted	31	4,532
Data packets received	30	4,531
Control packets received	4	326
tx window maxed out	3	325
rx window maxed out	0	0
Time to expand file (M:S)	0:5	1:22
EDI to DLSS		
Number of EDI transactions	25	7,024
Error transactions	0	0
Valid transactions	25	7,024
Transaction time	4	1,095
Transactions/sec	6.2	6.2
Transaction that did not compare	0	1,201

Remote site DLSS data file size Time to download (H:M:S) Filter time (M:S) cards in / out MILSTRIP MILSTRIP MILSTRAP MILSPETS DLSS to EDI Total cards Translation time Total transactions Transactions/Sec Error transactions Toard throughput Valid transactions Time to compress file (M:S) WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets received Control packets received Control packets received To wut Time (M:S) Transactions Size (Sydes) Size	Remote SiteASO	Date/time <u>4/23/90</u>	_ / 13:00
Filter time (M:S) cards in / out MILSTRIP 25 10,003 MILSBILLS MILSTAP MILSTAP MILSCAP DLSS to EDI Total cards Translation time 12 6,140 Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted 0 0 Control packets transmitted Data packets received 46 8,264 Control packets received 15 591 tx window maxed out	Remote site DLSS data file size	819,452	
time (M:S) 5:43 cards in / out MILSTRIP 25 10,003 MILSBILLS MILSTRAP MILSTAMP MILSCAP MILSPETS MILSCAP MILSCAP DLSS to EDI 25 10,003 Translation time 12 6,140 Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer 3,564 930,048 930,048 File size (bytes) 3,564 930,048 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 0 0 Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out </th <th>Time to download (H:M:S)</th> <th>7:48</th> <th></th>	Time to download (H:M:S)	7:48	
cards in / out MILSTRIP 25 10,003 MILSBILLS MILSTRAP MILSTAMP MILSPETS MILSCAP DLSS to EDI 25 10,003 Translation time 12 6,140 Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer 54 930,048 File size (bytes) 3,564 930,048 File transfer time (seconds) 54 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 0 0 Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590	Filter		
MILSTRIP 25 10,003 MILSBILLS MILSTRAP MILSTAMP MILSPETS MILSCAP DLSS to EDI 25 10,003 Translation time 12 6,140 Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer 54 930,048 File size (bytes) 3,564 930,048 File transfer time (seconds) 54 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 0 0 Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590	time (M:S)	5:43	
MILSTRAP MILSPETS MILSTAMP MILSCAP DLSS to EDI 25 10,003 Translation time 12 6,140 Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer File size (bytes) 3,564 930,048 File transfer time (seconds) 54 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 0 0 Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590	cards <u>in / out</u>		
DLSS to EDI Z5 10,003 Translation time 12 6,140 Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer 54 930,048 File size (bytes) 3,564 930,048 File transfer time (seconds) 54 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 0 0 Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590	MILSTRIP 25 10,003		
DLSS to EDI Total cards 25 10,003 Translation time 12 6,140 Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer File size (bytes) 3,564 930,048 File transfer time (seconds) 54 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590			
Total cards 25 10,003 Translation time 12 6,140 Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer 5 930,048 File size (bytes) 3,564 930,048 File transfer time (seconds) 54 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 0 0 Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590	MILSPETS	MILSCAP	
Translation time 12 6,140 Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer 3,564 930,048 File size (bytes) 3,564 930,048 File transfer time (seconds) 54 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 0 0 Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590	DLSS to EDI		
Total transactions 25 10,003 Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer 5 930,048 File size (bytes) 3,564 930,048 File transfer time (seconds) 54 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 0 0 Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590	Total cards	25	10,003
Transactions/sec 2.0 0.5 Error transactions 0 227 Card throughput 2.0 0.5 Valid transactions 25 9,776 Time to compress file (M:S) 0:5 3:33 WAN file transfer 5 930,048 File size (bytes) 3,564 930,048 File transfer time (seconds) 54 5,930 Data packets transmitted 9 1,180 Data packets retransmitted 0 0 Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590	Translation time	12	6,140
Error transactions Card throughput Valid transactions Time to compress file (M:S) WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted To the file trans	Total transactions	25	10,003
Card throughput2.00.5Valid transactions259,776Time to compress file (M:S)0:53:33WAN file transfer3,564930,048File size (bytes)545,930Data packets transmitted91,180Data packets retransmitted00Control packets transmitted478,265Data packets received468,264Control packets received5591tx window maxed out4590	Transactions/sec	2.0	0.5
Valid transactions259,776Time to compress file (M:S)0:53:33WAN file transfer3,564930,048File size (bytes)3,564930,048File transfer time (seconds)545,930Data packets transmitted91,180Data packets retransmitted00Control packets transmitted478,265Data packets received468,264Control packets received5591tx window maxed out4590	Error transactions	0	227
Time to compress file (M:S) WAN file transfer File size (bytes) Size (bytes) Data packets transmitted Data packets retransmitted Control packets transmitted Data packets received Control packets received Control packets received Control packets received Control packets received Size (M:S) 3:33 3:33 3:33 3:33 3:33 3:33 4:5930 5:5930 5:5930 5:591 5:590 5:591 5:590	Card throughput	2.0	0.5
WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted Total packets received Control packets received Control packets received Total packets received	Valid transactions	25	9,776
File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted Data packets received Control packets received Control packets received Control packets received Control packets received 5 591 tx window maxed out	Time to compress file (M:S)	0:5	3:33
File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted Data packets received Control packets received Control packets received Type of the packets received and	WAN file transfer		
Data packets transmitted91,180Data packets retransmitted00Control packets transmitted478,265Data packets received468,264Control packets received5591tx window maxed out4590	File size (bytes)	3,564	930,048
Data packets retransmitted00Control packets transmitted478,265Data packets received468,264Control packets received5591tx window maxed out4590	File transfer time (seconds)	54	5,930
Control packets transmitted 47 8,265 Data packets received 46 8,264 Control packets received 5 591 tx window maxed out 4 590	Data packets transmitted	9	1,180
Data packets received468,264Control packets received5591tx window maxed out4590	Data packets retransmitted	0	0
Control packets received 5 591 tx window maxed out 4 590	Control packets transmitted	47	8,265
tx window maxed out 4 590	Data packets received	46	8,264
	Control packets received	5	59 1
	tx window maxed out	4	590
rx window maxed out 0 0	rx window maxed out	0	0
Time to expand file (M:S) 0:4 2:16	Time to expand file (M:S)	0:4	2:16
EDI to DLSS	EDI to DLSS		
Number of EDI transactions 25 10,003	Number of EDI transactions	25	10,003
Error transactions 0 0	Error transactions	0	0
Valid transactions 25 10,003	Valid transactions	25	10,003
Transaction time 5 1,650	Transaction time	5	1,650
Transactions/sec 5 6.1	Transactions/sec	5	6.1
Transaction that did not compare 0 171	Transaction that did not compare	0	171

Remote Site	ASO		Date/time	0 / 05:00	
Remote site DLSS d	lata file size		1,154,793		
Time to download	Time to download (H:M:S)		11:44		
Filter					
time (M:S)			9:22		
cards	<u>in /</u>	out			
MILSTRIP		6,804	MILSBILLS		
MILSTRAP		3,675	MILSTAMP		
MILSPETS			MILSCAP		
DLSS to EDI					
Total cards				10,479	
Translation time	e			3,435	
Total transaction	ons			10,479	
Transactions/se	ec			1.1	
Error transaction	ons			452	
Card throughpu	ut			1.1	
Valid transaction	ons			10,027	
Time to compress fi	ile (M:S)		0:	3:43	
WAN file transfer					
File size (bytes))		2,763	927,360	
File transfer tim	ne (seconds)		37	5,982	
Data packets tr	ansmitted		6	1,038	
Data packets re	transmitted		0	0	
Control packets	transmitted		28	7,250	
Data packets re	Data packets received		27	7,249	
Control packets	received		5	520	
tx window max	red out		3	519	
rx window max	ced out		0	0	
Time to expand file	(M:S)		0:8	2:13	
EDI to DLSS					
Number of EDI	transactions		25	10,479	
Error transactio	ns		0	0	
Valid transaction	ons		25	10,479	
Transaction tim	ie		7	1,244	
Transactions/se	ec		3.6	8.6	
Transaction tha	t did not compa	are	0	1,849	
			<u> </u>	I	

Remote Site	ASO	Date/time	/13:00
Remote site DLSS d	ata file size	905,482	
Time to download	(H:M:S)	8:26	
Filter			
time (M:S)		6:40	
cards	<u>in / out</u>		
MILSTRIP	25 11,159	MILSBILLS	
MILSTRAP	1	MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	11,160
Translation time	e	6	6,573
Total transactio	ns	25	11,160
Transactions/se	c	4.1	.7
Error transactio	ns	0	221
Card throughpu	it	4.1	.7
Valid transaction	ons	25	10,939
Time to compress fi	le (M:S)	0:7	3:58
WAN file transfer			
File size (bytes)		3,564	1,069,824
File transfer tim	e (seconds)	36	7,383
Data packets tra	ansmitted	7	1,205
Data packets re	transmitted	0	0
Control packets	transmitted	31	8,419
Data packets re-	ceived	30	8,418
Control packets	received	4	603
tx window max	ed out	3	602
rx window max	ed out	0	0
Time to expand file	(M:S)	0:5	2:31
EDI to DLSS			
Number of EDI t	ransactions	25	11,160
Error transactio	ns	0	0
Valid transactio	ns	25	11,160
Transaction time	e	4	1,571
Transactions/se	c	6.2	7.1
Transaction tha	t did not compare	0	2:00

Remote Site	ASO	Date/time	0/05:00
Remote site DLSS	data file size	3,018,409	
Time to downloa	d (H:M:S)	21:57	
Filter			
time (M:S)		13:05	
cards	in / out		
MILSTRIP	25 10,652	MILSBILLS	
MILSTRAP	6,109	MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	16,761
Translation ti	me	41	9,502
Total transact	ions	25	16,761
Transactions/s	sec	0.6	0.3
Error transact	ions	3	817
Card through	out	0.6	0.3
Valid transact	ions	22	15,944
Time to compress	file (M:S)	0:7	5:55
WAN file transfer			
File size (byte	s)	3,564	1,438,976
File transfer ti	me (seconds)	44	10,489
Data packets	transmitted	7	1,610
Data packets i	retransmitted	0	0
Control packe	ts transmitted	31	11,263
Data packets i	received	30	11,262
Control packe	ts received	4	806
tx window ma	exed out	3	805
rx window ma	exed out	0	0
Time to expand fil	e (M:S)	0:9	3:30
EDI to DLSS			
Number of ED	l transactions	25	16,761
Error transacti	ions	0	0
Valid transact	ions	25	16,761
Transaction ti	me	6	2,891
Transactions/s	sec	4.2	5.8
Transaction th	nat did not compare	5	2,057

Remote Site	ASO	Date/time <u>4/26/90</u>	/05:00	
Remote site DLSS data file size Time to download (H:M:S)		3,902,182		
		33:53		
Filter				
time (M:S)		1:00:46		
cards	in / out			
MILSTRIP	25 4,571	MILSBILLS		
MILSTRAP		MILSTAMP		
MILSPETS		MILSCAP		
DLSS to EDI				
Total cards		25	4,571	
Translation tim	ne .	42	1,784	
Total transaction	ons	25	4,571	
Transactions/se	ec	0.5	2.5	
Error transactions		0	266	
Card throughput		0.5	2.5	
Valid transactions		25	4,305	
Time to compress file (M:S)		0:8	1:26	
WAN file transfer				
File size (bytes)		2,673	410,368	
File transfer tir	me (seconds)	38	3,053	
Data packets tr	ransmitted	6	461	
Data packets re	etransmitted	0	0	
Control packet	s transmitted	28	3,211	
Data packets re		27	3,210	
Control packet	s received	` 4	231	
tx window ma:		3	230	
rx window ma	xed out	0	0	
Time to expand file	e (M:S)	0:9	1:04	
EDI to DLSS				
Number of EDI	transactions	25	4,571	
Error transaction	ons	0	0	
Valid transaction	Valid transactions		4,571	
Transaction tin	ne	8	814	
Transactions/se	ec	3.1	5.6	
Transaction tha	at did not compare	16	1,049	
	,	1	,	

Remote site DLSS data file size 525,035	Remote Site	MCB	Date/time	/ 14:00
Filter time (M:S) cards in / out MILSTRIP MILSTRIP MILSTRAP MILSPETS DLSS to EDI Total cards Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec Error transactions Card throughput Valid transactions 25 2,196 Time to compress file (M:S) WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Control packets transmitted Control packets received Control packets received tx window maxed out Time to expand file (M:S) Dime to expand file (M:S) Time to expand file (M:S) Time to compress file (M:S) Data packets Data packets Time to compress file (M:S) Data packets Data packets received Control packets transmitted Data packets Data packets received Control packets freceived Time to expand file (M:S) Dime to expand file (M:S) Error transactions Dime to expand file (M:S) Error transactions Data packets Data packets Dat	Remote site DLSS data file size		525,035	
time (M:S) cards in / out MILSTRIP 25 1,850 MILSBILLS MILSTRAP 347 MILSTAMP MILSPETS MILSCAP DLSS to EDI Total cards 25 2,197 Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Error transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 6 195 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 7x window maxed out 7x window maxed out 10 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS Number of EDI transactions 25 2,197 Error transactions 25 2,197 Transaction time 72 337 Transaction time 72 337 Transaction time 72 337 Transactions/sec 12.5 6.5		(H:M:S)	4:57	
cards in / out MILSTRIP 25 1,850 MILSTAMP MILSTRAP 347 MILSTAMP MILSPETS MILSTAMP MILSPETS MILSTAMP MILSPETS MILSPETS DLSS to EDI 25 2,197 Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 25 2,196 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 0 0 Data packets retransmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out				
MILSTRIP 25 1,850 MILSTAMP MILSTRAP 347 MILSTAMP MILSPETS MILSTAMP MILSPETS MILSTAMP MILSPETS 25 2,197 Total cards 25 2,197 Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 0 0 0 Data packets transmitted 27 1,351 0 Data packets received 26 1,350 0 Control packets received 26 1,350 0 Control packets received 26 1,350			3:10	
MILSTRAP MILSPETS 347 MILSTAMP MILSCAP DLSS to EDI 25 2,197 Total cards 25 2,197 Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 2,673 171,072 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 0 0 Data packets retransmitted 0 0 Control packets transmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) <t< td=""><td></td><td></td><td></td><td></td></t<>				
DLSS to EDI 25 2,197 Translation time 13 1,165 Total transactions 25 2,197 Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 6 195 File transfer time (seconds) 26 1,023 Data packets transmitted 6 195 Data packets transmitted 0 0 Control packets transmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 0 0 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS 0 0 <td></td> <td></td> <td></td> <td></td>				
DLSS to EDI 25 2,197 Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 2,673 171,072 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 6 195 Data packets retransmitted 0 0 Control packets transmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS 0 0 Number of EDI transactions 25 </td <td></td> <td>347</td> <td></td> <td></td>		347		
Total cards 25 2,197 Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 25 2,673 171,072 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 6 195 Data packets transmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS 0 0 Number of EDI transactions 25 2,197 Error transactions	MILSPETS		MILSCAP	
Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 0:10 0:34 WAN file transfer 2,673 171,072 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 0 0 Control packets retransmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS Number of EDI transactions 25 2,197 Error transactions 25 2,197	DLSS to EDI			
Translation time 13 1,165 Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 26 1,023 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 0 0 Control packets retransmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS Number of EDI transactions 25 2,197 Error transactions 0 0 0 Valid transactions 25 2,197 <tr< td=""><td>Total cards</td><td></td><td>25</td><td>2,197</td></tr<>	Total cards		25	2,197
Total transactions 25 2,197 Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 2,673 171,072 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 0 0 Control packets retransmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS Number of EDI transactions 25 2,197 Error transactions 25 2,197 Transaction time 2 337 Transactions/sec 12.5 6.5	Translation time	e	13	
Transactions/sec 1.9 1.8 Error transactions 0 1 Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 2,673 171,072 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 0 0 Control packets retransmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS Number of EDI transactions 25 2,197 Error transactions 25 2,197 Transaction time 2 337 Transactions/sec 12.5 6.5	Total transactio	ns	25	ì
Card throughput 1.9 1.8 Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 2,673 171,072 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 6 195 Data packets retransmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS 0 0 Number of EDI transactions 25 2,197 Error transactions 25 2,197 Transaction time 2 337 Transactions/sec 12.5 6.5	Transactions/se	c	1.9	· · · · · · · · · · · · · · · · · · ·
Valid transactions 25 2,196 Time to compress file (M:S) 0:10 0:34 WAN file transfer 2,673 171,072 File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 6 195 Data packets retransmitted 0 0 Control packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS 0 0 Number of EDI transactions 25 2,197 Error transactions 25 2,197 Transaction time 2 337 Transactions/sec 12.5 6.5	Error transactio	ns	0	1
Time to compress file (M:S) WAN file transfer File size (bytes) Data packets transmitted Control packets transmitted Data packets received Control packets received tx window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Valid transactions Transaction time Transactions/sec O:26 0:34 0:34 0:34 0:34 0:34 0:34 0:34 0:34 0:34 0:34 171,072 1,023 195 195 0 0 0 0 0 0 195 195 195 195 195 195 195 19	Card throughpu	t	1.9	1.8
WAN file transfer File size (bytes) 2,673 171,072 File transfer time (seconds) 26 1,023 Data packets transmitted 6 195 Data packets retransmitted 27 1,351 Data packets transmitted 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Valid transactions Valid transactions Valid transaction time Transactions/sec 12.5 6.5	Valid transactio	ns	25	2,196
File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted Data packets received Control packets received tx window maxed out Time to expand file (M:S) Public transactions Valid transactions Valid transactions Transactions/sec 26 1,023 1,023 1,023 1,023 1,023 1,023 1,023 1,023 1,023 1,351 26 1,350 27 1,351 28 1,350 29 1,350 20 20 21 20 21 21 21 22 23 27 21 27 27 27 27 27 27 27 27	Time to compress file (M:S)		0:10	0:34
File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted Data packets received Control packets received Control packets received tx window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Valid transactions Valid transactions Transaction time Transactions/sec 12.5 1,023 1,023 1,023 1,023 1,023 10,023 1,350 0 0 0 1,350 26 1,350 0 98 1,350 0 0 0 0 0 0 0 0 Time to expand file (M:S) 0:5 0:20 2,197 2,197 Transaction time 12.5 6.5	WAN file transfer			
Data packets transmitted Data packets retransmitted Control packets transmitted Data packets received Data packets transmitted Data packets received Data packets received Data packets received Data packets received Data packets retransmitted Data packets transmitted Data packets received Data packets	File size (bytes)		2,673	171,072
Data packets retransmitted Control packets transmitted Data packets received Data packet	File transfer tim	e (seconds)	26	1,023
Control packets transmitted 27 1,351 Data packets received 26 1,350 Control packets received 4 98 tx window maxed out 3 97 rx window maxed out 0 0 Time to expand file (M:S) 0:5 0:20 EDI to DLSS Number of EDI transactions 25 2,197 Error transactions 25 2,197 Transaction time 2 337 Transactions/sec 12.5 6.5	Data packets tra	insmitted	6	195
Data packets received Control packets received 4 98 tx window maxed out 7 0 0 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Valid transactions Valid transactions Transaction time Transactions/sec 126 1,350 98 10 98 10 97 00 00 00 00 00 00 00 00 00 00 00 00 00	Data packets ret	transmitted	0	0
Control packets received tx window maxed out rx window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Error transactions Valid transactions Valid transactions Transaction time Transactions/sec 12.5 13 98 98 97 0 0 0 0 0 20 21 27 27 27 27 28 38 4 98 98 98 98 97 0 0 0 0 0 20 20 21 27 27 27 27 28 37 48 49 98 98 97 0 0 0 0 20 21 21 22 23 33 33 33 33 34 35 36 36 36 36 36 36 37	Control packets	transmitted	27	1,351
tx window maxed out rx window maxed out 0 0 0 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Error transactions Valid transactions Transaction time Transactions/sec 12.5 3 97 0 0 0 0 2.197 0 2.197 2.197 2.337 12.5 6.5	Data packets red	eived	26	1,350
rx window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Error transactions Valid transactions Transaction time Transactions/sec 0 0 0 0 0 0 0 0 25 2,197 2 337 12.5 6.5	Control packets	received	4	98
Time to expand file (M:S) EDI to DLSS Number of EDI transactions Error transactions Valid transactions Transaction time Transactions/sec 0:20 2,197 2,197 2,197 2,197 2,197 2,197 2,197 2,197 337 12.5 6.5	tx window maxe	ed out	3	97
EDI to DLSS Number of EDI transactions Error transactions Valid transactions Transaction time Transactions/sec 25 2,197 0 2,197 2,197 237 12.5 6.5	rx window maxe	ed out	0	0
Number of EDI transactions252,197Error transactions00Valid transactions252,197Transaction time2337Transactions/sec12.56.5	Time to expand file	(M:S)	0:5	0:20
Error transactions 0 0 Valid transactions 25 2,197 Transaction time 2 337 Transactions/sec 12.5 6.5	EDI to DLSS			
Error transactions00Valid transactions252,197Transaction time2337Transactions/sec12.56.5	Number of EDI to	ransactions	25	2,197
Transaction time 2 337 Transactions/sec 12.5 6.5	Error transaction	15	0	_
Transactions/sec 12.5 6.5	Valid transaction	ns .	25	2,197
	Transaction time	•	2	337
Transaction that did not compare 0 356	Transactions/sec	:	12.5	6.5
	Transaction that	did not compare	0	356

Remote Site	МСВ		Date/time _	5/02/90	/ 14:00
Remote site DLSS data file size			1,058,384		
Time to download (H:M:S)			6:19		
Filter					
time (M:S)			8:31		
cards	<u>in / </u>	out			
MILSTRIP		,973	MILSBILLS		
MILSTRAP	•	790	MILSTAMP		
MILSPETS			MILSCAP		
DLSS to EDI	***************************************				
Total cards			25		7,763
Translation time	!		33		10,572
Total transaction	ns		25		7,763
Transactions/sec	•		0.	7	0.1
Error transaction	าร		0		22
Card throughput	Card throughput		0.	7	0.1
Valid transactions			25		7,741
Time to compress fil	Time to compress file (M:S)		0:19		1:32
WAN file transfer		:			
File size (bytes)			3,564	ı	611,226
File transfer time	e (seconds)		31		3,847
Data packets tra	nsmitted		7		771
Data packets ret	ransmitted		0		0
Control packets	transmitted		34		5,398
Data packets rec	:eived		33		5,397
Control packets	received		4		386
tx window maxe	ed out		3		385
rx window maxe	ed out		0		0
Time to expand file	(M:S)		0:7		0:58
EDI to DLSS					
Number of EDI to	ransactions		25		7,763
Error transaction	ns		0		0
Valid transactions			25		7,763
Transaction time	Transaction time		3		1,160
Transactions/sec	:		8.	3	6.7
Transaction that	did not compa	re	0		903

Remote Site	DCSC	Date/time <u>5/01/90</u>	/12:00		
Remote site DLSS data file size					
Time to download (H:M:S)		3:02			
Filter					
time (M:S)		0:9			
cards	in / out				
MILSTRIP	25 5	MILSBILLS			
MILSTRAP		MILSTAMP			
MILSPETS		MILSCAP			
DLSS to EDI	.,				
Total cards		25	5		
Translation time		11	2		
Total transaction	15	25	5		
Transactions/sec		2.2	2.5		
Error transaction	S	0	0		
Card throughput	;	2.2	2.5		
Valid transaction	15	25	5		
Time to compress file	e (M:S)	0:7	0:8		
WAN file transfer					
File size (bytes)		2,673	891		
File transfer time (seconds)		22	12		
Data packets tra	nsmitted	6	4		
Data packets ret	ransmitted	0	0		
Control packets t	transmitted	24	10		
Data packets rec	eived	23	9		
Control packets	received	4	3		
tx window maxe	d out	3	2		
rx window maxe	d out	0	0		
Time to expand file (M:S)	0:5	0:4		
EDI to DLSS					
Number of EDI tr	ansactions	25	5		
Error transaction	S	0	0		
Valid transaction	15	25	5		
Transaction time		6	1		
Transactions/sec		4.2	5		
Transaction that	did not compare	23	0		

Remote Site		Date/time <u>5/02/90</u>	/ 01:00
Remote site DLSS da			
Time to download ((H:M:S)	4:25:26	
Filter		2.54	
time (M:S)	in the next	2:54	
cards MILSTRIP	<u>in / out</u> 25 9,768	MILSBILLS	
MILSTRAP	25 9,768	MILSTAMP	
MILSPETS		MILSCAP	
		141125-1	
DLSS to EDI			
Total cards		25	9,768
Translation time	•	20	4,864
Total transaction	ns	25	9,768
Transactions/sec	ζ	1.2	0.6
Error transaction	ns	2	144
Card throughput		1.2	0.6
Valid transactio	ns	23	9,623
Time to compress file (M:S)		0:10	3:07
WAN file transfer			
File size (bytes)		2,673	768,933
File transfer time (seconds)		26	5,107
Data packets tra	insmitted	6	866
Data packets ret	transmitted	0	0
Control packets	transmitted	24	6,046
Data packets red	ceived	23	6,045
Control packets	received	4	434
tx window max	ed out	3	433
rx window max	ed out	0	0
Time to expand file	Time to expand file (M:S)		1:49
EDI to DLSS			
Number of EDI t	ransactions	25	9,768
Error transaction	ns	0	0
Valid transactions		25	9,768
Transaction time		4	1,724
Transactions/sec	c	6.2	5.7
Transaction that	t did not compare	4	1,417

Remote Site	NSC	Date/time <u>5/08/9</u>	90 / 12:49
Remote site DLSS o	Remote site DLSS data file size		
Time to download (H:M:S)			
Filter			
time (M:S)		4:12	
cards	<u>in / out</u>		
MILSTRIP	25 4,975	MILSBILLS	
MILSTRAP		MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	4,975
Translation tim	ie	16	1,752
Total transaction	ons	25	4,975
Transactions/se	ec	1.5	2.8
Error transaction	Error transactions		38
Card throughput		1.5	2.8
Valid transactions		25	4,937
Time to compress t	Time to compress file (M:S)		1:41
WAN file transfer			
File size (bytes)	3,564	450,846
File transfer tir	File transfer time (seconds)		2,704
Data packets to	ransmitted	7	509
Data packets re	etransmitted	0	0
Control packet	s transmitted	31	3,549
Data packets re	eceived	30	3,548
Control packet	s received	4	255
tx window ma	xed out	3	254
rx window ma	xed out	0	0
Time to expand file	e (M:S)	0:4	0:47
EDI to DLSS			
Number of EDI	Number of EDI transactions		4,975
Error transaction	ons	0	0
Valid transactions		25	4,975
Transaction tir	Transaction time		3,184
Transactions/s	ec	3.6	1.6
Transaction that did not compare		0	32

Remote Site	NSC	· · · · · · · · · · · · · · · · · · ·	Date/time	5/09/90 /	12:32
Remote site DLSS	5 data file size		410,000		
Time to downloa	ad (H:M:S)				
Filter					
time (M:S)			3:39		
cards	<u>in /</u>	out			
MILSTRIP	25	4,975	MILSBILL	S	
MILSTRAP			MILSTAN	1P	
MILSPETS			MILSCAP		

	1	
DLSS to EDI		
Total cards	25	4,975
Translation time	17	3,131
Total transactions	25	4,975
Transactions/sec	1.4	1.5
Error transactions	0	44
Card throughput	1.4	1.5
Valid transactions	25	4,931
Time to compress file (M:S)	0:16	1:38
WAN file transfer		:
File size (bytes)	3,564	424,116
File transfer time (seconds)	35	2,717
Data packets transmitted	7	479
Data packets retransmitted	0	0
Control packets transmitted	35	3,342
Data packets received	34	3,341
Control packets received	5	241
tx window maxed out	3	239
rx window maxed out	0	0
Time to expand file (M:S)	0:8	0:52
EDI to DLSS		
Number of EDI transactions	25	4,975
Error transactions	0	0
Valid transactions	25	4,975
Transaction time	17	3,525
Transactions/sec	1.5	1.4
Transaction that did not compare	0	61

Remote site DLSS data file size Time to download (H:M:S) Filter time (M:S) cards in / out MILSTRIP 25 4,975 MILSTRAP MILSPETS DLSS to EDI	410,000 3:32 MILSBILLS MILSTAMP MILSCAP	0/10:00
Filter time (M:S) cards in / out MILSTRIP 25 4,975 MILSTRAP MILSPETS	MILSBILLS MILSTAMP MILSCAP	
time (M:S) cards in / out MILSTRIP 25 4,975 MILSTRAP MILSPETS	MILSBILLS MILSTAMP MILSCAP	
cards <u>in / out</u> MILSTRIP 25 4,975 MILSTRAP MILSPETS	MILSBILLS MILSTAMP MILSCAP	
MILSTRIP 25 4,975 MILSTRAP MILSPETS	MILSTAMP MILSCAP	
MILSTRAP MILSPETS	MILSTAMP MILSCAP	
MILSPETS	MILSCAP	
DLSS to EDI		
n c	1	
Total cards	25	4,975
Translation time	13	5,302
Total transactions	25	4,975
Transactions/sec	1.9	0.9
Error transactions	0	87
Card throughput	1.9	0.9
Valid transactions	25	4,888
Time to compress file (M:S)	0:12	2:02
WAN file transfer		
File size (bytes)	3,564	442,827
File transfer time (seconds)	42	3,022
Data packets transmitted	7	500
Data packets retransmitted	0	0
Control packets transmitted	32	3,485
Data packets received	31	3,484
Control packets received	4	251
tx window maxed out	3	250
rx window maxed out	0	0
Time to expand file (M:S)	0:6	0:53
EDI to DLSS	}	
Number of EDI transactions	25	4,975
Error transactions	0	0
Valid transactions	25	4,975
Transaction time	9	4,255
Transactions/sec	2.8	1.2
Transaction that did not compare	0	132

Remote Site NSC	Date/time <u>5/10/90</u>	/14:30
Remote site DLSS data file size	410,000	
Time to download (H:M:S)		
Filter		
time (M:S)	3:48	
cards <u>in / out</u>		
MILSTRIP 25 4,975	MILSBILLS	
MILSTRAP	MILSTAMP	
MILSPETS	MILSCAP	
DLSS to EDI		4,975
Total cards		5,072
Translation time		4,975
Total transactions		0.9
Transactions/sec		36
Error transactions		0.9
Card throughput		4,939
Valid transactions		1:15
Time to compress file (M:S)		
WAN file transfer		
File size (bytes)	3,564	400,059
File transfer time (seconds)	33	2,414
Data packets transmitted	7	452
Data packets retransmitted	0	0
Control packets transmitted	34	3,151
Data packets received	33	3,150
Control packets received	4	228
tx window maxed out	3	226
rx window maxed out	0	0
Time to expand file (M:S)	0:17	0:55
EDI to DLSS		
Number of EDI transactions	25	4,975
Error transactions	0	0
Valid transactions	25	4,975
Transaction time	43	4,435
Transactions/sec	0:6	1.1
Transaction that did not compare	0	82

Time to download (H:M:S) 2 Filter time (M:S) 1 cards in / out	,870,315 0:59 4:31 IILSBILLS IILSTAMP
Filter time (M:S) cards in / out	4:31 IILSBILLS IILSTAMP
time (M:S) 1 cards <u>in / out</u>	MILSBILLS MILSTAMP
cards <u>in / out</u>	MILSBILLS MILSTAMP
	MILSTAMP
MILETRID DE 10.400 N	MILSTAMP
•	
• • • • • • • • • • • • • • • • • • • •	MINICAP
MILSPETS N	
DLSS to EDI	
Total cards	25 16,425
Translation time	6 5,653
Total transactions	25 16,425
Transactions/sec	4.1 0.5
Error transactions	5 864
Card throughput	4.1 0.5
Valid transactions	20 15,561
Time to compress file (M:S)	0:8 5:14
WAN file transfer	
File size (bytes)	3,564 1,417,581
File transfer time (seconds)	45 8,735
Data packets transmitted	7 1,594
Data packets retransmitted	0 0
Control packets transmitted	31 1,158
Data packets rec ved	30 1,157
Control packets received	4 798
tx window maxed out	3 797
rx window maxed out	0 0
Time to expand file (M:S)	0:4 3:17
EDI to DLSS	
Number of EDI transactions	25 16,425
Error transactions	0 0
Valid transactions	25 16,425
Transaction time	3 2,330
Transactions/sec	8.3 7.0
Transaction that did not compare	2 2,288

Remote Site	ASO	Date/time <u>5/06/90</u>) / 13:00
Remote site DLSS da	ita file size		
Time to download (H:M:S)		5:49	
Filter			
time (M:S)		3:21	
cards	in / out	MILSBILLS	
MILSTRIP	•		
MILSTRAP		MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	6,080
Translation time		11	2,867
Total transaction	ns	25	6,080
Transactions/sec		2.2	2.1
Error transaction	IS	1	52
Card throughput		2.2	2.1
Valid transaction	ıs	24	6,028
Time to compress file (M:S)		0:8	2:23
WAN file transfer			
File size (bytes)		3,564	567,567
File transfer time (seconds)		30	3,546
Data packets transmitted		7	640
Data packets ret	ransmitted	0	0
Control packets	transmitted	31	4,470
Data packets rec	eived	30	4,469
Control packets	received	4	321
tx window maxe	ed out	3	320
rx window maxe	ed out	0	0
Time to expand file (M:S)		0:4	1:22
EDI to DLSS			
Number of EDI tr	ansactions	25	6,080
Error transaction	S	0	0
Valid transactions		25	6,080
Transaction time		3	767
Transactions/sec		8.3	7.9
Transaction that	did not compare	0	270

Remote Site	ASO	Date/time <u>5/07/90</u>	0 / 05:00
Remote site DLSS data file size		607,747	
Time to download	(H:M:S)	6:34	
Filter			
time (M:S)		4:25	
cards	in / out		
MILSTRIP	25 2,847	MILSBILLS	
MILSTRAP	2,599	MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	5,446
Translation tim	e	10	2,164
Total transaction		25	5,446
Transactions/sec		2.5	2.5
Error transactions		0	190
Card throughput		2.5	2.5
Valid transactions		25	5,256
Time to compress file (M:S)		0:8	1:50
WAN file transfer			
File size (bytes))	3,564	446,391
File transfer tim	ne (seconds)	29	2,698
Data packets transmitted		7	504
Data packets retransmitted		0	0
Control packets transmitted		31	3,517
Data packets received		30	3,516
Control packets received		4	253
tx window maxed out		3	2522
rx window maxed out		0	0
Time to expand file (M:S)		0:5	1:05
EDI to DLSS			
Number of EDI transactions		25	5,446
Error transactions		0	0
Valid transaction	ons	25	5,446
Transaction tim	ie	2	710
Transactions/se	c	12.5	7.7
Transaction that did not compare		0	508
			<u> </u>

Remote Site	ASO	Date/time <u>5/07/9</u>	0 / 13:00
Remote site DLSS	data file size	803,633	
Time to download	(H:M:S)	7:21	
Filter			
time (M:S)		5:52	
cards	in / out		
MILSTRIP	25 9,806		
MILSTRAP	1	MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	9,807
Translation tim	ie	18	5,548
Total transaction	ons	25	9,807
Transactions/se	ec	1.3	0.5
Error transaction	ons	0	151
Card throughput		1.3	0.5
Valid transactions		25	9,656
Time to compress f	ile (M:S)	0:8	3:22
WAN file transfer			
File size (bytes))	3,564	908,820
File transfer tin	ne (seconds)	35	6,114
Data packets tr	ansmitted	7	1,029
Data packets re	etransmitted	0	0
Control packets	s transmitted	34	7,179
Data packets re	eceived	33	7,178
Control packets	s received	4	515
tx window max	ked out	3	514
rx window maxed out		0	0
Time to expand file (M:S)		0:6	2:10
EDI to DLSS			
Number of EDI	transactions	25	9,807
Error transaction	ons	0	0
Valid transaction	ons	25	9,807
Transaction tim	ne	5	1,427
Transactions/sec		5.0	6.9
Transaction that did not compare		0	168
<u> </u>		L	1

Remote Site	ASO	_	Date/time <u>5/</u>	17/90 / 04:33
Remote site DLSS data file size		1,819,623		
Time to download (H:M:S)		16 minutes		
Filter				
time (M:S)			17:29	
cards		<u>ut</u>		4.6
MILSTRIP	•	.556	MILSBILLS	416
MILSTRAP MILSPETS	•	3	MILSTAMP MILSCAP	
WILDELD			WILSCAP	
DLSS to EDI	· · · · · · · · · · · · · · · · · · ·			
Total cards			25	19,559
Translation tim	ne		17	11,681
Total transaction	ons		25	19,559
Transactions/se	ec		1.4	1.7
Error transaction	ons		1	189
Card throughp	ut		1.4	1.7
Valid transaction	ons		24	19,370
Time to compress f	ile (M:S)		0:10	
WAN file transfer				
File size (bytes))		3,564	1,742,796
File transfer tin	ne (seconds)		35	15,070
Data packets to	ransmitted		7	1,966
Data packets re	etransmitted		0	0
Control packet	s transmitted		31	13,752
Data packets re	eceived		30	13,751
Control packets			4	984
tx window max	xed out		3	983
rx window max	xed out		0	0
Time to expand file	e (M:S)		0:6	3:56
EDI to DLSS				
Number of EDI	transactions		25	19,975
Error transaction	ons		0	0
Valid transaction	ons		25	19,975
Transaction tim	ne		9	10,185
Transactions/se	ec		2.7	2.0
Transaction tha	at did not compare	•	0	389
L			I	

Remote Site	TROSCOM	Date/time <u>5/13/90</u>) / 13:12
Remote site DLSS	data file size	592,204	
Time to download	(H:M:S)	36:56	
Filter			
time (M:S)		2:09	
cards	<u>in / out</u>		
MILSTRIP	17 5,402	MILSBILLS	
MILSTRAP	8 221	MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	5,623
Translation tim	ne	12	3,084
Total transacti	ons	25	5,623
Transactions/s	ес	2.0	1.8
Error transaction	ons	0	7
Card throughp	ut	2.0	1.8
Valid transacti	ons	25	5,616
Time to compress 1	file (M:S)	0:8	1:50
WAN file transfer			
File size (bytes)	2,673	492,723
File transfer tir	ne (seconds)	32	3,665
Data packets to	ransmitted	6	556
Data packets re	etransmitted	0	0
Control packet	s transmitted	26	3,877
Data packets re	eceived	25	3,876
Control packet	s received	4	279
tx window ma	xed out	3	278
rx window ma:	xed out	0	0
Time to expand file	e (M:S)	0:5	1:04
EDI to DLSS			
Number of EDI	transactions	25	5,623
Error transaction	ons	0	0
Valid transaction	ons	25	5,623
Transaction tin	ne	9	2,742
Transactions/se	ес	2.7	2.0
Transaction tha	at did not compare	1	472
<u></u>			l

Remote site DLSS data file size Time to download (H:M:S) 5:15 Filter time (M:S) 0:12 cards in / out 30/30 MiLSTRIP 30 MILSBILLS MILSTAMP MILSPETS MILSCAP DLSS to EDI Total cards 30 Translation time 3 Total transactions 30 Transactions/sec 10 Error transactions 23 Card throughput 10 Valid transactions 7 Time to compress file (M:S) 0:7 WAN file transfer File size (bytes) 1,782 File transfer time (seconds) 17 Data packets retransmitted 5 Data packets retransmitted 0 Control packets transmitted 17 Data packets received 16 Control packets received 16 Control packets received 3 tx window maxed out 2 rx window maxed out 2 rx window maxed out 7 Time to expand file (M:S) 0:5 EDI to DLSS Number of EDI transactions 7 Transaction time 7 Transaction time 4 Transaction file (M:S) 1,7 Transaction that did not compare 0	Remote Site			Date/time	5/15/ 9 0	_ /14	:08
Filter time (M:S) cards in / out 30/30 MILSTRIP MILSTRAP MILSTRAP MILSPETS DLSS to EDI Total cards Translation time Total transactions Transactions/sec Error transactions Time to compress file (M:S) Data packets transmitted Control packets transmitted Control packets received Total packets received Total transactions Transactions Time to compress file (M:S) Time to expand file (M:S) Time to Applied transactions Time to Applied transactions Time to Applied transactions Time to Applied transactions Transaction time Transaction time Transactions/Sec							
time (M:S) cards in / out 30/30 MiLSTRIP MILSTRAP MILSTRAP MILSPETS MILSCAP DLSS to EDI Total cards Translation time 3 Total transactions Transactions/sec Error transactions Card throughput Valid transactions 7 Time to compress file (M:S) Data packets retransmitted Data packets retransmitted Data packets received Control packets transmitted Data packets received Tx window maxed out Tx window maxed out Time to expand file (M:S) Number of EDI transactions 7 Transactions 7 Transactions 7 Time to compress Transactions 7 To Data packets received 16 Control packets received 17 Data packets received 18 Transactions 19 Transactions 10 Transactions 10 Transactions 10 Transactions 10 Transactions 11 Transactions 11 Transactions 12 Transactions 13 Transactions 14 Transactions/sec 1.7		(H:M:S)		5:15			
cards in / out 30/30 MILSTRIP 30 MILSBILLS MILSTRAP MILSTAMP MILSPETS MILSCAP DLSS to EDI Total cards 30 Translation time 3 Total transactions 30 Transactions/sec 10 Error transactions 23 Card throughput 10 Valid transfer File size (bytes) 1,782 File transfer time (seconds) 17 Data packets transmitted 5 Data packets transmitted 5 Data packets received 16 Control packets received 16 Control packets received 17 Data packets received 2 Tx window maxed out 2 Tx window maxed out 2 Time to expand file (M:S) 0:5 EDI to DLSS Number of EDI transactions 7 Transaction time 4 Transactions/sec 1.7				0.42			
MILSTRIP MILSTRAP MILSPETS MILSTAMP MILSPETS MILSCAP DLSS to EDI Total cards Translation time 3 Total transactions 30 Transactions/sec 10 Error transactions 23 Card throughput Valid transactions 7 Time to compress file (M:S) WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets received 16 Control packets received 17 Data packets received 18 Control packets received 19 Time to expand file (M:S) Number of EDI transactions 7 Transactions 7 Transaction time Transactions/sec 1.7	• •		20/				
MILSTRAP MILSPETS MILSPETS MILSCAP DLSS to EDI Total cards Translation time 3 Total transactions 30 Transactions/sec 10 Error transactions 23 Card throughput Valid transactions 7 Time to compress file (M:S) WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted To Data packets received Control packets received 16 Control packets received 3 1x window maxed out 2x rx window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Ferror transactions Valid transactions Valid transactions Transaction time Transactions/sec 1.7			30/3				
DLSS to EDI Total cards 30 Translation time 3 Total transactions 30 Transactions/sec 10 Error transactions 23 Card throughput 10 Valid transactions 7 Time to compress file (M:S) 0:7 WAN file transfer File size (bytes) 1,782 File transfer time (seconds) 17 Data packets transmitted 5 Data packets retransmitted 0 Control packets transmitted 17 Data packets received 16 Control packets received 3 tx window maxed out 2 rx window maxed out 2 rx window maxed out 0 Time to expand file (M:S) 0:5 EDI to DLSS Number of EDI transactions 7 Error transactions 7 Error transactions 7 Transaction time 4 Transactions/sec 1.7		30			•		
DLSS to EDI Total cards Translation time 3 Total transactions 30 Transactions/sec 10 Error transactions 23 Card throughput 10 Valid transactions 7 Time to compress file (M:S) WAN file transfer File size (bytes) 1,782 File transfer time (seconds) Data packets transmitted 5 Data packets retransmitted 0 Control packets transmitted 17 Data packets received 16 Control packets received 17 Data packets received 18 Control packets received 19 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Valid transactions Valid transactions Transaction time Transactions/sec 1.7							
Total cards Translation time 3 Total transactions 30 Transactions/sec 10 Error transactions 23 Card throughput 10 Valid transactions 7 Time to compress file (M:S) WAN file transfer File size (bytes) 1,782 File transfer time (seconds) 17 Data packets transmitted 5 Data packets transmitted 0 Control packets transmitted 17 Data packets received 16 Control packets received 17 Data packets received 18 Control packets received 19 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Firor transactions Valid transactions 7 Transaction time Transactions/sec 1.7	1011231 213						
Total cards Translation time 3 Total transactions 30 Transactions/sec 10 Error transactions 23 Card throughput 10 Valid transactions 7 Time to compress file (M:S) WAN file transfer File size (bytes) 1,782 File transfer time (seconds) 17 Data packets transmitted 5 Data packets transmitted 0 Control packets transmitted 17 Data packets received 16 Control packets received 17 Data packets received 18 Control packets received 19 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Firor transactions Valid transactions 7 Transaction time Transactions/sec 1.7	DLSS to EDI						
Translation time Total transactions Transactions/sec Error transactions Card throughput Valid transactions Time to compress file (M:S) WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets transmitted Control packets transmitted Transactions Time to expand file (M:S) EDI to DLSS Number of EDI transactions Valid transactions Valid transactions Transaction time Transactions/sec 10 10 11 10 11 10 10 11 10 11 10 11 11	1			30			
Total transactions Transactions/sec Error transactions Card throughput Valid transactions Time to compress file (M:S) WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted Data packets received Control packets received Tx window maxed out Tx window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Valid transactions Valid transactions Transaction time Transactions/sec 10 10 23 23 10 10 10 10 10 17 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18		<u> </u>		ļ			1
Transactions/sec 10 Error transactions 23 Card throughput 10 Valid transactions 7 Time to compress file (M:S) 0:7 WAN file transfer File size (bytes) 1,782 File transfer time (seconds) 17 Data packets transmitted 5 Data packets retransmitted 17 Data packets retransmitted 17 Data packets received 16 Control packets received 3 tx window maxed out 2 rx window maxed out 0 Time to expand file (M:S) 0:5 EDI to DLSS Number of EDI transactions 7 Error transactions 7 Transaction time 4 Transactions/sec 1.7				i			
Error transactions Card throughput Valid transactions 7 Time to compress file (M:S) WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted To Data packets received Control packets received Tx window maxed out Tx window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Fror transactions Valid transactions Transaction time Transactions/sec 10 10 17 17 18 10 17 17 17 18 19 10 10 17 18 19 10 10 10 10 10 10 10 10 10	l e			ł.			
Valid transactions7Time to compress file (M:S)0:7WAN file transfer1,782File size (bytes)1,782File transfer time (seconds)17Data packets transmitted5Data packets retransmitted0Control packets transmitted17Data packets received16Control packets received3tx window maxed out2rx window maxed out0Time to expand file (M:S)0:5EDI to DLSS0Number of EDI transactions7Error transactions0Valid transactions7Transaction time4Transactions/sec1.7							ļ
Valid transactions7Time to compress file (M:S)0:7WAN file transfer1,782File size (bytes)1,782File transfer time (seconds)17Data packets transmitted5Data packets retransmitted0Control packets transmitted17Data packets received16Control packets received3tx window maxed out2rx window maxed out0Time to expand file (M:S)0:5EDI to DLSS0Number of EDI transactions7Error transactions0Valid transactions7Transaction time4Transactions/sec1.7	Card throughpu	t		10	Ì		
WAN file transfer File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted To Data packets received To Data packets retransmitted To Data packets retransmit	1			7			
File size (bytes) File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted To Data packets received Control packets received To Data packets retransmitted To Data packet	Time to compress fil	le (M:S)		0:7			
File transfer time (seconds) Data packets transmitted Data packets retransmitted Control packets transmitted Data packets received Control packets received 16 Control packets received 3 tx window maxed out rx window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Fror transactions Valid transactions Valid transactions Transaction time Transactions/sec 1.7	WAN file transfer				ĺ		
Data packets transmitted Data packets retransmitted Control packets transmitted 17 Data packets received 16 Control packets received 3 tx window maxed out 7 x window maxed out 10 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Frror transactions Valid transactions Transaction time Transactions/sec 1.7	File size (bytes)			1,782			
Data packets retransmitted Control packets transmitted Data packets received Control packets received 3 tx window maxed out rx window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Frror transactions Valid transactions Transaction time Transactions/sec 1.7	File transfer tim	e (seconds)		17	İ		
Control packets transmitted Data packets received Control packets received 3 tx window maxed out rx window maxed out 0 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Error transactions Valid transactions Transaction time Transactions/sec 1.7	Data packets tra	insmitted		5	1		
Data packets received Control packets received 3 tx window maxed out 7 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Frror transactions Valid transactions Transaction time Transactions/sec 16 3 3 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Data packets ref	transmitted		0	ļ		
Control packets received tx window maxed out 7x window maxed out Time to expand file (M:S) EDI to DLSS Number of EDI transactions Frror transactions Valid transactions Transaction time Transactions/sec 1.7	Control packets	transmitted		17			
tx window maxed out rx window maxed out 0 Time to expand file (M:S) EDI to DLSS Number of EDI transactions Error transactions Valid transactions Transaction time 4 Transactions/sec 1.7	Data packets red	ceived		16			
rx window maxed out 0 Time to expand file (M:S) 0:5 EDI to DLSS Number of EDI transactions 7 Error transactions 0 Valid transactions 7 Transaction time 4 Transactions/sec 1.7	Control packets	received		3			
Time to expand file (M:S) 0:5 EDI to DLSS Number of EDI transactions 7 Error transactions 0 Valid transactions 7 Transaction time 4 Transactions/sec 1.7	tx window max	ed out		2	ļ		
EDI to DLSS Number of EDI transactions Error transactions Valid transactions Transaction time 4 Transactions/sec 1.7	rx window max	ed out		0			ļ
Number of EDI transactions 7 Error transactions 0 Valid transactions 7 Transaction time 4 Transactions/sec 1.7	Time to expand file	(M:S)		0:5			
Error transactions 0 Valid transactions 7 Transaction time 4 Transactions/sec 1.7	EDI to DLSS				1		
Valid transactions 7 Transaction time 4 Transactions/sec 1.7	Number of EDI t	ransactions		7	ŀ		
Transaction time 4 Transactions/sec 1.7	Error transaction	ns		0			
Transactions/sec 1.7	Valid transaction	ns		7	-		
	Transaction time	9		4	-		
Transaction that did not compare 0	Transactions/sec	٤		1	.7		
[Transaction that	did not compare		0			

Remote SiteDCSC	Date/time <u>5/15/90</u> / <u>13:32</u>
Remote site DLSS data file size	
Time to download (H:M:S)	4:45
Filter	
time (M:S)	0:16
	0/30
MILSTRIP 30	MILSBILLS
MILSTRAP	MILSTAMP
MILSPETS	MILSCAP
DLSS to EDI	
Total cards	30
Translation time	7
Total transactions	30
Transactions/sec	4.2
Error transactions	23
Card throughput	4.2
Valid transactions	7
Time to compress file (M:S)	13
WAN file transfer	
File size (bytes)	1,782
File transfer time (seconds)	20
Data packets transmitted	5
Data packets retransmitted	0
Control packets transmitted	17
Data packets received	16
Control packets received	3
tx window maxed out	2
rx window maxed out	0
Time to expand file (M:S)	5
EDI to DLSS	
Number of EDI transactions	7
Error transactions	0
Valid transactions	7
Transaction time	4
Transactions/sec	1.7
Transaction that did not compare	0

Remote Site	MCB	Date/time <u>5/11/90</u>	/14:00
Remote site DLSS data file size		1,182,707	
Time to download (Time to download (H:M:S)		
Filter			
time (M:S)		6:20	
cards	in / out		
MILSTRIP	25 3,107	MILSBILLS	
MILSTRAP		MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	3,107
Translation time		73	1,447
Total transaction	ns	25	3,107
Transactions/sec		0.3	2.1
Error transaction	IS	0	4
Card throughput	:	0.3	2.1
Valid transaction	15	25	3,103
Time to compress file	e (M:S)	0:12	0:49
WAN file transfer			
File size (bytes)		2,673	259,281
File transfer time	e (seconds)	30	1,789
Data packets tra	nsmitted	6	322
Data packets ret	ransmitted	0	0
Control packets	transmitted	27	2,237
Data packets rec	eived	26	2,236
Control packets	received	4	162
tx window maxe	ed out	3	161
rx window maxe	ed out	0	0
Time to expand file (M:S)	0:07	0:32
EDI to DLSS			
Number of EDI tr	ansactions	25	3,107
Error transaction	S	0	0
Valid transaction	15	25	3,107
Transaction time		28	797
Transactions/sec		0.8	3.8
Transaction that	did not compare	1	82

Remote Site	NSC	Date/time <u>5/11/90</u>) / 13:14
Remote site DLSS data file size		410,000	
Time to download	(H:M:S)	3:02	
Filter		_	
time (M:S)		4:43	
cards	in / out	1411.6511.1.6	
MILSTRIP	25 4,975	MILSBILLS	
MILSTRAP		MILSTAMP MILSCAP	
MILSPETS		IVIILICAP	
DLSS to EDI			
Total cards		25	4,975
Translation tim	ie	25	2,157
Total transaction	ons	25	4,975
Transactions/se	ec	1 1	2.3
Error transaction	ons	0	40
Card throughpo	ut	1	2.3
Valid transaction	ons	25	4,935
Time to compress f	ile (M:S)	0:10	1:43
WAN file transfer			
File size (bytes))	3,564	407,187
File transfer tin	ne (seconds)	27	2,460
Data packets tr	ansmitted	7	460
Data packets re	etransmitted	0	0
Control packets	s transmitted	31	3,202
Data packets re	eceived	30	3,201
Control packets	s received	4	231
tx window max	ked out	3	230
rx window max	ked out	0	0
Time to expand file	e (M:S)	0:04	0:47
EDI to DLSS]	
Number of EDI	transactions	25	4,975
Error transaction	ons	0	0
Valid transaction	ons	25	4,975
Transaction tim	ne	2.5	1,627
Transactions/se	ec	2.5	3.0
Transaction tha	at did not compare	0	83

Remote SiteNSC	Date/time <u>5/12/90</u>) / 12:00
Remote site DLSS data file size	410,000	
Time to download (H:M:S)	12:33	
Filter		
time (M:S)	4:45	
cards <u>in / out</u>		
MILSTRIP 25 4,975	MILSBILLS	
MILSTRAP	MILSTAMP	
MILSPETS	MILSCAP	
DLSS to EDI		
Total cards	25	4,975
Translation time	10	1,749
Total transactions	25	4,975
Transactions/sec	2.5	2.8
Error transactions	1	86
Card throughput	2.5	2.8
Valid transactions	24	4,889
Time to compress file (M:S)	0:13	1:11
WAN file transfer		
File size (bytes)	3,564	427,680
File transfer time (seconds)	32	2,594
Data packets transmitted	7	483
Data packets retransmitted	0	0
Control packets transmitted	34	3,306
Data packets received	33	3,305
Control packets received	4	242
tx window maxed out	3	241
rx window maxed out	0	0
Time to expand file M:S)	0:05	0:52
EDI to DLSS		
Number of EDI transactions	25	4,975
Error transactions	0	0
Valid transactions	25	4,975
Transaction time	10	2,494
Transactions/sec	2.5	1.9
Transaction that did not compare	1	56

Remote Site	NSC	Date/time <u>5/16/90</u>	/08:00
Remote site DLSS d	ata file size	410,000	
Time to download	(H:M:S)	23:38	
Filter			
time (M:S)		2:22	
cards	in / out		
MILSTRIP	25 4,975	MILSBILLS	
MILSTRAP		MILSTAMP	
MILSPETS		MILSCAP	
DLSS to EDI			
Total cards		25	4, 97 5
Translation time	•	33	4,020
Total transactio	ns	25	4,975
Transactions/se	c	.7	1.2
Error transaction	ns	0	87
Card throughpu	t	.7	1.2
Valid transactio	ns	25	4,888
Time to compress fil	le (M:S)	0:14	1:59
WAN file transfer			
File size (bytes)		3,564	442,827
File transfer tim	e (seconds)	31	2,633
Data packets tra	Insmitted	7	500
Data packets ret	transmitted	0	0
Control packets	transmitted	34	3,485
Data packets red	ceived	33	3,484
Control packets	received	4	2 51
tx window max	ed out	3	250
rx window max	ed out	0	0
Time to expand file	(M:S)	0:05	0:55
EDI to DLSS			
Number of EDI t	ransactions	25	4,975
Error transaction	ns	0	0
Valid transaction	ns	25	4,975
Transaction time	Transaction time		2,197
Transactions/sec	:	3.1	2.2
Transaction that	did not compare	0	132

Remote SiteDCSC	Date/time <u>6/12/90</u> / <u>10:40</u>
Remote site DLSS data file size	555,001
Time to download (H:M:S)	37:59
Filter	
time (M:S)	3:11
cards <u>in / out</u>	7500/7294
MILSTRIP 3,761	MILSBILLS
MILSTRAP 941	MILSTAMP
MILSPETS	MILSCAP 202
	Other 2,597
DLSS to EDI	
Total cards	4,904
Translation time	1,032
Total transactions	4,736
Transactions/sec	4.5
Error transactions	210
Card throughput	4.7
Valid transactions	4,526
Time to compress file (seconds)	1:27
WAN file transfer	
File size (bytes)	390,258
File transfer time (seconds)	2,334
Data packets transmitted	441
Data packets retransmitted	0
Control packets transmitted	3,069
Data packets received	3,068
Control packets received	221
tx window maxed out	220
rx window maxed out	0
Time to expand file	0:54
EDI to DLSS Cards	4,667
Number of EDI transactions	4,526
Error transactions	15
Valid transactions	4,511
Transaction time	2,231
Transactions/sec	2.0
Transaction that did not compare	560
XXX that did not compare	598

Remote Site	DCSC		Date/time _	6/13/90 / 11:04	
Remote site DLSS	data file size		555,001		
Time to download (H:M:S)			37:42		
Filter					
time (M:S)			3:24		
cards	<u>in / out</u>	75	00/7294		
MILSTRIP	4,421		MILSBILLS		
MILSTRAP	2,303		MILSTAMP		
MILSPETS			MILSCAP	570	
			Other	206	
DLSS to EDI					ı
Total cards			7,279		ļ
Translation tir	me		1,455		İ
Total transacti	ions		6,806		ļ
Transactions/s	ec		0.2	·	ĺ
Error transacti	ions				Ì
Card throughp	out		237		l
Valid transacti	ions		6,569		[
Time to compress	file (seconds)		2:11		
WAN file transfer					
File size (bytes	5)		550,638		
File transfer til	me (seconds)		3,324		
Data packets t	ransmitted		621		
Data packets r	etransmitted		0		
Control packet	ts transmitted		4,338		
Data packets r	eceived		4,337		l
Control packet	ts received		311		
tx window ma	xed out		310		
rx window ma	xed out		0		
Time to expand file	e		2:28		
EDI to DLSS	Cards		6,965		ļ
Number of EDI	transactions		6,569		
Error transaction	ons		65		
Valid transacti	ons		6,504	}	
Transaction tin	· -		2,674		
Transactions/se	-		2.5		
Transaction tha	at did not compare		1,031		
XXX that did no	ot compare		1,218		
					1

Remote SiteASO	Date/time <u>6/05/90</u> / <u>17:38</u>
Remote site DLSS data file size	2,265,302
Time to download (H:M:S)	21:31
Filter	
time (M:S)	13:55
cards <u>in / out</u>	28416/28186
MILSTRIP 28,182	MILSBILLS
MILSTRAP 4	MILSTAMP
MILSPETS	MILSCAP
	Other 230
DLSS to EDI	
Total cards	28,186
Translation time	23,866
Total transactions	28,186
Transactions/sec	0
Error transactions	672
Card throughput	0
Valid transactions	27,514
Time to compress file (M:S)	8:29
WAN file transfer	
File size (bytes)	2,222,154
File transfer time (seconds)	20,136
Data packets transmitted	2,497
Data packets retransmitted	0
Control packets transmitted	17,485
Data packets received	17,484
Control packets received	1,249
tx window maxed out	1,248
rx window maxed out	0
Time to expand file (M:S)	5:07
EDI to DLSS Cards	28,878
Number of EDI transactions	28,878
Error transactions	
Valid transactions	28,878
Transaction time	32,963
Transactions/sec	0.9
Transaction that did not compare	6,054

Remote Site	DCSC		Date/time	<u>5/15/90</u> / <u>12:07</u>	
Remote site DLSS data file size			555,001		
Time to download (H:M:S)			34 minutes		
Filter					
time (M:S)			3:28		
cards	<u>in / out</u>	75	00/7321		
MILSTRIP	4,708		MILSBILLS		
MILSTRAP	1,953		MILSTAMP		
MILSPETS			MILSCAP	667	
			Other	179	 ,
DLSS to EDI					
Total cards			7,300		
Translation tir	ne		1,516		
Total transacti			6,722		
Transactions/s	sec		4.4		
Error transacti	ons		276		
Card throughp	out		4.8		
Valid transacti			6,446		
Time to compress	file (M:S)		1:52		
WAN file transfer					
File size (bytes	s)		558,657		
File transfer ti	me (seconds)		3,382		
Data packets t	transmitted		632		
Data packets r	etransmitted		0		
Control packet	ts transmitted		4,411		
Data packets r	eceived		4,410		
Control packet	ts received		317		
tx window ma	ixed out		316		
rx window ma	ixed out		0		
Time to expand fil	e (M:S)		1:16		
EDI to DLSS	Cards		7,017		
Number of ED	l transactions		6,446		
Error transacti	ons		7	ł	
Valid transacti	ions		6,439		
Transaction tir	me		3,465		!
Transactions/s	ec		1.9) [
Transaction th	at did not compare		852		
XXX that did n	ot compare		1,080		
			L	i	

Remote Site	DCSC		Date/time	6/16/90 /	10:53
Remote site DLSS	data file size		555,001		
Time to download	d (H:M:S)		34 minute	S	
Filter					
time (M:S)			3:17		
cards	in / out	75	00/6148		
MILSTRIP	4,029		MILSBILLS		
MILSTRAP	1,822		MILSTAM		
MILSPETS			MILSCAP	290	
			Other	1,351	
DLSS to EDI					
Total cards			6,141		
Translation tir	me		1,245		
Total transacti	ions		5,908		
Transactions/s	ec		4	.7	
Error transacti	ions		190		
Card throughp	out		4	.9	
Valid transacti	ions		5,718		
Time to compress	file (M:S)		1:40		
WAN file transfer					
File size (bytes	s)		485,595		
File transfer ti	me (seconds)		2,962		
Data packets t	ransmitted		548		
Data packets r	etransmitted		0		
Control packet	ts transmitted		3,820		Ì
Data packets r	eceived		3,819		
Control packet	ts received		275		
tx window ma	exed out		274		
rx window ma	xed out		0		
Time to expand file	e (M:S)		1:05		
EDI to DLSS	Cards		5,914		
Number of EDI	transactions		5,718		
Error transacti	ons		20		
Valid transacti	ons		5, 69 8		
Transaction tin	ne		2,419	}	
Transactions/s	ec		2	.4	
Transaction th	at did not compare		1,324		
XXX that did n	ot compare		1,391		


Remote Site	DCSC		Date/time	6/17/90	_ /	18:37
Remote site DLSS	data file size		555,001			
Time to download	d (H:M:S)		34 minute	S		
Filter						
time (M:S)			3:01			
cards	in / out	75	00/7038			
MILSTRIP	4,834		MILSBILLS			
MILSTRAP	2,202		MILSTAM			
MILSPETS			MILSCAP	1		
			Other	462		
DLSS to EDI				ŀ		
Total cards			7,036	; }		
Translation tin	ne		1,468			
Total transacti	ons		7,036	, [
Transactions/s	ec		4	.8		
Error transacti	ons		156	•		
Card throughp	out		4	.8		
Valid transacti	ons		6,880)		
Time to compress	file (M:S)		1:47	,		
WAN file transfer				Į		
File size (bytes	5)		489,759)]		
File transfer ti	me (seconds)		2,999)		
Data packets t	ransmitted		552	!		
Data packets r	etransmitted		() [
Control packet	ts transmitted		3,846	;		
Data packets r	eceived		3,845	; }		
Control packet	ts received		277	, [
tx window ma	xed out		276	,		-
rx window ma	xed out)		:
Time to expand file	e (M:S)		1:16			;
EDI to DLSS	Cards		6,87€	, [
Number of EDI	transactions		6,880)		
Error transacti	ons		4			
Valid transacti	ons		6,876	, [
Transaction tir	ne		2,832	:		
Transactions/s	ec] 2	2.4		
Transaction th	at did not compare		27€	,		
XXX that did n	o compare		276			
L			L			

Remote SiteDCSC	Date/time <u>6/18/90</u>	/ 10:41
Remote site DLSS data file size	555,001	
Time to download (H:M:S)	39 minutes	
Filter		
time (M:S)	3:22	
cards <u>in / out</u>	7500/5925	
MILSTRIP 4262	MILSBILLS 2	
MILSTRAP 1617	MILSTAMP	
MILSPETS 2	MILSCAP 34	
p	Other 1575	
DLSS to EDI		
Total cards	5,190	
Translation time	1,249	
Total transactions	5,888	
Transactions/sec	4.7	
Error transactions	220	
Card throughput	4.7	
Valid transactions	5,668	
Time to compress file (M:S)	0:49	
WAN file transfer		
File size (bytes)	277,912	Partial Xfer
File transfer time (seconds)	1,978	
Data packets transmitted	411	
Data packets retransmitted	0	i
Control packets transmitted	2,863	
Data packets received	2,862	
Control packets received	206	
tx window maxed out	205	
rx window maxed out	0	
Time to expand file (M:S)	0:43	
EDI to DLSS Cards	2,623	
Number of EDI transactions	3,362	
Error transactions	739	
Valid transactions	2,623	
Transaction time	1,363	
Transactions/sec	2.5	
Transaction that did not compare	315	
XXX that did not compare	312	
<u> </u>		

Remote Site	DCS		Date/time _	6/20/90	_ / _	14:59	
Remote site DLSS	data file size		555,001				
Time to download	d (H:M:S)		32 minutes				
Filter							
time (M:S)			3:21				
cards	<u>in / out</u>	75	00/5852				
MILSTRIP	3,640		MILSBILLS				
MILSTRAP	1,919		MILSTAMP				
MILSPETS	0		MILSCAP	278			
			Other	1,648			
DLSS to EDI							
Total cards			5,840				
Translation tin	ne		1,123				
Total transacti	ons		5,609				
Transactions/s	ec		4.9	9			
Error transacti	ons		705				1
Card throughp			5.2	2			
Valid transacti	ons		4,904				
Time to compress	file (M:S)		1:25				
WAN file transfer				-			
File size (bytes	;)		416,197]			
File transfer ti	me (seconds)		2,484				
Data packets t	ransmitted		470	- 1			
Data packets r	etransmitted		0	1			
Control packet	ts transmitted		3,273				
Data packets r	eceived		3,272				
Control packet	ts received		236				
tx window ma	xed out		235				
rx window ma	xed out		0				
Time to expand file	e		0:57				
EDI to DLSS	Cards		5,053				
Number of EDI	transactions		4,904				
Error transaction	ons		75				Ì
Valid transacti	ons		4,828				
Transaction tir	ne		1,248				
Transactions/s	ec		3.9	9			
Transaction th	at did not compare		1,204				
XXX that did n	ot compare		1,284				
L			L				

Remote SiteASO	Date/time <u>6/19/90</u> / <u>14:48</u>
Remote site DLSS data file size	1,090,584
Time to download (H:M:S)	8 minutes
Filter	
time (M:S)	7:34
cards <u>in / out</u>	14127/13194
MILSTRIP 5636	MILSBILLS
MILSTRAP 7557	MILSTAMP
MILSPETS	MILSCAP
	Other 933
DLSS to EDI	
Total cards	13,194
Translation time	5,606
Total transactions	13,194
Transactions/sec	2.4
Error transactions	243
Card throughput	2.4
Valid transactions	12,951
Time to compress file (M:S)	3:57
WAN file transfer	
File size (bytes)	1,073,655
File transfer time (seconds)	8,051
Data packets transmitted	1,211
Data packets retransmitted	0
Control packets transmitted	8,464
Data packets received	8,463
Control packets received	606
tx window maxed out	605
rx window maxed out	0
Time to expand file (M:S)	2:35
EDI to DLSS Cards	12,951
Number of EDI transactions	12,951
Error transactions	0
Valid transactions	12,951
Transaction time	51,525
Transactions/sec	2.5
Transaction that did not compare	8,298
XXX that did not compare	8,298

Remote Site	ASO		Date/time _	6/19/90	_ / _	23:18	
Remote site DLSS	data file size		1,511,091				
Time to download	d (H:M:S)		13 minutes				
Filter							
time (M:S)			14:05				
cards	<u>in / out</u>	18	706/18516				
MILSTRIP	18514		MILSBILLS				
MILSTRAP	2		MILSTAMP				
MILSPETS			MILSCAP				
			Other	190			
DLSS to EDI							
Total cards			18,516				
Translation tin	ne		14,851]
Total transacti	ons		18,516				1
Transactions/s	ec		1.3	2			
Error transacti	ons		214				
Card throughp			1.:	2			İ
Valid transacti	ons		18,302				
Time to compress	file (seconds)		5:39				
WAN file transfer							
File size (bytes	;)		1,664,388				İ
File transfer ti	me (seconds)		11,134				[
Data packets t	ransmitted		1,894	1			
Data packets r	etransmitted		0				1
Control packet	ts transmitted		13,236				ĺ
Data packets r	eceived		13,235	ľ			İ
Control packet	ts received		948				I
tx window ma	xed out		947				
rx window ma	xed out		0				
Time to expand file	e		3:42				
EDI to DLSS	Cards						
Number of EDI	transactions		18,302				
Error transaction	ons		18,302				
Valid transacti	ons		18,302				
Transaction tin	ne		17,269				
Transactions/s	ec		1.	1			ļ
Transaction the	at did not compare		13,575				
XXX that did n	ot compare		13,575				
Ļ			L				



Transaction Type 511 ST=511=511-1 RFL=ATA=NPB=NB1C9483440309 ROB=L=GU=N ROG=EA=00001 ROH=NS=5815010794603 ROD=R ROP=01 RSS=K=NB1C94 ROT=L=NB1C95 ROC=N=81=C=9=4=N=8=C95===1 SE=12=511-1

\$7*511*511-2 RFL*AMA*\$91*F8206583410480 R08*A*6C*F*F82065 R00*EA*00006 R0N*N\$*5310010133710 RQD*R RQP*02 R\$\$*\$F\$2065 RQT*A**F82065 RQC*F*82*0*6*5 RQU****A

ST*511*511-3
RFL*AT1*MPB*MMJ13283147315
RGB*B*8K*M*M29040
RGG*EA*00001
RGM*MS*2540010255344
RGD*R
RGP*02
RSS*S*MMJ132
RGT*B**MMJ132
RGC*M*MJ*1*3**2*M**2**040**C***9
RGJ*****F6**1001M000T
SE*13*511-3

\$1*512*512-6

RFL*AF3*NS2*N631268350G801
RG8*A*K9*N*N63126
RG0*EA*00001
RGN*2Z*1680010218748UA
RGP**AK0
RSS*S*N63126*Z*N
RGT*A**N63126
RGU*Y00DK9**7R***020068AN8Z90230113000
SE*11*512-6

\$T*512*512-7
RFL*AFC*N32*N6883682380211
RG8*A*26*N*N68836*2
RGG*EA*00004
RGN*2Z*2840012498934
RGD*R
RGP**770
RSS*2*N68836*A*N
RGT*A**N68836
RGC*N*68*8*3*6*Y*S**OCK**1R*T
RGU*YSTOCK**1R**+08
SE*13*512-7

Transaction Type 513 \$T*513**513-8 RFL*AC1**R43**R0911283002227***890120 RQQ**EA**00001 RQN**2Z**0098LLZ991897 RQD***R RSS**S***R RQJ******R RQJ******R RQJ******R RQJ******R

\$7°\$13°\$13-9 RFL°AK1°FLZ°EZ75108335H710°*881227 RG0°EA°00001 RGH°ZZ°\$895004713174 RGD°°E RSS°\$3°°E RGJ°°°*8FLZ337°*Y72072CLRL8666002 \$E°9°\$13-9

\$7*513*513-10 RFL*AK3*A12*M8068K72588621**870917 R90*EA*00001 R90*2Z*4820004485200 RQD*N#*W R\$\$*K**W $\$*K*W R\$\$*

RQUPOSOOBB 804500WB1EDRKFG FDE02 SE090513-10

\$T*513*513-11 RFL*AKZ*A12*W42UV583440836**890125 RGG*EA*00001 RGM*ZZ*3040009282243 RGD*R**U RSS*W***U RGU***** J 90420000894**W42KDFA92 \$E*9*513-11

\$T*\$13*\$13-12 RFL*AC3*FLZ*DK\$H4V61791138**970126 R00*EA*00001 R0H*2Z*\$836011545096CX RQD***D R\$\$*0***D Transaction Type 514
\$T°514°514-13
RFL*AE8°*N6588890263G01°*900126°*N32
RGB*A*K9*N°N65888
RGQ*EA*00008*8000
RGM*ZZ*2915001476091EQ
RGP*06*705
RSS*U*N68621
RQT*A**N65888
RS1*N32*88*890225
RQU***1R
\$E*12*514-13

Transaction Type 515
ST*515*515-14
RFL*FTZ*AY8*u55CVC8296AANS*****S9C
RG8*A*FG*W*u55CVC
RGG*EA*00001
RGN*ZZ*2510012103595
RGP*13
RSS*Z*U55CVC**W
RGT*A**u55CVC
MRP*AY8*SUC*A*TN**5760**890119
RSE*881128
RGU*Y00000
SE*13*515-14

ST*515*515-15
RFL*FTQ***u55CVC9021AACA****SGA
ROB*A*FG*U*u55CVC
ROQ*EA*00001
RON*2Z*1005005606435
ROP***LD1
RSS*2**u55CVC***W
ROT*A***u55CVC
NRP*A35****TZ
RQU**Y00000
SE*12*515-15

Transaction Type 515
ST*515*515-16
RFL*FTR***W55CVC9021AAKH***890126**S9C
RGB*A*FG*W*W55CVC
RGQ*EA*00003*2365
RGM*2Z*1615001763259
RGP*13
RSS*2*W55CVC**W
RGT*A**W55CVC
MRP*AY8*SUC*A*T8***A00
RGU*Y00000
SE*12*515-16

Transaction Type \$16 \$T*516*516-17 RFL*A5A*NNZ*NOO40690241502****GSA RGB*A*J3*N*NOO406 RGG*EA*00002*5200 RGN*2Z*9905002555934 RGP*15*770***890224 RSS*S*NOO406**N RGT*A**NOO406 RGI*2G ICS*3**A RQU*YSTOCX**9Q***055 SE*13*516-17

3E*11*516-18

\$T*516*516-19

RFL*ARO*M32*P\$P02483656003

ROB**48*P

ROQ*EA*00020

ROM**ZZ*1620011684699VH

ROP**03

R\$\$*0***P

ROT****PAZ\$82

MR***880125

R\$E*880125**ZZ*M688368MORRI\$ON*X***F1R

\$E*12*516-19

\$T*516*516-20 RFL*A6J*N32*N003838125A285****NBZ RGB***N RGQ*EA*00002 RGN*ZZ*2810005123730MR RSS****N RGA*1 MR**0*890125 1C3*A**E \$E*11*516-20

\$T*\$16*\$16-21 RFL*A51*B\$6*FB240090251461****B16 RQB*J*30*F*FB2400 RQQ*PG*00011*1439 RQM*ZZ*6135010631978 RQP*12 RS\$K*FB2400**F RQT*J**EY2404 IC\$*A**A RQU***01 \$E*12*516-21

Transaction Type 517 \$T°517°517-22 RFL°AP1°FL2°FB306082320312°°890126 RGB°D°°F RGG°EA°00001 RGW°22°5995011872754CX RGP°02°AMP RSS°3°FB3060 RGT°D°°FB3060 RGU°Y00ATF°°01 \$E°11°517-22

Transaction Type 518 \$7*518*518-23 RFL*A3A*\$91*W9679390264002****M32 RGB*B*OPP*W*M00383 RGG*EA*00001 RGM*NS*5306003395620 RGD*R RGP*03*423 RSS*T*N96793*G*N RGT*8**N96793 RGC*N*96*7*9*3*N*0*383**9Z*0 RGU***9Z SE*13*518-23

\$T*\$18*\$18-24 RFL**AAA**NO2**M6226990251178*****N32 RQB**A*K9*N*M62269 RQQ**EA**00002 RQN**MS**2620000614108 RQP*12**HJ7 RSS**S**M62269 RQT**A**M62269 RQT**A**M62269 RQC**N*62*2*6*9*Y*T*422*J*7R*8 PRR**900125 RQU*YT8422**YX**7R**AAJE \$E*14*518-24

ST*518*518-25
RFL*AK1*NOZ*V6816590241526****N32
ROB*A*PC*V*V68165
ROG*EA*00019
ROH*NS*5365010113921
ROP*12*LE5
RSS*T*V68165
ROT*A**V68165
ROT*A**V68165
ROC*V*68*1*6*5*Y*W*NSE*L*1R*R
PRR*890126
ROU*YWRHSE*SH*1R*AALM
SE*14*518-25

Transaction Type 521 ST*521*521-26 RFL*AC6*FL1*FB562290230588*A***B16 RG8*J*6C RG0*EA*00001 RGN*2Z*5940011770678 RGP*02***B90202 RSS*B RG1*2L SSC*FB5621 RGU***01 SE*12*521-26

Transaction Type 522 \$T*522* 22-27 RFL*AMF*N32*N687098195GP47****N32 RGB*A***N68709 RGG*EA*00002 RGM*ZZ*1615012088707VH RGP*06*AK1 RSS*S*N68709 RSS**88L0VH RQT*A**N68709 P1*****N0038386C8251 RGU*88L0VH SE*13*522-27

Transaction Type 527 st*527*527

RFL*064*89C*FES20900750251 RGB*A*6C RGG*EA*00003 RGM*PM*4730006616890 ICS*D**A*123**DF2 NRT***A RGU*YC2574 SE*10*527

ST*527*527 RFL*D4X*S9C RGG*EA*00052 RGM*PH*1615001790417 ICS*A**A**L*BR4 PI*DAAJ0985GA008*0001*AA MRT**MES0004 RGU****B17 SE*10*527

\$T*527*527 RFL*DUK*\$ECG*\$C040001660AC2 RGB****\$M0700 RGG*\$H*J7203 RGH*PH*9\$330004891.81 IC\$*A**A***\$EG*****\$9G MRT****\$M070r. \$E*9*527

\$1*527*527 RFL*04\$*\$9C R00*EA*00002 R0N*PH*3020007065432 IC\$*A**A**0*FFC PI*DLA70090MMA10*0001*00 MRT**\$GM0001 RQU****2E1 \$E*10*527

\$T*528*528 RFL*DYJ*\$9C*\\$8H00013541\$9****817 RGG*EA*00003 RGN*PH*1610008588464 IC\$****ZCH \$PR*E***110****\\$8H0Z \$E*8*528

Transaction Type 529 \$T*529*529 RFL*DTA*\$9C*SCO70002440761****\$9C RGM*PN*3010008838763 A\$*C RGU****GPD \$E*7*529

Transaction Type 532 8T°532°532

RFL*078*\$9C*V2109801377A87**901231 RGS*A*KZ**V07178 RQQ*FT*00010 RQM*PN*4710002778704 R0P*03*GK5 2*229 RQT*A**V21098 ROATE ICS*A**A*GKS**NHC RQU*V07178 SE*14*532 ST*532*532 RFL*D7A*N32*N615770167GG05**900617 RG8*A*WA**N61119 R99*EA*00004 R9N°PN°16100073596809X RQD*R RQP*02*706 RSS*5**1 RQT*A**N61577 RQA*R ICS*A**A*706*1*NVZ RQU#N61119*QX**M J1 SE*14*532 \$1*532*532 RFL*D7K*N32*R033410161E651**900617 RQ8"A"RZ R99*EA* 00002 R9N*PN*1660010943359LX RQD*R ROP*02*AK1 RSS*S RQT*A**R03341 RGA*R ICS*A**A*AK1**WVZ RQU"YS6PHU"LX"H P4 SE*14*532 ST*532*532 RFL*D7E*N32*DNZF4V01402769**900617 ROBOL THE STOY ZKEX RQQ*EA*00002 R9N*PH*294500784420809 KOD*1 ROP*13 RSS-O--N RQT*L RQI*2A ROA+J ICS*A**A**N*NNZ RQU**DQ**D J3 SE*15*532 Transaction Type 533 \$1*533*533 RFL*DAC*\$9C*\$C070001669999**901231 R99*EA*00034 RQN*PH*1650007009139 ROA*Z 105---ICZ***C \$E*9*533

```
Transaction Type 534
81*534*534
RFL-DKA-89C----FEC
ROOPEA
RGH*PH*3040010542796
ICS***A
IRM*C*900628
PIC*900702*0000000003
25090534
ST*534*534
RFL-DJ8-S9C----SUC
ROCOEA
RON*PH*2920012391153
IRN*C*900619*900615
SE*7*534
Transaction Type 541
57*541*541
RFL*DZB*SCE***900624**59E
ROOPEA
ROO"EA
RON*PM*5999010757630
RQH*PH*5998010757630
IC1*0*U
S10**2
SE*10*541
Transaction Type 545
ST*545*545
RFL DZH-S9C---MAB
RQC*EA*0000000209
RON*PH*100500003419200
ICS***A
ICI*O*U
LRR**900703
RQU**00
SE*10*545
Transaction Type 561
$7*561*561
DIC"PAA"A
DIC"PAS"B
KAA*N0038386G6846*X21T*09*400000500000*891106*891106****13
KAB*1*J*A
REF*DS*DOA7
REF*N2*D0000
N19509910981505A
H19319910981505A
H1+25++10+ 37695
H1+30++10+$1402A
#1*35**10*N00383
DICOPACOC
DICTPADTO
           X49112310*0008500300003837T00000000X21T000A010*55*500000500000
KAC*AA*17
DICOPAESE
DIC"PAF"F
KCE*0001*50*39546234663*50
KAE*01*58450123130308P*NODULE
KAF*01*00000001*UND*U
                               *EA
REF*C1
FOS*OR*AS
FOS*OR*FO
DICTPAG
KAG*AA*70*900214*01*00000001
M1*ST**10*H00383
```

DICTPAETE DIC"PAF"F KCE*0002*53*5*50 KAE*D3**CRTCRD KAF*01*00000001*UND*U *EA REF*CI FOR*OR*AS FOS*OR*FO DIC*PAG KAG*AA*70*900214*01*00000001 N1*ST**10*N00383 DIC"PAE"E DIC"PAF"F XCE*0003*53*5*50 KAE*D1*5999012755754*CRTCRD KAF*01*00000002*UND*U *EA REF*CI FOB*OR*AS FOB*OR*FO DIC*PAG KAG*AA*70*900214*01*00000002 N1*ST**10*N00383 SE*65*561

Transaction Type 562 ST*562*562 DIC*PFK DTM*009*901117 N1*35**10*\$1402A N1*50**10*3C0500 TSP**64 KAA*DLA50090MAH44 TSP**64 KAA*DLA50090MC741 TSP**64 KAA*DLA50090M5232 SE*15*562

Transaction Type 564
ST*564*564
DTH*009*901106
KAA*F4160888C4013* 00
N1*ST**10*F82059
DIC*PJB
KCE*0001
KJA*20*9D*891011*891222*K*L3*B
KTS*KC
DIC*PJB
KCE*0001
KJA*30*9D*891111*891222*K*L3*B
KTS*KC
SE*15*564

Transaction Type 565
ST*565*565
DTH*009*325
KAA*DLA10089C4278* 00
KSH*EFF0010**891117*11*5
D1C*PJJ
N1*ST**10*S45400
N1*33**10
KCE*0004DA
KAE*D1
KQS*304**S3
KTS*KH
D1C*PJJ

#1*87**10*\$45400 #1*33**10 KCE*0003EA KAE*D1 K95°2280°°\$3 PIC+911 H1*ST**10*SL/3400 N1+33++10 KCE*000ZEA KAE*D1 KQ\$*6120**\$3 DICTPJJ N1*ST**10*SLG400 M1*33**10 KCE*0001DA KAE*D1 KQ\$*2456**U1 SE*34*565

Transaction Type 566 \$1*566*566 DICOPUS KAA*N0001980C0147* \$1 N1*35**10*\$1402A N1*ST**10*C26916 KSH*DSD0234**891031*11 KCE*0304***51 REF*NS REF*N4 KQS+1+EA KT\$*KO KSH*DSD0235**891031*11 KCE*0304***51 REF*NS REF*N4 KQS*1*EA KTS*KD K\$H*D\$D0236**891031*11 KCE*0304***51 REF*NS REF*M4 KQS*1*EA K12+KD KSH*DSD0241**891031*11 KCE*0307***51 REF*NS REF*NA KQS*1*EA KTS*KD K\$H*D\$D0242**891031*11 KCE*0307***51 REF*WS REFTH KOS"1"EA KTSPKO

Transaction Type 567 \$T°567°567 DIC°PKX DTH°001°880129 DTH°003°900131 DTH°009°901124 KAA°DLA10083C0496°A00002*******D REF°R1°P REF°R2

SE*41*566

REF*R3 H1*29**10*\$1501A H1*28**10*\$P0100 H1*25**10* 7A383 SE*14*567

SE*14*567 Transaction Type 568 ST*568*568 DIC"PVA KVA*5*N***00001233610 KVA*011 M1*49**10*503000 N1*36**N3*524900 DIC*PV1 \$11*\$03541 KAA*F0960387G167Z*0092AA KAC*AA*57 83010*1186302119998000000000000040006503000 DIC*PV2 KV2*C2*0001233610*0001233610 \$11**FF*891117 DIC*PV4 KV3*D25*0000005110*P DIC*PV5 KCE*0001AA KV5*MM0002Z*5*0001228500 N1*ST**10*EY9677 KV2°C2


SE*26*568 Transaction Type 510 ST*510*510 RFL*F\$1 \$11*05857*FB*911*SR*000080219*4*** APP*000080219*21X49910620*1701804 N1*21**90*B16 N1*21**10*V15R7\$ RFL*FA1*V201119268C667 REF*PW*6135000503280 R99*EA*00166**97 DBL*000016102**297 RSE**** 119000100816 N1*A**SC TMO*200 RFL*FA1*V2011192720968 REF*PM*6135000503280 R99*EA*00100**9/ DBL*000009700**297 RSE N1-90--10-816 H1*A**SC TMO=200 RFL*FA1*V201119272C970 REF*PM*6135000503280 R00*EA*00240**97 DBL*000023280**297

RFL*FA1*V201119277A013 REF*PM*6135000503280 RGQ*EA*00321**97 DBL*000031137**297 RSE****B N1*90**10*B16

N1*A**SC TWO*200 SE*44*\$10

L0°4 SE°33°858

Transaction Type 858 \$1*858*858 EX*00*LT*NS R4*L*IN*HAB LX*1 REF*TO*1M6 M9*D0*TN1 M9*SF*F85643 M9*TG*A3115534420995HXX**910505 N9*ZB*FB4800**910506 M9*GP*3**910624 N9ºTHºAK32 L5*1**390Z9*1*CHT94 L0+1++3683+A3+459+E+3+PCS++L LX°2 N9*D0*TH8 N9"CR"BRYAN WH*04 L5*2 F0+5++++++ LX*3 REF°CK*1*45 APOLLO DR M9*DD*TM9 L5*3 L0*3 LXº4 REF*CK*2*HAMPTON, VA 23669 N9*DD*TH9 L5*4



PV2F0	9603878167200924	AB0354 NG03000524	900071	IOV17F	000123361000012336100
PV4FO	960387@16720092A	A903541M		T00000051	10P
PVSFO	960387G16720092A	A\$03541MAA/00022	EY967	7 0000	00050001AA00012285000
Trens	action Type 510				
FS1 O	0421X49910620 8 16	V20111911	05857	W15R7s sR17018	34 000080219
FA1B1	6 6135000503280	EA00166V20111926	80667	YSEDC1ASR05857	2970000161020000097
FA1B1	6 6135000503280	EA00100V20111927	20968	YSEDC1ASR058571	
FA181	6 6135000503280	EA00240V20111927	20970	YSEDC1ASR058571	2970000232800000097
FA181	6 6135000503280	EA00321V20111927	7A013	YSER01ASR058571	2970000311370000097
Trans	action Type 858				
TH1		A81M68CCA31155344	20995H	XXF848003175	1251AN320003034830459
THE	FB5643390Z9 N	A81M68CCA31155344	20995H	XXFB4800388YAN	MOC

F8564339029 MA81M6BCCA3115534420995HXXF84800345 APOLLO DR

F8564339029 HA81M68CCA3115534420995HXXF848003HAMPTON, VA 23669

2

TH9

	DEA00002DHZF4V0			AK102 13 a	NVZAAR 1681 2ANNZAAJ 1681	
Transaction Type 533 DACS9C 1650007009139	EA000348C07000	1669999			CSMC 8Z365	
Transaction Type 534 DKAS9CC3040010542796	E40000000000000	97		0170	FGC A	
DJB\$9CC2920012391153		_		0170		
Transaction Type 541 DZBSCE25999010757630	EA5998010757	630 EA	œ	0175	\$9E	
Transaction Type 545						
DZHS9C 10050000341920	OEA0000000209 0	1840U			HAB A	
Transaction Type 561						
PAAN0038386G6846X21T	89NOV06	DOA	7\$1505A\$1	505A 376	595 A	0013
PABN0038386G6846X21T		\$1402A 000	05000)0891	NOV061JN0)0383 D(0000
PABN0038386G6846X21T		\$1402A TOO	0000040891	NOVO61JNC	00383 DC	0000
PACN0038386G6846X21T	AA17 X491123	10000850030	0003837100	000000X21	T000A010	
PADN0038386G6846X21T	M	000	05000)0			
PADN0038386G6846X21T	M	T00	0000050			
PAEN0038386G6846X21T	0001 58450123	13030820000	0001EAU	F	1546234603	
PAEN0038386G6846X21T	0001 58450123	130308P0000	0001EAU	1	200000000	
PAFN0038386G6846X21T	0001 MODULE				222	
PAGN0038386G6846X21T	0001 N00383	90FEB14	.00000001A	A		
PAEN0038386G6846X21T	0005 N	0000	0001EAU	K	ı	
PAFN0038386G6846X21T	0002 CRTCRD				222	
PAGN0038386G6846X21T	0002 N00383	90FEB14	00000001A	A .		
PAEN0038386G6846X21T	0003 59990127	55754 0000	OOOZEAU	N	i	
PAFN0038386G6846X21T	0003 CRTCRD				222	
PAGN0038386G6846X21T	0003 N00383	90FE814	00000002A	L		
Transaction Type 562						
PFIDLA50090HAN44	\$1402ASC0500AB	STRACT RECE	IVED NOV17	7		
PFIDLA50090IO(741	\$1402A\$C0500AB	STRACT RECE	IVED WOV17	7		
PFIDLA5009045232	\$1402ASC0500AB	STRACT RECE	IVED NOV1	7		
Transaction Type 564						
	001 FB2059 6 900	T1100000020	KL389DEC2	28	NC.	DV064
PJBF4160888C4013 0	001 F82059 0 9W0	V1100000030	KL 389 DEC22	28	800	OV06
Transaction Type 565						
PJJ0LA10089C4278 0	004DASH3400	89NOV1700	0304EFF00	10 SH		325
	003EASW3400	89NOV1700	12280EFF00	10 SH		325
	002EA\$L3400	89NOV1700	6120EFF00	10 SH		325
PJJDLA10089C4278 0	001DA\$\\3400	89NOV1700	2456EFF00	10 52		325
Transaction Type 566						
PK5N0001980C0147 \$	1402AC269160SD0	234 0304 0	0000001EA		890CT31	ID :
PK\$N0001980C0147 \$	1402AC269160500	235 0304 0	0000001EA		890CT31	ID 3
PK5N0001980C0147 8	1402AC26916D8D0	236 0304 0	0000001EA		890CT31	D a
PLORUGUI POUCUI (4)						io :
PK5H0001980C0147 8	1402AC2691608D0	241 0307 0	A31000000		890CT31	

Transaction Type 568
PVAPAYMENT TEXT NDR 0005 NS03000524900011 00001233610
PV1F0960387G16720092AA803541NS7 83010 1186302119998000000000000040006503000

Transaction Type 511 ATAMPRIS815010794603 EA00001W81C9483440309RW81C95LGU 01 AMAS9185310010133710 EA00006FB206583410480R 244 02 AT1MP822540010255344 EA00001MU13283147315RM2904088K 02 F6C100HH00T A0AA12K6110007647621 EA00001W81F6G90082500RYSARSSA92 021 Transaction Type 512 AF1FLZS5130011642140 EA00001FE466182980036 YAZ1570 0131602 BA AF3H32S1680010218748UAEA00001H631268350GBQ1 Y00DX9AK9Z7RAK002006BAHBZ90230113000 Transaction Type 513 AC1R43S009BLLZ991897 EA00001R0911283002227 AY6 0RZF7020208M026 AK1FLZS5895004713174 EA00001E275108335H710 Y72072CLRL866600236288FLZ337 AK3A12K4820004485200 EA00001W8068K72588621WW81EDRKFG FDE0226088 8045 AK2A12K3040009282243 EA00001W42UV583440836RW42KDFA92 06025 J 90420000894 AC3FLZ05836011545098CXEA00001DKSH4V61791138 DA5KBVL4FN01 03026 FNH Transaction Type 514 AEBN32U2915001476091E9EA00008N6588890263GQ1 N68621AK9 1R705060268BN3290560008000 FTZS9C22510012103595 EA00001W55CVC8296AAHS Y00000AFGSUC33313019TNAY8 A000005760 Transaction Type 515 FTQSGA21005005606435 EA00001W55CVC9021AACA Y00000AFG LD1 **TZA35** Transaction Type 515 FTRS9C21615001763259 EA00003W55CVC9021AAKH Y00000AFGSUC 130261BAY8 AA00002365 Transaction Type 516 A5ANNZS9905002555934 EA00002N0040690241502 YSTOCKAJ3 90770150552GGSA3A 0005200 ARJN32 6615010749940PFEA00001N003838125A124 00000006A 026 AOMBANBZAF ARON3201620011684699VHEA00020PSP02483656003 PA2S82 48F1R02503N688368MORRISONX025 Transaction Type 516 A6JN32 2810005123730MREA00002N003838125A285 0000000 025 MRZAF1 A518S6K6135010631978 PG00011FB240090251461 EY2404J30 01 12 B16AA 0001439 Transaction Type 517 AP1FLZ35995011872754CXEA00001FB306082320312 Y00ATFD 01AMP02 026 Transaction Type 518 A3AS91T5306003395620 EA00001N9679390264002RN0038389PG9Z42303 **H32** A4ANOZS2620000614108YXEA00002N6226990251178 YT8422AK9 7RNJ712 5G025AAJEN32 A41M0ZT5365010113921SNEA00019V6816590241526 YWRNSEAPC 1RLE512 2L026AALMM32 Transaction Type 521 AC6FL185940011770678 EA00001F8562290230588AF85621J6C 01 020332L816 Transaction Type 522 AMFN32S1615012088707VHEA00002N687098195@P47 88L0VHN0038386C8251 AK106PRAN32 Transaction Type 527 D6\$\$9C 4730008616890 EA00003FB520900750251 YCZ574A6C 123 DF2DA D4X59C 1615001790417 EA00052DAAJ098SGA008 0001AAB17L MESOCOAREAA D6XS9C 2620009385964 EA00001W0023692167607 ME 1LERKAA DMK\$9G 9330004891781 \$HJ72038C040001660ACZ \$M0700 RCGAA D4559C 3020007065432 EA00002DLA70090WA10 0001002E10 SCHOOO1FFCAA Transaction Type 528 DYJS9C 1610008588464 EA00003W58H0001354189 W58H0Z **ZCNE 110 B17** Transaction Type 529

Transaction Type 532 D7859C84710002778704 FT00010V2109801377A87 V07178AKZ GK503 NMCAAR365

APPENDIX F
INTERPROCESS MESSAGES

APPENDIX F

INTERPROCESS MESSAGES

The following pages summarize all interprocess messages currently implemented in the MODELS prototype system. Each message is defined in terms of its function, its C language structure, the sending module of the message, and additional clarifying comments where needed.

Each message's structure begins with a standard MODELS message structure header, which is comprised of the following fields:

```
WORD wType; /* Numeric code identifying message type */
char cPriority; /* Message priority (normal or expedited) */
char sQuerymod[_MODMNEMLN+1]; /* Sending module */
char sQueryLgn; /* Sending LGN */
WORD wId; /* Optional qualifier (for serialization) */
```

Module Startup Terminated	typedef struct mag_cantsta	sg_cantstart	Arry	Message sent to LGN Applications Executive.
	MODELSHEAD time_t char char char) MSG_CANTSTART;	mMsg_head; tTime_stamp; tModulename[SY_MODWMLN+1]; sReason[SY_ERRMSGLN+1];		
Suspend a Module	typedef struct mag_suspend	puadene B	LGW Applications	
	MODEL SHEAD char hSG_SUSPEND;	Misg_head; anodid[SY_MODMEMLN+1];	Executive	
Restart a Module	typedef struct mag_restart	grestert	LGM Applications	Sent to a module which has been suspended or
	MODELSHEAD char) MSG_RESTART;	misg_head; eModid(SY_MODMNEHLN+1);	Executive	shut down.
Utility Request	typedef struct mag_utilreqst	g_utilreqat	System Utility	Perform a system commend on a remote LGM.
	MODELSHEAD char char) MSG_UTILREQST;	mHsg_head; aCommand(SY_MAXCOMDLH+1); aSuapmod(SY_MOMMENLH+1);		
Shutdown a Module	typedef struct meg_modehut	g_modehut	LGN Applications	
	MODELSHEAD char) MSG_MODSHUT;	mMsg_head; aModid[SY_MODMWEMLN+1];	Executive	
Module Startup Completed Of	typedef struct meg_started	geterted	Any	Message sent to LGN Applications Executive.
	MODELSHEAD time_t) MSG_STARTED;	mitsg_head; tTime_stamp;		
Query Response	typedef struct mag_queryres	1_queryresp	System Monitor	•
	WODELSHEAD BYTE char char time_t char char	mMsg_head; byRespondingto; sDestrol(SY_MODWNEMLN+1); sLgn(SY_LGNNMLN+1); tTime_stamp; sReportfile[SY_FILENMLN+1];		performance. Query can be from local LGM or CLGM.

Message Too Early	typedef atruct mag_tooear	sg_tooearly	Arry	Message sent to LGN Applications Executive
	(MODELSHEAD WORD Char char) MSG_TOOEARLY;	mNsg_head; wNsgtype; acHsg[SY_MXXNSGLN];		when module receives any message (other than SHUTDOWN) before receiving an OPGO message from LGW Applications Executive.
Received EDI File	typedef struct meg_rcvded	eg_rcvded!	WAN Interface	Message sent to WAM Queueing.
	MODELSHEAD char char char) MSG_RCVDEDI;	mMsg_head; abestDodaec(SY_DCDAACLN+1); afilerm(SY_FILENHLN+1);		
Send ED1 File	typedef struct mag_sended	g_sended!	WAN Queueing	Message sent to WAW Interface, which
	MODELSHEAD char char char char char	<pre>mMsg_head; sDesttoric(SY_TORICLN+1); sSrcedifile(SY_FILEWALN+1); sDestedifile(SY_FILEWALN+1);</pre>		subsequently mends the EDI file to a remote LGN.
Send File to	typedef struct mag_sendfi	g sendfile	WAN Interface	Generic file upload to remote LCM; usually
Remote LGM	(MODELSHEAD char char char char char char char char	<pre>mMsg_head; sDestignisy_LGWHMLH+11; sSrcfile(sy_FilEHMLH+11; sDestfile(sy_FilEHMLH+11;</pre>		in response to a FILE REGUEST message.
Request File From	typedef struct mag_filerequest	sg_filerequest	MAN Interface	
Remote LGM	(MODELSHEAD char char char char fint fint) MSG_FILEREQUEST;	#Msg_head; algn[SY_LGWMNLN+1]; asrcfile[SY_FILEMNLN+1]; abeatfile[SY_FILEMNLN+1]; iRequestid;		
Received File	typedef struct mag_filereceived	sg_filereceived	WAN Interface	Generic file received form remote LGN, presumably in resonance to a FILE BEDREST
	MODELSHEAD char char fint int NSG_FILERECEIVED;	mMsg_head; afromlgn[SY_LGNNHLN+1]; arcydfile[SY_FILENMLN+1]; iRequestid;		message.

X.25 Data Packet	typedef struct mag_x2ed!	ng_x2od!	LAN Interface	Received packet from rampte LGM. Hand
	MODELSHEAD char avre fnt char > MSG_XZEDI;	#Msg_head; abestmod(SY_MODWWEMLN+1); byPriority; iMsglen; acMsglen;		
Send Message to Remote LGN	typedef struct mag_eardma (MODELSHEAD mHag_h char abestm char signis BYTE byPrio int iHsgle char acHag	### sendmeg ###################################	MAN Interface	Send commend to be executed on remote LGM.
Send File / Nessage Pair to Remote LGM	typedef struct mag_sendfilemag (MODELSHEAD mHsg_head; char sbestmod (SY char evyte byPriority; int iMsglen; char schellens; char sprefilemm[char NSG_SENDFILEMSG;	<pre>id_sendfilemeg inHsg_head; abestmod (SY_MODMMEMLH+1); algn(SY_LGMHMLH+1); byPriority; iMsglen; acHsgtext(SY_MAGNSGLN); acHsgtext(SY_MAGNSGLN); asrcfilemm(SY_FILEMMLH+1); abestfilemm(SY_FILEMMLH+1); };</pre>	WW Interface	
Compress EDI File Prior to Transmission	typedef struct mag_daptchedi (MODELSHEAD ##1sg_head char aBasefile) WSG_DSPTCHEDI;	#_deptchedi #Meg_head; #Besefilerm(SY_BASEFILEMHLN+1);	DLSS-to-EDI	Message sent to WAN Queueing.
Query Local or Remote LGM	typedef struct meg_query (MODELSHEAD mAsg- BYTE byQue cher sDestr cher sDestr cher sLgn[] } NSG_QUERY;	<pre>g_query mMsg-head; byQueryid; sDestmod[SY_MODMMENLN+1]; sLgn[SY_LGMMMLN+1];</pre>	WAN Interface	Query status of LGN. Usually sent from CLGN to remote LGM.

Filter Process	typedef struct mag_filterdone	gfilterdone	LAN Dequeneing	Message sent to DLSS-to-EDI.
	MODELSHEAD char) MSG_FILTENDOME;	#Mag_head; #Basefilerm(SY_BASEFILEMMLN+1];		
Compression	typedef etruct meg_ercdone	arcdone	WAN Queueing	Mesage is actually sent by a sub-process of
	MODELSHEAD char char int NSG_ARCDONE;	#Msg_head; sArcfile[SY_FILEMMLN+1]; sToric[SY_TORICLN+1]; iRetcode;	-	WAN Queueing. Return code usage is dependent on compression software.
Expansion Process	typedef struct meg_unercdone	g_unercdone	WAN Dequeueing	Message is actually sent by a sub-process of
	MODELSHEAD char fot	mMsg_head; aArcfile[SY_FILEHMLN+1]; iRetcode;		wan Dequeteing. Return code usage is dependent on expansion software.
Receive Edi File	typedef struct mag_getedifile	g_getedifile	WAN Interface	Used primarily by dial-up LGM to poll CLGM for in-board EDI files
	MODELSHEAD char char char hsc_GETEDIFILE;	mMsg_head; eToric(SY_TORICLM+1); eFilespec(SY_FILEMMLM+1); eDestdir(SY_FILEMMLM+1);		
Host Download Process Completed	typedef etruct meg_dhiddom (MODELSHEAD mAsg_hei int iRetode;	g_dnlddone #Msg_head; !Retcode;	LAN Interface	Return code usage dependent upon host file transfer software.
Clock Synchronization Request	(MODELSHEAD time_t) MSG_CLKREQ;	#Msg_head; tTimesent;	MAN Interface	Sent from LGM to CLGM

F-10

Notes:

formate for some messages on the CLGM are slightly different. **:**

Source DoDAAC and Destination DoDAAC are not currently used.

REPORT DOCUMENTATION PAGE

Form Approved OPM No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources gathering, and maintaining the data needed, and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE May 91	3. REPORT TYPE A	AND DATES COVERED		
4. TITLE AND SUBTITLE Technical Support Task Report for the Modernization of Defense Logistics Standard Systems, Volume III: Logistics Gateway Node Technical Specification			5. FUNDING NUMBERS C MDA903-C-0006 PE 0902198D		
6. AUTHOR(S) William T. James, III, with Christ	o G. Andonyadis, John S. Doby, John	Lycas			
7. PERFORMING ORGANIZATION NA Logistics Management Institute 6400 Goldsboro Road Bethesda, MD 20817-5886	8. PERFORMING ORGANIZATION REPORT NUMBER LMI-DL702R1				
9. SPONSORING/MONITORING AGEI Defense Logistics Standard Syste 6301 Little River Turnpike, Suite Alexandria, VA 22312	ms Division		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION/AVAILABILITY S A: Approved for public release;			12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) This volume presents the performance requirements for a logistics gateway node (LGN) and central LGN (CLGN) interconnected within a homogeneous network of LGNs under CLGN control. It specifies the technical capabilities necessary for a network of deployed LGNs to meet the functional capability called for in OSD directives.					
14. SUBJECT TERMS MODELS, EDI Translation, LGN, CLGN, Prototype, MODELS Feasibility Study, MODELS Network					
			16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	18. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	UL		